

Wireless Communication and Applications Above 100 GHz: Opportunities and Challenges for 6G and Beyond


Theodore (Ted) S. Rappaport

NYU WIRELESS

for

Federal Communications Commission

March 15, 2019





1933

FM Radio
(~100 MHz)




1973

First handheld
phone
(~850 MHz)




2003

WIFI (~2.4 and
5 GHz)



2019


Foldable Smart
Phone (~3.5 GHz)



90 Years Just Sub-6 GHz!

- [2] T. S. Rappaport *et al.* "State of the art in 60-GHz integrated circuits and systems for wireless communications," Proceedings of the IEEE, vol. 99, no. 8, pp. 1390–1436, Aug. 2011.
- [3] Q. Zhao and J. Li, "Rain attenuation in millimeter wave ranges," in Proc. IEEE Int. Symp. Antennas, Propag. EM Theory, Oct. 2006, pp. 1–4.
- [4] mmWave Coalition's NTIA Comments, Filed Jan. 2019. <http://mmwavecoalition.org/mmwave-coalition-millimeter-waves/mmwave-coalitions-ntia-comments/>
- [29] J. Ma *et al.*, "Channel performance for indoor and outdoor terahertz wireless links," APL Photonics, vol. 3, no. 5, pp. 1–13, Feb. 2018.

- **Europe: ETSI ISG mWT:** studying applications/use cases of millimeter wave spectrum (50 GHz - 300 GHz).



- **ITU-R: WRC-19 Agenda Item 1.15** will identify applications in the frequency range 275–450 GHz, in accordance with Resolution 767 (WRC-15).



Asia-Pacific Telecommunity (APT)
275–1000 GHz

European Conference of Postal and
Telecommunications Administrations
(CEPT) 275-1000 GHz

WRC-15

mmWave & THz Applications—the potential for 6G [1]	
Wireless Cognition	Robotic Control [27, 28] Drone Fleet Control [27]
Sensing	Air quality detection [5] Personal health monitoring system [6] Gesture detection and touchless smartphones [7] Explosive detection and gas sensing [8]
Imaging	See in the dark (mmWave Camera) [9] High-definition video resolution radar [10] Terahertz security body scan [11]
Communication	Wireless fiber for backhaul [12] Intra-device radio communication [13] Connectivity in data centers [14] Information shower (100 Gbps) [15]
Positioning	Centimeter-level Positioning [9,16]



Autonomous cars




Drones Deliver



Robotics



Holographic Imaging and Spatial cognition



Wireless Cognition
(Network Offloading)
[17]

<https://www.independent.co.uk/life-style/gadgets-and-tech/driverless-cars-travel-technology-government-control-autonomous-cars-a8413301.html>


<https://smallbiztrends.com/2016/03/delivery-drones-grounded-by-faa.html>

<https://www.arabianbusiness.com/technology/397057-ai-to-add-182bn-to-uae-economy-by-2035>

[17] Chinchali S. et. al., Network Offloading Policies for Cloud Robotics: a Learning-based Approach. arXiv preprint arXiv:1902.05703. 2019 Feb 15.




Body scanner using THz imaging to detect explosives [1]



mmWave imaging and communications for Simultaneous Localization And Mapping (SLAM) exploiting the scattering properties at mmWave [18]

Plot of THz intensity (proportional to the square of amplitude)




Glass, rock and a metal screw identified in a chocolate bar using THz imaging [17]


[1] <http://terasense.com/products/body-scanner/>

[17] C. Jördens, F. Rutz, M. Koch: Quality Assurance of Chocolate Products with Terahertz Imaging; European Conference on Non-Destructive Testing, 2006 – Poster 67


[18] M. Aladsani, A. Alkhateeb, and G. C. Trichopoulos, "Leveraging mmWave Imaging and Communications for Simultaneous Localization and Mapping," International Conference on Acoustics, Speech, and Signal Processing (ICASSP), Brighton, UK, May 2019.



100 Gbps ~ 1 Tbps backhaul links over rooftops [12]



On-chip & chip to chip Terahertz communication links [20]



Mobile Communications [12]



Short-range THz wireless connectivity in data centers [2]

[2] <http://terapod-project.eu/wp-content/uploads/2018/03/Re-imagining-data-centres-with-THz.pdf>



[3] <https://www.rfglobalnet.com/doc/fujitsu-develops-low-power-consumption-technology-for-g-0001>

[12] T. S. Rappaport, et al., "Overview of millimeter wave communications for fifth-generation (5G) wireless networks-with a focus on propagation models," IEEE Trans. on Ant. and Prop., vol. 65, no. 12, pp. 6213–6230, Dec. 2017.

[20] S. Abadal, A. Marruedo, et al., "Opportunistic Beamforming in Wireless Network-on-Chip", in Proceedings of the ISCAS '19, Sapporo, Japan, May 2019.

[30] S. Sun et al. "MIMO for millimeter-wave wireless communications: beamforming, spatial multiplexing, or both?," in IEEE Comm. Magazine, vol. 52, no. 12, pp. 110-121, De. 2014.

Conducting measurements [21]



140 GHz broadband channel sounder demo at Brooklyn 5G Summit [22]



[21] Y. Xing and T. S. Rappaport, "Propagation Measurement System and approach at 140 GHz- Moving to 6G and Above 100 GHz," IEEE 2018 Global Communications Conference, Dec. 2018, pp. 1–6.


[22] <https://ieeetv.ieee.org/event-showcase/brooklyn5g2018>

NYU WIRELESS 140 GHz Channel Sounder and Free Space Path Loss at 28, 73, 140 GHz

NYU 140 GHz Channel Sounder System

Description	Specification
LO Frequency	22.5 GHz $\times 6 = 135$ GHz
IF Frequency	5-9 GHz (4 GHz bandwidth)
RF Frequency	140-144 GHz
Upconverter IF input	-5 dBm typically 10 dBm (damage limit)
Downconverter RF input	-15 dBm typically 0 dBm (damage limit)
TX output power	0 dBm
Antenna Gain	25 dBi / 27 dBi
Antenna HPBW	$10^\circ / 8^\circ$
Antenna Polarization	Vertical / Horizontal


FSPL verifications following the proposed method at 28, 73, and 140 GHz [23] (after removing antenna gains)



As expected, FSPL at 140/73/28 GHz follows the Laws of Physics and satisfies Friis' equations with antenna gains removed.

Power Levels and Penetration Loss Following the Proposed Methods at 28, 73, and 140 GHz

Theoretical Received Power vs. Distances



Penetration Loss at 28, 73, and 140 GHz







Frequency (GHz)	Material Under Test	Thickness (cm)	Penetration Loss (dB)
28	Clear glass No.1	1.2	3.60
	Clear glass No.2	1.2	3.90
	Drywall No.1	38.1	6.80
73	Clear glass No.3	0.6	7.70
	Clear glass No.4	0.6	7.10
	Drywall No.2	14.5	10.06
140	Clear glass No.3	0.6	8.24
	Clear glass No.4	0.6	9.07
	Drywall No.2	14.5	15.02
	Glass door	1.3	16.20
	Drywall with Whiteboard	17.1	16.69

DIRECTIONAL ANTENNAS WITH EQUAL APERTURE HAVE MUCH LESS PATH LOSS AT HIGHER FREQUENCIES ([24] Ch.3 Page 104) !!!

PENETRATION LOSS INCREASES WITH FREQUENCY BUT THE AMOUNT OF LOSS IS DEPENDENT ON THE MATERIAL [21]

[24] T. S. Rappaport, et. al., "Millimeter Wave Wireless Communications," Pearson/Prentice Hall c. 2015.

[21] Y. Xing and T. S. Rappaport, "Propagation Measurement System and Approach at 140 GHz-Moving to 6G and Above 100 GHz," in IEEE 2018 Global Communications Conference, Dec. 2018, pp. 1-6.



Comparison between measured data and the dual-lobe Directive Scattering (DS) model at 142 GHz [1,26].

[1] T. S. Rappaport, Y. Xing, O. Kanhere, S. Ju, A. Alkhateeb, G. C. Trichopoulos, A. Madanayake, S. Mandal, "Wireless Communications and Applications Above 100 GHz: Opportunities and Challenges for 6G and Beyond (Invited)," IEEE ACCESS, submitted Feb. 2019.

[26] S. Ju et al., "Scattering Mechanisms and Modeling for Terahertz Wireless Communications," 2019 IEEE International Conference on Communications, May. 2019, pp. 1–7.

Penetration Loss at 28, 73, and 140 GHz			
Frequency (GHz)	Material Under Test	Thickness (cm)	Penetration Loss (dB)
28	Clear glass No.1	1.2	3.60
	Clear glass No.2	1.2	3.90
	Drywall No.1	38.1	6.80
73	Clear glass No.3	0.6	7.70
	Clear glass No.4	0.6	7.10
	Drywall No.2	14.5	10.06
140	Clear glass No.3	0.6	8.24
	Clear glass No.4	0.6	9.07
	Drywall No.2	14.5	15.02
	Glass door	1.3	16.20
	Drywall with Whiteboard	17.1	16.69

Penetration loss increases with frequency but the amount of loss is dependent on the material.

Penetration loss is constant over T-R separation distances for co-polarized antennas.

[21] Y. Xing and T. S. Rappaport, "Propagation Measurement System and Approach at 140 GHz-Moving to 6G and Above 100 GHz," in IEEE 2018 Global Communications Conference, Dec. 2018, pp. 1–6.

[23] Y. Xing et al., "Verification and calibration of antenna crosspolarization discrimination and penetration loss for millimeter wave communications," in 2018 IEEE 88th VTC, Aug. 2018, pp. 1–6.

- New rulemaking report and order (ET Docket 18-21)
 - **21.2 GHz** of unlicensed spectrum.
 - **95 GHz - 3 THz** for experimental licenses.
- Novel use cases for sub-THz and THz: **wireless cognition, imaging, and communications.**
- Measurements and channel models are underway at NYU WIRELESS
- This is an important and historic first step at the FCC – perhaps the start of 6G!