

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40731_S25754</u>		Telco Pole No. <u>MAW - 10 - 67</u>	
Street Location <u>Susquehanna St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>16'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. <u>24' 9"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 3"</u>
		Proposed Attach Ht. <u>21' 7"</u>
<u>15' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____
Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. <u>23' 9" Guy</u>
Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. <u>22' 10"</u>
Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. _____
DNF Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☒ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001525

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40726_S25749</u>		Telco Pole No. <u>MAW - 10 - 68</u>	
Street Location <u>Susquehanna St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
23' 9" Guy	Mid-Span Ht. _____ Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u> Mid-Span Ht. <u>25' 6"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
		Proposed Attach Ht. <u>24' 2"</u>	
22' 10" Mid-Span Ht. _____ Front <input type="checkbox"/> /Back <input type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. <u>17' 11"</u>	
Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>30' Guy</u> Mid-Span Ht. _____	
Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>27' Guy</u> Mid-Span Ht. <u>DNF</u>	
Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>21' 7" Guy</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001526

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40716_S25737</u>		Telco Pole No. <u>MAW - 10 - 69</u>	
Street Location <u>Susquehanna & S Duke St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 8"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
25' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>24' 11"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 8"</u>
17' 11" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>21' 5"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 4" Guy</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001527

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40757_S25887 (Build 5 #42)</u>		Telco Pole No. <u>MAW - 10 - 70</u>	
Street Location <u>New Dauphin & Ann St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>25' 2" Guy</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____	
		Proposed Attach Ht. _____	
Run Starts Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. <u>20' 4"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>18' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>17' 7"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001528

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40745_S25884</u>		Telco Pole No. <u>MAW - 10 - 71</u>	
Street Location <u>New Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25' 2" Guy		Mid-Span Ht. _____		25' 6"	
Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach. Ht. <u>29'</u>		Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>			
		Proposed Attach Ht. <u>20' 9"</u>			
20' 4" Mid-Span Ht.		Front <input type="checkbox"/> / Back <input type="checkbox"/>		20' 6" Mid-Span Ht.	
Attach. Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		19' 8" Attach. Ht.	
18' 9" Mid-Span Ht.		Attach. Ht. _____		19' 7" Mid-Span Ht.	
Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		19' 1" Attach. Ht.		18' 2" Mid-Span Ht.	
17' 7" Mid-Span Ht.		Attach. Ht. _____		18' 3" Attach. Ht.	
Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____		DNF	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001529

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40734_S25882</u>		Telco Pole No. <u>MAW - 10 - 72</u>	
Street Location <u>New Dauphin & S. Plum St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>25' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27' 10"</u> Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 8"</u>	
<u>20' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>22' 4"</u> Mid-Span Ht. <u>21' 11"</u>	
<u>19' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 4"</u> Mid-Span Ht. _____	
<u>18' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 4"</u> Mid-Span Ht. <u>20' 8"</u>	
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>19'</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19'</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001530

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40722_S25883</u>		Telco Pole No. <u>MAW - 10 - 73</u>	
Street Location <u>Pershing Ave & Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>26'</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>25' 2"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>	Mid-Span Ht. <u>25' 1"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>25' 2"</u>		
			Proposed Attach Ht. <u>24' 9"</u>		
<u>21' 11"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21' 10"</u>	Mid-Span Ht. <u>22'</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 2"</u>	Mid-Span Ht. <u>19' 1"</u>	
<u>20' 8"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>10' 8" Guy</u>	Mid-Span Ht. <u>DNF</u>	
<u>19'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>DNF</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19'</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001531

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40714_S25890</u>		Telco Pole No. <u>MAW - 10 - 74</u>	
Street Location <u>Pershing Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 8"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 1"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>29'</u>	<u>25' 1"</u>		
					<u>25' 4"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 1"</u>			
					Proposed Attach Ht. <u>20' 6"</u>
<u>22'</u>			<u>22'</u>	Front <input type="checkbox"/> /Back <input type="checkbox"/>	<u>19' 6"</u>
					<u>19' 8"</u>
<u>19' 1"</u>			<u>19' 1"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>19'</u>
					<u>18' 2"</u>
<u>DNF</u>			<u>DNF</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>18' 3"</u>
					<u>17' 1"</u>
<u>DNF</u>			<u>DNF</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>16' 7"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001532

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40705_S25897</u>		Telco Pole No. <u>MAW - 10 - 75</u>	
Street Location <u>Pershing Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
25' 4" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	29' Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 28'
19' 8" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21' 7" Proposed Attach. Ht.
18' 2" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 5" Attach. Ht.
17' 1" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 11" Attach. Ht.
16' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 4" Attach. Ht.
		17' 9" Mid-Span Ht.
		17' 2" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001533

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40696_S25904</u>		Telco Pole No. <u>MAW - 10 - 76</u>	
Street Location <u>Pershing Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 10"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			<u>21' 6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 10"</u>			
		Proposed Attach Ht. <u>21' 9"</u>			
<u>20' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 4"</u> Mid-Span Ht.
<u>19' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 8"</u>			
<u>17' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 2"</u>			<u>18'</u> Mid-Span Ht.
<u>17' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 3"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001534

POLE ATTACHMENT DATA SHEET – CABLE/CABINET


Pole No. <u>40687_S25912</u>	Telco Pole No. <u>MAW - 10 - 77</u>
Street Location <u>Pershing Ave & Green St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>12AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 10"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 4"</u>		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>21' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>28' 10"</u> Attach. Ht.	<u>19' 4"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			<u>24' 4"</u> Ht. of Lowest Service or Secondary Drip Loop	
<u>20' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>22'</u> Proposed Attach Ht.	
<u>18'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>20' 2"</u> Attach. Ht.	<u>19'</u> Mid-Span Ht.
<u>16' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>19'</u> Attach. Ht.	<u>16' 6"</u> Mid-Span Ht.
			<u>18' 4"</u> Attach. Ht.	<u>14' 7"</u> Mid-Span Ht.
				<u>14'</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001535

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40679_S25918</u>		Telco Pole No. <u>MAW - 10 - 78</u>	
Street Location <u>Pershing Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 4"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>19' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>25'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 4"</u>	
<u>19'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>20' 10" Guy</u>	
<u>16' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 4"</u> Mid-Span Ht. <u>Run Ends</u>	
<u>14' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 3"</u> Mid-Span Ht. _____	
<u>14'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>16' 10"</u> Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001536

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40483_S26534</u>		Telco Pole No. <u>MAW - 11 - 01</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		Mid-Span Ht. <u>24' 10"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>17' 2" Guy</u>			
Run Starts Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>16' 5"</u>		Mid-Span Ht. <u>20' 6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>15' 8"</u>		Mid-Span Ht. <u>19' 6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>14' 8"</u>		Mid-Span Ht. <u>18' 3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001537

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40472_S26533</u>		Telco Pole No. <u>MAW - 11 - 02</u>	
Street Location <u>E. Liberty & N. Lime St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>28' 2"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>24' 8"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		
	Attach. Ht. <u>29' 3"</u>	
	Ht. of Lowest Service or Secondary Drip Loop <u>28' 2"</u>	
	Proposed Attach Ht. <u>25' 3"</u>	
<u>20' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>20' 5"</u> Mid-Span Ht.
	Attach. Ht. <u>21'</u>	
<u>19' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>20' 4"</u> Mid-Span Ht. <u>DNF</u>
	Attach. Ht. <u>20' 4"</u>	
<u>18' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>19' 3"</u> Mid-Span Ht. <u>15'</u>
	Attach. Ht. <u>19' 3"</u>	
<u>17' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>DNF</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001538

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40458_S26531</u>		Telco Pole No. <u>MAW - 11 - 03</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>28' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>29' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30' 6"</u>			<u>25' 1"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>29' 6"</u>			
		Proposed Attach Ht. <u>23' 6"</u>			
<u>20' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 11"</u>			<u>15' 4"</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 10"</u>			<u>20' 9"</u> Mid-Span Ht.
<u>15'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>			<u>19' 2"</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001539

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40459_S26523</u>		Telco Pole No. <u>MAW - 11 - 04</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		30'	25' 1"				DNF
					n/a		
						18' 11"	
			15' 4"				18' 6"
			20' 9"				DNF
			19' 2"				21' 7"
			17' 10"				DNF
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>15' 4"</u> FT.				SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>				YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>				ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>				RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001540

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40447_S26521</u>		Telco Pole No. <u>MAW - 11 - 05</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29' 6"</u>	Mid-Span Ht.	DNF
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>			
		Proposed Attach Ht. <u>19' 10"</u>			
<u>18' 6"</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht.	Mid-Span Ht.	<u>219' 9"</u>
DNF	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 10"</u>	Mid-Span Ht.	
<u>21' 7"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>	Mid-Span Ht.	<u>19' 2"</u>
DNF	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht.	DNF

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001541

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>Bell_Co_B1_8</u>		Telco Pole No. <u>MAW - 11 - 06</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~8" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>	Mid-Span Ht. <u>n/a</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>21' 7"</u>		
<u>19' 9"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>18' 7"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 7"</u>	Mid-Span Ht. _____	
<u>19' 2"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 6"</u>	Mid-Span Ht. <u>18' 7"</u>	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>14' 1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001542

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40442_S26517</u>		Telco Pole No. <u>MAW - 11 - 07</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>n/a</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>			
		Proposed Attach Ht. <u>22' 6"</u>			
<u>18' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>25' 3"</u>			Mid-Span Ht. <u>20' 10"</u>
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 6"</u>			Mid-Span Ht. <u>DNF</u>
<u>18' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9"</u>			Mid-Span Ht. <u>20' 10"</u>
<u>14' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>19' 9"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001543

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40412_S26515</u>		Telco Pole No. <u>MAW - 11 - 08</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27' 9"</u>	Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>25' 8"</u>		
			Proposed Attach Ht. <u>21'</u>		
<u>20' 10"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>23' 1"</u>	Mid-Span Ht. <u>20' 3"</u>	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>	Mid-Span Ht. <u>18' 6"</u>	
<u>20' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 8"</u>	Mid-Span Ht. <u>20' 3"</u>	
<u>19' 9"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>DNF</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001544

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40398_S26513</u>		Telco Pole No. <u>MAW - 11 - 09</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>	Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>22' 1"</u>		
<u>20' 3"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22' 1"</u>	Mid-Span Ht. <u>20' 7"</u>	
<u>18' 6"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>	Mid-Span Ht. <u>20' 7"</u>	
<u>20' 3"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>	Mid-Span Ht. <u>20' 1"</u>	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40391_S26512</u>		Telco Pole No. <u>MAW - 11 - 10</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>21' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22' 6"</u>	Mid-Span Ht.	DNF
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>21' 8"</u>			
		Proposed Attach Ht. <u>20' 9"</u>			
<u>20' 7"</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>20' 9"</u>	Mid-Span Ht.	<u>21' 1"</u>
<u>20' 7"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 7"</u>	Mid-Span Ht.	<u>21' 1"</u>
<u>20' 1"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 11"</u>	Mid-Span Ht.	<u>19' 11"</u>
<u>17' 1"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht.	<u>18' 10"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001546

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40384_S26511</u>		Telco Pole No. <u>MAW - 11 - 11</u>	
Street Location <u>E. Liberty N. Christain St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>	Mid-Span Ht. <u>n/a</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>23' 4"</u>		
<u>21' 1"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22' 9"</u>	Mid-Span Ht. <u>22' 2"</u>	
<u>21' 1"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 9"</u>	Mid-Span Ht. <u>21' 10"</u>	
<u>19' 11"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 5"</u>	Mid-Span Ht. <u>19' 7"</u>	
<u>18' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001547

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40374_S26570</u>		Telco Pole No. <u>MAW - 11 - 12</u>	
Street Location <u>E. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>n/a</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>	Mid-Span Ht.	<u>n/a</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>25'</u>		
<u>22' 2"</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22' 1"</u>	Mid-Span Ht.	<u>21' 2"</u>
<u>21' 10"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 9"</u>	Mid-Span Ht.	<u>20' 6"</u>
<u>19' 7"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 6"</u>	Mid-Span Ht.	<u>16' 8"</u>
<u>17' 2"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht.	<u>16' 2"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17'2</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001548

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40364_S26508</u>		Telco Pole No. <u>MAW - 11 - 13</u>	
Street Location <u>E. Liberty & N. Queen St 's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~8" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>n/a</u>	Mid-Span Ht. <u>Front <input type="checkbox"/>/Back <input checked="" type="checkbox"/></u>	Attach. Ht. <u>28'</u>	Mid-Span Ht. <u>DNF</u>		
	Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>			
		Proposed Attach Ht. <u>23' 2"</u>			
<u>21' 2"</u>	Mid-Span Ht. <u>Front <input type="checkbox"/>/Back <input type="checkbox"/></u>	Attach Ht. <u>22' 2"</u>	Mid-Span Ht. <u>19' 11"</u>		
<u>20' 6"</u>	Mid-Span Ht. <u>Front <input checked="" type="checkbox"/>/Back <input checked="" type="checkbox"/></u>	Attach Ht. <u>21' 7"</u>	Mid-Span Ht. <u>21' 2"</u>		
<u>16' 8"</u>	Mid-Span Ht. <u>Front <input checked="" type="checkbox"/>/Back <input checked="" type="checkbox"/></u>	Attach Ht. <u>19' 10"</u>	Mid-Span Ht. <u>17' 10"</u>		
<u>16' 2"</u>	Mid-Span Ht. <u>Front <input checked="" type="checkbox"/>/Back <input checked="" type="checkbox"/></u>		Mid-Span Ht. <u>17' 4"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001549

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40352_S26506</u>		Telco Pole No. <u>MAW - 11 - 14</u>	
Street Location <u>W. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>	Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>		
			Proposed Attach Ht. <u>24' 8"</u>		
<u>19' 11"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>23' 3"</u>	Mid-Span Ht. <u>18' 5"</u>	
<u>21' 2"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 3"</u>	Mid-Span Ht. <u>18' 3"</u>	
<u>17' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>	Mid-Span Ht. <u>15'</u>	
<u>17' 4"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>15</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001550

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40340_S26505</u>		Telco Pole No. <u>MAW - 11 - 15</u>	
Street Location <u>W. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>28'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>	Mid-Span Ht. <u>n/a</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>		
			Proposed Attach Ht. <u>24'</u>		
<u>18' 6"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>19'</u>	Mid-Span Ht. <u>20' 2"</u>	
<u>18' 3"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 5"</u>	Mid-Span Ht. <u>17' 9"</u>	
<u>15'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>16' 1"</u>	Mid-Span Ht. <u>15' 10"</u>	
<u>15'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>15' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001551

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40329_S26503</u>		Telco Pole No. <u>MAW - 11 - 16</u>	
Street Location <u>W. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>n/a</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u>		Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>30'</u>		
			Proposed Attach Ht. <u>25' 2"</u>		
<u>20' 2"</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21' 9"</u>	Mid-Span Ht. <u>18' 7"</u>	
<u>17' 9"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>	Mid-Span Ht. <u>20' 1"</u>	
<u>15' 10"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 2"</u>	Mid-Span Ht. <u>15' 10"</u>	
<u>15' 6"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>15' 7"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001552

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>Bell_Co_204</u>		Telco Pole No. <u>MAW - 11 - 17</u>	
Street Location <u>W. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29' 6"</u>	Mid-Span Ht. <u>26' 10"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>28' 6"</u>		
			Proposed Attach Ht. <u>22' 8"</u>		
<u>18' 7"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21'</u>	Mid-Span Ht. <u>22' 2"</u>	
<u>20' 1"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'</u>	Mid-Span Ht. <u>20' 8"</u>	
<u>15' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 8"</u>	Mid-Span Ht. <u>17' 10"</u>	
<u>15' 7"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 5"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001553

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40309_S26501</u>		Telco Pole No. <u>MAW - 11 - 18</u>	
Street Location <u>W. Liberty St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>28'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>			
		Proposed Attach Ht. <u>23' 6"</u>			
<u>22' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 10"</u>			Mid-Span Ht. <u>21' 4"</u>
<u>20' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 10"</u>			Mid-Span Ht. <u>21' 5"</u>
<u>17' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 10"</u>			Mid-Span Ht. <u>17' 1"</u>
<u>17' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>16' 4"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001554

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>BT_CO_206</u>		Telco Pole No. <u>MAW - 11 - 19</u>	
Street Location <u>W. Liberty & N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>	Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>22' 4"</u>		
<u>21' 4"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21' 4"</u>	Mid-Span Ht. _____	
<u>21' 5"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 9"</u>	Mid-Span Ht. _____	
<u>17' 1"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 6"</u>	Mid-Span Ht. _____	
<u>16' 4"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001555

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>32788_PPL</u>		Telco Pole No. <u>MAW - 11 - 20</u>	
Street Location <u>867 N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>28'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>28' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>33'</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>28' 10"</u>		Mid-Span Ht. <u>27' 8"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>18' 8"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>24' 2"</u>			Mid-Span Ht. <u>19' 11"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 11"</u>			Mid-Span Ht. <u>22' 6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 7"</u>			Mid-Span Ht. <u>23' 6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>19' 7"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40303_S26499</u>		Telco Pole No. <u>MAW - 11 - 21</u>	
Street Location <u>N. Prince & W. Liberty St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27' 8" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 33'			30' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 29'			
		Proposed Attach Ht. 26'			
19' 11" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. 25' 6"			23' 10" Mid-Span Ht.
22' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 24' 1"			24' Mid-Span Ht.
23' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 22' 11"			22' 9" Mid-Span Ht.
19' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				20' 7" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001557

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40302 S26507</u>		Telco Pole No. <u>MAW - 11 - 22</u>	
Street Location <u>N. Prince & W. Liberty St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
30' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>			Mid-Span Ht. <u>n/a</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>24' 4"</u>			
23' 10" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>22' 9"</u>
24' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. _____
22' 9" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 3"</u>			Mid-Span Ht. _____
20' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>20' 1"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001558

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40301_S26517</u>		Telco Pole No. <u>MAW - 11 - 23</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 11"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22' 5"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u>			<u>28' 6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 5"</u>			
		Proposed Attach Ht. <u>21' 8"</u>			
<u>22' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>21' 2"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 4"</u>			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 5"</u>			<u>19' 3"</u> Mid-Span Ht.
<u>20' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001559

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40300_S26524</u>		Telco Pole No. <u>MAW - 11 - 24</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
28' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>			Mid-Span Ht. <u>26'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>19' 8"</u>			
21' 2" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>20' 6"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
19' 3" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>12' Guy</u>			Mid-Span Ht.
18' 10" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001560

Pole No.	40298 S26534	Telco Pole No.	MAW - 11 - 25
Street Location	N. Prince St	Name of Attacher	MAW Communications Inc.
City/Boro/Township	Lancaster	Date	13AUG2015

Pole Size	~16" dia	Street Light	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Transformer/Device on Pole	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket	_____	Primary	<input type="checkbox"/> Yes
		Height of Lowest Point of Street Light Drip Loop		Secondary	<input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

(Check One)

Attach. Ht. 28' 6"

Mid-Span Ht. 26'

Mid-Span Ht. 20' 1"

Front ☐/Back ☒

Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)

Ht. of Lowest Service or Secondary Drip Loop n/a

Proposed Attach Ht. 21' 3"

Mid-Span Ht. 20' 6"

Mid-Span Ht. 18' 8"

Front ☐/Back ☐

Mid-Span Ht. _____

Front ☒/Back ☒

Mid-Span Ht. _____

Front ☒/Back ☒

Mid-Span Ht. 20' 1"

Mid-Span Ht. _____

DNF

Mid-Span Ht. _____

Front ☒/Back ☒

Mid-Span Ht. 17' 3"

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

Raise:	St. Lt. Brkt.	_____ In.	Lower:	_____ Cable _____ In.
	Neutral/Secondary	_____ In.		_____ Cable _____ In.
	Transformer/Device	_____ In.		_____ Cable _____ In.
	_____ Cable	_____ In.		_____ Other _____ In.
	(Other)	In.		Other _____ In.

COMMENTS: _____

MAW001561

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40296_S26547</u>		Telco Pole No. <u>MAW - 11 - 26</u>	
Street Location <u>N. Prince & McGovern St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 7"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>23' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>20' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>33'</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 4"</u>			
		Proposed Attach Ht. <u>20' 9"</u>			
<u>18' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>18' 6"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. _____
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 3"</u>			Mid-Span Ht. _____
<u>17' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. _____
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001562

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40296_S26563</u>		Telco Pole No. <u>MAW - 11 - 27</u>	
Street Location <u>N. Prince & McGovern St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>n/a</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>39'</u>	Mid-Span Ht. <u>33"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
		Proposed Attach Ht. <u>27' 6"</u>	
<u>18' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>26'</u>	Mid-Span Ht. <u>23' 3"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>25' 6"</u>	Mid-Span Ht. <u>DNF</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>24' 10"</u>	Mid-Span Ht. <u>DNF</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>DNF</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 23' 3" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001563

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40294_S26580</u>		Telco Pole No. <u>MAW - 11 - 28</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>33'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>32'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
33" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Mid-Span Ht. _____
23' 3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Mid-Span Ht. Run Ends
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001564

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40309_S26461</u>		Telco Pole No. <u>MAW - 11 - 29</u>	
Street Location <u>N. Prince & W. Ross St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____			Mid-Span Ht. <u>25' 4"</u>	
Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>			Attach. Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
Run Starts Mid-Span Ht. _____			Proposed Attach Ht. <u>22' 2"</u>	
Front <input type="checkbox"/> / Back <input type="checkbox"/>			Mid-Span Ht. <u>20' 10"</u>	
Mid-Span Ht. _____			Attach. Ht. _____	
Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. _____	
Mid-Span Ht. _____			Attach. Ht. <u>24' 7"</u>	
Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>23'</u>	
Mid-Span Ht. _____			Attach. Ht. <u>23' 4"</u>	
Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>22' 1"</u>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 22' 1" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.


COMMENTS: _____

Pole No. <u>40311_S26455</u>	Telco Pole No. <u>MAW - 11 - 30</u>
Street Location <u>N. Prince & W. Ross St's</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>13AUG2015</u>

Pole Size	~12" dia	Street Light	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Transformer/Device on Pole	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket	_____	Primary	<input type="checkbox"/> Yes
		Height of Lowest Point of Street Light Drip Loop		Secondary	<input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

Lowest Neutral ☐ or Secondary ☒ (Check One) Pole Side* Lowest Neutral ☐ or Secondary ☒ (Check One)



SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In. Lower: _____ Cable _____ In.
 Neutral/Secondary _____ In. _____ Cable _____ In.
 Transformer/Device _____ In. _____ Cable _____ In.
 _____ Cable _____ In. _____ Other _____ In.
 _____ (Other) _____ In. _____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40311_S26449</u>		Telco Pole No. <u>MAW - 11 - 31</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>30' 5"</u> Mid-Span Ht.
Top of Conduit Riser Ht. <u>29'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>26' 11"</u>			
<u>24' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>26'</u> Mid-Span Ht.
<u>21' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>25' 11"</u>			<u>25'</u> Mid-Span Ht.
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24' 11"</u>			<u>25'</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>24'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001567

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40311_S26444</u>		Telco Pole No. <u>MAW - 11 - 32</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>30' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>34'</u>			<u>31' 8"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>25' 6"</u>			
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>24' 4"</u> Mid-Span Ht.
<u>25'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>25'</u>			<u>24' 1"</u> Mid-Span Ht.
<u>24'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24'</u>			<u>22' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001568

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40313_S26436</u>		Telco Pole No. <u>MAW - 11 - 33</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
31' 8" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 30'			27' 6" Mid-Span Ht.
Top of Conduit Riser Ht. 29' (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 29'			
		Proposed Attach Ht. 27' 6"			
24' 4" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			25' Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 26' 6"			
24' 1" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 24' 10"			24' 6" Mid-Span Ht.
22' 10" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				20' 11" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>20' 11"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40314_S26425</u>		Telco Pole No. <u>MAW - 11 - 34</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	31' Attach. Ht.
Top of Conduit Riser Ht. <u>30'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>29' 6"</u>
25' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	24' Proposed Attach. Ht.
24' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	22' 10" Attach. Ht.
20' 11" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	21' 9" Attach. Ht.
		22' 8" Mid-Span Ht.
		21' 7" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001570

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40316_S26415</u>		Telco Pole No. <u>MAW - 11 - 35</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~18" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
32' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	34'6" Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 32'
24'6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	26' Proposed Attach. Ht.
22'8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	25' Attach. Ht.
21'7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	23'10" Attach. Ht.
		23'2" Attach. Ht.
		22'4" Mid-Span Ht.
		DNF Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001571

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40317_S26406</u>		Telco Pole No. <u>MAW - 11 - 36</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>32'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>36' 5"</u> Attach. Ht.	<u>33' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. <u>35'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>35'</u>	
		Proposed Attach Ht. <u>26' 5"</u>	
<u>26' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>25' 3"</u> Attach. Ht.	<u>25' 3"</u> Mid-Span Ht.
<u>23' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>25'</u> Attach. Ht.	<u>23' 8"</u> Mid-Span Ht.
<u>22' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>23' 9"</u> Attach. Ht.	<u>23' 8"</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>22' 1"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001572

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40318_S26396</u>		Telco Pole No. <u>MAW - 11 - 37</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>36'</u>			
<u>33' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>35'</u>		<u>26' 2"</u> Mid-Span Ht.
Top of Conduit Riser Ht. <u>35'</u> (If Below Neutral or Secondary)			Proposed Attach Ht. <u>24' 11"</u>		
<u>25' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>22' 6"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 9"</u>			Mid-Span Ht.
<u>23' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 9"</u>			<u>21' 3"</u> Mid-Span Ht.
<u>22' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 7"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001573

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40320_S26383</u>		Telco Pole No. <u>MAW - 11 - 38</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
26'2" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		29'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>
Top of Conduit Riser Ht. <u>28'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>
22'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>24'6"</u>
21'3" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		24' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>
17'7" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		22'2" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>
		21' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>
		19'5" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>
		18'8" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐
Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001574

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40321_S23677</u>		Telco Pole No. <u>MAW - 11 - 39</u>	
Street Location <u>N. Prince & W. New St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>27'9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>33'</u> Attach. Ht.	<u>23'10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. <u>30'</u> (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>30'</u>	
<u>23'1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		Proposed Attach. Ht. <u>28'</u>	
<u>22'5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>25'6"</u> Attach. Ht.	<u>21'</u> Mid-Span Ht.
<u>19'5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>24'6"</u> Attach. Ht.	<u>DNF</u> Mid-Span Ht.
<u>18'8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>23'5"</u> Attach. Ht.	<u>21'11"</u> Mid-Span Ht.
				<u>19'9"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19'9"</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001575

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40323_S26365</u>		Telco Pole No. <u>MAW - 11 - 40</u>	
Street Location <u>N. Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23'10"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'6"</u>			Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>18'2"</u>			
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>Run Ends</u>
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'</u>			Mid-Span Ht. _____
<u>21'11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'2"</u>			Mid-Span Ht. _____
<u>19'9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. _____
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001576

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40331_S26379</u>		Telco Pole No. <u>MAW - 11 - 41</u>	
Street Location <u>W. New St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____		Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>25' 3"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>23' 6"</u>	
			Proposed Attach Ht. <u>21' 3"</u>	
Mid-Span Ht. <u>22'</u>		Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. <u>19' 2"</u>	
Run Starts Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>27'</u>	
Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>14' 8"</u>	
Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>14' 8"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001577

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40344_S26381</u>		Telco Pole No. <u>MAW - 11 - 42</u>	
Street Location <u>W. New & N. Market St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>27'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 6"</u>			
		Proposed Attach Ht. <u>21'</u>			
<u>19' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 11"</u> Mid-Span Ht.
<u>27'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>			
<u>14' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 4"</u>			<u>18' 2"</u> Mid-Span Ht.
<u>14' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001578


POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40357_S26383</u>	Telco Pole No. <u>MAW - 11 - 43</u>
Street Location <u>W. New St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>13AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>27'6"</u> Attach. Ht.	<u>24'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)				
<u>19'11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>			<u>21'5"</u> Mid-Span Ht.
<u>18'2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>20'4"</u> Mid-Span Ht.
<u>17'10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>19'10"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001579

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40370_S26385</u>		Telco Pole No. <u>MAW - 11 - 44</u>	
Street Location <u>W. New & N. Owen St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>25'6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. <u>28'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>			
		Proposed Attach Ht. <u>25'2"</u>			
<u>21'5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>24'6"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24'8"</u>			
<u>20'4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'11"</u>			<u>23'1"</u> Mid-Span Ht.
<u>19'10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>21'7"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001580

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40381_S26386</u>		Telco Pole No. <u>MAW - 11 - 45</u>	
Street Location <u>W. New St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>24'1"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>26'</u>			
<u>24'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19'4"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24'9"</u>			
<u>23'1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'11"</u>			<u>18'6"</u> Mid-Span Ht.
<u>21'7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17'10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001581

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40392_S26388</u>		Telco Pole No. <u>MAW - 11 - 46</u>	
Street Location <u>W. New St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>13AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
24'1" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>			
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			
19'4" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Mid-Span Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. Run Ends	
18'6" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____	
17'10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001582

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40326_S26423</u>		Telco Pole No. <u>MAW - 11 - 47</u>	
Street Location <u>W. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>n/a</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>	Mid-Span Ht. <u>n/a</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop _____	
			Proposed Attach Ht. <u>20'6"</u>	
<u>Down Guy</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach. Ht. <u>20'10"</u>	Mid-Span Ht. <u>20'4"</u>
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20'6"</u>	Mid-Span Ht. <u>24'2"</u>
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20'1"</u>	Mid-Span Ht. <u>20'4"</u>
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>19'</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001583

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40341_S26426</u>		Telco Pole No. <u>MAW - 11 - 48</u>	
Street Location <u>W. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 2"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>n/a</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>		Mid-Span Ht. <u>25' 4"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>23' 8"</u>		
			Proposed Attach Ht. <u>22' 1"</u>		
<u>20' 4"</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20' 6"</u>
<u>24' 2"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 3"</u>		Mid-Span Ht. _____
<u>20' 4"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 8"</u>		Mid-Span Ht. <u>18' 11"</u>
<u>19'</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001584

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40352_S26427</u>		Telco Pole No. <u>MAW - 11 - 49</u>	
Street Location <u>W. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25'4" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		25'1" Mid-Span Ht. 26'	
		Ht. of Lowest Service or Secondary Drip Loop 21'2"	
		Proposed Attach Ht. 21'6"	
20'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. 19'7"	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. 21' Mid-Span Ht. _____	
18'11" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. 18'11"	
DNF Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40363_S26429</u>		Telco Pole No. <u>MAW - 11 - 50</u>	
Street Location <u>W. Clay & N. Queen St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>23'6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>22'7"</u>			
<u>19'7"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21'8"</u>			<u>20'5"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'8"</u>			<u>19'9"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'1"</u>			DNF Mid-Span Ht.
<u>18'11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				DNF Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001586

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40380_S26432</u>		Telco Pole No. <u>MAW - 11 - 51</u>	
Street Location <u>E. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 4"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			<u>21' 10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>			
		Proposed Attach Ht. <u>23'</u>			
<u>20' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 6"</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 1"</u>			
<u>19' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>19' 1"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001587

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40397_S26434</u>		Telco Pole No. <u>MAW - 11 - 52</u>	
Street Location <u>E. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>21' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 10"</u>			
		Proposed Attach Ht. <u>23' 6"</u>			
<u>20' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>23'</u>			Mid-Span Ht. <u>21' 2"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 7"</u>			Mid-Span Ht. <u>21'</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 8"</u>			Mid-Span Ht. <u>19' 10"</u>
<u>19' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001588

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40410_S26436</u>		Telco Pole No. <u>MAW - 11 - 53</u>	
Street Location <u>E. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 4"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>	Mid-Span Ht. <u>22' 8"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>22' 8"</u>		
			Proposed Attach Ht. <u>21' 5"</u>		
<u>21' 2"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>21' 6"</u>	
<u>21'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____	
<u>19' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>	Mid-Span Ht. _____	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 3"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes


Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40425_S26439</u>		Telco Pole No. <u>MAW - 11 - 54</u>	
Street Location <u>E. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
22' 8" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		29' 10" Attach. Ht. Mid-Span Ht. 24' 11"
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>
21' 6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. 23' 3" Mid-Span Ht. 21' 9"
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. _____ Mid-Span Ht. _____
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. 21' 10" Mid-Span Ht. _____
17' 3" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. 20' 5"
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001590

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>4036_S26441</u>		Telco Pole No. <u>MAW - 11 - 55</u>	
Street Location <u>E. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>28' 3"</u> Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		<u>22' 6"</u> Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>
		Proposed Attach Ht. <u>23'</u>
<u>21' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>18' 7"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
<u>20' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>22' 5"</u> Attach Ht.
		Mid-Span Ht. <u>17' 4"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001591

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40450_S26443</u>		Telco Pole No. <u>MAW - 11 - 56</u>	
Street Location <u>E. Clay & N. Cherry St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 4"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>22' 6"</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>25' 6"</u> Attach. Ht. Mid-Span Ht. <u>DNF</u>
<u>18' 7"</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		<u>19' 7"</u> Mid-Span Ht. Attach. Ht. _____
<u>17' 4"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>20' 4"</u> Attach. Ht. Mid-Span Ht. _____
<u>17' 4"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>18' 3"</u> Mid-Span Ht. Attach. Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001592

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40466_S26445</u>		Telco Pole No. <u>MAW - 11 - 57</u>	
Street Location <u>E. Clay St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>	Mid-Span Ht. <u>n/a</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>24'</u>	
<u>19'7"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>22'8"</u>
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'</u>	Mid-Span Ht. _____
<u>18'3"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001593

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40481_S26442</u>		Telco Pole No. <u>MAW - 11 - 58</u>	
Street Location <u>E. Clay & N. Lime St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>n/a</u>	Mid-Span Ht. <u>Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/></u>	Attach. Ht. <u>28'</u>	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>	Proposed Attach Ht. <u>24' 1"</u>	Mid-Span Ht. _____
<u>22' 8"</u>	Mid-Span Ht. <u>Front <input type="checkbox"/> / Back <input type="checkbox"/></u>	Attach Ht. _____	Mid-Span Ht. <u>Run Ends</u>		
	Mid-Span Ht. <u>Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/></u>	Attach Ht. <u>22' 7"</u>			
	Mid-Span Ht. <u>Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/></u>	Attach Ht. <u>20' 5"</u>			
<u>DNF</u>	Mid-Span Ht. <u>Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/></u>				

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001594

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40512_S26301</u>		Telco Pole No. <u>MAW - 11 - 59</u>	
Street Location <u>N. Lime St & Park Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32'</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>27' 6"</u>		Mid-Span Ht. <u>26'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>23' 11"</u>			
Run Starts	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20'</u>		Mid-Span Ht. <u>21' 3"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 2"</u>		Mid-Span Ht. <u>15' 8"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 6"</u>		Mid-Span Ht. <u>15' 3"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>14' 9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001595

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40510_S26317</u>		Telco Pole No. <u>MAW - 11 - 60</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>27' 2"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>22' 11"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			
	Attach. Ht. <u>30'</u>		
	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		
	Proposed Attach Ht. <u>24' 8"</u>		
<u>21' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>20' 6"</u> Mid-Span Ht.	
	Attach. Ht. <u>20' 5"</u>		
<u>15' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>16' 3"</u> Mid-Span Ht.	
	Attach. Ht. <u>19' 6"</u>		
<u>15' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>15' 2"</u> Mid-Span Ht.	
	Attach. Ht. <u>18' 11"</u>		
<u>14' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>14' 7"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001596

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40507_S26332</u>		Telco Pole No. <u>MAW - 11 - 61</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 8"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
22' 11" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	29' Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		28' Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>25' 10"</u>
		Proposed Attach Ht. <u>23' 2"</u>
20' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	19' 3" Attach. Ht.
16' 3" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	22' 6" Mid-Span Ht.
15' 2" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 4" Attach. Ht.
14' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 7" Mid-Span Ht.
		17' 8" Attach. Ht.
		17' 6" Mid-Span Ht.
		16' 10" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.


MAW001597

Pole No.	40500_S26331	Telco Pole No.	MAW - 11 - 62
Street Location	N. Lime St	Name of Attacher	MAW Communications Inc.
City/Boro/Township	Lancaster	Date	18AUG2015

Pole Size	~14" dia	Street Light	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Transformer/Device on Pole	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket	27'	Primary	<input type="checkbox"/> Yes
		Height of Lowest Point of Street Light Drip Loop	27' 6"	Secondary	<input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

Lowest Neutral ☐ or Secondary ☒ (Check One) Pole Side* Lowest Neutral ☐ or Secondary ☒ (Check One)



SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise:	St. Lt. Brkt.	_____ In.	Lower:	_____ Cable _____ In.
	Neutral/Secondary	_____ In.		_____ Cable _____ In.
	Transformer/Device	_____ In.		_____ Cable _____ In.
	_____ Cable	_____ In.		_____ Other _____ In.
	_____ (Other)	_____ In.		_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40498_S23644</u>		Telco Pole No. <u>MAW - 11 - 63</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>	Mid-Span Ht. <u>27'10"</u>	
Top of Conduit Riser Ht. <u>28'6"</u> (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>28'6"</u>		
			Proposed Attach Ht. <u>23'</u>		
<u>20'5"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>20'6"</u>	Mid-Span Ht. <u>22'1"</u>	
<u>15'9"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'8"</u>	Mid-Span Ht. <u>20'10"</u>	
<u>15'3"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'9"</u>	Mid-Span Ht. <u>19'5"</u>	
<u>14'11"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>18'6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001599

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40497_S26347</u>		Telco Pole No. <u>MAW - 11 - 64</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
27'10" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		26'11" Mid-Span Ht.	
22'1" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		21'5" Mid-Span Ht.	
20'10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20'3" Mid-Span Ht.	
19'5" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19'1" Mid-Span Ht.	
18'9" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18'7" Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT. YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT. YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001600

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40497_S26355</u>		Telco Pole No. <u>MAW - 11 - 65</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>26'11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>29'</u> Attach. Ht.	<u>26'9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>23'7"</u>	
<u>21'5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>22'11"</u> Attach. Ht.	<u>21'11"</u> Mid-Span Ht.
<u>20'3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>22'1"</u> Attach. Ht.	<u>21'6"</u> Mid-Span Ht.
<u>19'1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>20'9"</u> Attach. Ht.	<u>20'6"</u> Mid-Span Ht.
<u>18'7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>19'9"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001601

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40495_S26359</u>		Telco Pole No. <u>MAW - 11 - 66</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size ~" dia _____	Street Light Height of Lowest Point of Street Light Bracket <u>26'6"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>27'10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>29'</u>	<u>26'9"</u>		
					<u>27'6"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'10"</u>			
		Proposed Attach Ht. <u>25'</u>			
<u>21'11"</u>		<u>22'8"</u>	<u>23'6"</u>		
<u>21'6"</u>		<u>21'8"</u>	<u>21'</u>		
<u>20'6"</u>		<u>20'8"</u>	<u>19'10"</u>		
<u>19'9"</u>			<u>19'3"</u>		

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001602

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40495_S26365</u>		Telco Pole No. <u>MAW - 11 - 67</u>	
Street Location <u>N. Lime E. Frederick St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>27'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>27'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>	
			Proposed Attach Ht. <u>23'10"</u>	
<u>23'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>22'2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>
<u>21'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>22'1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>
<u>19'10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>21'4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>
<u>19'3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>21'6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40494_S26370</u>		Telco Pole No. <u>MAW - 11 - 68</u>	
Street Location <u>N. Lime & E. Frederick St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>25'</u>		<u>DNF</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. <u>23'8"</u>			
<u>22'1"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		<u>22'2"</u> Mid-Span Ht.	
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'2"</u>		Mid-Span Ht. _____	
<u>18'6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>19'4"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001604

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40492_S26378</u>		Telco Pole No. <u>MAW - 11 - 69</u>	
Street Location <u>N. Lime St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>29'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>29'6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach. Ht. <u>22'9"</u>			
<u>22'2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. <u>22'2"</u>			<u>22'</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>21'3"</u>			<u>21'6"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>19'10"</u>			<u>20'5"</u> Mid-Span Ht.
<u>19'4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18'6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001605

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40492_S26381</u>		Telco Pole No. <u>MAW - 11 - 70</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>28'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>32'</u>	<u>29' 6"</u>		
					<u>29' 1"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>			
		Proposed Attach Ht. <u>25' 6"</u>			
		<u>24' 8"</u>	<u>22'</u>	Front <input type="checkbox"/> /Back <input type="checkbox"/>	<u>24' 6"</u>
		<u>23' 6"</u>	<u>21' 6"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>23' 11"</u>
		<u>22' 3"</u>	<u>20' 5"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>22' 9"</u>
			<u>18' 6"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>21' 8"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001606

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40491_S26387</u>		Telco Pole No. <u>MAW - 11 - 71</u>	
Street Location <u>N. Lime St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>29'1"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>33'</u>			<u>26'5"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach. Ht. <u>24'8"</u>			
<u>24'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach. Ht. _____			<u>23'</u> Mid-Span Ht.
<u>23'11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22'5"</u>			
<u>22'9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20'10"</u>			<u>20'8"</u> Mid-Span Ht.
<u>21'8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>19'11"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001607

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40489_S26395</u>		Telco Pole No. <u>MAW - 11 - 72</u>	
Street Location <u>N. Lime St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		31'	26'5"		
			27'3"		
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>27'6"</u>			
		25'4"	23'		24'
		24'4"	22'3"		22'3"
		23'1"	19'7"		19'7"
			18'11"		18'11"
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001608

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40488_S26403</u>		Telco Pole No. <u>MAW - 11 - 73</u>	
Street Location <u>N. Lime & E. New St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 2"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>24' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>			
		Proposed Attach Ht. <u>24' 7"</u>			
<u>24'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>23' 9"</u> Mid-Span Ht.
<u>22' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>25' 8"</u>			
<u>19' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24'</u>			<u>DNF</u> Mid-Span Ht.
<u>18' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>22' 7"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001609

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>Bell Co 13</u>		Telco Pole No. <u>MAW - 11 - 74</u>	
Street Location <u>N. Lime & E. New St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>n/a</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	Proposed Attach Ht. <u>24' 2"</u>	<u>n/a</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)					
<u>_____</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>21' 11"</u> Mid-Span Ht.
<u>_____</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			<u>_____</u> Mid-Span Ht.
<u>_____</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 5"</u>			<u>_____</u> Mid-Span Ht.
<u>_____</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>DNF</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001610

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40485_S26419</u>		Telco Pole No. <u>MAW - 11 - 75</u>	
Street Location <u>N. Lime St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24'9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach. Ht. <u>32'</u>	<u>26'10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>23'5"</u>	
<u>21'11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		Attach Ht. <u>23'11"</u>	<u>22'4"</u> Mid-Span Ht.
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>22'3"</u>	<u>22'10"</u> Mid-Span Ht.
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>21'1"</u>	<u>21'5"</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>19'1"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001611

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40484_S26426</u>		Telco Pole No. <u>MAW - 11 - 76</u>	
Street Location <u>N. Lime St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>29'</u>	<u>26' 10"</u>		
					<u>27' 6"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>			
		Proposed Attach Ht. <u>26' 3"</u>			
<u>22' 4"</u>		<u>25' 3"</u>	<u>22' 4"</u>	Front <input type="checkbox"/> /Back <input type="checkbox"/>	<u>25' 7"</u>
<u>22' 10"</u>		<u>24' 2"</u>	<u>22' 10"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>24' 5"</u>
<u>21' 5"</u>		<u>23'</u>	<u>21' 5"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>22' 11"</u>
<u>19' 1"</u>			<u>19' 1"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>21'</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001612

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40483_S26431</u>		Telco Pole No. <u>MAW - 11 - 77</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'6"</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>24'11"</u>			
<u>25'7"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>23'2"</u>			Mid-Span Ht. <u>21'4"</u>
<u>24'5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'5"</u>			Mid-Span Ht. <u>DNF</u>
<u>22'11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'9"</u>			Mid-Span Ht. <u>DNF</u>
<u>21'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>20'</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001613

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40480_S26452</u>		Telco Pole No. <u>MAW - 11 - 78</u>	
Street Location <u>N. Lime St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'2"</u>	Mid-Span Ht. <u>24'11"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>		
			Proposed Attach Ht. <u>24'11"</u>		
<u>21'4"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>23'8"</u>	Mid-Span Ht. <u>22'6"</u>	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'3"</u>	Mid-Span Ht. <u>22'</u>	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'2"</u>	Mid-Span Ht. <u>21'3"</u>	
<u>20'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>19'2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001614

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40485_S26454</u>		Telco Pole No. <u>MAW - 11 - 79</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____		Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>19'7"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>21'8"</u>	
<u>19'11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>23'1"</u>	Mid-Span Ht. <u>18'3"</u>	
<u>19'1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'3"</u>	Mid-Span Ht. <u>17'</u>	
<u>18'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'9"</u>	Mid-Span Ht. <u>16'5"</u>	
<u>17'2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'6"</u>	Mid-Span Ht. <u>16'2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40483_S26467</u>		Telco Pole No. <u>MAW - 11 - 80</u>	
Street Location <u>N. Lime & Rock St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 2"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28"</u>			
<u>19' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>25' 10"</u>			<u>24' 11"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23' 6"</u>			
<u>18' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 9"</u>			<u>22' 2"</u> Mid-Span Ht.
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 1"</u>			<u>19' 5"</u> Mid-Span Ht.
<u>16' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 6"</u>			<u>19' 1"</u> Mid-Span Ht.
<u>16' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18' 3"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>20'</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001616

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40482_S26475</u>		Telco Pole No. <u>MAW - 11 - 81</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24'11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach. Ht. <u>27'</u>	<u>24'11"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
<u>22'2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		Proposed Attach Ht. <u>23'11"</u>	
<u>19'5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>21'5"</u>	<u>22'10"</u> Mid-Span Ht.
<u>19'1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>20'6"</u>	<u>19'5"</u> Mid-Span Ht.
<u>18'3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>20'</u>	<u>18'9"</u> Mid-Span Ht.
<u>17'5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001617

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40481_S26482</u>		Telco Pole No. <u>MAW - 11 - 82</u>	
Street Location <u>N. Lime & E. Ross St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 8"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 11"</u>		<u>28'</u>	<u>24' 10"</u>	<input type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>26'</u>		<u>24' 10"</u>
<div style="display: flex; justify-content: space-between;"> <div> Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary) </div> <div> ← Attach. Ht. <u>25'</u> </div> </div>							
<u>22' 10"</u>		<u>22' 8"</u>	<u>22' 1"</u>	<input type="checkbox"/> /Back <input type="checkbox"/>			<u>22' 1"</u>
<u>19' 5"</u>		<u>21' 4"</u>	<u>DNF</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>DNF</u>
<u>18' 9"</u>		<u>20'</u>	<u>DNF</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>DNF</u>
<u>17' 5"</u>			<u>DNF</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>DNF</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.
 YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.
 YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001618

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40492_S26484</u>		Telco Pole No. <u>MAW - 11 - 83</u>	
Street Location <u>N. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24'10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'10"</u>		<u>24'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>22'</u>			
<u>22'1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		<u>21'5"</u> Mid-Span Ht.	
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'1"</u>		Mid-Span Ht. _____	
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'2"</u>		<u>19'</u> Mid-Span Ht.	
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>18'8"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001619

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40502_S26486</u>		Telco Pole No. <u>MAW - 11 - 84</u>	
Street Location <u>E. Ross St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 7"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24'</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>26'</u> Attach. Ht. <u>23' 5"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 8"</u>	
<u>21' 5"</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>22' 2"</u>	
<u>19'</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>20' 10"</u> Attach Ht. <u>20' 10"</u> Mid-Span Ht.	
<u>18' 8"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>19' 2"</u> Attach Ht. <u>19' 1"</u> Mid-Span Ht.	
<u>18' 7"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>18' 7"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40514_S26488</u>		Telco Pole No. <u>MAW - 11 - 85</u>	
Street Location <u>E. Ross St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>23'5"</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'4"</u>	<u>26'7"</u>	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>23'11"</u>		
<u>20'10"</u>	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22'5"</u>	<u>22'9"</u>	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'9"</u>	<u>20'11"</u>	Mid-Span Ht.
<u>19'1"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'9"</u>	<u>20'8"</u>	Mid-Span Ht.
<u>18'7"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>19'5"</u>	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.


MAW001621

Pole No.	40524_S26489	Telco Pole No.	MAW - 11 - 86
Street Location	E. Ross St	Name of Attacher	MAW Communications Inc.
City/Boro/Township	Lancaster	Date	18AUG2015

Pole Size	~12" dia	Street Light	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Transformer/Device on Pole	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket	24' 4"	Primary	<input type="checkbox"/> Yes
		Height of Lowest Point of Street Light Drip Loop	23' 2"	Secondary	<input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

Lowest Neutral ☐ or Secondary ☒ (Check One) Pole Side* Lowest Neutral ☐ or Secondary ☒ (Check One)



SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In. Lower: _____ Cable _____ In.
Neutral/Secondary _____ In. _____ Cable _____ In.
Transformer/Device _____ In. _____ Cable _____ In.
_____ Cable _____ In. _____ Other _____ In.
_____ (Other) _____ In. _____ Other _____ In.


COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40531_S26490</u>		Telco Pole No. <u>MAW - 11 - 87</u>	
Street Location <u>E. Ross St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23'3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22'10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24'11"</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>DNF</u> Mid-Span Ht.	
<u>21'</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		<u>21'</u> Mid-Span Ht.	
<u>20'2"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>20'9"</u> Mid-Span Ht.	
<u>19'5"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>18'7"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT. YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT. YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001623

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40545 S26493</u>		Telco Pole No. <u>MAW - 11 - 88</u>	
Street Location <u>E. Ross & Shippen St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>n/a</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>n/a</u>			<u>n/a</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>25'</u>			
<u>21'4"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>22'7"</u> Mid-Span Ht.
<u>20'9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'9"</u>			
<u>19'4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'2"</u>			<u>22'6"</u> Mid-Span Ht.
<u>18'7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>20'11"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001624

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40557_S26495</u>		Telco Pole No. <u>MAW - 11 - 89</u>	
Street Location <u>E. Ross St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>	Mid-Span Ht. <u>24'11"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>27'6"</u>		
			Proposed Attach Ht. <u>23'6"</u>		
<u>22'7"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>21'</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'1"</u>	Mid-Span Ht. _____	
<u>22'6"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'9"</u>	Mid-Span Ht. <u>20'7"</u>	
<u>20'11"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>20'1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001625

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40568_S26497</u>		Telco Pole No. <u>MAW - 11 - 90</u>	
Street Location <u>E. Ross St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 2"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>26'</u>	<u>24' 11"</u>		
					<u>21' 11"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 4"</u>			
		Proposed Attach Ht. <u>21' 4"</u>			
			<u>21'</u>	Front <input type="checkbox"/> /Back <input type="checkbox"/>	
					<u>18' 8"</u>
				Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	
					<u>20' 11"</u>
			<u>20' 7"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	
					<u>20'</u>
			<u>20' 1"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	
					<u>18' 3"</u>
					<u>17' 2"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001626

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40579_S26498</u>		Telco Pole No. <u>MAW - 11 - 91</u>	
Street Location <u>E. Ross St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23'1"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22'5"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>21'11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>26'</u> Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		<u>23'9"</u> Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>22'5"</u>
		Proposed Attach Ht. <u>20'7"</u>
<u>18'5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>19'11"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>20'</u> Attach. Ht.
<u>18'3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>18'9"</u> Attach. Ht.
<u>17'2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>19'6"</u> Mid-Span Ht.
<u>18'8"</u> Mid-Span Ht.		

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001627

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40591_S26500</u>		Telco Pole No. <u>MAW - 11 - 92</u>	
Street Location <u>E. Ross St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23'9"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>24'11"</u>			<u>23'2"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>20'9"</u>			
<u>19'11"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>19'6"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'3"</u>			
<u>19'6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'8"</u>			<u>19'4"</u> Mid-Span Ht.
<u>18'8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>18'9"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001628

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40598_S26501</u>		Telco Pole No. <u>MAW - 11 - 93</u>	
Street Location <u>E. Ross & Plum St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
23'2" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		26'6" Attach. Ht. 20'9" Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>
19'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. 21'3"
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19'6" Mid-Span Ht. Attach. Ht. _____
19'4" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20'6" Mid-Span Ht. Attach. Ht. _____
18'9" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20' Mid-Span Ht. Attach. Ht. _____
		15'8" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001629

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40599_S26492</u>		Telco Pole No. <u>MAW - 11 - 94</u>	
Street Location <u>N. Plum St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>20' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>				Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 4"</u>				
		Proposed Attach Ht. <u>20' 8"</u>				
<u>19' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>19' 8"</u>				Mid-Span Ht. <u>20' 2"</u>
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 6"</u>				Mid-Span Ht. <u>19' 2"</u>
<u>17' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'</u>				Mid-Span Ht. <u>17' 11"</u>
<u>15' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					Mid-Span Ht. <u>17'</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001630

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40600_S26481</u>	Telco Pole No. <u>MAW - 11 - 95</u>
Street Location <u>N. Plum St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>18AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 1"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24' 8"</u>		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>	Mid-Span Ht. <u>25' 6"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>24' 8"</u>		
			Proposed Attach Ht. <u>21' 9"</u>		
<u>20' 2"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach. Ht. <u>20' 9"</u>	Mid-Span Ht. <u>21' 2"</u>	
<u>19' 2"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>19' 8"</u>	Mid-Span Ht. <u>17' 8"</u>	
<u>17' 11"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>19' 1"</u>	Mid-Span Ht. <u>DNF</u>	
<u>17'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>DNF</u>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001631

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40602_S26473</u>		Telco Pole No. <u>MAW - 11 - 96</u>	
Street Location <u>N. Plum St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 10"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>25' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 6"</u>			
		Proposed Attach Ht. <u>22' 4"</u>			
<u>21' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 10"</u> Mid-Span Ht.
<u>17' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>			
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 9"</u>			<u>19' 8"</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18' 9"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001632

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40604_S26461</u>		Telco Pole No. <u>MAW - 11 - 97</u>	
Street Location <u>N. Plum & E. Clay St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 1"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22' 1"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 1"</u>
<u>20' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>23' 7"</u>
<u>19' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
<u>18' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'</u>
		Attach Ht. <u>21' 9"</u>
		Attach Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001633

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40532_S26179</u>		Telco Pole No. <u>MAW - 12 - 01</u>	
Street Location <u>E.Walnut & N. Lime St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____		Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>19'11"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
Run Starts Mid-Span Ht. _____		Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>22'2"</u>	
with pole Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'5"</u> Mid-Span Ht. <u>18'8"</u>	
40526_S26178 Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'8"</u> Mid-Span Ht. <u>17'10"</u>	
22 yds Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'9"</u> Mid-Span Ht. <u>16'7"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>15'9"</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001634

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>BT_Co_21</u>		Telco Pole No. <u>MAW - 12 - 02</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~8" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>n/a</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>n/a</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>
		Proposed Attach Ht. <u>18'7"</u>
<u>18'8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>17'10"</u> Mid-Span Ht.
<u>17'10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>17'2"</u> Mid-Span Ht.
<u>16'7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>16'7"</u> Mid-Span Ht.
<u>15'9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>15'4"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001635

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40541_S26181</u>		Telco Pole No. <u>MAW - 12 - 03</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 8"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht.	<u>18' 1"</u>			
Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>			Ht. of Lowest Service or Secondary Drip Loop	<u>25' 6"</u>	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht.	<u>20' 5"</u>			
<u>18' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht.	<u>19' 5"</u>			<u>19' 5"</u> Mid-Span Ht.
<u>17' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht.	<u>16' 7"</u>			<u>17' 1"</u> Mid-Span Ht.
<u>16' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht.	<u>15' 6"</u>			<u>16' 1"</u> Mid-Span Ht.
<u>15' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					<u>15' 4"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.				SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>				YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>				ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>				RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001636

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>44905_S26182</u>		Telco Pole No. <u>MAW - 12 - 04</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>18'1"</u>		<u>19'3"</u>	<u>18'</u>	<input type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>n/a</u>		<u>18'</u>
<div style="display: flex; justify-content: space-between;"> <div> Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary) </div> <div> Attach. Ht. <u>19'3"</u> </div> </div>							
<u>19'5"</u>		<u>18'8"</u>	<u>19'11"</u>	<input type="checkbox"/> /Back <input type="checkbox"/>		<u>21'9"</u>	<u>19'11"</u>
<u>17'1"</u>		<u>17'8"</u>	<u>18'2"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>18'2"</u>
<u>16'1"</u>		<u>16'9"</u>	<u>17'8"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>17'8"</u>
<u>15'4"</u>			<u>16'5"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>16'5"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.				SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16'5"</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>				YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001637

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40558_S26183</u>		Telco Pole No. <u>MAW - 12 - 05</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
18' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		21'9" Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
19'11" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>23'1"</u>	
18'2" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>20'2"</u> Mid-Span Ht. <u>22'3"</u>	
17'8" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>19'3"</u> Mid-Span Ht. <u>19'6"</u>	
16'5" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>18'4"</u> Mid-Span Ht. <u>18'</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001638

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40567_S26185</u>		Telco Pole No. <u>MAW - 12 - 06</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
21'9" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		21'3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	
	Attach. Ht. <u>21'3"</u> Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u> Proposed Attach Ht. <u>22'4"</u>		
22'3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		20'3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
19'6" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19'2" Mid-Span Ht. DNF	
18' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17'4" Mid-Span Ht. 18'8"	
17'3" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT. YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT. YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001639

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40571_S26185</u>		Telco Pole No. <u>MAW - 12 - 07</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>20' 6"</u> Mid-Span Ht. Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>20' 9"</u> Attach. Ht. <u>20' 1"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27' 6"</u>	
		Proposed Attach. Ht. <u>22' 1"</u>	
<u>21' 8"</u> Mid-Span Ht. Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>21' 6"</u> Mid-Span Ht.	
<u>DNF</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>19' 8"</u> Attach. Ht. <u>19' 8"</u> Mid-Span Ht.	
<u>18' 8"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>18' 7"</u> Attach. Ht. <u>18' 8"</u> Mid-Span Ht.	
<u>17'</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>17' 10"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001640

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40579_S26186</u>		Telco Pole No. <u>MAW - 12 - 08</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
20'1" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		21'3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	
	Attach. Ht. <u>21'3"</u> Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u> Proposed Attach Ht. <u>20'7"</u>		
21'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	20'1" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'8"</u>	Mid-Span Ht. _____	
18'8" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'8"</u>	Mid-Span Ht. <u>18'9"</u>	
17'10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>17'7"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17'7"</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001641

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40590_S26188</u>		Telco Pole No. <u>MAW - 12 - 08</u>	
Street Location <u>E. Walnut & N. Shippen St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>26'</u>			
<u>20'3"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			<u>21'7"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21'10"</u>			
<u>20'1"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>20'10"</u> Mid-Span Ht.
<u>Mid-Span Ht.</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>			<u>Mid-Span Ht.</u>
<u>18'9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'10"</u>			<u>19'9"</u> Mid-Span Ht.
<u>17'7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>18'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001642

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40599_S26190</u>		Telco Pole No. <u>MAW - 12 - 10</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>21'7"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22'</u>			<u>21'5"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>30'</u>			
		Proposed Attach Ht. <u>21'</u>			
<u>20'10"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>19'8"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			
<u>19'9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'</u>			
<u>18'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>18'7"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18'7"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001643

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40600_S26189</u>		Telco Pole No. <u>MAW - 12 - 11</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
21'5" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		24'7" Mid-Span Ht. DNF	
	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
19'8" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	Proposed Attach Ht. <u>19'10"</u>	19'1" Mid-Span Ht. 18'10"	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'1"</u>	Mid-Span Ht. 17'5"	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>16'11"</u>	Mid-Span Ht. 16'10"	
18'7" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. 15'6"	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001644

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40606_S26190</u>		Telco Pole No. <u>MAW - 12 - 12</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>	Mid-Span Ht. <u>26'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>23' 10"</u>		
			Proposed Attach Ht. <u>18' 2"</u>		
<u>18' 10"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>17' 2"</u>	Mid-Span Ht. <u>18' 10"</u>	
<u>17' 5"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>16'</u>	Mid-Span Ht. <u>16' 9"</u>	
<u>16' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>14' 11"</u>	Mid-Span Ht. <u>16' 6"</u>	
<u>15' 6"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>15' 5"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001645

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40611_S26191</u>		Telco Pole No. <u>MAW - 12 - 13</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>29'</u>	<u>26'</u>				
			<u>22'4"</u>				
					<u>n/a</u>		
						<u>19'11"</u>	
			<u>18'10"</u>				
			<u>18'9"</u>				
			<u>18'4"</u>				
			<u>16'9"</u>				
			<u>17'6"</u>				
			<u>DNF</u>				
			<u>16'6"</u>				
			<u>16'9"</u>				
			<u>16'1"</u>				
			<u>15'5"</u>				
			<u>15'1"</u>				

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001646

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40630_S26194</u>		Telco Pole No. <u>MAW - 12 - 14</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>20' 7"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>20' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>22' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>	Mid-Span Ht. <u>20' 10"</u>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>19' 3"</u>			
<u>18' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>19' 11"</u>		
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____		
<u>16' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 6"</u>	Mid-Span Ht. _____		
<u>15' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>16' 4"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001647

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40645_S26194</u>		Telco Pole No. <u>MAW - 12 - 15</u>	
Street Location <u>E. Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>18AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001648

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40788_S26105</u>		Telco Pole No. <u>MAW - 12 - 16</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>26'5"</u>		Mid-Span Ht. <u>27'6"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>19' Guy</u>			
Run Starts Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20'6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'8"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>21'11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001649

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40778_S26103</u>		Telco Pole No. <u>MAW - 12 - 17</u>	
Street Location <u>Orange & Marshall St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>28'3"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>			
		Proposed Attach Ht. <u>23'2"</u>			
<u>20'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>21'5"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'1"</u>			
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'guy</u>			<u>20'7"</u> Mid-Span Ht.
<u>21'11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001650

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40766_S26102</u>		Telco Pole No. <u>MAW - 12 - 18</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>22' 6"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>25' 6"</u>	Ht. of Lowest Service or Secondary Drip Loop <u>23' 6"</u>	Proposed Attach Ht. <u>21' 5"</u>	<u>24' 5"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)					
<u>21' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 1"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>			Mid-Span Ht.
<u>20' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 11"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001651

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40756_S26100</u>		Telco Pole No. <u>MAW - 12 - 19</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>20'10"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>22'6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24'5"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>25'</u>			<u>19'10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22'6"</u>			
		Proposed Attach Ht. <u>19'4"</u>			
<u>20'1"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>18'9"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17'9"</u>			
<u>17'11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>17'8"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001652

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40745_S26098</u>		Telco Pole No. <u>MAW - 12 - 20</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~9" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
19'10" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	30' Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____
18'9" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21'6" Proposed Attach. Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20'11" Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20'3" Attach. Ht.
17'8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19'11" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001653

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40731_S26096</u>		Telco Pole No. <u>MAW - 12 - 21</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size ~" dia _____	Street Light Height of Lowest Point of Street Light Bracket _____	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>25' 11"</u>		Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
25' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u>			Mid-Span Ht. <u>29' 8"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. <u>21' 5"</u>			
20' 11" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>22' 11"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 2"</u>			Mid-Span Ht. _____
19' 11" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>21' 7"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001654

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40726_S26095</u>		Telco Pole No. <u>MAW - 12 - 22</u>	
Street Location <u>E. Orange & N. Ann St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>29'8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32"</u>			<u>26'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. <u>25'1"</u>			
<u>22'11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>21'6"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'</u>			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'2Guy</u>			Mid-Span Ht. <u>19'9"</u>
<u>21'7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001655

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40712_S26093</u>		Telco Pole No. <u>MAW - 12 - 23</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>25'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>20'</u>			
<u>21'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>18'8"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'2"</u>			
<u>19'9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'6"</u>			<u>DNF</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17'6"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001656

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40709_S26092</u>		Telco Pole No. <u>MAW - 12 - 24</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 7"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			<u>23' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. <u>19'</u>			
<u>18' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>18' 6"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'</u>			Mid-Span Ht.
<u>17' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 6"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001657

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40701_S26091</u>		Telco Pole No. <u>MAW - 12 - 25</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
23'9" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	27'6" Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 26'10"
18'6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	20'7" Proposed Attach. Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19'6" Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19'8" Attach. Ht.
17'6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.


MAW001658

Pole No. <u>40691_S26089</u>	Telco Pole No. <u>MAW - 12 - 26</u>
Street Location <u>E. Orange St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>19AUG2015</u>

Pole Size	~12" dia	Street Light	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Transformer/Device on Pole	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket	21' 7"	Primary	<input type="checkbox"/> Yes
		Height of Lowest Point of Street Light Drip Loop	21' 7"	Secondary	<input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

Lowest Neutral ☐ or Secondary ☒ (Check One) Pole Side* Lowest Neutral ☐ or Secondary ☒ (Check One)



Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In. Lower: _____ Cable _____ In.
 Neutral/Secondary _____ In. _____ Cable _____ In.
 Transformer/Device _____ In. _____ Cable _____ In.
 _____ Cable _____ In. _____ Other _____ In.
 _____ (Other) _____ In. _____ Other _____ In.

COMMENTS: _____

MAW001659

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40680_S26088</u>		Telco Pole No. <u>MAW - 12 - 27</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
24'11" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	31' Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____
17'4" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	17'3" Proposed Attach. Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	15'10" Attach. Ht.
15'8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16'10" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40672_S26086</u>		Telco Pole No. <u>MAW - 12 - 28</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26' 1"</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	<td><u>30'</u> Mid-Span Ht.</td>	<u>30'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>
<u>18'</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>21' 11"</u>
<u>16' 10"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. <u>25' 2"</u>
		Attach Ht. _____ Mid-Span Ht. _____
		Attach Ht. <u>20' 7"</u> Mid-Span Ht. _____
		Attach Ht. _____ Mid-Span Ht. <u>23' 7"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
RAILROAD ☐ - PA TURNPIKE ☐
Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001661

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40664_S26085 Build 4</u>		Telco Pole No. <u>MAW - 12 - 29</u>	
Street Location <u>E. Orange & N. Plum St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
30' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. 28' Attach. Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)	Ht. of Lowest Service or Secondary Drip Loop _____		
25' 2" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	Proposed Attach. Ht. _____	23' 11" Mid-Span Ht. Attach. Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. Attach. Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. Attach. Ht. _____	
23' 7" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. _____	23' 8" Mid-Span Ht. Attach. Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001662

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40655_S26084</u>		Telco Pole No. <u>MAW - 12 - 30</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26' 5"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>27' 5"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>33"</u> Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		<u>29'</u> Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>27' 5"</u>
		Proposed Attach Ht. <u>25'</u>
<u>23' 11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>24' 2"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 3"</u>
<u>23' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>22' 1"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001663

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40636 S26080</u>		Telco Pole No. <u>MAW - 12 - 32</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27'9"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>31'6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>24'8"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21'1"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>19'6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17'10"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>15'3"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: 47yds span

*Front pole side refers to roadside or side PPL pole number is on.

MAW001664

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40648 S26083</u>		Telco Pole No. <u>MAW - 12 - 31</u>	
Street Location <u>E. Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>28' 2"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>23' 7"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>21' 2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>22' 1"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>17'</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: 44yds span

*Front pole side refers to roadside or side PPL pole number is on.

MAW001665

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40620 S26078</u>		Telco Pole No. <u>MAW - 12 - 33</u>	
Street Location <u>E. Orange St & Hensel alley</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>25'3"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23'3"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>19'7"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'5"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>19'9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: 20yds span

*Front pole side refers to roadside or side PPL pole number is on.

MAW001666

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40614 S26077</u>		Telco Pole No. <u>MAW - 12 - 34</u>	
Street Location <u>N Ann St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>25'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>17' 3"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. _____	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001667

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40727 S26082</u>		Telco Pole No. <u>MAW - 12 - 35</u>	
Street Location <u>Ann St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>35'</u>	Mid-Span Ht. <u>26'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop _____		
			Proposed Attach Ht. <u>24' 7"</u>		
<u>22' 4"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>21' 11"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 6"</u>	Mid-Span Ht. _____	
<u>21' 4"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 6"</u>	Mid-Span Ht. <u>21' 7"</u>	
<u>20' 4"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>18' 1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

crosses yo other side of Ann St.

*Front pole side refers to roadside or side PPL pole number is on.

MAW001668

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40723 S26069</u>		Telco Pole No. <u>MAW - 12 - 36</u>	
Street Location <u>Ann St. & E Grant St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 9"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29' 1"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>25' 8"</u>		Mid-Span Ht. <u>21' 11"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20' 11"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>19' 7"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 10"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 11"</u>		Mid-Span Ht. <u>17' 11"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>DNF</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

44yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40725 S26057</u>		Telco Pole No. <u>MAW - 12 - 37</u>	
Street Location <u>Ann St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>22'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>25' 8"</u>		Mid-Span Ht. <u>19' 4"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 7"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>20'</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____
 _____ 38yds _____

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40727 S26047</u>		Telco Pole No. <u>MAW - 12 - 38</u>	
Street Location <u>S Ann St. & E King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Attach. Ht. <u>20' 8"</u>	
		Ht. of Lowest Service or Secondary Drip Loop _____	
		Proposed Attach Ht. <u>21' 11"</u>	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

19yds
crosses King St.

*Front pole side refers to roadside or side PPL pole number is on.

MAW001671

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40727 S26039</u>		Telco Pole No. <u>MAW - 12 - 39</u>	
Street Location <u>Ann St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>22' 2"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. <u>21' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>20' 1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____
 _____ 30yds _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001672

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40729 S26031</u>		Telco Pole No. <u>MAW - 12 - 40</u>	
Street Location <u>Ann St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>10~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>21' 8"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>21' 1"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>19' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 5"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. _____	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

14yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40730 S26027</u>		Telco Pole No. <u>MAW - 12 - 41</u>	
Street Location <u>Ann St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>21'1"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>20'10"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>19'7"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20'5"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'7"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>19'5"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

27yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40731 S26018</u>		Telco Pole No. <u>MAW - 12 - 42</u>	
Street Location <u>Ann St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 10"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>23' 4"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 9"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. _____	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

19yds

crosses over Mifflin St.

*Front pole side refers to roadside or side PPL pole number is on.

MAW001675

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40733 S26012</u>		Telco Pole No. <u>MAW - 12 - 43</u>	
Street Location <u>Ann St & Mifflin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>16~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>26'6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23'1"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20'11"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'10"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>19'3"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

38yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40734 S26002</u>		Telco Pole No. <u>MAW - 12 - 44</u>	
Street Location <u>Ann St & Mifflin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>22' 6"</u>		Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20' 1"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20' 7"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 9"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 7"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

33yds

*Front pole side refers to roadside or side PPL pole number is on.

MAW001677

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40737 S25990</u>		Telco Pole No. <u>MAW - 12 - 45</u>	
Street Location <u>Ann St & East End St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		
	Attach. Ht. _____	
	Ht. of Lowest Service or Secondary Drip Loop _____	
	Proposed Attach Ht. _____	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001678

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40831 S260073</u>		Telco Pole No. <u>MAW - 12 - 46</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>16~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
33' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 36'			30' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
27' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach. Ht. 29'			25' Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____			Mid-Span Ht.
26' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 27'			Mid-Span Ht.
22' 9" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				24' Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

crosses King St span 33yds

42yds

*Front pole side refers to roadside or side PPL pole number is on.

MAW001679

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40829 S26085</u>	Telco Pole No. <u>MAW - 12 - 47</u>
Street Location <u>Franklin St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>19AUG2015</u>

Attachment Type: Cable ☒ Cabinet ☐ Cabinet Size [w-d-h] _____ Vertical Clearance [Bottom Cabinet to Ground] _____

Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>28' 6"</u>		

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>33'</u>			<u>28' 6"</u>		
			<u>30'</u>				
						<u>29' 2"</u>	
			<u>25' 2"</u>				
		<u>28' 2"</u>					
			<u>24' 4"</u>				

Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: 31yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40828 S26095</u>		Telco Pole No. <u>MAW - 12 - 48</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>33'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>30'5"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>25'3"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>24'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>24'3"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>23'4"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

33yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40826 S26104</u>		Telco Pole No. <u>MAW - 12 - 49</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26' 7"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29' 4"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		Mid-Span Ht. <u>31' 2"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>25' 7"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>27' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24' 7"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>26' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

22yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40825 S26110</u>		Telco Pole No. <u>MAW - 12 - 50</u>	
Street Location <u>Franklin St & E Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>24' 7"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Attach. Ht. <u>28' 6"</u>
		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>
		Proposed Attach Ht. <u>25' 9"</u>
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. <u>20'</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>24' 8"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20' 8"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>j hooked</u>
		Mid-Span Ht. <u>DNF</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

39yds

E Orange

*Front pole side refers to roadside or side PPL pole number is on.

MAW001683

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40824 S26120</u>		Telco Pole No. <u>MAW - 12 - 51</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>27' 6"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>21' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

22yds

*Front pole side refers to roadside or side PPL pole number is on.

MAW001684

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40823 S26126</u>		Telco Pole No. <u>MAW - 12 - 52</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 2"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		
	Attach. Ht. <u>28' 1"</u>	
	Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>	
	Proposed Attach Ht. <u>21' 5"</u>	
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

15yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40822 S26129</u>		Telco Pole No. <u>MAW - 12 - 53</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>25'6"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21'6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>22'4"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'7"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'4"</u>		Mid-Span Ht. <u>20'5"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17'7"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

36ydscrosses E Marion

*Front pole side refers to roadside or side PPL pole number is on.

MAW001686

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40816 S26146</u>		Telco Pole No. <u>MAW - 12 - 54</u>	
Street Location <u>N Franklin St & E Marion</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>28'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)					
		Proposed Attach Ht. <u>22' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20' 7"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 8"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 9"</u>		Mid-Span Ht. <u>DNF</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

27yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40820 S26149</u>		Telco Pole No. <u>MAW - 12 - 55</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>19' 9"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 10"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 8"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

14yds

*Front pole side refers to roadside or side PPL pole number is on.

MAW001688

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40819 S26153</u>		Telco Pole No. <u>MAW - 12 - 56</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>32'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20' 2"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>19' 3"</u>		Mid-Span Ht. <u>19' 7"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>19'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 5"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

24yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40818 S26159</u>		Telco Pole No. <u>MAW - 12 - 57</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32' 2"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>32'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 8"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 8"</u>		Mid-Span Ht. <u>19' 5"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 3"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

24yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40817 S26165</u>		Telco Pole No. <u>MAW - 12 - 58</u>	
Street Location <u>N Franklin St & E Chestnut</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32' 10"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>26' 10"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21' 10"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20' 4"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>		Mid-Span Ht. <u>18' 3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17'</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

41yds
crosses E Chestnut

*Front pole side refers to roadside or side PPL pole number is on.

MAW001691

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40815 S26179</u>		Telco Pole No. <u>MAW - 12 - 59</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>16~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26'10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'10"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>26'10"</u>		Mid-Span Ht. <u>25'4"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22'1"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>21'3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'1"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'4"</u>		Mid-Span Ht. <u>17'10"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>15'2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

40yds

*Front pole side refers to roadside or side PPL pole number is on.

MAW001692

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40813 S26192</u>	Telco Pole No. <u>MAW - 12 - 60</u>
Street Location <u>N Franklin St & E Fulton</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>19AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24'10"</u>		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.
	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	24'10"	21'2"	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	24'10"	21'9"		24'10"	21'2"	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	24'10"	21'9"
	Front <input type="checkbox"/> /Back <input type="checkbox"/>	20'7"	19'7"	Front <input type="checkbox"/> /Back <input type="checkbox"/>	20'7"	19'7"		20'7"	19'7"	Front <input type="checkbox"/> /Back <input type="checkbox"/>	20'7"	19'7"
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	19'4"	16'8"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	19'4"	16'8"		19'4"	16'8"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	19'4"	16'8"
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	16'2"	16'2"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	16'2"	16'2"		16'2"	16'2"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	16'2"	16'2"

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

38yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40811 S26204</u>		Telco Pole No. <u>MAW - 12 - 61</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>25'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		Mid-Span Ht. <u>24'4"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20'2"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>19'4"</u>		Mid-Span Ht. <u>20'5"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'6"</u>		Mid-Span Ht. <u>18'11"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17'8"</u>		Mid-Span Ht. <u>17'8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17'2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

35yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40810 S26216</u>		Telco Pole No. <u>MAW - 12 - 62</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>27'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>26'9"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)					
		Proposed Attach. Ht. <u>21'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach. Ht. <u>20'</u>		Mid-Span Ht. <u>21'8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18'9"</u>		Mid-Span Ht. <u>19'3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18'</u>		Mid-Span Ht. <u>18'3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17'11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

35yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40809 S26224</u>		Telco Pole No. <u>MAW - 12 - 63</u>	
Street Location <u>N Franklin St & E Walnut</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27'11"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'2"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27'11"</u>		Mid-Span Ht. <u>20'6"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>24'10"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21'11"</u>		Mid-Span Ht. <u>17'2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'7"</u>		Mid-Span Ht. <u>17'1"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'7"</u>		Mid-Span Ht. <u>16'2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>15'6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

59yds
crosses E Walnut

*Front pole side refers to roadside or side PPL pole number is on.

MAW001696

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40807 S26224</u>		Telco Pole No. <u>MAW - 12 - 64</u>	
Street Location <u>Franklin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>33'6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>31'4"</u>		Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20'9"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22'7"</u>		Mid-Span Ht. <u>run ends</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'3"</u>		Mid-Span Ht. <u>17'1"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>		Mid-Span Ht. <u>16'2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>15'6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001697

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40820 S26226</u>		Telco Pole No. <u>MAW - 12 - 65</u>	
Street Location <u>E Walnut</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23'10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>24'9"</u>			
<u>25'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>23'10"</u>			<u>21'8"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20'</u>			
<u>run starts</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21'</u>			<u>18'1"</u> Mid-Span Ht.
<u>18'10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'1"</u>			<u>17'11"</u> Mid-Span Ht.
<u>21'6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'2"</u>			<u>17'8"</u> Mid-Span Ht.
<u>16'5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>16'10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: crosses E Walnut and N Franklin

37yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40832 S26228</u>		Telco Pole No. <u>MAW - 12 - 66</u>	
Street Location <u>Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>25' 8"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>24' 2"</u>		Mid-Span Ht. <u>23'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>20' 2"</u>		
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 9"</u>		Mid-Span Ht. <u>18' 11"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 1"</u>		Mid-Span Ht. <u>18' 3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 8"</u>		Mid-Span Ht. <u>17' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 5"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

38yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40843 S26229</u>		Telco Pole No. <u>MAW - 12 - 67</u>	
Street Location <u>Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28' 2"</u>			Mid-Span Ht. <u>22' 7"</u>	
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>26' 8"</u>			
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21'</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>23' 1"</u>		Mid-Span Ht. <u>19' 7"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 1"</u>		Mid-Span Ht. <u>21' 2"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 1"</u>		Mid-Span Ht. <u>18' 10"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 10"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

37yds

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40856 S26231</u>		Telco Pole No. <u>MAW - 12 - 68</u>	
Street Location <u>Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		Mid-Span Ht. <u>21'8"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>21'3"</u>		
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach. Ht. <u>19'9"</u>		Mid-Span Ht. <u>21'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>19'5"</u>		Mid-Span Ht. <u>18'6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18'9"</u>		Mid-Span Ht. <u>18'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17'2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____
 _____ 51yds span _____

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40869 S26234</u>		Telco Pole No. <u>MAW - 12 - 69</u>	
Street Location <u>Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>19AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26' 8"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27' 4"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32'</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>30'</u>		Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>24' 2"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 8"</u>		Mid-Span Ht. <u>23' 8"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 11"</u>		Mid-Span Ht. <u>21'</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>		Mid-Span Ht. <u>20' 2"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>19' 4"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

31yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40876 S26234</u>		Telco Pole No. <u>MAW - 12 - 70</u>	
Street Location <u>Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>		Mid-Span Ht. <u>28'2"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>24'10"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>23'11"</u>			Mid-Span Ht. <u>21'3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'3"</u>			Mid-Span Ht. <u>21'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'1"</u>			Mid-Span Ht. <u>20'5"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>18'9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

34yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40887 S26236</u>		Telco Pole No. <u>MAW - 12 - 71</u>	
Street Location <u>Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>30'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>30'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22' 3"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 9"</u>		Mid-Span Ht. <u>21'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 3"</u>		Mid-Span Ht. <u>18' 4"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 2"</u>		Mid-Span Ht. <u>18'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

36yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40897 S26238</u>		Telco Pole No. <u>MAW - 12 - 72</u>	
Street Location <u>Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>30'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32'</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>31'</u>		Mid-Span Ht. <u>30'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>20' 3"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>19' 9"</u>		Mid-Span Ht. <u>20'</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 3"</u>		Mid-Span Ht. <u>19' 6"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>		Mid-Span Ht. <u>19'</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 4"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

14yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40902 S26238</u>		Telco Pole No. <u>MAW - 12 - 73</u>	
Street Location <u>Walnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>31'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>25'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21' 2"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>20' 2"</u>		Mid-Span Ht. <u>19' 6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 2"</u>		Mid-Span Ht. <u>18' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>		Mid-Span Ht. <u>17' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>15' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

53yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40917 S26240</u>		Telco Pole No. <u>MAW - 12 - 74</u>	
Street Location <u>Walnut St & Broad St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>27'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>		Mid-Span Ht. <u>25'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>19'3"</u>		Mid-Span Ht. <u>19'6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'9"</u>		Mid-Span Ht. <u>DNF</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'3"</u>		Mid-Span Ht. <u>DNF</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>DNF</u>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

25yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40917 S26240</u>	Telco Pole No. <u>MAW - 12 - 75</u>
Street Location <u>Broad St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>25AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>10~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>30' 6"</u>		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>
	⊗	<u>30' 6"</u>		⊗				<u>DNF</u>	⊗
				⊗		<u>24' 4"</u>			⊗
				⊗				<u>15' 7"</u>	⊗
				⊗					⊗
				⊗					⊗

Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

75yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40921 S26213</u>		Telco Pole No. <u>MAW - 12 - 76</u>	
Street Location <u>Broad St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Attach. Ht. <u>no power</u>
		Ht. of Lowest Service or Secondary Drip Loop _____
		Proposed Attach Ht. <u>25' 6"</u>
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. <u>25'</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

27yds span

*Front pole side refers to roadside or side PPL pole number is on.

MAW001709

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40922 S26208</u>		Telco Pole No. <u>MAW - 12 - 77</u>	
Street Location <u>Broad St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		Mid-Span Ht. <u>24'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23' 4"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>22' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 4"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>20' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

46yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40925 S26190</u>		Telco Pole No. <u>MAW - 12 - 78</u>	
Street Location <u>Broad St & Chestnut</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>16~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>24'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>24'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 6"</u>		Mid-Span Ht. <u>22' 3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>DNF</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

18yds span

crosses E Chestnut St

*Front pole side refers to roadside or side PPL pole number is on.

MAW001711

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40926 S26184</u>	Telco Pole No. <u>MAW - 12 - 79</u>
Street Location <u>Broad St & Chestnut</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>25AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>16~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	⊗	30'			29'	23' 5"	
			24' 8"				
			17' 4"				
			15' 9"				

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

49yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40928 S26173</u>	Telco Pole No. <u>MAW - 12 - 80</u>
Street Location <u>Broad St & Chestnut</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>25AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	⊗	29'			28'	23' 5"	
			24'				
			23'				
			22' 5"				
			21' 8"				

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

38yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40930 S26162</u>		Telco Pole No. <u>MAW - 12 - 81</u>	
Street Location <u>Broad St & Marion</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>27'</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>			Mid-Span Ht. <u>23'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22' 3"</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>21'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 9"</u>			Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 3"</u>			Mid-Span Ht. <u>DNF</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>18'</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

52yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40933 S26145</u>	Telco Pole No. <u>MAW - 12 - 82</u>
Street Location <u>Broad St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>25AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	⊗	<u>28'</u>	<u>25'</u>	<input type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>27'</u>	<u>23' 4"</u>	
	⊗	<u>22' 4"</u>	<u>23'</u>	<input type="checkbox"/> /Back <input type="checkbox"/>			
	⊗	<u>22' 4"</u>	<u>22'</u>	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			
	⊗	<u>21' 4"</u>	<u>21'</u>	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

22yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40934 S26136</u>		Telco Pole No. <u>MAW - 12 - 83</u>	
Street Location <u>Broad St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>27'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>		Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23' 4"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 4"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 4"</u>		Mid-Span Ht. <u>19' 6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>16' 9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

39yds span

crosses E Orange St

*Front pole side refers to roadside or side PPL pole number is on.

MAW001716

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40935 S26126</u>		Telco Pole No. <u>MAW - 12 - 84</u>	
Street Location <u>Broad St & Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>26'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Attach. Ht. <u>28' 6"</u>
		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>23' 8"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>23'</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22' 8"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>21' 8"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>DNF</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>21'</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

22yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40930 S26125</u>		Telco Pole No. <u>MAW - 12 - 85</u>	
Street Location <u>Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>22'11"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)					
		Proposed Attach Ht. <u>23'6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>20'</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'6"</u>			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>18'4"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

57yds span

*Front pole side refers to roadside or side PPL pole number is on.

MAW001718

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40923 S26125</u>		Telco Pole No. <u>MAW - 12 - 86</u>	
Street Location <u>Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>		Mid-Span Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22'11"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>21'6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'11"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>19'11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

54yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40893 S26120</u>		Telco Pole No. <u>MAW - 12 - 87</u>	
Street Location <u>Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>28'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>		Mid-Span Ht. <u>26'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22' 11"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 11"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 4"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____
 _____ 56yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40876 S26118</u>		Telco Pole No. <u>MAW - 12 - 88</u>	
Street Location <u>Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>33'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>32'</u>		Mid-Span Ht. <u>30'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22'11"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>21'10"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'11"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>20'9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

31yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40867 S26116</u>		Telco Pole No. <u>MAW - 12 - 89</u>	
Street Location <u>Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>22' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>19' 8"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

44yds span

*Front pole side refers to roadside or side PPL pole number is on.

MAW001722

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40858 S26115</u>		Telco Pole No. <u>MAW - 12 - 90</u>	
Street Location <u>Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22' 11"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>22' 6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 11"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>21' 8"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____
 _____ 25yds span _____

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40849 S26114</u>		Telco Pole No. <u>MAW - 12 - 91</u>	
Street Location <u>Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>		Mid-Span Ht. <u>26'</u>	
		Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>			
		Proposed Attach Ht. <u>23' 8"</u>			
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>23'</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 8"</u>		Mid-Span Ht. _____	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>20' 10"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT. YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT. YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

40yds span

*Front pole side refers to roadside or side PPL pole number is on.

MAW001724

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40839 S26112</u>	Telco Pole No. <u>MAW - 12 - 92</u>
Street Location <u>Orange St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>25AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>14~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	⊗	<u>27'</u>	<u>26'</u>	<input type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>26' 6"</u>	<u>23' 1"</u>	
	⊗	_____	_____	<input type="checkbox"/> /Back <input type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	<u>22' 1"</u>	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____	_____	
	⊗	_____	_____	<input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	_____		

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40861 S26067</u>		Telco Pole No. <u>MAW - 12 - 93</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>28' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>28' 9"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>33'</u>			Mid-Span Ht. <u>27'</u>	
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____				
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>24' 4"</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21'</u>		Mid-Span Ht. <u>21' 11"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 7"</u>		Mid-Span Ht. <u>19' 9"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 1"</u>		Mid-Span Ht. <u>19'</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17'</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

39yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40873 S26069</u>		Telco Pole No. <u>MAW - 12 - 94</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>34'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23'8"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>20'8"</u>		Mid-Span Ht. <u>22'10"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'1"</u>		Mid-Span Ht. <u>18'9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'3"</u>		Mid-Span Ht. <u>17'10"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>16'1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

37yds span

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40884 S26070</u>		Telco Pole No. <u>MAW - 12 - 95</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>28'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>28' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>33'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23' 2"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 4"</u>		Mid-Span Ht. <u>24' 2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9"</u>		Mid-Span Ht. <u>21' 2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 11"</u>		Mid-Span Ht. <u>20' 3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

28yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40894 S26072</u>		Telco Pole No. <u>MAW - 12 - 96</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>		Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>25' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>24'</u>		Mid-Span Ht. <u>24' 6"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'</u>		Mid-Span Ht. <u>23'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 1"</u>		Mid-Span Ht. <u>22'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>21' 1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

39yds span
crosses King St

*Front pole side refers to roadside or side PPL pole number is on.

MAW001729

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40902 S26079</u>		Telco Pole No. <u>MAW - 12 - 97</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>no power</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>24' 8"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22' 6"</u>		Mid-Span Ht. <u>24' 4"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 7"</u>		Mid-Span Ht. <u>20' 3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 9"</u>		Mid-Span Ht. <u>19' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 5"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____
 38yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40810 S26080</u>		Telco Pole No. <u>MAW - 12 - 98</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>27' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>24' 8"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22' 3"</u>		Mid-Span Ht. <u>23' 2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 9"</u>		Mid-Span Ht. <u>20' 1"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 2"</u>		Mid-Span Ht. <u>19' 7"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____
 35yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40922 S26080</u>		Telco Pole No. <u>MAW - 12 - 99</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>27'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>25'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)					
		Proposed Attach Ht. <u>21'11"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20'</u>		Mid-Span Ht. <u>21'3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'6"</u>		Mid-Span Ht. <u>18'8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'6"</u>		Mid-Span Ht. <u>16'9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>16'4"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

36yds span

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40934 S26081</u>		Telco Pole No. <u>MAW - 12 - 100</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>12~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23'4"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21'</u>		Mid-Span Ht. <u>24'2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'1"</u>		Mid-Span Ht. <u>20'2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'3"</u>		Mid-Span Ht. <u>19'10"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17'11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

32yds span

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40942 S26081</u>		Telco Pole No. <u>MAW - 12 - 101</u>	
Street Location <u>King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>16~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. <u>end of run</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)					
		Proposed Attach Ht. <u>26'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>22'</u>			Mid-Span Ht. <u>end of run</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'1"</u>			Mid-Span Ht. <u>end of run</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'5"</u>			Mid-Span Ht. <u>end of run</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>end of run</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

end of run

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40358 S25872</u>		Telco Pole No. <u>MAW 13 - 001</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22' 6"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Mid-Span Ht. <u>27'</u>
		Ht. of Lowest Service or Secondary Drip Loop _____
		Proposed Attach Ht. <u>18' 8"</u>
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>21' 2"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 8"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>21'</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes


Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40353 S25865</u>		Telco Pole No. <u>MAW 13 - 002</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
27' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		30' Mid-Span Ht. 26'	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>	
21' 2" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>22' 4"</u>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. 19'	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. _____	
21' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>21' 4"</u> Mid-Span Ht. _____	
		Mid-Span Ht. 18'	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001736

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40346 S25858</u>		Telco Pole No. <u>MAW 13 - 003</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
26' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 28'			25' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach. Ht. 20'			
19' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			18' Mid-Span Ht.
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 19'			Mid-Span Ht. _____
18' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				16' 6" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001737

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40337 S25849</u>		Telco Pole No. <u>MAW 13 -004</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		26' Attach. Ht. 27' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25' 8"</u>	
18' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. <u>18' 4"</u>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 6" Mid-Span Ht. Attach. Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. Attach. Ht. _____	
16' 6" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' 4" Attach. Ht. Mid-Span Ht. _____	
		Mid-Span Ht. 17' 11" Attach. Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001738

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40329 S25840</u>		Telco Pole No. <u>MAW 13 - 005</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 28'	Ht. of Lowest Service or Secondary Drip Loop _____	27' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. 21'			
18'6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		20'6" Mid-Span Ht.	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 20'		Mid-Span Ht. _____	
17'11" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			19'5" Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001739

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40324 S25835</u>		Telco Pole No. <u>MAW 13 - 006</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
27' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		26' Attach. Ht. Mid-Span Ht. 22'	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>	
20'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>22'</u>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. 20'6"	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>21'6"</u> Mid-Span Ht. _____	
19'5" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>19'7"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001740

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40317 S25827</u>		Telco Pole No. <u>MAW 13 - 007</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>27'</u>	<u>22'</u>		
					<u>26'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		<u>19'6"</u>			
			<u>20'6"</u>		<u>17'6"</u>
		<u>18'9"</u>			
					<u>16'7"</u>
			<u>19'7"</u>		

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001741

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40315 S25825</u>		Telco Pole No. <u>MAW 13 - 008</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>				Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>				
		Proposed Attach Ht. <u>17'6"</u>				
<u>17'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				Mid-Span Ht. <u>17'6"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____				Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>16'8"</u>				Mid-Span Ht.
<u>16'7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					Mid-Span Ht. <u>16'8"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16'8"</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001742

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40303 S25812</u>		Telco Pole No. <u>MAW 13 - 009</u>	
Street Location <u>Freemont & Filbert Streets</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>	Mid-Span Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop _____		
			Proposed Attach Ht. <u>20'6"</u>		
<u>17'6"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>16'8"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'8"</u>	Mid-Span Ht. _____	
<u>17'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'4"</u>	Mid-Span Ht. <u>14'6"</u>	
<u>16'8"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>13'11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001743

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40292 S25806</u>		Telco Pole No. <u>MAW 13-010</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 10"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>29'</u>	<u>28'</u>		
					<u>30'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>			
		Proposed Attach Ht. <u>21' 4"</u>			
<u>16' 8"</u>		Attach Ht. _____	<u>21'</u>		
					<u>21'</u>
		Attach Ht. <u>20' 4"</u>			
					<u>21'</u>
<u>14' 6"</u>		Attach Ht. <u>18' 7"</u>	<u>19' 6"</u>		
					<u>16' 1"</u>
<u>13' 11"</u>					

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 16' 1" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001744

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40287 S25795</u>		Telco Pole No. <u>MAW 13 - 011</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
30'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	31'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop 29'	
			Proposed Attach Ht. 22'	
21'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21' 2"	Mid-Span Ht.
20' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 4"	Mid-Span Ht.
19' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 10"	Mid-Span Ht.
16' 1"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' 6"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 16' 6" FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001745

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40278 S25786</u>		Telco Pole No. <u>MAW 13 - 012</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
29' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		30' Attach. Ht. Mid-Span Ht. 27'10"	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'6"</u>	
		Proposed Attach Ht. <u>22'</u>	
21'2" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		21' Attach. Ht. Mid-Span Ht. 21'7"	
20'8" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19'8" Attach. Ht. Mid-Span Ht. 20'4"	
18'8" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' Attach. Ht. Mid-Span Ht. DNF	
16'6" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. 17'8"	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001746

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40272 S25780</u>		Telco Pole No. <u>MAW 13 - 013</u>	
Street Location <u>Freemont & New Dorwart Streets</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27'10" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	30' Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 29'
21'7" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	22' Proposed Attach. Ht.
20'4" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	21' Attach. Ht.
17'8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19'9" Attach. Ht.
		19'7" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 19'7" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001747

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40262 S25766</u>		Telco Pole No. <u>MAW 13 - 014</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
31' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>26'8"</u>
21'8" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>21'4"</u>
20'6" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>20'8"</u> Mid-Span Ht. <u>20'6"</u>
19'7" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>19'2"</u> Mid-Span Ht. <u>18'2"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19'7"</u> FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001748

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40252 S25755</u>		Telco Pole No. <u>MAW 13 - 015</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>29'</u> Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		<u>24'</u> Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>
		Proposed Attach Ht. <u>20'6"</u>
<u>20'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>18'</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>19'10"</u> Attach. Ht.
<u>18'2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>18'7"</u> Attach. Ht.
<u>16'8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>15'8"</u> Mid-Span Ht.
		<u>14'9"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes


Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40240 S25742</u>		Telco Pole No. <u>MAW 13 - 016</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
24' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>			
	Attach. Ht. <u>27'</u>		
	Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>		
	Proposed Attach Ht. <u>20'</u>		
18' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	28' Mid-Span Ht.	
15' 8" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'</u>	20' 6" Mid-Span Ht.	
14' 9" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 8"</u>	19' 4" Mid-Span Ht.	
		17' 11" Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001750

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40233 S25733</u>		Telco Pole No. <u>MAW 13 - 017</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
28' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		30' Attach. Ht. 29' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 28'	
20'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. 21'10"	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20'4" Mid-Span Ht. Attach Ht. 20'10"	
19'4" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18'10" Mid-Span Ht. Attach Ht. 19'6"	
17'11" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18'8" Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001751

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40225 S25725</u>		Telco Pole No. <u>MAW 13 - 018</u>	
Street Location <u>Freemont Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>29'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>29'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>			
		Proposed Attach Ht. <u>23'</u>			
<u>20'4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>23'6"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'3"</u>			
<u>18'10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'10"</u>			<u>23'</u> Mid-Span Ht.
<u>18'8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>21'4"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001752

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>xxxxx S25717</u>		Telco Pole No. <u>MAW 13 - 019</u>	
Street Location <u>Freemont & Laurel Streets</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 5"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>29'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			<u>24' 10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
<u>23' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>21' 11"</u>			<u>21'</u> Mid-Span Ht.
<u>23'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 11"</u>			<u>17' 7"</u> Mid-Span Ht.
<u>21' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 10"</u>			Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 7"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001753

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40207 S25725</u>		Telco Pole No. <u>MAW 13 - 020</u>	
Street Location <u>Laurel Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>27'</u>	<u>24'10"</u>		
					<u>26'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'4"</u>			
		Proposed Attach Ht. <u>23'</u>			
			<u>21'</u>	Front <input type="checkbox"/> /Back <input type="checkbox"/>	
		Attach Ht. <u>22'5"</u>			<u>22'8"</u>
			<u>20'3'</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	
		Attach Ht. <u>20'9"</u>			<u>22'</u>
			<u>17'7"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	
		Attach Ht. <u>19'2"</u>			<u>20'4"</u>
			<u>17'2'</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	
					<u>18'10"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 17'7" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 18'10" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001754

Pole No. <u>40195 S25734</u>		Telco Pole No. <u>MAW 13 - 021</u>	
Street Location <u>Laurel Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes	
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26' Mid-Span Ht.	(Check One)	27' Mid-Span Ht.	Attach. Ht. 29'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)	(Check One)		Ht. of Lowest Service or Secondary Drip Loop 28'
22' 8" Mid-Span Ht.	(Check One)	19' 6" Mid-Span Ht.	Proposed Attach Ht. 21'
22' Mid-Span Ht.	(Check One)	18' 9" Mid-Span Ht.	Attach. Ht. 20' 4"
20' 4" Mid-Span Ht.	(Check One)	DNF Mid-Span Ht.	Attach. Ht. 19' 3"
18' 10" Mid-Span Ht.	(Check One)	18' Mid-Span Ht.	Attach. Ht. 18' 7"

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 18' 10" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In. Lower: _____ Cable _____ In.
 Neutral/Secondary _____ In. _____ Cable _____ In.
 Transformer/Device _____ In. _____ Cable _____ In.
 _____ Cable _____ In. _____ Other _____ In.
 _____ (Other) _____ In. _____ Other _____ In.

COMMENTS: _____

MAW001755

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40188 S25739</u>		Telco Pole No. <u>MAW 13 - 022</u>	
Street Location <u>Laurel Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'6"</u>			<u>27'10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>			
		Proposed Attach Ht. <u>20'6"</u>			
<u>19'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>21'</u> Mid-Span Ht.
<u>Mid-Span Ht.</u>	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'7"</u>			<u>Mid-Span Ht.</u>
<u>18'9'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>15'4"</u>			<u>20'10"</u> Mid-Span Ht.
<u>18'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>DNF</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001756

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40183 S25744</u>		Telco Pole No. <u>MAW 13 - 023</u>	
Street Location <u>St. Joseph & Laurel Streets</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 8"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>33'</u>			<u>31' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. <u>25' 8"</u>			
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>24' 8"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 5"</u>			
<u>20' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>22' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>22' 10"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001757

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40177 S25738</u>		Telco Pole No. <u>MAW 13 - 024</u>	
Street Location <u>St. Joseph Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
31'9" Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			28'6" Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. <u>24'</u>			
24'8" Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			22'8" Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'5"</u>			
22'10" Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				19'10" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>22'10"</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001758

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40167 S25727</u>		Telco Pole No. <u>MAW 13 - 025</u>	
Street Location <u>St. Joseph Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>27'</u>			
<u>28'6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>25'4"</u>			<u>25'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>19'6"</u>			
<u>22'8"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>19'</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'7"</u>			Mid-Span Ht.
<u>19'10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>18'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001759

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40160 S25719</u>		Telco Pole No. <u>MAW 13 - 026</u>	
Street Location <u>St. Joseph Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 7"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 7"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>25'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. <u>21' 6"</u>			
<u>19'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 10"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 5"</u>			Mid-Span Ht.
<u>18'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001760

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40152 S25711</u>		Telco Pole No. <u>MAW 13 - 027</u>	
Street Location <u>St. Joseph Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		28' Attach. Ht. Mid-Span Ht. 25'	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 26'	
19'10" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. 18'10" Mid-Span Ht. 17'10"	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. 10'10" Mid-Span Ht. _____	
17' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. 16'3"	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001761

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40144 S25703</u>		Telco Pole No. <u>MAW 13 - 028</u>	
Street Location <u>St. Joseph Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>25'</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>27'</u> Attach. Ht. <u>28'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'4"</u>	
<u>17'10"</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. <u>19'5"</u>	
<u> </u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u> </u> Mid-Span Ht. <u>19'</u>	
<u> </u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u> </u> Mid-Span Ht. <u> </u>	
<u>16'3"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u>18'5"</u> Mid-Span Ht. <u> </u>	
<u> </u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17'11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001762

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40137 S25694</u>		Telco Pole No. <u>MAW 13 - 029</u>	
Street Location <u>St. Joseph & Fairview Streets</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16 DEC 2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>28'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>31' 2"</u>			
		Proposed Attach Ht. <u>26'</u>			
<u>19'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>25' 2"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>25'</u>			
<u>17' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 8"</u>			<u>DNF</u> Mid-Span Ht.
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>20' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>20' 10"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001763

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40130 S25701</u>		Telco Pole No. <u>MAW 13 - 030</u>	
Street Location <u>Fairview Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u>			<u>29'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'10"</u>			
		Proposed Attach Ht. <u>24'</u>			
<u>25'2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>23'8"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'</u>			
<u>24'3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'2"</u>			<u>22'4"</u> Mid-Span Ht.
<u>20'10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>20'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>20</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001764

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40117 S25710</u>		Telco Pole No. <u>MAW 13 - 031</u>	
Street Location <u>Fairview Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>32'</u>	<u>29'</u>		
					<u>28'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>30'</u>			
		Proposed Attach Ht. <u>24' 6"</u>			
<u>23' 8"</u>		<u>24'</u>	<u>24'</u>		
		<u>21'</u>	<u>23' 8"</u>		
<u>22' 4"</u>		<u>19' 2"</u>	<u>20'</u>		
<u>20'</u>			<u>DNF</u>		

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001765

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40110 S25715</u>		Telco Pole No. <u>MAW 13 - 032</u>	
Street Location <u>Fairview Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>				
<u>28'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>			<u>26'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>23'</u>			
<u>24'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				<u>22' 9"</u> Mid-Span Ht.
<u>23' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'</u>				<u>21' 10"</u> Mid-Span Ht.
<u>20'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>				<u>20'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>20</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001766

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40100 S25723</u>		Telco Pole No. <u>MAW 13 - 033</u>	
Street Location <u>Fairview & High Streets</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>	<u>28'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>	
		Proposed Attach Ht. <u>23'</u>	
<u>22' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	<u>22' 6"</u> Mid-Span Ht.
<u>21' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'</u>	<u>21' 6"</u> Mid-Span Ht.
<u>20'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 6"</u>	<u>21'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>21</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001767

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40900 S25713</u>		Telco Pole No. <u>MAW 13 - 034</u>	
Street Location <u>High Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>27'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. <u>20'</u>			
<u>22' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 6"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'</u>			Mid-Span Ht.
<u>21'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18' 4"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001768

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40082 S25703</u>		Telco Pole No. <u>MAW 13 - 035</u>	
Street Location <u>High Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
27' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		29' Attach. Ht. Mid-Span Ht. 28'	
		Ht. of Lowest Service or Secondary Drip Loop 27'	
		Proposed Attach. Ht. 21'	
19'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		20'6" Mid-Span Ht. Attach. Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. Attach. Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20' Mid-Span Ht. Attach. Ht. _____	
18'4" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19'4" Mid-Span Ht. Attach. Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001769

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40074 S25692</u>		Telco Pole No. <u>MAW 13 - 036</u>	
Street Location <u>High Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
28' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		28' Mid-Span Ht. 26' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>	
		Proposed Attach Ht. <u>21'</u>	
20'6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		20'8" Mid-Span Ht.	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht.	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20' Mid-Span Ht.	
19'4" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19'6" Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19'6"</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001770

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40065 S25681</u>		Telco Pole No. <u>MAW 13 - 037</u>	
Street Location <u>High & Prospect Streets</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>				
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>		<u>26'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>22'</u>			
<u>20'10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20'10"</u> Mid-Span Ht.	
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>			<u> </u> Mid-Span Ht.	
<u>20'2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'6"</u>			<u>19'8"</u> Mid-Span Ht.	
<u>19'6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>DNF</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001771

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40056 S25670</u>		Telco Pole No. <u>MAW 13 - 038</u>	
Street Location <u>High Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>			<u>26'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>			
		Proposed Attach Ht. <u>21'</u>			
<u>20' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20'</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>			Mid-Span Ht.
<u>19' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>19'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19'</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40052 S25664</u>		Telco Pole No. <u>MAW 13 - 039</u>	
Street Location <u>High Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>26'</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>28'</u> Attach. Ht. <u>24'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>	
		Proposed Attach Ht. <u>21'</u>	
<u>20'</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		<u>20'</u> Attach. Ht. <u>20'</u> Mid-Span Ht.	
<u> </u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u> </u> Attach. Ht. <u> </u> Mid-Span Ht.	
<u> </u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>20'</u> Attach. Ht. <u> </u> Mid-Span Ht.	
<u>19'</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u> </u> Mid-Span Ht. <u>19'4"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001773

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40054 S25656</u>		Telco Pole No. <u>MAW 13 - 040</u>	
Street Location <u>High Street</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>16DEC2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>				<u>26'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>				
		Proposed Attach Ht. <u>21'</u>				
<u>20'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				<u>20' 4"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____				Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>				Mid-Span Ht.
<u>19' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					<u>19'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001774