

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40337_S26228</u>		Telco Pole No. <u>MAW - 08 - 59</u>	
Street Location <u>North Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input checked="" type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input type="checkbox"/>	27'	Mid-Span Ht.
Top of Conduit Riser Ht. <u>26'</u> (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>	
			Proposed Attach Ht. <u>21' 5"</u>	
21' 4"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input type="checkbox"/>	20'	Mid-Span Ht.
21'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 10"	Mid-Span Ht.
18' 10"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input type="checkbox"/>	19' 2"	Mid-Span Ht.
18' 2"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input type="checkbox"/>	17' 3"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 3</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001275

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40336_26236</u>		Telco Pole No. <u>MAW - 08 - 60</u>	
Street Location <u>North Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
23' Mid-Span Ht.				27" Attach. Ht.	
Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>				25" Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)				Ht. of Lowest Service or Secondary Drip Loop _____	
				Proposed Attach Ht. 18' 2"	
19' 6" Mid-Span Ht.		Front <input type="checkbox"/> /Back <input type="checkbox"/>		17' 7" Attach. Ht.	
18' 2" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 1" Mid-Span Ht.	
18' Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		16' 10" Attach. Ht.	
17' 3" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' 1" Mid-Span Ht.	
				16' 4" Attach. Ht.	
				16' 10" Mid-Span Ht.	
				16' Mid-Span Ht.	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 17'3 FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001276

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40337_S26234</u>		Telco Pole No. <u>MAW - 08 - 61</u>	
Street Location <u>North Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25' Mid-Span Ht.		Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		31' Mid-Span Ht.	
Top of Conduit Riser Ht. <u>33'</u> (If Below Neutral or Secondary)		Attach. Ht. <u>33"</u>		Ht. of Lowest Service or Secondary Drip Loop <u>33'</u>	
		Proposed Attach Ht. <u>20'</u>			
18' 1" Mid-Span Ht.		Front <input type="checkbox"/> /Back <input type="checkbox"/>		19' Mid-Span Ht.	
		Attach. Ht. <u>19'</u>			
17' 1" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' Mid-Span Ht.	
		Attach. Ht. <u>17' 10"</u>			
16' 10" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' 6" Mid-Span Ht.	
		Attach. Ht. <u>17' 4"</u>			
16' Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		15' 7" Mid-Span Ht.	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 15'7 FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001277

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40335_S26246</u>		Telco Pole No. <u>MAW - 08 - 62</u>	
Street Location <u>North Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
31'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 30'	28'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop 29'		
			Proposed Attach Ht. 21' 3"		
19'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. 19' 2"	18' 6"	Mid-Span Ht.
18'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 18'	19' 6"	Mid-Span Ht.
17' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 16' 6"	19'	Mid-Span Ht.
15' 7"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		18' 5"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>15' 7"</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001278

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40333_S26257</u>		Telco Pole No. <u>MAW - 08 - 63</u>	
Street Location <u>North Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
28' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 30'			Mid-Span Ht. _____
Top of Conduit Riser Ht. 28' (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 30'			
		Proposed Attach Ht. 21'9"			
18' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. 23' 4"			Mid-Span Ht. _____
19' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 22' 4"			Mid-Span Ht. _____
19' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 20' 10"			Mid-Span Ht. _____
18' 5" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001279

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>400438_S26317</u>		Telco Pole No. <u>MAW - 08 - 64</u>	
Street Location <u>North Duke St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____		Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>32'</u>	
Top of Conduit Riser Ht. <u>32'</u> (If Below Neutral or Secondary)			Attach. Ht. <u>33'</u>	
			Ht. of Lowest Service or Secondary Drip Loop <u>31'</u>	
			Proposed Attach Ht. <u>22' 2"</u>	
Mid-Span Ht. _____		Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. <u>22"</u>	
			Attach. Ht. <u>20' 7"</u>	
Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>20'</u>	
			Attach. Ht. <u>18' 1"</u>	
Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>17' 6"</u>	
			Attach. Ht. <u>16' 2"</u>	
Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>16' 4"</u>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001280

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40440_S26310</u>		Telco Pole No. <u>MAW - 08 - 65</u>	
Street Location <u>North Prince St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>30'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>30'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>32'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>35'</u>		<u>33'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>34'</u>			
		Proposed Attach Ht. <u>22' 5"</u>			
<u>22'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 5"</u>		<u>22'</u> Mid-Span Ht.	
<u>20'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 5"</u>		<u>20' 6"</u> Mid-Span Ht.	
<u>17' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 5"</u>		<u>18' 6"</u> Mid-Span Ht.	
<u>16' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>16' 8"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001281

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40441_S26303</u>		Telco Pole No. <u>MAW - 08 - 66</u>	
Street Location <u>North Duke St & East James St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>25'</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>25' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
33" Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>35'</u>			27' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>34'</u>			
		Proposed Attach Ht. <u>23'</u>			
22' Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21'</u>			21' Mid-Span Ht.
20' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>			19' Mid-Span Ht.
18' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 1"</u>			16' 2" Mid-Span Ht.
16' 8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				14' 11" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>14' 11"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001282

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40445_S26279</u>		Telco Pole No. <u>MAW - 08 - 67</u>	
Street Location <u>North Duke St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>25'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>			
		Proposed Attach. Ht. <u>23'</u>			
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. <u>21' 7"</u>			<u>22' 6"</u> Mid-Span Ht.
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20' 10"</u>			<u>20' 4"</u> Mid-Span Ht.
<u>16' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>19' 8"</u>			<u>18' 11"</u> Mid-Span Ht.
<u>14' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001283

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40446_S26271</u>		Telco Pole No. <u>MAW - 08 - 68</u>	
Street Location <u>North Duke St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	28'	25'	24'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 26'		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. 19' 6"	22' 6"	19'
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 18' 3"	20' 4"	17' 10"
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 17' 8"	18' 11"	17' 2"
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 17' 1"	17' 10"	16'

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 17'10 FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001284

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40448_S26257</u>		Telco Pole No. <u>MAW - 08 - 69</u>	
Street Location <u>North Duke St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>23'</u>			
<u>19'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21' 11"</u>			Mid-Span Ht. <u>20"</u>
<u>17' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 1"</u>			Mid-Span Ht. <u>14'</u>
<u>17' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 6"</u>			Mid-Span Ht. <u>12' 4"</u>
<u>16'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>11' 8"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001285

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40452_S26237</u>		Telco Pole No. <u>MAW - 08 - 70</u>	
Street Location <u>North Duke St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>29'</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>29' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>	Mid-Span Ht. <u>26'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>24'</u>		
<u>20'</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>23'</u>	Mid-Span Ht. <u>23'</u>	
<u>14'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 2"</u>	Mid-Span Ht. <u>21'</u>	
<u>12' 4"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 9"</u>	Mid-Span Ht. <u>17' 6"</u>	
<u>11' 8"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>16' 9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16'9</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40459_S26233</u>		Telco Pole No. <u>MAW - 08 - 71</u>	
Street Location <u>North Duke St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	28'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop 26'	
			Proposed Attach Ht. 23' 6"	
23'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	22'	Mid-Span Ht.
21'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	21' 4"	Mid-Span Ht.
17' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20' 1"	Mid-Span Ht.
16' 9"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 10"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16'9</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18'10</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001287

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40460 S26225</u>		Telco Pole No. <u>MAW - 08 - 72</u>	
Street Location <u>North Duke St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>25'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach. Ht. <u>28'</u>	Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>	
			Proposed Attach Ht. <u>22' 6"</u>	
<u>23'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		Attach Ht. <u>21' 8"</u>	Mid-Span Ht. <u>DNF</u>
<u>21' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>21'</u>	Mid-Span Ht. <u>DNF</u>
<u>20'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>20'</u>	Mid-Span Ht. <u>DNF</u>
<u>18' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 10"</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001288

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40449_S26226</u>		Telco Pole No. <u>MAW - 08 - 73</u>	
Street Location <u>East Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>				<u>27'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>				
		Proposed Attach Ht. <u>19' 9"</u>				
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				<u>19' 4"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 10"</u>				
<u>20'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 1"</u>				<u>18'</u> Mid-Span Ht.
<u>19' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					<u>17' 6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001289

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40441_S26225</u>		Telco Pole No. <u>MAW - 08 - 74</u>	
Street Location <u>East Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27'	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27"</u>		24"
			Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>		
	Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>19' 3"</u>		
19' 4"	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		18'
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>		
18'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 10"</u>		DNF
17' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			15' 7"

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001290

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40430_S26222</u>		Telco Pole No. <u>MAW - 08 - 75</u>	
Street Location <u>East Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>				<u>26' 6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>				
		Proposed Attach Ht. <u>19' 6"</u>				
<u>18'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				<u>19'</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 9"</u>				
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>16' 10"</u>				<u>17' 6"</u> Mid-Span Ht.
<u>15' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					<u>16' 2"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001291

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40423_S26222</u>		Telco Pole No. <u>MAW - 08 - 76</u>	
Street Location <u>East Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			<u>23'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>			
		Proposed Attach Ht. <u>19' 10"</u>			
<u>19'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 4"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>			
<u>17' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 7"</u>			<u>17' 6"</u> Mid-Span Ht.
<u>16' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 5"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001292

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40414_S26221</u>		Telco Pole No. <u>MAW - 08 - 77</u>	
Street Location <u>East Lemon St & Queen St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
23'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	26'	Mid-Span Ht.
Top of Conduit Riser Ht. <u>23'</u> (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>	
			Proposed Attach Ht. <u>19' 9"</u>	
19' 4"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	19' 4"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 2"	Mid-Span Ht.
17' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17' 7"	Mid-Span Ht.
16' 5"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	15' 10"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001293

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40392_S26218</u>		Telco Pole No. <u>MAW - 08 - 78</u>	
Street Location <u>East Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
24'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	26'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>21' 11"</u>	
19' 4"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21' 2"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20' 9"	Mid-Span Ht.
DNF	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17' 10"	Mid-Span Ht.
15' 10"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' 9"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16'9</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001294

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40378_S26215</u>		Telco Pole No. <u>MAW - 08 - 79</u>	
Street Location <u>East Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
24' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		30" Attach. Ht. Mid-Span Ht. 28'	
		Ht. of Lowest Service or Secondary Drip Loop 29'	
		Proposed Attach. Ht. 20' 8"	
21' 2" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		20' 6" Mid-Span Ht. Attach. Ht. _____	
18' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' 8" Mid-Span Ht. Attach. Ht. _____	
16' 9" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 4" Mid-Span Ht. Attach. Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 16'9' FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 16'9' FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40375_S26215</u>		Telco Pole No. <u>MAW - 08 - 80</u>	
Street Location <u>East Lemon St & Market St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
28' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 30'			28' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 28'			
		Proposed Attach. Ht. 21'			
20' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			20' 6" Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 20'			
19' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 18'			19' Mid-Span Ht.
18' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				17' Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001296

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40361_S26213</u>		Telco Pole No. <u>MAW - 08 - 81</u>	
Street Location <u>East Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>26'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>			
		Proposed Attach Ht. <u>21'</u>			
<u>20' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 3"</u>			<u>20'</u> Mid-Span Ht.
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 7"</u>			<u>19' 6"</u> Mid-Span Ht.
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 1"</u>			<u>18'</u> Mid-Span Ht.
					<u>17' 1"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001297

Pole No.	40352_S26212	Telco Pole No.	MAW - 08 - 82
Street Location	East Lemon St & Prince St	Name of Attacher	MAW Communications Inc.
City/Boro/Township	Lancaster	Date	25JUL2015

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size Transformer/Device on Pole	~ 14" dia <hr/> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Height of Lowest Point of Street Light Bracket <hr/> 22' Height of Lowest Point of Street Light Drip Loop <hr/> 22' 6"	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

Lowest Neutral ☐ or Secondary ☒ (Check One) Pole Side* Lowest Neutral ☐ or Secondary ☒ (Check One)

The diagram illustrates a cable tray layout with a central vertical riser. Cables are shown running horizontally from the riser to the left and right sides. The layout includes the following specifications:

- Top Cable Run (Left):** Mid-Span Ht. 26'. Front ☐/Back ☒. Top of Conduit Riser Ht. 23' (If Below Neutral or Secondary).
- Top Cable Run (Right):** Mid-Span Ht. 23'. Attach. Ht. 26'. Ht. of Lowest Service or Secondary Drip Loop 25'.
- Second Cable Run (Left):** Mid-Span Ht. 20'. Front ☐/Back ☐. Proposed Attach. Ht. 21' 5".
- Second Cable Run (Right):** Mid-Span Ht. 21'. Attach. Ht. 19' 8".
- Third Cable Run (Left):** Mid-Span Ht. 19' 6". Front ☒/Back ☒.
- Third Cable Run (Right):** Mid-Span Ht. 19'. Attach. Ht. 18' 5".
- Fourth Cable Run (Left):** Mid-Span Ht. 18'. Front ☒/Back ☒.
- Fourth Cable Run (Right):** Mid-Span Ht. 17' 1". Attach. Ht. 16'.

Arrows indicate the direction of cable runs and the location of the conduit riser. The riser is labeled "(Check One)" at the top.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In. Lower: _____ Cable _____ In.

Neutral/Secondary _____ In. _____ Cable _____ In.

Transformer/Device _____ In. _____ Cable _____ In.

_____ Cable _____ In. _____ Other _____ In.

_____ (Other) _____ In. _____ Other _____ In.

COMMENTS: _____

MAW001298

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40340_S26210</u>		Telco Pole No. <u>MAW - 08 - 83</u>	
Street Location <u>East Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>				<u>25'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>				
		Proposed Attach Ht. <u>21' 2"</u>				
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				<u>21'</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 6"</u>				
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 8"</u>				<u>20' 4"</u> Mid-Span Ht.
<u>16'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					<u>19' 6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001299

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40339_S26209</u>	Telco Pole No. <u>MAW - 08 - 84</u>
Street Location <u>East Lemon St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>25JUL2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	25'	Mid-Span Ht.
Top of Conduit Riser Ht. <u>24'</u> (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>	
			Proposed Attach Ht. <u>21' 2"</u>	
21'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	20' 6"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 11"	Mid-Span Ht.
20' 4"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 11"	Mid-Span Ht.
19' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 8"	Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40334_S26209</u>		Telco Pole No. <u>MAW - 08 - 85</u>	
Street Location <u>East Lemon St & North Water St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>21'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>28'</u>	<u>25'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>23' 6"</u>	<u>21'</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 11"</u>	<u>20'</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9"</u>	<u>19' 8"</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 11"</u>	<u>18' 8"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40321_S26207</u>		Telco Pole No. <u>MAW - 08 - 86</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>32'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>26'</u>			
<u>24'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>25' 6"</u>			<u>26'</u> Mid-Span Ht.
<u>21' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24' 10"</u>			<u>25' 6"</u> Mid-Span Ht.
<u>20'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24' 1"</u>			<u>24' 10"</u> Mid-Span Ht.
<u>19' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>24'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001302

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40318_S26206</u>		Telco Pole No. <u>MAW - 08 - 87</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
32' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 35'			32' Mid-Span Ht.
Top of Conduit Riser Ht. 34' (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 34'			
		Proposed Attach Ht. 25'			
26' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			24' 6" Mid-Span Ht.
25' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 24'			
24' 10" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 23'			23' Mid-Span Ht.
24' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				21' 6" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001303

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40307_S26205</u>		Telco Pole No. <u>MAW - 08 - 88</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>30'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>30'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>32'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>34'</u>			<u>30'</u> Mid-Span Ht.
Top of Conduit Riser Ht. <u>34'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>34'</u>			
		Proposed Attach Ht. <u>23' 10"</u>			
<u>24' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>22' 6"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 7"</u>			
<u>23'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 1"</u>			<u>20'</u> Mid-Span Ht.
<u>21' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>19' 7"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40299_S26204</u>		Telco Pole No. <u>MAW - 08 - 89</u>	
Street Location <u>West Lemon St & Arch St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
30' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>				23' Mid-Span Ht.
Top of Conduit Riser Ht. <u>25'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>				
		Proposed Attach Ht. <u>21' 7"</u>				
22' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				21' Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 5"</u>				
20' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 6"</u>				19' 10" Mid-Span Ht.
19' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					DNF Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001305

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40287_S26202</u>		Telco Pole No. <u>MAW - 08 - 90</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
23' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u>26'</u>		Mid-Span Ht. <u>24'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>			
		Proposed Attach Ht. <u>19' 5"</u>			
21' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Attach Ht. _____		Mid-Span Ht. <u>19' 2"</u>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____		Mid-Span Ht. _____	
19' 10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>		Mid-Span Ht. _____		
DNF Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18'</u>		

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001306

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40280_S26202</u>		Telco Pole No. <u>MAW - 08 - 91</u>	
Street Location <u>West Lemon St & Mulberry St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
24'	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht.	24'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>		
19' 2"	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Proposed Attach. Ht.	19' 11"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht.		Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht.	18' 6"	Mid-Span Ht.
18"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001307

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40264_S26199</u>	Telco Pole No. <u>MAW - 08 - 92</u>
Street Location <u>West Lemon St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>25JUL2015</u>

Attachment Type: Cable ☒ Cabinet ☐ Cabinet Size [w-d-h] _____ Vertical Clearance [Bottom Cabinet to Ground] _____

Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
23' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	33' Attach. Ht.	26' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
		Proposed Attach. Ht. <u>20' 3"</u>	
19' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____	19' Mid-Span Ht.
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18' 11"</u>	Mid-Span Ht. _____
16' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		15' 10" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001308

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40251_S26197</u>		Telco Pole No. <u>MAW - 08 - 93</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			<u>23'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25"</u>			
		Proposed Attach Ht. <u>19' 6"</u>			
<u>19'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19'</u> Mid-Span Ht.
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			<u> </u> Mid-Span Ht.
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>			<u> </u> Mid-Span Ht.
<u>15' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 8"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001309

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>42041_S26196</u>		Telco Pole No. <u>MAW - 08 - 94</u>	
Street Location <u>West Lemon St & Concorde St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
23' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		30' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
19' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>19' 9"</u>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. <u>18'</u>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. _____	
17' 8" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>19' 1"</u> Mid-Span Ht. _____	
		Mid-Span Ht. <u>15' 10"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001310

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40230_S26194</u>		Telco Pole No. <u>MAW - 08 - 95</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>24'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>			
		Proposed Attach Ht. <u>18' 3"</u>			
<u>18'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>18'</u> Mid-Span Ht.
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			<u> </u> Mid-Span Ht.
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 4"</u>			<u> </u> Mid-Span Ht.
<u>15' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>15' 9"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001311

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40219_S26193</u>		Telco Pole No. <u>MAW - 08 - 96</u>	
Street Location <u>W Lemon St & N Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14 " dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
24' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		27' Attach. Ht. Mid-Span Ht. 24'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>
18' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. <u>19' 3"</u>
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' Attach. Ht. Mid-Span Ht. 19'
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____
15' 9" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' Attach. Ht. Mid-Span Ht. _____
		Mid-Span Ht. 18'

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001312

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40205_S26191</u>		Telco Pole No. <u>MAW - 08 - 97</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
24'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	34"	Mid-Span Ht. 29'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop 33"	
			Proposed Attach Ht. 21' 5"	
19'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. 21'
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____
18'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 20' 7"	Mid-Span Ht. _____
	Mid-Span Ht.			Mid-Span Ht. DNF
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001313

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40204_S26206</u>		Telco Pole No. <u>MAW - 08 - 98</u>	
Street Location <u>North Charlotte</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
29' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. 30'			25' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 28'			
		Proposed Attach Ht. 21' 7"			
20' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Attach Ht. _____			21' Mid-Span Ht.
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____			Mid-Span Ht. _____
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. 20' 9"			Mid-Span Ht. _____
19' 7" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>					18' 10" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001314

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40202_S26218</u>		Telco Pole No. <u>MAW - 08 - 99</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>25'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>			
		Proposed Attach Ht. <u>19' 9"</u>			
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19'</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'</u>			Mid-Span Ht.
<u>18' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			<u>16' 9"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001315

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40201_S26226</u>		Telco Pole No. <u>MAW - 08 - 100</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12 " dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
25' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u>32'</u> Mid-Span Ht. <u>26'</u>
		Ht. of Lowest Service or Secondary Drip Loop <u>30'</u>
		Proposed Attach Ht. <u>18' 7"</u>
19' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. <u>18'</u>
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. _____
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>17' 8"</u> Mid-Span Ht. _____
16' 9" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>15' 1"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001316

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40199_S26240</u>		Telco Pole No. <u>MAW - 08 - 101</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
26' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 30'			26' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 28'			
		Proposed Attach Ht. 19' 11"			
18' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			19' 6" Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 18' 11"			Mid-Span Ht.
15' 1" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				18' 4" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001317

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40198_S26249</u>		Telco Pole No. <u>MAW - 08 - 102</u>	
Street Location <u>West Lemon St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>25JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
26' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>				Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>				
		Proposed Attach. Ht. <u>21' 10"</u>				
19' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____				Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>21' 1"</u>				Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>19' 8"</u>				Mid-Span Ht. _____
18' 4" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					Mid-Span Ht. _____
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____ End of Build 8

*Front pole side refers to roadside or side PPL pole number is on.

MAW001318

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40013_S25722</u>		Telco Pole No. <u>MAW - 09 - 01</u>	
Street Location <u>Manor & Prospect St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>30'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>30'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>19' 11"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		Mid-Span Ht. <u>19'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23' 5"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 6"</u>		Mid-Span Ht. <u>23' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>		Mid-Span Ht. <u>19' 10"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 1"</u>		Mid-Span Ht. <u>18' 1"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001319

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40022_S25729</u>		Telco Pole No. <u>MAW - 09 - 02</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
19'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	23' 4"	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>25'</u>	
23' 8"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21' 11"	Mid-Span Ht.
19' 10"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20' 3"	Mid-Span Ht.
18' 1"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 11"	Mid-Span Ht.
17' 9"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17'	Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 17' FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001320

POLE ATTACHMENT DATA SHEET – CABLE/CABINET


Pole No. <u>40031_S25736</u>	Telco Pole No. <u>MAW - 09 - 03</u>
Street Location <u>Manor St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>29JUL2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>22' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>19'</u> Attach. Ht.	<u>17' 8"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			<u>n/a</u> Ht. of Lowest Service or Secondary Drip Loop	
<u>23' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>21' 7"</u> Proposed Attach. Ht.	
<u>20' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>19' 7"</u> Attach. Ht.	<u>21' 3"</u> Mid-Span Ht.
<u>18' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>17' 5"</u> Attach. Ht.	<u>19' 2"</u> Mid-Span Ht.
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>16' 9"</u> Attach. Ht.	<u>16' 8"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> - RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> - RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

 Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001321

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40036_S25741</u>		Telco Pole No. <u>MAW - 09 - 04</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	(Check One)	←		
<u>17' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
		←		
		←		
<u>21' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	←		Mid-Span Ht. <u>20' 6"</u>
		←		
<u>19' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		Mid-Span Ht. <u>18' 10"</u>
		←		
<u>16' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		Mid-Span Ht. <u>17' 3"</u>
		←		
<u>15' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>16' 2"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17'</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001322

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40046_S25748</u>		Telco Pole No. <u>MAW - 09 - 05</u>	
Street Location <u>Manor & Fairview St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size ~ " dia _____	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>36'</u>	Mid-Span Ht. <u>32'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>35' 6"</u>		
			Proposed Attach Ht. <u>22" 11"</u>		
<u>20' 6"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21'</u>	Mid-Span Ht. <u>21' 3"</u>	
<u>18' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 2"</u>	Mid-Span Ht. <u>19' 7"</u>	
<u>17' 3"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9"</u>	Mid-Span Ht. <u>19' 2"</u>	
<u>16' 2"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17'</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 2</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001323

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>Verizon Pole VZ80</u>		Telco Pole No. <u>MAW - 09 - 06</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____ Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)	Ht. of Lowest Service or Secondary Drip Loop _____		
	Proposed Attach Ht. <u>24' 6"</u>		
Mid-Span Ht. _____ Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____	
Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 10"</u>	Mid-Span Ht. _____	
Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 2"</u>	Mid-Span Ht. _____	
Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40057_S25757</u>		Telco Pole No. <u>MAW - 09 - 07</u>	
Street Location <u>Manor St & Fairview Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>36'</u>			
<u>32'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27' 6"</u>		<u>31'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>25' 2"</u>			
<u>21' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		<u>24'</u> Mid-Span Ht.	
<u>Mid-Span Ht.</u>	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24' 8"</u>		<u>Mid-Span Ht.</u>	
<u>19' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 4"</u>		<u>21' 10"</u> Mid-Span Ht.	
<u>17' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>20'</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001325

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40068_S25766</u>	Telco Pole No. <u>MAW - 09 - 08</u>
Street Location <u>Manor St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>29JUL2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
31'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	30'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>22' 10"</u>	
24'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21'	Mid-Span Ht.
			22' 3"	
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 8"	Mid-Span Ht.
			19' 10"	
21' 10"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 7"	Mid-Span Ht.
			17' 9"	
20'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>16' 10"</u>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001326

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40076_S25773</u>		Telco Pole No. <u>MAW - 09 - 09</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	24'	27'	23'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>23' 6"</u>		
22' 3"	Front <input type="checkbox"/> / Back <input type="checkbox"/>	19' 7"	23' 3"	
19' 10"	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18'	19' 1"	
17' 9"	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17' 4"	17' 8"	
16' 10"	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		17'	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001327

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40079_S25776</u>		Telco Pole No. <u>MAW - 09 - 10</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>30'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>28' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	30'	23'	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	24' 4"	27'	
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	22' 3"	20' 3"	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20'	19' 1"	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19'	17' 8"	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17' 7"	17'	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001328

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40085_S25781</u>		Telco Pole No. <u>MAW - 09 - 11</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>27'</u>	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27' 7"</u>	<u>26'</u>	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
<u>23' 5"</u>	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>23' 7"</u>	<u>21' 5"</u>	Mid-Span Ht.
<u>20' 3"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 8"</u>	<u>17' 8"</u>	Mid-Span Ht.
<u>18' 7"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 7"</u>	<u>16' 4"</u>	Mid-Span Ht.
<u>17' 7"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 8"</u>	<u>15' 10"</u>	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001329

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40093_S25788</u>		Telco Pole No. <u>MAW - 09 - 12</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 26'	24' 5"	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. 23' 3"		
21' 5"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. 20' 10"	22' 4"	Mid-Span Ht.
17' 8"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 20'	20' 3"	Mid-Span Ht.
16' 4"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 17' 9"	18' 9"	Mid-Span Ht.
15' 10"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		18' 6"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001330

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40096_S25791</u>		Telco Pole No. <u>MAW - 09 - 13</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>		<u>26' 8"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 3"</u>			
		Proposed Attach Ht. <u>22' 6"</u>			
<u>22' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 9"</u>		<u>22' 3"</u> Mid-Span Ht.	
<u>20' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>		<u>21' 5"</u> Mid-Span Ht.	
<u>18' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 8"</u>		<u>20' 3"</u> Mid-Span Ht.	
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>19' 2"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001331

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40098_S25793</u>		Telco Pole No. <u>MAW - 09 - 14</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>26' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>29'</u> Attach. Ht.	Mid-Span Ht. <u>Skips Pole</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)				
<u>22' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>22' 6"</u> Attach. Ht.	<u>23' 9"</u> Mid-Span Ht.
<u>21' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>20' 3"</u> Attach. Ht.	<u>22' 1"</u> Mid-Span Ht.
<u>20' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>18' 6"</u> Attach. Ht.	<u>19' 9"</u> Mid-Span Ht.
<u>19' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>18'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001332

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40106 S25799</u>		Telco Pole No. <u>MAW - 09 - 15</u>	
Street Location <u>Manor & Laurel St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Attach. Ht. <u>n/a</u>
		Ht. of Lowest Service or Secondary Drip Loop _____
		Proposed Attach Ht. <u>23' 8"</u>
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Mid-Span Ht. _____
		Attach. Ht. <u>20' 9"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
		Attach. Ht. <u>20'</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
		Attach. Ht. <u>19'</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001333

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40109_S25802</u>		Telco Pole No. <u>MAW - 09 - 16</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		Mid-Span Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>25' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>23' 2"</u>		Mid-Span Ht. <u>24'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22'</u>		Mid-Span Ht. <u>21' 3"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>		Mid-Span Ht. <u>20' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 10"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001334

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40119_S25812</u>		Telco Pole No. <u>MAW - 09 - 17</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>29'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>32'</u>	<u>28'</u>		
					<u>26'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>			
		Proposed Attach Ht. <u>27' 3"</u>			
			<u>24'</u>		<u>24' 3"</u>
					<u>23'</u>
			<u>21' 3"</u>		<u>23' 6"</u>
					<u>21' 5"</u>
			<u>20' 8"</u>		<u>22' 11"</u>
					<u>20' 11"</u>
			<u>18' 10"</u>		<u>18' 10"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001335

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40130_S25822</u>		Telco Pole No. <u>MAW - 09 - 18</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>				<u>26'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>				
		Proposed Attach Ht. <u>23' 2"</u>				
<u>23'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20'</u>				<u>21' 9"</u> Mid-Span Ht.
<u>21' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 4"</u>				<u>19' 1"</u> Mid-Span Ht.
<u>20' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 4"</u>				<u>18' 9"</u> Mid-Span Ht.
<u>18' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					<u>17' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001336

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40139_S25832</u>		Telco Pole No. <u>MAW - 09 - 19</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 3"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	(Check One)	29'	26'	
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		24'	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25' 3"</u>		
		Proposed Attach Ht. <u>22' 8"</u>		
21' 9"	Mid-Span Ht.	22' 6"	20' 10"	
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21' 8"	18' 5"	
19' 1"	Mid-Span Ht.	20' 2"	18' 2"	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			
18' 4"	Mid-Span Ht.			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			
17' 10"	Mid-Span Ht.			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001337

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40148_S25840</u>	Telco Pole No. <u>MAW - 09 - 20</u>
Street Location <u>Manor St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>29JUL2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24'</u>	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>24'</u>		Mid-Span Ht. <u>25'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
<u>20' 10"</u>	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach. Ht. <u>20' 3"</u>		
<u>18' 5"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>17'</u>		Mid-Span Ht. <u>20' 4"</u>
<u>18' 2"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>16' 3"</u>		Mid-Span Ht. <u>16' 10"</u>
<u>17' 4"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>15' 8"</u>		Mid-Span Ht. <u>16'</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>15'6</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40154_S25847</u>		Telco Pole No. <u>MAW - 09 - 21</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	32'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>22' 3"</u>	
20' 4"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	18' 5"	Mid-Span Ht.
16' 10"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' 11"	Mid-Span Ht.
16'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' 1"	Mid-Span Ht.
15' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' 7"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001339

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40159_S25853</u>		Telco Pole No. <u>MAW - 09 - 22</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	30'	29'	31'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>22' 9"</u>		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>19' 4"</u>	21' 2"	22' 7"
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>	17' 9"	19' 6"
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 4"</u>	16' 7"	18' 5"
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		16'	17' 8"
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001340

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40166 S25861</u>		Telco Pole No. <u>MAW - 09 - 23</u>	
Street Location <u>Manor & New Dorwart St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>n/a</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop _____		Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23' 5"</u>			
<u>22' 7"</u> Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 2"</u>		Mid-Span Ht. <u>23' 10"</u>	
<u>19' 6"</u> Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 3"</u>		Mid-Span Ht. <u>19' 5"</u>	
<u>18' 5"</u> Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 6"</u>		Mid-Span Ht. <u>18' 6"</u>	
<u>17' 8"</u> Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 4"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001341

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40174_S25871</u>		Telco Pole No. <u>MAW - 09 - 24</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>30'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>30'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32'</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>30'</u>		Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)						
		Proposed Attach Ht. <u>25' 6"</u>				
<u>23' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>23' 1"</u>			Mid-Span Ht. <u>23' 6"</u>	
<u>19' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 5"</u>			Mid-Span Ht. <u>19' 5"</u>	
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 5"</u>			Mid-Span Ht. <u>18' 5"</u>	
<u>18' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>17' 10"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001342

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40181 S25881</u>		Telco Pole No. <u>MAW - 09 - 25</u>	
Street Location <u>542 Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
27' Mid-Span Ht.		Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		32' Attach. Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		30' 6" Mid-Span Ht.	
23' 6" Mid-Span Ht.		Front <input type="checkbox"/> / Back <input type="checkbox"/>		23' 7" Proposed Attach. Ht.	
19' 5" Mid-Span Ht.		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		21' 4" Attach. Ht.	
18' 5" Mid-Span Ht.		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		20' 4" Attach. Ht.	
17' 10" Mid-Span Ht.		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		19' 3" Attach. Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		17' 5" Mid-Span Ht.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001343

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40187 S25888</u>		Telco Pole No. <u>MAW - 09 - 26</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>28'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>28' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>30' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>28'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28' 6"</u>			
		Proposed Attach. Ht. <u>26'</u>			
<u>23' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. <u>21' 8"</u>			<u>24' 10"</u> Mid-Span Ht.
<u>20' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20' 4"</u>			<u>20' 2"</u> Mid-Span Ht.
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>19' 3"</u>			<u>19' 8"</u> Mid-Span Ht.
<u>17' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18' 4"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001344

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40193 S25896</u>		Telco Pole No. <u>MAW - 09 - 27</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
28'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	29'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
24' 10"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	25' 6"	Mid-Span Ht.
20' 2"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	22' 3"	Mid-Span Ht.
19' 8"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	21' 3"	Mid-Span Ht.
18' 4"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20'	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001345

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40200_S25904</u>		Telco Pole No. <u>MAW - 09 - 28</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>29'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>30"</u>	<u>27' 6"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>25'</u>	<u>24' 4"</u>	
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>22' 11"</u>	<u>21'</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 8"</u>	<u>19' 5"</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 2"</u>	<u>17' 11"</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>18' 11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 7"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40209 S25915</u>		Telco Pole No. <u>MAW - 09 - 29</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
24' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 26'			23' 6" Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop n/a			
		Proposed Attach Ht. 23'			
21' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. 21' 8"			19' 4" Mid-Span Ht.
19' 5" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 19' 10"			17' 8" Mid-Span Ht.
17' 11" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 18' 7"			17' 1" Mid-Span Ht.
17' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				17' Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 17' 7" FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001347

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40218_S25927</u>		Telco Pole No. <u>MAW - 09 - 30</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>31'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>29'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>24'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>			
		Proposed Attach Ht. <u>21' 4"</u>			
<u>19' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 3"</u>			<u>17' 4"</u> Mid-Span Ht.
<u>17' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 1"</u>			<u>16' 3"</u> Mid-Span Ht.
<u>17' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'</u>			<u>15'</u> Mid-Span Ht.
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>13' 11"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001348

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40226_S25937</u>		Telco Pole No. <u>MAW - 09 - 31</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	26'	24'	25'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21'		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	20'	17' 4"	20' 7"
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 6"	16' 3"	18' 4"
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' 7"	15'	16' 8"
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		13' 11"	12'
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>13'11</u> FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001349

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40234_S25947</u>		Telco Pole No. <u>MAW - 09 - 32</u>	
Street Location <u>Manor St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>29'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>32'</u>	<u>25'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>29'</u>		
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>25' 6"</u>	<u>20' 7"</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>24' 1"</u>	<u>18' 4"</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 11"</u>	<u>16' 8"</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 1"</u>	<u>12'</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001350

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40242_S25957</u>		Telco Pole No. <u>MAW - 09 - 33</u>	
Street Location <u>Manor & King St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>28' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	30'	26'	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28' 6"</u>		28'
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>24' 1"</u>		
19' 7"	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>22' 8"</u>	20' 8"	
20' 8"	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>	17' 4"	
19' 6"	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>	16' 5"	
17' 5"	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		16' 4"	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 16' 4 FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001351

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40254_S25959</u>		Telco Pole No. <u>MAW - 09 - 34</u>	
Street Location <u>West King & West Strawberry St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>			<u>24'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach. Ht. <u>22' 9"</u>			
<u>20' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			<u>18' 9"</u> Mid-Span Ht.
<u>17' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18' 7"</u>			
<u>16' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>17'</u>			<u>14' 10"</u> Mid-Span Ht.
<u>16' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>14' 6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16'4</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001352

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40265_S25961</u>		Telco Pole No. <u>MAW - 09 - 35</u>	
Street Location <u>West King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>25'</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
24' Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			23' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>			
		Proposed Attach. Ht. <u>21'</u>			
18' 9" Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach. Ht. _____			15' 6" Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>16' 8"</u>			
14' 10" Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>15' 9"</u>			13' 2" Mid-Span Ht.
14' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				13' 1" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001353

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40275_S25963</u>		Telco Pole No. <u>MAW - 09 - 36</u>	
Street Location <u>West King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
23' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 25' 6"			23' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop n/a			
		Proposed Attach Ht. 17' 2"			
15' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			16' 10" Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 16' 2"			Mid-Span Ht.
13' 2" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 15' 1"			13' 4" Mid-Span Ht.
13' 1" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				13' 4" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001354

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40287_S25965</u>		Telco Pole No. <u>MAW - 09 - 37</u>	
Street Location <u>West King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
23' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>				27' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25' 6"</u>				
		Proposed Attach Ht. <u>20' 10"</u>				
16' 10" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				20' 10" Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>15' 7"</u>				
13' 4" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>14' 9"</u>				15' 10" Mid-Span Ht.
13' 4" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					15' 6" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001355

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40297_S25966</u>		Telco Pole No. <u>MAW - 09 - 38</u>	
Street Location <u>West King & Mulberry St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>32'</u>			
<u>26' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			<u>28' 6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21' 4"</u>			
<u>20' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 6"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9"</u>			
<u>15' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>			<u>18' 6"</u> Mid-Span Ht.
<u>15' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>18' 6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 6"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001356

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40306_S25960</u>		Telco Pole No. <u>MAW - 09 - 39</u>	
Street Location <u>West King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>				<u>22'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>				
		Proposed Attach. Ht. <u>22' 8"</u>				
<u>19' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. <u>22'</u>				<u>19' 4"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>21' 4"</u>				<u>17' 4"</u> Mid-Span Ht.
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20' 2"</u>				<u>16' 9"</u> Mid-Span Ht.
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					<u>16' 7"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001357

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40321_S25970</u>		Telco Pole No. <u>MAW - 09 - 40</u>	
Street Location <u>West King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
22' Mid-Span Ht.		Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		24' Attach. Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 22'		21' 6" Mid-Span Ht.	
19' 4" Mid-Span Ht.		Front <input type="checkbox"/> /Back <input type="checkbox"/>		20' 4" Proposed Attach. Ht.	
17' 4" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' 4" Attach. Ht.	
16' 9" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' 11" Mid-Span Ht.	
16' 7" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 11" Attach. Ht.	
				18' 2" Mid-Span Ht.	
				17' 6" Attach. Ht.	
				16' 10" Mid-Span Ht.	
				16' 8" Mid-Span Ht.	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001358

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40328 S25971</u>		Telco Pole No. <u>MAW - 09 - 41</u>	
Street Location <u>West King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>29'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>21' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<td><u>30'</u> Attach. Ht.</td> <td><u>26'</u> Mid-Span Ht.</td>	<u>30'</u> Attach. Ht.	<u>26'</u> Mid-Span Ht.
<u>19' 11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>29'</u> Ht. of Lowest Service or Secondary Drip Loop	
<u>18' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>20' 3"</u> Proposed Attach Ht.	
<u>16' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>18' 6"</u> Attach. Ht.	<u>19' 10"</u> Mid-Span Ht.
<u>16' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>17' 7"</u> Attach. Ht.	<u>17' 9"</u> Mid-Span Ht.
			<u>16' 5"</u> Attach. Ht.	<u>16' 4"</u> Mid-Span Ht.
				<u>15' 1"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 15' 1 FT.
YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐
Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001359

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40334_S25972</u>		Telco Pole No. <u>MAW - 09 - 42</u>	
Street Location <u>West King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		26'	26'	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	20' 3"
			Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		
			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
		Proposed Attach Ht. <u>19' 8"</u>			
19' 10"		17' 8"	17' 8"	Front <input type="checkbox"/> /Back <input type="checkbox"/>	17' 8"
17' 9"		16' 5"	14' 8"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	14' 8"
16' 4"		15' 8"	14' 4"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	14' 4"
15' 1"			13'	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	13'

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001360

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40350_S25975</u>		Telco Pole No. <u>MAW - 09 - 43</u>	
Street Location <u>West King & Water St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>20' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>26' 8"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25' 6"</u>			
		Proposed Attach Ht. <u>20' 11"</u>			
<u>17' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>20' 3"</u>			<u>20' 10"</u> Mid-Span Ht.
<u>14' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 7"</u>			<u>18' 5"</u> Mid-Span Ht.
<u>14' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 3"</u>			<u>17' 5"</u> Mid-Span Ht.
<u>13'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>16' 9"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001361

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40356_S25976</u>		Telco Pole No. <u>MAW - 09 - 44</u>	
Street Location <u>West King St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>29JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>35'</u>			Mid-Span Ht. <u>End Of Run</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>			
		Proposed Attach Ht. <u>23' 8"</u>			
<u>20' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 4"</u>			Mid-Span Ht. _____
<u>18' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 7"</u>			Mid-Span Ht. _____
<u>17' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>			Mid-Span Ht. _____
<u>16' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. _____
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____ End Of Run

*Front pole side refers to roadside or side PPL pole number is on.

MAW001362

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40278_S25767</u>		Telco Pole No. <u>MAW - 09 - 45</u>	
Street Location <u>Old Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Start of run	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>33'</u>	Mid-Span Ht. <u>35'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>17' 2"</u>	
Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		Attach Ht. _____	Mid-Span Ht. <u>18' 7"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>21'</u>	Mid-Span Ht. _____
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Attach Ht. <u>18'</u>	Mid-Span Ht. <u>20' 11"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>20' 8"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001363

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40270_S25774</u>		Telco Pole No. <u>MAW - 09 - 46</u>	
Street Location <u>Old Dorwart & Freemont St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
35' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			30' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>			
		Proposed Attach Ht. <u>24'</u>			
18' 7" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>23' 4"</u>			23' 5" Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 2"</u>			21' 3" Mid-Span Ht.
20' 11" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>			18' 6" Mid-Span Ht.
20' 8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				DNF Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001364

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40259_S25783</u>		Telco Pole No. <u>MAW - 09 - 47</u>	
Street Location <u>Old Dorwart</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
30'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht.	30'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
23' 5"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach. Ht.	23' 10"	Mid-Span Ht.
21' 3"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht.	23'	Mid-Span Ht.
18' 6"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht.	22' 7"	Mid-Span Ht.
DNF	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001365

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40252_S25789</u>		Telco Pole No. <u>MAW - 09 - 48</u>	
Street Location <u>Old Dorwart & Poplar St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>28' 6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25' 6"</u>			
		Proposed Attach Ht. <u>23' 5"</u>			
<u>23'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 8"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 2"</u>			
<u>20' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>19' 6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19' 6"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001366

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40241 S25798</u>		Telco Pole No. <u>MAW - 09 - 49</u>	
Street Location <u>Old Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
28' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>	Mid-Span Ht. <u>27' 6"</u>		
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>21' 11"</u>			
20' 8" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>21'</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 2"</u>	Mid-Span Ht. _____		
19' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>18' 7"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 7"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001367

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40235_S25802</u>		Telco Pole No. <u>MAW - 09 - 50</u>	
Street Location <u>Old Dorwart & St Joseph St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u>			<u>27' 6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>			
		Proposed Attach Ht. <u>23' 11"</u>			
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>23' 10"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 7"</u>			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 10"</u>			<u>20' 10"</u> Mid-Span Ht.
<u>18' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001368

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40225_S25811</u>		Telco Pole No. <u>MAW - 09 - 51</u>	
Street Location <u>Old Dorwart & Vine St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>26' 6"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>27'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>			
		Proposed Attach Ht. <u>23' 2"</u>			
<u>23' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>21' 6"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			
<u>20' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 10"</u>			
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>19'</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001369

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40216_S25819</u>		Telco Pole No. <u>MAW - 09 - 52</u>	
Street Location <u>Old Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>33'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>			
		Proposed Attach Ht. <u>23' 4"</u>			
<u>21' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>21' 1"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 1"</u>			Mid-Span Ht.
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>19' 5"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001370

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40207_S25827</u>		Telco Pole No. <u>MAW - 09 - 53</u>	
Street Location <u>New Dorwart & High St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
33' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 30'			30' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
		Proposed Attach Ht. 20' 4"			
21' 1" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			18' 7" Mid-Span Ht.
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 19' 1"			Mid-Span Ht. _____
19' 5" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				17' 7" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001371

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40199_S25836</u>		Telco Pole No. <u>MAW - 09 - 54</u>	
Street Location <u>Old Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 7"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
30' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>33'</u>	Mid-Span Ht. <u>29'</u>			
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>				
		Proposed Attach Ht. <u>22' 6"</u>				
18' 7" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>21' 6"</u>			
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____			
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 11"</u>	Mid-Span Ht. _____			
17' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 11"</u>			

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001372

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40192_S25842</u>		Telco Pole No. <u>MAW - 09 - 55</u>	
Street Location <u>New Dorwart & Lafayette St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 10"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>29'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>31'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>			
		Proposed Attach. Ht. <u>21' 10"</u>			
<u>21' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach. Ht. _____			<u>21' 6"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20' 9"</u>			Mid-Span Ht.
<u>17' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>19' 3"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19'3</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001373

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40181_S25848</u>		Telco Pole No. <u>MAW - 09 - 56</u>	
Street Location <u>New Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 4"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>33'</u>				
<u>31'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>		<u>32'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>21' 6"</u>			
<u>21' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21'</u>			<u>20' 5"</u> Mid-Span Ht.	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 11"</u>			Mid-Span Ht. <u>DNF</u>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 6"</u>			Mid-Span Ht. <u>17' 4"</u>	
<u>19' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>16' 2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001374

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40173_S25855</u>		Telco Pole No. <u>MAW - 09 - 57</u>	
Street Location <u>New Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>32'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>36'</u>			<u>33'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>			
		Proposed Attach Ht. <u>21'</u>			
<u>20' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>21' 4"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'</u>			
<u>17' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 6"</u>			<u>17' 11"</u> Mid-Span Ht.
<u>16' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 8"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001375

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40166_S25861</u>		Telco Pole No. <u>MAW - 09 - 58</u>	
Street Location <u>New Dorwart & Manor St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
33'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 33'	Mid-Span Ht. 31'	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>25' 3"</u>		
21' 4"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. 21' 10"	Mid-Span Ht. 22' 11"	
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 19' 11"	Mid-Span Ht. DNF	
17' 11"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 19' 3"	Mid-Span Ht. 18' 7"	
16' 8"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. 17' 11"	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001376

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40158_S25875</u>		Telco Pole No. <u>MAW - 09 - 59</u>	
Street Location <u>Old Dorwart & Manor St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>31'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>36'</u>		<u>33'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. <u>28'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>			
		Proposed Attach Ht. <u>23' 2"</u>			
<u>22'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 3"</u>		<u>20' 10"</u> Mid-Span Ht.	
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 6"</u>		<u>18' 8"</u> Mid-Span Ht.	
<u>18' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 2"</u>		<u>18' 5"</u> Mid-Span Ht.	
<u>17' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>17' 8"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 8</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: Conduit feeds electrical box at the base of the pole

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40156_S25882</u>		Telco Pole No. <u>MAW - 09 - 60</u>	
Street Location <u>Old Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
33' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 32'			30' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop n/a			
		Proposed Attach Ht. 23' 4"			
20' 10" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			19' 8" Mid-Span Ht.
18' 8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 21' 7"			
18' 5" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 20' 3"			17' 9" Mid-Span Ht.
17' 8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				16' 10" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001378

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40148_S25896</u>		Telco Pole No. <u>MAW - 09 - 61</u>	
Street Location <u>Old Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
30'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 33'	Mid-Span Ht. 32'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop n/a	
			Proposed Attach Ht. 20' 6"	
19' 8"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. 19' 3"
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 19' 2"	Mid-Span Ht. _____
17' 9"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 17' 9"	Mid-Span Ht. 17' 8"
16' 10"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. 16' 1"
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001379

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40148_S25911</u>		Telco Pole No. <u>MAW - 09 - 62</u>	
Street Location <u>Old Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>37'</u>			
<u>32'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>23' 6"</u>			<u>35'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21' 5"</u>			
<u>19' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>21' 10"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 2"</u>			Mid-Span Ht.
<u>17' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 3"</u>			<u>18' 8"</u> Mid-Span Ht.
<u>16' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>17' 6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 6"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001380

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40145 S25921</u>		Telco Pole No. <u>MAW - 09 - 63</u>	
Street Location <u>Old Dorwart St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
35' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>37'</u>	Mid-Span Ht. <u>35'</u>			
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>				
		Proposed Attach. Ht. <u>23'</u>				
21' 10" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. <u>22' 5"</u>			
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>21' 10"</u>	Mid-Span Ht. _____			
18' 8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>21'</u>	Mid-Span Ht. <u>19' 8"</u>			
17' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>18' 7"</u>			
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.				SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>				YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>				ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>				RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: Guy spans to end (24yds)

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40143_S25927</u>		Telco Pole No. <u>MAW - 09 - 64</u>	
Street Location <u>Old Dorwart & First St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____		Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>35' 6"</u>	Mid-Span Ht. <u>34'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>22'</u>	
Mid-Span Ht. _____		Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 4"</u>	Mid-Span Ht. <u>19' 6"</u>
Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 5"</u>	Mid-Span Ht. <u>DNF</u>
Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 3"</u>	Mid-Span Ht. <u>20' 5"</u>
Mid-Span Ht. _____		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>18' 10"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001382

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40134_S25928</u>		Telco Pole No. <u>MAW - 09 - 65</u>	
Street Location <u>First St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 11"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23' 5"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>34'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>30'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 5"</u>			
		Proposed Attach. Ht. <u>19' 10"</u>			
<u>18' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			<u>19' 7"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18' 7"</u>			Mid-Span Ht.
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>14' 8</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001383

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40126_S25929</u>		Telco Pole No. <u>MAW - 09 - 66</u>	
Street Location <u>First St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 16" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
30' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>35'</u>	Mid-Span Ht. <u>34'</u>			
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____				
19' 7" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach. Ht. <u>21' 4"</u>	Mid-Span Ht. <u>21' 3"</u>			
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. _____			
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. _____			
DNF Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. _____			
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001384

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40118_S25930</u>		Telco Pole No. <u>MAW - 09 - 67</u>	
Street Location <u>First & Crystal St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
34' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u>36'</u> Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>
21' 3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. <u>21' 8"</u>
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u>21' 2"</u> Mid-Span Ht. <u>End of run</u>
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u>20' 5"</u> Mid-Span Ht. _____
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u>19' 7"</u> Mid-Span Ht. _____
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001385

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40200 S25904</u>		Telco Pole No. <u>MAW - 09 - 68</u>	
Street Location <u>13 Filbert St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht. _____	Mid-Span Ht. _____	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
n/a	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	n/a	n/a	n/a
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop n/a		
		Proposed Attach Ht. 19' 4"		
17' 8"	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. 19' 8"	
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. 18' 11"	Mid-Span Ht. _____	
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. 17'	Mid-Span Ht. 18' 6"	
17' 2"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. 17' 1"	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001386

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40208_S25897</u>		Telco Pole No. <u>MAW - 09 - 69</u>	
Street Location <u>Filbert & Lafayette St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>				
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>			<u>27'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>19' 11"</u>				
<u>19' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>18' 5"</u> Mid-Span Ht.	
<u>Mid-Span Ht.</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 11"</u>			<u>Mid-Span Ht.</u>	
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 8"</u>			<u>16' 4"</u> Mid-Span Ht.	
<u>17' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>15' 8"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001387

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40220_S25888</u>		Telco Pole No. <u>MAW - 09 - 70</u>	
Street Location <u>Filbert & Lafayette St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>25' 9"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			27' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25' 9"</u>			
		Proposed Attach. Ht. <u>19' 8"</u>			
18' 5" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			18' Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____			Mid-Span Ht.
16' 4" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22' 3"</u>			Mid-Span Ht.
15' 8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				16' Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001388

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40227_S25882</u>		Telco Pole No. <u>MAW - 09 - 71</u>	
Street Location <u>Filbert St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 28'			25' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop n/a			
		Proposed Attach. Ht. 20' 8"			
18' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			18' 9" Mid-Span Ht.
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 20'			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 18' 7"			Mid-Span Ht. 16' 3"
16' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. 14' 11"
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001389

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40234_S25876</u>		Telco Pole No. <u>MAW - 09 - 72</u>	
Street Location <u>Filbert & High St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	(Check One)	←		
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		
	Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)	←		
	Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>	←		
	Proposed Attach Ht. <u>20' 9"</u>	←		
<u>25'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		<u>32'</u> Attach. Ht.
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	←		<u>26'</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		
<u>18' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	←		<u>19' 2"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		<u>19' 7"</u> Attach. Ht.
<u>16' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		<u>17' 8"</u> Attach. Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		<u>18' 5"</u> Mid-Span Ht.
<u>14' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	←		<u>13' 4"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001390

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40245 S25868</u>	Telco Pole No. <u>MAW - 09 - 73</u>
Street Location <u>Filbert & Vine St's</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>30JUL2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	30'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach Ht. <u>21'</u>	
19' 2"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	21' 8"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20' 2"	Mid-Span Ht.
18' 5"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 5"	Mid-Span Ht.
13' 4"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 2"	Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001391

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40264_S25853</u>		Telco Pole No. <u>MAW - 09 - 74</u>	
Street Location <u>Filbert & St Josephs St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>25'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>			
		Proposed Attach Ht. <u>22' 6"</u>			
<u>21' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 5"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 1"</u>			
<u>21' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 11"</u>			<u>19'</u> Mid-Span Ht.
<u>18' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 11"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001392

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40274_S25844</u>		Telco Pole No. <u>MAW - 09 - 75</u>	
Street Location <u>Filbert & St Joseph St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 2"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>			Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>			
		Proposed Attach Ht. <u>19' 6"</u>			
<u>19' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. Ends to guy
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 2"</u>			Mid-Span Ht. _____
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 6"</u>			Mid-Span Ht. _____
<u>17' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. _____
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____ Ends to guy

*Front pole side refers to roadside or side PPL pole number is on.

MAW001393

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40279_S25839</u>		Telco Pole No. <u>MAW - 09 - 76</u>	
Street Location <u>Filbert St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>27'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>		Mid-Span Ht. <u>20' 2"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>12' 5"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>16' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>11' 4"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>9' 5"</u>		Mid-Span Ht. <u>19' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>14' 11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001394

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40287_S25833</u>		Telco Pole No. <u>MAW - 09 - 77</u>	
Street Location <u>Filbert & Poplar St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>25'</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>20' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			Mid-Span Ht. <u>27'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>			
		Proposed Attach Ht. <u>23' 9"</u>			
<u>16' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>20' 3"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 2"</u>			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 1"</u>			Mid-Span Ht. <u>DNF</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>18' 9"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001395

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40293_S25828</u>		Telco Pole No. <u>MAW - 09 - 78</u>	
Street Location <u>Filbert & Arch St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>	Mid-Span Ht. <u>26' 5"</u>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach. Ht. <u>19' 6"</u>			
20' 3" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. <u>19' 10"</u>		
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. _____		
DNF Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18' 5"</u>	Mid-Span Ht. _____		
18' 9" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>18' 2"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001396

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40301_S25822</u>		Telco Pole No. <u>MAW - 09 - 79</u>	
Street Location <u>Filbert & Arch St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26' 5" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		30' Attach. Ht. 27' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____	
19' 10" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. 20' 1" 20' 2" Mid-Span Ht.	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. _____ Mid-Span Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. 18' Mid-Span Ht. _____	
18' 2" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. 18' 2"	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001397

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40307_S25816</u>		Telco Pole No. <u>MAW - 09 - 80</u>	
Street Location <u>Filbert & Freemont St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	30'	27'	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 6"</u>		24'
	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>21' 4"</u>		
20' 2"	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 7"</u>	19' 9"	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9" Guy</u>	14' 6"	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 5" Guy</u>	DNF	
18' 2"	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		DNF	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001398

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40321_S25906</u>		Telco Pole No. <u>MAW - 09 - 81</u>	
Street Location <u>Filbert St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
24' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 26'			25' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop n/a			
		Proposed Attach. Ht. 21' 11"			
19' 9" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			21' Mid-Span Ht.
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 19' 4"			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 17' 10"			Mid-Span Ht. 16' 5"
14' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. DNF
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001399

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40329_S25799</u>		Telco Pole No. <u>MAW - 09 - 82</u>	
Street Location <u>Filbert & Conestoga St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		35'	25'	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	32'
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>23' 9"</u>			
		Attach Ht. _____	21'	Front <input type="checkbox"/> /Back <input type="checkbox"/>	22' 10"
		Attach Ht. _____	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
		Attach Ht. _____	16' 5"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	19' 10"
		Attach Ht. _____	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
			DNF	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001400

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40338_S25801</u>		Telco Pole No. <u>MAW - 09 - 83</u>	
Street Location <u>Conestoga St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
32' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 33'			31' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop n/a			
		Proposed Attach Ht. 29'			
22' 10" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. 27'			27' 8" Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 25' 6"			26' 1" Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 21' 7"			24' 7" Mid-Span Ht.
19' 10" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				20' 7" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001401

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40345_S25801</u>		Telco Pole No. <u>MAW - 09 - 84</u>	
Street Location <u>Conestoga St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>28' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>31'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u>			<u>28'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28' 8"</u>			
		Proposed Attach Ht. <u>27' 8"</u>			
<u>27' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>26' 4"</u>			<u>26'</u> Mid-Span Ht.
<u>26' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>25' 8"</u>			<u>24' 11"</u> Mid-Span Ht.
<u>24' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>13' 3" Guy</u>			<u>24' 6"</u> Mid-Span Ht.
<u>20' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001402

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40355 S25803</u>		Telco Pole No. <u>MAW - 09 - 85</u>	
Street Location <u>Conestoga St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
28' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u>			Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>28' 6"</u>			
26' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>27' 6"</u>			Mid-Span Ht. <u>End of run</u>
24' 11" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>27'</u>			Mid-Span Ht. _____
24' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>25'6" Guy</u>			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001403

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>41053_S25767</u>		Telco Pole No. <u>MAW - 09 - 86</u>	
Street Location <u>Laurel St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>27'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>		Mid-Span Ht. <u>25' 5"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>20' Guy</u>		
Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>17' 9"</u>
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>			Mid-Span Ht. _____
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>18' 5"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001404

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40146_S25776</u>		Telco Pole No. <u>MAW - 09 - 87</u>	
Street Location <u>Laurel & High St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 10"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>27'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>			
		Proposed Attach Ht. <u>21' 10"</u>			
<u>17' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 9"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 9"</u>			Mid-Span Ht.
<u>18' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>19'</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001405

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40136_S25781</u>		Telco Pole No. <u>MAW - 09 - 88</u>	
Street Location <u>Laurel St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 3"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>21' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
27' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	26' 10" Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		20' 3" Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>21' 3"</u>
		Proposed Attach Ht. <u>20' 2"</u>
19' 9" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	18' 4" Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	
19' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001406

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40127_S25788</u>		Telco Pole No. <u>MAW - 09 - 89</u>	
Street Location <u>Laurel St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 8"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
20' 3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		27' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>	
18' 4" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>21' 9"</u>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. <u>19' 8"</u>	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. _____ Mid-Span Ht. _____	
16' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>21' 3"</u> Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001407

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40118_S25795</u>		Telco Pole No. <u>MAW - 09 - 90</u>	
Street Location <u>Laurel St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
26' 2" Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>	Mid-Span Ht. <u>25' 8"</u>		
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach. Ht. <u>21'</u>			
19' 8" Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. <u>19' 11"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. _____		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18' 9"</u>	Mid-Span Ht. _____		
18' 1" Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 4"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001408

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40357_S26094</u>		Telco Pole No. <u>MAW - 09 - 091</u>	
Street Location <u>Chestnut & Prince St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>n/a</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		Mid-Span Ht. <u>n/a</u>		
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>16'8" Guy</u>				
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>17' 4"</u>		Mid-Span Ht. <u>16' 11"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>16' Guy</u>		Mid-Span Ht. <u>19' 8"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>13' 8" Guy</u>		Mid-Span Ht. <u>15' 9"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>15' 6"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001409

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40350_S26093</u>		Telco Pole No. <u>MAW - 09 - 092</u>	
Street Location <u>Laurel St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>30JUL2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>27' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>22' 6"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>2'</u>		Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>24'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>20' 11"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 3"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>		Mid-Span Ht. <u>19' 8"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001410

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40326_S26090</u>		Telco Pole No. <u>MAW - 09 - 93</u>	
Street Location <u>Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 5"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>33'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>		<u>28'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22'</u>			
		Proposed Attach Ht. <u>21' 8"</u>			
<u>20' 11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 2"</u>		<u>20' 11"</u> Mid-Span Ht.	
<u>Mid-Span Ht.</u>	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 7"</u>		<u>19' 8"</u> Mid-Span Ht.	
<u>19' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 6"</u>		<u>18' 8"</u> Mid-Span Ht.	
<u>18' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>15' 8"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001411

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40321_S26089</u>		Telco Pole No. <u>MAW - 09 - 94</u>	
Street Location <u>Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
28' Mid-Span Ht.		Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		30' Attach. Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		27' Mid-Span Ht.	
20' 11" Mid-Span Ht.		Front <input type="checkbox"/> / Back <input type="checkbox"/>		20' 10" Proposed Attach. Ht.	
19' 8" Mid-Span Ht.		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		19' 7" Attach. Ht.	
18' 8" Mid-Span Ht.		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		18' Attach. Ht.	
15' 8" Mid-Span Ht.		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		17' 2" Attach. Ht.	
18' 8" Mid-Span Ht.		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		18' 8" Mid-Span Ht.	
15' 8" Mid-Span Ht.		Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		18' 4" Mid-Span Ht.	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001412

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40305_S26086</u>		Telco Pole No. <u>MAW - 09 - 95</u>	
Street Location <u>Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG15</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 9"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>30'</u>			
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>22' 6"</u>		<u>29'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21' 1"</u>			
<u>20' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>25' 3"</u>		<u>20' 10"</u> Mid-Span Ht.	
<u>20' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>		<u>DNF</u> Mid-Span Ht.	
<u>18' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 2"</u>		<u>19' 7"</u> Mid-Span Ht.	
<u>18' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>18' 1"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40300_S26086</u>	Telco Pole No. <u>MAW - 09 - 96</u>
Street Location <u>West Chestnut & Mulberry St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>06AUG2015</u>

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		

☐ Guying will be required for angle, corner or tap pole construction

☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
29'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 30'	Mid-Span Ht. 27' 6"	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop 28'		
20' 10"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach. Ht. 20' 8"	Mid-Span Ht. 19' 8"	
DNF	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 19' 9"	Mid-Span Ht. 18' 11"	
19' 7"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 18' 3"	Mid-Span Ht. 17' 6"	
18' 1"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 15' 3" Guy	Mid-Span Ht. DNF	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001414

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40277_S26082</u>		Telco Pole No. <u>MAW - 09 - 97</u>	
Street Location <u>Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>25' 3"</u>	<u>27' 6"</u>	<input type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>23' 7"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		<u>20' 2"</u>	<u>19' 8"</u>	<input type="checkbox"/> /Back <input type="checkbox"/>	<u>19'</u>
		<u>19' 3"</u>	<u>18' 11"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>17' 8"</u>
		<u>18' 4"</u>	<u>17' 6"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>16' 5"</u>
<u>DNF</u>				Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001415

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40266_S26081</u>		Telco Pole No. <u>MAW - 09 - 98</u>	
Street Location <u>West Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 1"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>25'</u>			
<u>23' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>22' 6"</u>		<u>24' 7"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20' 4"</u>			
<u>19'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		<u>19' 7"</u> Mid-Span Ht.	
<u>Mid-Span Ht.</u>	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 8"</u>		<u>Mid-Span Ht.</u>	
<u>17' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>		<u>18' 4"</u> Mid-Span Ht.	
<u>16' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>17' 11"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001416

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40257_S26079</u>		Telco Pole No. <u>MAW - 09 - 99</u>	
Street Location <u>West Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
24' 7"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	27'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
19' 7"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	20' 3"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 5"	Mid-Span Ht.
18' 4"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 3"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17' 5"	Mid-Span Ht.
17' 11"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 3"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17' 11"	Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001417

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40247_S26078</u>		Telco Pole No. <u>MAW - 09 - 100</u>	
Street Location <u>West Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>21' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>25'</u>				
<u>25' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>21' 3"</u>		<u>24' 6"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>20</u>			
<u>19' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 5"</u> Mid-Span Ht.	
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 2"</u>				
<u>18' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 3"</u>			<u>19' 2"</u> Mid-Span Ht.	
<u>17' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18' 1"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001418

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40238_S26076</u>		Telco Pole No. <u>MAW - 09 - 101</u>	
Street Location <u>West Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>			
		Proposed Attach Ht. <u>21' 2"</u>			
<u>20' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			Mid-Span Ht. <u>19' 11"</u>
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 7"</u>			Mid-Span Ht. _____
<u>19' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 5"</u>			Mid-Span Ht. <u>18'</u>
<u>18' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>17' 5"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001419

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40229 S26075</u>		Telco Pole No. <u>MAW - 09 - 102</u>	
Street Location <u>W. Chestnut & N. Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 9"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22' 9"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>	Mid-Span Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>22' 9"</u>		
			Proposed Attach Ht. <u>20' 3"</u>		
<u>19' 11"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21' 4"</u>	Mid-Span Ht. <u>20' 3"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 5"</u>	Mid-Span Ht. <u>DNF</u>	
<u>18'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 7"</u>	Mid-Span Ht. <u>18' 3"</u>	
<u>17' 5"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 4"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001420

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40218_S26073</u>		Telco Pole No. <u>MAW - 09 - 103</u>	
Street Location <u>West Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 5"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23' 5"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28'</u>		<u>28'</u>	<u>DNF</u>		
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 5"</u>			
		Proposed Attach Ht. <u>22' 10"</u>			
<u>20' 3"</u>		Attach Ht. _____	<u>19' 3"</u>		
<u>DNF</u>		Attach Ht. <u>21' 5"</u>			
<u>18' 3"</u>		Attach Ht. <u>20' 2"</u>	<u>18'</u>		
<u>17' 4"</u>			<u>17' 9"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001421

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40205_S26017</u>		Telco Pole No. <u>MAW - 09 - 104</u>	
Street Location <u>West Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>	Mid-Span Ht. _____	DNF
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>		
			Proposed Attach Ht. <u>20' 6"</u>		
<u>19' 3"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>18' 4"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9"</u>	Mid-Span Ht. _____	
<u>18'</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 8"</u>	Mid-Span Ht. <u>17' 3"</u>	
<u>17' 9"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>14' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001422

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40188_S26068</u>		Telco Pole No. <u>MAW - 09 - 105</u>	
Street Location <u>West Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size ~ " dia _____	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>21' 11"</u>	Mid-Span Ht. _____	DNF
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>20'</u>		
<u>18' 4"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>19' 2"</u>	Mid-Span Ht. <u>17' 3"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 7"</u>	Mid-Span Ht. <u>16'</u>	
<u>17' 3"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>12' 7" Guy</u>	Mid-Span Ht. <u>15' 1"</u>	
<u>14' 6"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>14' 2"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001423

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40179_S26067</u>		Telco Pole No. <u>MAW - 09 - 106</u>	
Street Location <u>West Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 8" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 8"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
DNF	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	29'	DNF	DNF
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>		
		Proposed Attach Ht. <u>14' 4" Guy</u>		
17' 3"	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. _____	
16'	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>13' 6" Guy</u>	Mid-Span Ht. _____	
15' 1"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>12' 4" Guy</u>	Mid-Span Ht. _____	
14' 2"	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001424

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40230_S26065</u>		Telco Pole No. <u>MAW - 09 - 107</u>	
Street Location <u>Charlotte & Chestnut St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>30'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>26'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25' 6"</u>			
		Proposed Attach. Ht. <u>21' 5"</u>			
<u>19' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			<u>20' 10"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>19' 3"</u>			Mid-Span Ht.
<u>17' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18' 11"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001425

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40231_S26056</u>		Telco Pole No. <u>MAW - 09 - 108</u>	
Street Location <u>Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	← Attach. Ht.	32'
		Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)	← Ht. of Lowest Service or Secondary Drip Loop	n/a
			Proposed Attach. Ht.	21' 9"
20' 10"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	← Attach. Ht.	Mid-Span Ht. 21' 7"
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	← Attach. Ht.	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	← Attach. Ht.	Mid-Span Ht.
18' 11"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	← Attach. Ht.	20' 2"
	Mid-Span Ht.		Mid-Span Ht.	19' 6"

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 19'6 FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001426

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40233_S26046</u>		Telco Pole No. <u>MAW - 09 - 109</u>	
Street Location <u>Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
30' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		35' Attach. Ht. 30' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>
21' 7" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. <u>21' 8"</u>
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' 5" Mid-Span Ht. Attach. Ht. _____
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. Attach. Ht. _____
19' 6" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' 8" Attach. Ht. Mid-Span Ht. _____
		14' 8" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40234_S26033</u>		Telco Pole No. <u>MAW - 09 - 110</u>	
Street Location <u>Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 1"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
30' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			25' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 6"</u>			
		Proposed Attach. Ht. <u>19'</u>			
17' 5" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____			19' Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>17' 1"</u>			Mid-Span Ht.
14' 8" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				17' 7" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001428

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40237_S26017</u>		Telco Pole No. <u>MAW - 09 - 111</u>	
Street Location <u>Charlotte & Orange St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22' 9"</u>	Mid-Span Ht. <u>20' 3"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
			Proposed Attach. Ht. <u>22' 2"</u>	
19'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. <u>21'</u>
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20' 1"</u>	Mid-Span Ht. _____
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18' 6"</u>	Mid-Span Ht. <u>19' 1"</u>
17' 7"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 7"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001429

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40238_S26011</u>		Telco Pole No. <u>MAW - 09 - 112</u>	
Street Location <u>Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>20' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>19' 8"</u> Attach. Ht.	<u>19'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		Proposed Attach. Ht. <u>20' 1"</u>	
<u>19' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>19' 5"</u> Attach. Ht.	<u>20' 3"</u> Mid-Span Ht.
<u>17' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>17' 7"</u> Attach. Ht.	<u>18' 6"</u> Mid-Span Ht.
				<u>17'</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001430

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40239_S26003</u>		Telco Pole No. <u>MAW - 09 - 113</u>	
Street Location <u>Charlotte & Grant St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
19' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	20' 5" Attach. Ht.	19' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>	
		Proposed Attach. Ht. <u>21' 6"</u>	
20' 3" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____	19' 5" Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>20' 11"</u>	Mid-Span Ht.
18' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18' 9"</u>	18' 1" Mid-Span Ht.
17' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		15' 3" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001431

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40241_S25988</u>		Telco Pole No. <u>MAW - 09 - 114</u>	
Street Location <u>Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
19'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 26'	24' 7"	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop n/a		
			Proposed Attach Ht. 23' 6"		
19' 5"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. 21' 9"	23'	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 20' 6"	21'	Mid-Span Ht.
18' 1"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 18' 11"	19' 9"	Mid-Span Ht.
15' 3"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		18' 4"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001432

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40242_S25980</u>		Telco Pole No. <u>MAW - 09 - 115</u>	
Street Location <u>Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>24' 6"</u>	Mid-Span Ht. <u>23' 1"</u>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>22' 11"</u>			
<u>23'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>22'</u>	Mid-Span Ht. <u>22' 2"</u>		
<u>21'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>	Mid-Span Ht. <u>21'</u>		
<u>19' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 6"</u>	Mid-Span Ht. <u>19'</u>		
<u>18' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 10"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40244_S25968</u>		Telco Pole No. <u>MAW - 09 - 116</u>	
Street Location <u>Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22'</u>				Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>				
		Proposed Attach Ht. <u>21', 9"</u>				
<u>22' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 11"</u>				Mid-Span Ht. <u>22' 5"</u>
<u>21'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 5"</u>				Mid-Span Ht. <u>20' 8"</u>
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 7"</u>				Mid-Span Ht. <u>20' 4"</u>
<u>17' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					Mid-Span Ht. <u>16' 5"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.				
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>				
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>				
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>				

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001434

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40244_S25963</u>		Telco Pole No. <u>MAW - 09 - 117</u>	
Street Location <u>Charlotte St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>	Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		
			Proposed Attach Ht. <u>23' 11"</u>		
<u>22' 5"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>End of run</u>	
<u>20' 8"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 4"</u>	Mid-Span Ht. _____	
<u>20' 4"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 5"</u>	Mid-Span Ht. _____	
<u>16' 5"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001435

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40279_S26024</u>		Telco Pole No. <u>MAW - 09 - 118</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>26'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		Mid-Span Ht. <u>22' 9"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21'</u>			
<u>21' 4"</u> Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>19' 4"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18'</u>		Mid-Span Ht. <u>18'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>17' 1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001436

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40266_S26021</u>		Telco Pole No. <u>MAW - 09 - 119</u>	
Street Location <u>West Orange & Concord St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>20' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>20' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>24'</u>				
<u>22' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>20' 8"</u>		<u>21'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>19' 9"</u>			
<u>19' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 8"</u> Mid-Span Ht.	
<u>18'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 10"</u>			<u>16' 6"</u> Mid-Span Ht.	
<u>17' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 7"</u>			<u>16'</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16'</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001437

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40257_S26020</u>		Telco Pole No. <u>MAW - 09 - 120</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		25'	21'		24' 8"
			Mid-Span Ht.		Mid-Span Ht.
			Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		
					Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>
		Proposed Attach Ht. <u>20' 9"</u>			
			19' 8"		19' 11"
			Mid-Span Ht.		Mid-Span Ht.
			Front <input type="checkbox"/> /Back <input type="checkbox"/>		Front <input type="checkbox"/> /Back <input type="checkbox"/>
			16' 6"		16' 11"
			Mid-Span Ht.		Mid-Span Ht.
			Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>
			16'		16' 7"
			Mid-Span Ht.		Mid-Span Ht.
			Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001438

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40247_S26018</u>		Telco Pole No. <u>MAW - 09 - 121</u>	
Street Location <u>W. Orange & N. Charlotte St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 9"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22' 5"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28</u>			
<u>24' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>22' 5"</u>		<u>22' 3"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20' 2"</u>			
<u>19' 11"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		<u>18' 3"</u> Mid-Span Ht.	
<u>Mid-Span Ht.</u>	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 11"</u>		<u>Mid-Span Ht.</u>	
<u>17' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 11"</u>		<u>15' 3"</u> Mid-Span Ht.	
<u>16' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>14' 9"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>14' 9"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001439

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40230_S26016</u>		Telco Pole No. <u>MAW - 09 - 122</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 5"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>22' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27' 6"</u>			<u>26' 10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>			
		Proposed Attach Ht. <u>20' 10"</u>			
<u>18' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 4"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 10"</u>			
<u>15' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>16' 11"</u>			<u>18'</u> Mid-Span Ht.
<u>14' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17'</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001440

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40225_S26015</u>		Telco Pole No. <u>MAW - 09 - 123</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26' 10"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	27'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
20' 4"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	20' 3"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 6"	Mid-Span Ht.
18'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 8"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 1"	Mid-Span Ht.
17'	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17' 5"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' 7"	Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001441

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40214_S26013</u>		Telco Pole No. <u>MAW - 09 - 124</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
26' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>	Mid-Span Ht. <u>27' 6"</u>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach. Ht. <u>20' 5"</u>			
19' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach. Ht. _____	Mid-Span Ht. <u>20' 1"</u>		
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>18' 3"</u>	Mid-Span Ht.		
17' 5" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>17' 4"</u>	Mid-Span Ht. <u>18' 2"</u>		
16' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 1"</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40209_S26012</u>		Telco Pole No. <u>MAW - 09 - 125</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 3"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>25' 6"</u>			
<u>27' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>		<u>24' 2"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20'</u>			
<u>20' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____		<u>19' 9"</u> Mid-Span Ht.	
<u>18' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>		<u>17' 10"</u> Mid-Span Ht.	
<u>17' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 3"</u>		<u>16' 6"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16' 6"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001443

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40203_S26011</u>		Telco Pole No. <u>MAW - 09 - 126</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26' 6"</u>		<u>25' 2"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>19' 8"</u>			
<u>19' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>17' 1"</u>		<u>19' 2"</u> Mid-Span Ht.	
<u>Mid-Span Ht.</u>	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 4"</u>		<u>16' 6"</u> Mid-Span Ht.	
<u>17' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>16' 1"</u>		<u>DNF</u> Mid-Span Ht.	
<u>16' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			<u>15' 10"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>15' 10</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001444

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40193_S26009</u>		Telco Pole No. <u>MAW - 09 - 127</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25' 2" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		30' 6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	
19' 2" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		29' 6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	
16' 6" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20' 8" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
DNF Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' 11" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
15' 10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' 6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001445

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40189_S26009</u>		Telco Pole No. <u>MAW - 09 - 128</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
29' 6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		33' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		
20' 8" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		24' Ht. of Lowest Service or Secondary Drip Loop
17' 11" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20' 9" Proposed Attach. Ht.
17' 6" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 10" Attach. Ht.
17' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 5" Attach. Ht.
		17' 10" Attach. Ht.
		18' Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
RAILROAD ☐ - PA TURNPIKE ☐
Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40182_S26008</u>		Telco Pole No. <u>MAW - 09 - 129</u>	
Street Location <u>W. Orange & N. Mary St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
33' Mid-Span Ht.		Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		33' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Attach. Ht. <u>33"</u>		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
21' 5" Mid-Span Ht.		Front <input type="checkbox"/> /Back <input type="checkbox"/>		22' 3" Proposed Attach. Ht.	
19' 6" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20' 9" Attach. Ht.	
18' 7" Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' 8" Attach. Ht.	
18' Mid-Span Ht.		Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' 2" Attach. Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001447

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40172_S26006</u>		Telco Pole No. <u>MAW - 09 - 130</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>36'</u>				
<u>30' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>		<u>34' 10"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)						
		Proposed Attach Ht. <u>21' 10"</u>				
<u>21' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 8"</u>			<u>21'</u> Mid-Span Ht.	
<u>19' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 1"</u>			<u>19' 3"</u> Mid-Span Ht.	
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>			<u>18' 4"</u> Mid-Span Ht.	
<u>17' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 4"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001448

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40168_S26005</u>		Telco Pole No. <u>MAW - 09 - 131</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>21' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>33"</u>			
<u>34' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		Ht. of Lowest Service or Secondary Drip Loop <u>21' 6"</u>		<u>30'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Proposed Attach Ht. <u>20' 2"</u>		
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 7"</u> Mid-Span Ht.
<u>19' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>			
<u>18' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 1"</u>			<u>17' 10"</u> Mid-Span Ht.
<u>17' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 7"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001449

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40163_S26005</u>		Telco Pole No. <u>MAW - 09 - 132</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
30'	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	33'	Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
19' 7"	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	19' 5"	Mid-Span Ht.
	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 11"	Mid-Span Ht.
17' 10"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 1"	Mid-Span Ht.
16' 7"	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	16' 11"	Mid-Span Ht.
	Mid-Span Ht.		16' 6"	Mid-Span Ht.
	Mid-Span Ht.		15' 6"	Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001450

Pole No. <u>40150_S26003</u>		Telco Pole No. <u>MAW - 09 - 133</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size Transformer/Device on Pole	~ 12" dia <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Street Light Height of Lowest Point of Street Light Bracket Height of Lowest Point of Street Light Drip Loop	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>20' 5"</u> <u>22' 5"</u>
		PPL Conduit Riser Primary <input type="checkbox"/> Yes	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Secondary <input type="checkbox"/> Yes
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest
Neutral ☐ **or Secondary** ☒ (Check One)

Pole Side*
 (Check One)

Lowest
Neutral ☐ **or Secondary** ☒ (Check One)

27' Mid-Span Ht. Front ☐/Back ☒

Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)

18' 11" Mid-Span Ht. Front ☐/Back ☐

Mid-Span Ht. Front ☒/Back ☒

16' 6" Mid-Span Ht. Front ☒/Back ☒

15' 6" Mid-Span Ht. Front ☒/Back ☒

Attach. Ht. 30'

Ht. of Lowest Service or Secondary Drip Loop 22' 5"

Proposed Attach. Ht. 19' 5"

Attach. Ht. _____

Attach. Ht. 18' 4"

Attach. Ht. 17'

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
 AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

28' 5" Mid-Span Ht.

19' 11" Mid-Span Ht.

Mid-Span Ht. _____

Mid-Span Ht. 18' 4"

Mid-Span Ht. 16' 7"

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
 AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In. Lower: _____ Cable _____ In.
 Neutral/Secondary _____ In. _____ Cable _____ In.
 Transformer/Device _____ In. _____ Cable _____ In.
 _____ Cable _____ In. _____ Other _____ In.
 _____ (Other) _____ In. _____ Other _____ In.

COMMENTS: _____

MAW001451

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40144_S26002</u>		Telco Pole No. <u>MAW - 09 - 134</u>	
Street Location <u>W. Orange & N. Pine St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
28' 5" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>	Mid-Span Ht. <u>25' 6"</u>	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>20' 8"</u>			
19' 11" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>19' 6"</u>		
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 11"</u>	Mid-Span Ht. _____		
18' 4" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 6"</u>	Mid-Span Ht. <u>16' 2"</u>		
16' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>DNF</u>		
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16' 2 FT.</u>			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001452

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40130_S25999</u>		Telco Pole No. <u>MAW - 09 - 135</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
25' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			27' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____			
19' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach. Ht. <u>20' 1"</u>			19' 3" Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. _____			Mid-Span Ht.
16' 2" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>17' 10"</u>			Mid-Span Ht.
DNF Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>17'</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001453

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40119_S25998</u>		Telco Pole No. <u>MAW - 09 - 136</u>	
Street Location <u>West Orange & Nevin St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
27' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		26' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
		Proposed Attach Ht. <u>21</u>	
19' 3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		21' 7" Mid-Span Ht.	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht.	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' 8" Mid-Span Ht.	
17' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 2" Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 2</u> FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001454

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40106_S25996</u>		Telco Pole No. <u>MAW - 09 - 137</u>	
Street Location <u>W. Orange & Nevin St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 2"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
26' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29' 10"</u>			28' 6" Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>			
		Proposed Attach Ht. <u>23' 10"</u>			
21' 7" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			22' 11" Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 7"</u>			Mid-Span Ht.
18' 2" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				20' 7" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001455

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40099_S25994</u>		Telco Pole No. <u>MAW - 09 - 138</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		
<u>28' 6"</u>	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>25' 6"</u>	Mid-Span Ht.	
					<u>20' 11"</u>	Mid-Span Ht.
					<u>24' 4"</u>	Ht. of Lowest Service or Secondary Drip Loop
					<u>20' 9"</u>	Proposed Attach Ht.
					<u>18' 1" Guy</u>	Mid-Span Ht.
<u>22' 11"</u>	Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>20' 3"</u>	Mid-Span Ht.	
<u>20' 7"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>17' 7" Guy</u>	Mid-Span Ht.	
<u>18' 2"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>16' 9" Guy</u>	Mid-Span Ht.	
<u>17' 8"</u>	Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>			Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001456

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40084_S25992</u>		Telco Pole No. <u>MAW - 09 - 139</u>	
Street Location <u>West Orange St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>20' 11"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>22' 8"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>			
		Proposed Attach Ht. <u>21' 1"</u>			
<u>20' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 5"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23'</u>			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.


COMMENTS:

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40072_S25990</u>		Telco Pole No. <u>MAW - 09 - 140</u>	
Street Location <u>W. Orange St. & Marietta Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>06AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~ 10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 2"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
22' 8" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		
19' 5" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Attach Ht. Mid-Span Ht. Run Ends
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. Mid-Span Ht.
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. Mid-Span Ht.
DNF Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF ____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
RAILROAD ☐ - PA TURNPIKE ☐
Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40597_S25931</u>		Telco Pole No. <u>MAW - 10 - 01</u>	
Street Location <u>S. Lime St.</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>28'</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>28'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>30'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>36'</u>			<u>28'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>28'</u>			
		Proposed Attach Ht. <u>23' 7"</u>			
<u>24' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>21' 3"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 5"</u>			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 10"</u>			Mid-Span Ht. <u>18' 6"</u>
<u>20' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>17' 4"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 4"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____ Here is the test
 _____ of the
 _____ courier font

*Front pole side refers to roadside or side PPL pole number is on.

MAW001459

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40605_S25924</u>		Telco Pole No. <u>MAW - 10 - 02</u>	
Street Location <u>South Lime & Locust St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>22' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 6"</u>			
		Proposed Attach Ht. <u>20' 11"</u>			
<u>21' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>19' 1"</u>			Mid-Span Ht. <u>18' 10"</u>
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 6"</u>			Mid-Span Ht. <u>17' 11"</u>
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>16' 10"</u>			Mid-Span Ht. <u>16' 7"</u>
<u>17' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001460

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40619_S25914</u>		Telco Pole No. <u>MAW - 10 - 03</u>	
Street Location <u>South Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>27'</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>26' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>	Mid-Span Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>		
			Proposed Attach Ht. <u>22'</u>		
<u>18' 10"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____	Mid-Span Ht. <u>19' 6"</u>	
<u>17' 11"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 5"</u>	Mid-Span Ht. _____	
<u>16' 7"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 10"</u>	Mid-Span Ht. <u>DNF</u>	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>17' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 6"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001461

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40629_S25906</u>		Telco Pole No. <u>MAW - 10 - 04</u>	
Street Location <u>South Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>24' 8"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>21' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>			
		Proposed Attach Ht. <u>18' 10"</u>			
<u>19' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 5"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 5"</u>			
<u>17' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>17' 4"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001462

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40639_S25897</u>		Telco Pole No. <u>MAW - 10 - 05</u>	
Street Location <u>South Lime & Chester St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 6"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>21' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>23' 4"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>			
		Proposed Attach Ht. <u>22' 2"</u>			
<u>19' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>16' 10"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 3"</u>			
<u>17' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>17' 6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 6"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001463

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40650_S25888</u>		Telco Pole No. <u>MAW - 10 - 06</u>	
Street Location <u>South Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 8"</u>
<u>16' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>16' 11" Guy</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 4"</u>
<u>17' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001464

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40691_S25961</u>		Telco Pole No. <u>MAW - 10 - 07</u>	
Street Location <u>Chester & Shippen St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>37'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>36'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>38'</u>			Mid-Span Ht. <u>36'</u>	
	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>36'</u>				
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>18' 1" Guy</u>				
Run Starts	Mid-Span Ht. _____ Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21'</u>			Mid-Span Ht. <u>17' 9"</u>	
	Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 5"</u>			Mid-Span Ht. <u>20' 2"</u>	
	Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>			Mid-Span Ht. <u>17' 8"</u>	
	Mid-Span Ht. _____ Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>17' 3"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 3</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001465

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40684_S25953</u>		Telco Pole No. <u>MAW - 10 - 08</u>	
Street Location <u>Chester & S. Shippen St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>26'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
<u>36'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>			<u>27'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>23' 7"</u>			
<u>17' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>22' 4"</u> Mid-Span Ht.
<u>20' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 1"</u>			
<u>17' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 11"</u>			<u>22'</u> Mid-Span Ht.
<u>17' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>20' 2"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001466

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40676_S25942</u>		Telco Pole No. <u>MAW - 10 - 09</u>	
Street Location <u>Chester & Pershing St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>26' 9"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>24' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 9"</u>			
		Proposed Attach Ht. <u>22' 7"</u>			
<u>22' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 4"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>			
<u>20' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 2"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16' 2</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001467

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40665_S25929</u>		Telco Pole No. <u>MAW - 10 - 10</u>	
Street Location <u>Chester & Pershing St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 7"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
24' 9" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		30' Attach. Ht. 28' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 23'	
20' 4" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. 21' 3"	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		20' 10" Mid-Span Ht. Attach Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. Attach Ht. _____	
16' 2" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 7" Attach Ht. 18' 5" Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001468

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40659_S25921</u>		Telco Pole No. <u>MAW - 10 - 11</u>	
Street Location <u>Chester St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 10"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 1"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>31'</u>			<u>28' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 1"</u>			
		Proposed Attach Ht. <u>20' 6"</u>			
<u>20' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 9"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 4"</u>			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 5"</u>			<u>17' 10"</u> Mid-Span Ht.
<u>18' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>17' 2"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001469

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40654_S25918</u>		Telco Pole No. <u>MAW - 10 - 12</u>	
Street Location <u>Chester St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
28' 9" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	32' Attach. Ht.
Top of Conduit Riser Ht. <u>31'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop _____
19' 9" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	19' 7" Proposed Attach. Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20' Mid-Span Ht.
17' 10" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht.
17' 2" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: Two cables pass this new pole without attaching.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40652_S25913</u>		Telco Pole No. <u>MAW - 10 - 13</u>	
Street Location <u>Chester St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>30'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>34'</u>			<u>27' 1"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 3"</u>			
		Proposed Attach Ht. <u>20' 4"</u>			
<u>20'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>18' 9"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 3"</u>			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 4"</u>			Mid-Span Ht. <u>15' 1"</u>
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>14'</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>14'</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001471

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40644_S25904</u>		Telco Pole No. <u>MAW - 10 - 14</u>	
Street Location <u>Chester St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>27' 5"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 8"</u>			
		Proposed Attach Ht. <u>22' 11"</u>			
<u>18' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>21' 9"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 7"</u>			
<u>15' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 2"</u>			<u>18' 6"</u> Mid-Span Ht.
<u>14'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 5"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>14'</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001472

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40632_S25889</u>		Telco Pole No. <u>MAW - 10 - 15</u>	
Street Location <u>Chester St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
24' 6" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. 24' 1" Mid-Span Ht. _____	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 21' 6"	
17' Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. 15' 3" Guy	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____ Mid-Span Ht. Run Ends	
17' 7" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 19' 2" Mid-Span Ht. _____	
17' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. 15' 11" Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001473

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40642_S25969</u>		Telco Pole No. <u>MAW - 10 - 16</u>	
Street Location <u>Pershing St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 11"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 11"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>23' 11"</u>		Mid-Span Ht. <u>25' 6"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>15' Guy</u>			
Run Starts Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>18' 5"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 7"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>20' 4"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001474

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40635_S25960</u>		Telco Pole No. <u>MAW - 10 - 17</u>	
Street Location <u>Pershing & Locust St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>27' 5"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>26' 5"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>	Ht. of Lowest Service or Secondary Drip Loop <u>26' 5"</u>	Proposed Attach Ht. <u>25'</u>	<u>25'</u> Mid-Span Ht.
<u>18' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>23'</u> Mid-Span Ht.
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____			<u> </u> Mid-Span Ht.
<u> </u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>22' 2"</u>			<u> </u> Mid-Span Ht.
<u>20' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>19' 10"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 19' 10" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001475

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40627_S25950</u>		Telco Pole No. <u>MAW - 10 - 18</u>	
Street Location <u>Pershing St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>25'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29'</u>			<u>24' 6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 6"</u>			
		Proposed Attach Ht. <u>19' 4"</u>			
<u>23'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>18'</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 4"</u>			
<u>19' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 2"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001476

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40620_S25941</u>		Telco Pole No. <u>MAW - 10 - 19</u>	
Street Location <u>Pershing St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>30'</u> Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		<u>24' 7"</u> Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>
		Proposed Attach Ht. <u>18' 5"</u>
<u>18'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>18' 7"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. _____
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 3"</u>
<u>16' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>16' 10"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 16' 10" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001477

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40613_S25933</u>		Telco Pole No. <u>MAW - 10 - 20</u>	
Street Location <u>Pershing St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			<u>22' 4"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>19' 4"</u>			
<u>18' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>18' 4"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 5"</u>			Mid-Span Ht.
<u>16' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>15' 4"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>15' 4</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001478

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40595_S25910</u>		Telco Pole No. <u>MAW - 10 - 21</u>	
Street Location <u>Pershing St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 2"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>22' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>22' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>22' 6"</u>	
<u>15' 2" Guy</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>11' 9" Guy</u>	
<u>15' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 4"</u> Mid-Span Ht. <u>Run Ends</u>	
<u>14' 10" Guy</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>11' 2" Guy</u> Mid-Span Ht. _____	
<u>12' 11" Guy</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>10' Guy</u> Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001479

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40598_S25876</u>		Telco Pole No. <u>MAW - 10 - 22</u>	
Street Location <u>North & Rockland St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 10"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
Mid-Span Ht. _____			Attach. Ht. <u>27'</u>	
Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>25' 10"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop _____	
Run Starts Mid-Span Ht. _____			Proposed Attach Ht. <u>18'</u>	
Front <input type="checkbox"/> /Back <input type="checkbox"/>			Attach Ht. _____	
Mid-Span Ht. _____			Mid-Span Ht. <u>20'</u>	
Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Attach Ht. _____	
Mid-Span Ht. _____			Mid-Span Ht. _____	
Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Attach Ht. <u>17' 1"</u>	
Mid-Span Ht. _____			Mid-Span Ht. _____	
Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>18' 1"</u>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001480

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40595_S25872</u>		Telco Pole No. <u>MAW - 10 - 23</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
25' 10" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		21' 1" Attach. Ht. Mid-Span Ht. DNF	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
20' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		22' 1" Proposed Attach. Ht. 19' 10" Mid-Span Ht.	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. _____ Mid-Span Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. 18' 11" Mid-Span Ht. _____	
18' 1" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. 12' 10"	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001481

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40591_S25866</u>		Telco Pole No. <u>MAW - 10 - 24</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>21' 11"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>21'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24'</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. <u>23' 5"</u> Mid-Span Ht. <u>26'</u> Ht. of Lowest Service or Secondary Drip Loop <u>21'</u> Proposed Attach Ht. <u>19' 9"</u> Attach Ht. _____ Mid-Span Ht. <u>20' 3"</u> Attach Ht. _____ Mid-Span Ht. _____ Attach Ht. <u>18' 2"</u> Mid-Span Ht. <u>15' 10"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			
<u>19' 10"</u> Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>			
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			
<u>12' 10"</u> Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/> ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/> RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001482

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40584_S25859</u>		Telco Pole No. <u>MAW - 10 - 25</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		25' 10" Attach. Ht. Mid-Span Ht. 23' 11"	
Top of Conduit Riser Ht. 27' (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	
20' 3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach. Ht. 21' 5" Mid-Span Ht. 21' 1"	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. _____ Mid-Span Ht. _____	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach. Ht. 19' 6" Mid-Span Ht. _____	
15' 10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. 18' 4"	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001483

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40580_S25853</u>		Telco Pole No. <u>MAW - 10 - 26</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23' 11"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>24'</u>			<u>24' 5"</u> Mid-Span Ht.
Top of Conduit Riser Ht. <u>25'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25'</u>			
		Proposed Attach Ht. <u>21' 8"</u>			
<u>21' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>22' 3"</u> Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>			Mid-Span Ht.
Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 10"</u>			Mid-Span Ht. <u>20' 11"</u>
<u>18' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>20' 2"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>20.2</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001484

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40576_S25847</u>		Telco Pole No. <u>MAW - 10 - 27</u>	
Street Location <u>North & S. Duke St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 10"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>25'</u>
Top of Conduit Riser Ht. <u>26'</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 10"</u>
<u>22' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach. Ht. <u>23'</u>
<u>20' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>22' 3"</u> Mid-Span Ht. On build 6
<u>20' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>21' 3"</u> Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: Next pole in line is 40567_S25x38 from build

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40560_S25829</u>		Telco Pole No. <u>MAW - 10 - 28</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24'</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)					Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>30'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>				<u>26' 10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 6"</u>				
		Proposed Attach Ht. <u>21' 10"</u>				
<u>22' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____				<u>23' 2"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>				
<u>19' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 9"</u>				<u>20' 2"</u> Mid-Span Ht.
<u>19' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>					<u>18' 4"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19' 5"</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 4"</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001486

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40556_S25825</u>		Telco Pole No. <u>MAW - 10 - 29</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>28'</u>			<u>25'</u> Mid-Span Ht.
Top of Conduit Riser Ht. <u>26' 6"</u> (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>			
		Proposed Attach Ht. <u>23' 7"</u>			
<u>23' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>21' 7"</u>			<u>21' 7"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u>			<u>20' 4"</u> Mid-Span Ht.
<u>20' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20'</u>			<u>20' 3"</u> Mid-Span Ht.
<u>18' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>18' 1"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 4"</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001487

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40550_S25817</u>		Telco Pole No. <u>MAW - 10 - 30</u>	
Street Location <u>North & Christian St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>26' 3"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>30'</u>	<u>25'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>		
	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Proposed Attach Ht. <u>24' 5"</u>		
<u>21' 7"</u>	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22' 2"</u>	<u>21' 7"</u>	<u>22' 10"</u>
<u>20' 4"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 10"</u>	<u>20' 4"</u>	<u>19' 11"</u>
<u>20' 3"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 6"</u>	<u>20' 3"</u>	<u>20' 3"</u>
<u>18' 1"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		<u>18' 1"</u>	<u>18' 9"</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 9"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001488

Pole No. <u>40541_S20806</u>	Telco Pole No. <u>MAW - 10 - 31</u>
Street Location <u>North St</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>08AUG2015</u>

Pole Size	~12" dia	Street Light	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Transformer/Device on Pole	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket	_____	Primary	<input type="checkbox"/> Yes
		Height of Lowest Point of Street Light Drip Loop		Secondary	<input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

The diagram illustrates a cable tray layout with a central vertical riser and multiple horizontal cable runs. The layout is organized into five rows, each representing a different cable run. The central riser is labeled "(Check One)" at the top. The cable runs are labeled with their respective heights and spans. The heights are measured from the bottom of the tray to the top of the cable. The spans are measured from the center of the riser to the end of the run. The diagram also shows the "Ht. of Lowest Service or Secondary Drip Loop" and the "Proposed Attach Ht." for each run. The cable runs are labeled with their respective heights and spans. The heights are measured from the bottom of the tray to the top of the cable. The spans are measured from the center of the riser to the end of the run. The diagram also shows the "Ht. of Lowest Service or Secondary Drip Loop" and the "Proposed Attach Ht." for each run.

Row	Mid-Span Ht.	Front	Back	Attach Ht.	Mid-Span Ht.
1	28'	<input type="checkbox"/>	<input checked="" type="checkbox"/>	30'	DNF
2	22' 10"	<input type="checkbox"/>	<input type="checkbox"/>	19' 3"	21' 5"
3	19' 11"	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	18' 6"	19' 2"
4	20' 3"	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	17' 10"	18' 11"
5	18' 9"	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		17' 3"

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

Raise:	St. Lt. Brkt.	_____ In.	Lower:	_____ Cable _____ In.
	Neutral/Secondary	_____ In.		_____ Cable _____ In.
	Transformer/Device	_____ In.		_____ Cable _____ In.
	_____ Cable	_____ In.		_____ Other _____ In.
	(Other)	In.		Other _____ In.

COMMENTS: _____

MAW001489

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40534_S25798</u>		Telco Pole No. <u>MAW - 10 - 32</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27' 6"</u>	Mid-Span Ht. <u>27'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>26' 6"</u>		
			Proposed Attach Ht. <u>23' 1"</u>		
<u>21' 5"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21' 10"</u>	Mid-Span Ht. <u>22' 11"</u>	
<u>19' 2"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 4"</u>	Mid-Span Ht. <u>21' 2"</u>	
<u>18' 11"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 4"</u>	Mid-Span Ht. <u>20' 1"</u>	
<u>17' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>18' 6"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 10"</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

Pole No. <u>40530_S25793</u>	Telco Pole No. <u>MAW - 10 - 33</u>
Street Location <u>North St & Atlantic Ave</u>	Name of Attacher <u>MAW Communications Inc.</u>
City/Boro/Township <u>Lancaster</u>	Date <u>08AUG2015</u>

Attachment Type: Cable ☒ Cabinet ☐ Cabinet Size [w-d-h] _____ Vertical Clearance [Bottom Cabinet to Ground] _____

Pole Size	~12" dia	Street Light	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Transformer/Device on Pole	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket	_____	Primary	<input type="checkbox"/> Yes
		Height of Lowest Point of Street Light Drip Loop		Secondary	<input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral ☐ or Secondary ☒ (Check One) Pole Side* Lowest Neutral ☐ or Secondary ☒ (Check One)

Pole Side*
(Check One)

The diagram illustrates a cable tray layout with a central vertical riser. A cable is shown running horizontally across the tray, with its path segmented by the riser. Key dimensions and labels include:

- Top Section:**
 - Left: "27' Mid-Span Ht." with a checkmark in the "Back" box.
 - Center: "Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)" with an arrow pointing to the riser.
 - Right: "Attach. Ht. 29'" and "Mid-Span Ht. DNF".
- Second Section:**
 - Left: "22' 11" Mid-Span Ht." with a checkmark in the "Back" box.
 - Center: "Ht. of Lowest Service or Secondary Drip Loop 28'" and "Proposed Attach Ht. 22' 10" with a checkmark.
 - Right: "Attach. Ht. 21' 9" and "Mid-Span Ht. 22' 7" with a checkmark.
- Third Section:**
 - Left: "21' 2" Mid-Span Ht." with checkmarks in both "Front" and "Back" boxes.
 - Center: "Attach. Ht. 20' 10" with a checkmark.
 - Right: "Mid-Span Ht. 21' 2" with a checkmark.
- Fourth Section:**
 - Left: "20' 1" Mid-Span Ht." with checkmarks in both "Front" and "Back" boxes.
 - Center: "Attach. Ht. 20' 2" with a checkmark.
 - Right: "Mid-Span Ht. 19' 8" with a checkmark.
- Fifth Section:**
 - Left: "18' 6" Mid-Span Ht." with checkmarks in both "Front" and "Back" boxes.
 - Right: "Mid-Span Ht. 18' 3" with a checkmark.

Labels like "Front" and "Back" are accompanied by checkboxes. The "Back" checkbox is checked in the top two sections, while both "Front" and "Back" checkboxes are checked in the bottom three sections. The "Attach. Ht." label is accompanied by a checkmark in the second, third, and fourth sections. The "Mid-Span Ht." label is accompanied by a checkmark in all sections except the top right.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In. Lower: _____ Cable _____ In.
 Neutral/Secondary _____ In. _____ Cable _____ In.
 Transformer/Device _____ In. _____ Cable _____ In.
 _____ Cable _____ In. _____ Other _____ In.
 _____ (Other) _____ In. _____ Other _____ In.

COMMENTS: _____

MAW001491

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40524_S25786</u>		Telco Pole No. <u>MAW - 10 - 34</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>26' 6"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>26'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>29' 3"</u>	Mid-Span Ht. <u>24' 10"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>26'</u>		
			Proposed Attach Ht. <u>23' 6"</u>		
<u>22' 7"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21' 10"</u>	Mid-Span Ht. <u>22' 10"</u>	
<u>21' 2"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 11"</u>	Mid-Span Ht. <u>21' 1"</u>	
<u>19' 8"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 5"</u>	Mid-Span Ht. <u>19' 7"</u>	
<u>18' 3"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>18' 5"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18.3</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18.5</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001492

Pole No.	40518_S25778	Telco Pole No.	MAW - 10 - 35
Street Location	North St	Name of Attacher	MAW Communications Inc.
City/Boro/Township	Lancaster	Date	08AUG2015

Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size Transformer/Device on Pole	~14" dia <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Street Light Height of Lowest Point of Street Light Bracket Height of Lowest Point of Street Light Drip Loop	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No _____ _____ _____
		PPL Conduit Riser Primary <input type="checkbox"/> Yes	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Secondary <input type="checkbox"/> Yes

☐ Guying will be required for angle, corner or tap pole construction ☒ Guying is not required

Lowest Neutral ☐ or Secondary ☒ (Check One) Pole Side* Lowest Neutral ☐ or Secondary ☒ (Check One)

The diagram illustrates a cable tray system with multiple cable runs. A central vertical riser is labeled "(Check One)".

Top Cable Run:

- Left: Mid-Span Ht. 24' 10"
- Center: Front ☐ / Back ☒ (Check One)
- Right: Attach. Ht. 27' and Mid-Span Ht. 26' 3"

Second Cable Run (Below Top):

- Left: Top of Conduit Riser Ht. 28' (If Below Neutral or Secondary)
- Center: Ht. of Lowest Service or Secondary Drip Loop n/a
- Right: Proposed Attach Ht. 22' 6"

Third Cable Run (Below Second):

- Left: Mid-Span Ht. 22' 10"
- Center: Front ☐ / Back ☐
- Right: Attach. Ht. 21' 7" and Mid-Span Ht. 21' 7"

Fourth Cable Run (Below Third):

- Left: Mid-Span Ht. 21' 1"
- Center: Front ☒ / Back ☒
- Right: Attach. Ht. 20' 3" and Mid-Span Ht. 20' 1"

Fifth Cable Run (Below Fourth):

- Left: Mid-Span Ht. 19' 7"
- Center: Front ☒ / Back ☒
- Right: Attach. Ht. 19' 4" and Mid-Span Ht. 18'

Sixth Cable Run (Bottom):

- Left: Mid-Span Ht. 18' 5"
- Center: Front ☒ / Back ☒
- Right: Mid-Span Ht. 16' 11"

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF 18.5 FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW)
AT MID-SPAN HEIGHT OF 16.111 FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐ -
RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In. Lower: _____ Cable _____ In.

Neutral/Secondary _____ In. _____ Cable _____ In.

Transformer/Device _____ In. _____ Cable _____ In.

_____ Cable _____ In. _____ Other _____ In.

_____ (Other) _____ In. _____ Other _____ In.

COMMENTS: _____

MAW001493

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40511_S25771</u>		Telco Pole No. <u>MAW - 10 - 36</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 11"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>29'</u>	<u>26' 3"</u>		
					<u>27' 3"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>			
		Proposed Attach Ht. <u>21' 2"</u>			
			<u>21' 7"</u>	Front <input type="checkbox"/> /Back <input type="checkbox"/>	<u>21'</u>
		Attach Ht. <u>20' 2"</u>			
			<u>20' 1"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>19' 7"</u>
		Attach Ht. <u>19' 4"</u>			
			<u>18' 5"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>18' 5"</u>
		Attach Ht. <u>18' 3"</u>			
			<u>16' 11"</u>	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	<u>16' 8"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 16' 11" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001494

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40506_S25764</u>		Telco Pole No. <u>MAW - 10 - 37</u>	
Street Location <u>North & E. Strawberry St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 5"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			Mid-Span Ht. <u>DNF</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 6"</u>			
		Proposed Attach Ht. <u>21' 9"</u>			
<u>21'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21'</u>		Mid-Span Ht. <u>22' 6"</u>	
<u>19' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 8"</u>		Mid-Span Ht. <u>DNF</u>	
<u>18' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 1"</u>		Mid-Span Ht. <u>DNF</u>	
<u>16' 8"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>19' 11"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19' 11"</u> FT.			
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>			
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001495

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40498_S25758</u>		Telco Pole No. <u>MAW - 10 - 38</u>	
Street Location <u>North St & Abraham Polite Sr Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>24' 4"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>27'</u>	Mid-Span Ht. <u>29'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>		
			Proposed Attach Ht. <u>23' 3"</u>		
<u>22' 6"</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>22' 5"</u>	Mid-Span Ht. <u>19' 5"</u>	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 7"</u>	Mid-Span Ht. <u>18' 2"</u>	
DNF	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 5"</u>	Mid-Span Ht. <u>20' 6"</u>	
<u>19' 11"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>19' 9"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19' 11"</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 2"</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001496

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40490_S25757</u>		Telco Pole No. <u>MAW - 10 - 39</u>	
Street Location <u>North St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>29'</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>33'</u>			Mid-Span Ht. _____
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>			
		Proposed Attach Ht. <u>15' 9" Guy</u>			
<u>19' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 2"</u>			Mid-Span Ht. <u>Run Ends</u>
<u>18' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>14' 9" Guy</u>			Mid-Span Ht. _____
<u>20' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>13' 6" Guy</u>			Mid-Span Ht. _____
<u>19' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. _____
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>18' 2</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001497

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40530_S25815</u>		Telco Pole No. <u>MAW - 10 - 40</u>	
Street Location <u>Christian St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>24' 2"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>22' 2"</u>		Mid-Span Ht. <u>21' 2"</u>	
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>			
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>13' 10" Guy</u>			
Run Starts Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>15' 4"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 7" Guy</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>13' 1" Guy</u>		Mid-Span Ht. <u>18' 1"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>DNF</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: Lowest attachment @ 13' 1" is a pole to pole guy supporting the next pole in the other direction.

*Front pole side refers to roadside or side PPL pole number is on.

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40538_S25809</u>		Telco Pole No. <u>MAW - 10 - 41</u>	
Street Location <u>Christian & North St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>21' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>20' 3"</u> Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		<u>20' 6"</u> Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>
		Proposed Attach Ht. <u>19' 10"</u>
<u>15' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>17' 4"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>19' 2"</u> Attach. Ht.
<u>18' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>19' 1"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001499

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40548_S25801</u>		Telco Pole No. <u>MAW - 10 - 42</u>	
Street Location <u>Christian St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 6"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>20' 3"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>23' 9"</u> Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		<u>23' 8"</u> Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>
		Proposed Attach Ht. <u>20' 9"</u>
<u>17' 4"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>19' 7"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
<u>19' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>19' 3"</u> Attach Ht.
		Mid-Span Ht. <u>16' 4"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001500

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40556 S25794</u>		Telco Pole No. <u>MAW - 10 - 43</u>	
Street Location <u>Christian St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 3"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>23' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>24' 7"</u> Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		<u>21' 6"</u> Mid-Span Ht.
		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>
		Proposed Attach Ht. <u>22' 3"</u>
<u>19' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>21' 10"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. _____
<u>16' 4"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>21' 2"</u> Attach Ht.
		Mid-Span Ht. <u>20' 3"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001501

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40575_S25779</u>		Telco Pole No. <u>MAW - 10 - 44</u>	
Street Location <u>Christian & Green St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>28'</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>27' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
21' 6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		25' 6" Attach. Ht. 18' Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 27' 3"
21' 10" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		22' 11" Proposed Attach Ht. 19' 4" Mid-Span Ht.
21' 10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		22' 5" Attach. Ht. Mid-Span Ht.
21' 10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		21' 4" Attach. Ht. 20' 4" Mid-Span Ht.
20' 3" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' 1" Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 1</u> FT.
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS:

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40587_S25770</u>		Telco Pole No. <u>MAW - 10 - 45</u>	
Street Location <u>Christian St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>08AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>21' 10"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>21'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop	Proposed Attach Ht.	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Mid-Span Ht.	Run Ends
<u>18'</u>		<u>23' 10"</u>			<u>21'</u>				
						<u>18' 9"</u>			
<u>19' 4"</u>									
<u>20' 4"</u>									
<u>17' 1"</u>									

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001503

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40633_S25772</u>		Telco Pole No. <u>MAW - 10 - 46</u>	
Street Location <u>Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>24' 4"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>22' 9"</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>		Mid-Span Ht. <u>22' 7"</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>16' 1" Guy</u>			
Run Starts Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>13' 2" Guy</u>		Mid-Span Ht. <u>19' 2"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>12' 6" Guy</u>		Mid-Span Ht. <u>17'</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>11' 9" Guy</u>		Mid-Span Ht. <u>14' 9"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>14' 1"</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001504

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40637_S25780</u>		Telco Pole No. <u>MAW - 10 - 47</u>	
Street Location <u>Dauphin & S. Duke St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
22' 7" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	23' 5" Attach. Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>
19' 2" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	24' 7" Proposed Attach. Ht.
17' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	20' 3" Attach. Ht.
14' 9" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	19' 5" Attach. Ht.
14' 1" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 10" Attach. Ht.
		17' 11" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 17' 11" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001505

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40649_S25793</u>		Telco Pole No. <u>MAW - 10 - 48</u>	
Street Location <u>Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>28'</u>			
<u>26'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>27'</u>		<u>23'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. <u>27'</u> (If Below Neutral or Secondary)		Proposed Attach Ht. <u>21' 7"</u>			
<u>22' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>19' 9"</u>		<u>21' 3"</u> Mid-Span Ht.	
<u>19'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 9"</u>		<u>17' 1"</u> Mid-Span Ht.	
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>		<u>16' 8"</u> Mid-Span Ht.	
<u>17' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>15' 10"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>17' 11"</u> FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001506

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40657_S25802</u>		Telco Pole No. <u>MAW - 10 - 49</u>	
Street Location <u>Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
23' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		27' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)	Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>	24' 6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	
21' 3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	Proposed Attach Ht. <u>22' 7"</u>	21' 6" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
17' 1" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 6"</u>	20' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
16' 8" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 7"</u>	17' Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
15' 10' Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 7"</u>	16' 9" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001507

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40663_S25809</u>		Telco Pole No. <u>MAW - 10 - 50</u>	
Street Location <u>Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>23' 1"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24' 2"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>24' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26'</u>			<u>24' 9"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 2"</u>			
		Proposed Attach Ht. <u>20' 10"</u>			
<u>20'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>18' 7"</u>			<u>20' 2"</u> Mid-Span Ht.
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 10"</u>			<u>17' 7"</u> Mid-Span Ht.
<u>16' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 1"</u>			<u>16' 5"</u> Mid-Span Ht.
<u>15' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>14' 10"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001508

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40669_S25816</u>		Telco Pole No. <u>MAW - 10 - 51</u>	
Street Location <u>Dauphin & Rockland St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>21' 10"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>21' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>24' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>29' 5"</u> Mid-Span Ht.	
Top of Conduit Riser Ht. <u>8' 2"</u> (If Below Neutral or Secondary)			
	Attach. Ht. <u>26' 2"</u>		
	Ht. of Lowest Service or Secondary Drip Loop <u>21' 8"</u>		
	Proposed Attach Ht. <u>20' 6"</u>		
<u>20' 2"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	<u>23' 1"</u> Mid-Span Ht.	
	Attach. Ht. <u>18' 10"</u>		
<u>17' 7"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>19' 2"</u> Mid-Span Ht.	
	Attach. Ht. <u>17' 9"</u>		
<u>16' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	<u>18' 5"</u> Mid-Span Ht.	
	Attach. Ht. <u>12' 9" Guy</u>		
<u>14' 10"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Mid-Span Ht. <u>DNF</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001509

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40671_S25821</u>		Telco Pole No. <u>MAW - 10 - 52</u>	
Street Location <u>Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>29' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>28' 6"</u> Mid-Span Ht.	
<u>23' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>		<u>23'</u> Mid-Span Ht.	
<u>19' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>20' 2"</u> Mid-Span Ht.	
<u>18' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>19' 3"</u> Mid-Span Ht.	
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>		<u>16' 11"</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001510

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40676_S25825</u>		Telco Pole No. <u>MAW - 10 - 53</u>	
Street Location <u>Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>25' 4"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 8"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>28' 6"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 8"</u>			
		Proposed Attach Ht. <u>22' 9"</u>			
<u>23' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>20' 11"</u>			<u>23' 8"</u> Mid-Span Ht.
<u>20' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 11"</u>			<u>21' 2"</u> Mid-Span Ht.
<u>19' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 11"</u>			<u>19' 6"</u> Mid-Span Ht.
<u>16' 11"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 9"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001511

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40682_S25832</u>		Telco Pole No. <u>MAW - 10 - 54</u>	
Street Location <u>Dauphin St & Penn Ave</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>28' 6"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>26' 10"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>26' 5"</u>			
<u>23' 8"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. <u>22' 5"</u>			<u>24' 5"</u> Mid-Span Ht.
<u>21' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21' 2"</u>			<u>21' 6"</u> Mid-Span Ht.
<u>19' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>11' 9" Guy</u>			<u>20' 1"</u> Mid-Span Ht.
<u>16' 9"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				Mid-Span Ht. <u>DNF</u>
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001512

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40688_S25840</u>		Telco Pole No. <u>MAW - 10 - 55</u>	
Street Location <u>Dauphin St & S. Lime St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>24' 10"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>24'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>26' 10"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>32'</u>			<u>30'</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24'</u>			
		Proposed Attach Ht. <u>22' 9"</u>			
<u>24' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>21' 9"</u>			<u>22' 7"</u> Mid-Span Ht.
<u>21' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 9"</u>			<u>21' 2"</u> Mid-Span Ht.
<u>20' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>19' 10"</u>			<u>20' 1"</u> Mid-Span Ht.
<u>DNF</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>19' 5"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>19' 5</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001513

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40697_S25851</u>		Telco Pole No. <u>MAW - 10 - 56</u>	
Street Location <u>Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>29'</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>28' 2"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>34'</u>			
<u>30'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>28' 2"</u>		<u>32'</u> Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>26' 6"</u>			
<u>22' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>26'</u>		<u>21' 1"</u> Mid-Span Ht.	
<u>21' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>24' 8"</u>		<u>22' 7" Guy</u> Mid-Span Ht.	
<u>20' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>23' 3"</u>		<u>21' 1" Guy</u> Mid-Span Ht.	
<u>19' 5"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			<u>20' 11" Guy</u> Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____


*Front pole side refers to roadside or side PPL pole number is on.

MAW001514

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40701_S25857</u>		Telco Pole No. <u>MAW - 10 - 57</u>	
Street Location <u>Dauphin St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~14" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 11"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
32' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>		32' Mid-Span Ht. Run Ends	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>	
21' 1" Guy Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		Proposed Attach Ht. <u>13' 9" Guy</u>	
22' 7" Guy Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>19' 9" Guy</u> Mid-Span Ht. <u>Run Ends</u>	
21' 1" Guy Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>14' 4" Guy</u> Mid-Span Ht. _____	
20' 11" Guy Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Attach Ht. <u>13' 2" Guy</u> Mid-Span Ht. _____	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001515

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40678_S25815</u>		Telco Pole No. <u>MAW - 10 - 58</u>	
Street Location <u>Rockland St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
26' Mid-Span Ht. Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	<td>27' Mid-Span Ht.</td>	27' Mid-Span Ht.	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			
22' 3" Mid-Span Ht. Front <input type="checkbox"/> /Back <input type="checkbox"/>		19' 1" Mid-Span Ht.	
Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		19' 11" Mid-Span Ht.	
17' 10" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		18' 11" Mid-Span Ht.	
16' 9" Mid-Span Ht. Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		17' Mid-Span Ht.	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001516

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40687_S25808</u>		Telco Pole No. <u>MAW - 10 - 59</u>	
Street Location <u>Rockland St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 4"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>23' 2"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>27'</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>			<u>26' 2"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 2"</u>			
		Proposed Attach Ht. <u>20'</u>			
<u>19' 1"</u> Mid-Span Ht.	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____			<u>19' 5"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 9"</u>			
<u>18' 2"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>17' 11"</u>			<u>18'</u> Mid-Span Ht.
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>				<u>16' 6"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001517

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40691_S25805</u>		Telco Pole No. <u>MAW - 10 - 60</u>	
Street Location <u>Rockland St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
26' 2" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	25' 6" Attach. Ht.
Top of Conduit Riser Ht. 24' 6" (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop 24' 6"
19' 5" Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	19' 6" Proposed Attach. Ht.
18' Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	18' 7" Attach. Ht.
16' 6" Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	17' 5" Attach. Ht.
		16' 1" Mid-Span Ht.

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001518

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40696_S25799</u>		Telco Pole No. <u>MAW - 10 - 61</u>	
Street Location <u>Rockland & Juanita St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>23' 11"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>24' 6"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>22' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26' 6"</u>			<u>22' 4"</u> Mid-Span Ht.
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>24' 6"</u>			
		Proposed Attach Ht. <u>21' 3"</u>			
<u>19' 9"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Attach Ht. _____			<u>20' 1"</u> Mid-Span Ht.
	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>20' 2"</u>			
<u>17'</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>19'</u>			<u>17' 1"</u> Mid-Span Ht.
<u>16' 1"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>				<u>16' 3"</u> Mid-Span Ht.
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001519

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40711_S25790</u>		Telco Pole No. <u>MAW - 10 - 62</u>	
Street Location <u>Rockland & Juanita St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>22' 6"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>23' 2"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht.	Mid-Span Ht.	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		<u>25'</u>	<u>22' 4"</u>		
					<u>23' 5"</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>23' 2"</u>			
		Proposed Attach Ht. <u>21' 1"</u>			
<u>20' 1"</u>					<u>21' 7"</u>
		<u>20'</u>			
<u>17' 1"</u>		<u>18' 11"</u>			<u>18' 6"</u>
<u>16' 3"</u>					<u>16' 3"</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF 16' 3" FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐
 ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐
 RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001520

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40717_S25785</u>		Telco Pole No. <u>MAW - 10 - 63</u>	
Street Location <u>Rockland St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~10" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>24' 3"</u>	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop <u>25' 3"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
<u>23' 5"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach. Ht. <u>26' 6"</u> Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>25' 3"</u>	
<u>21' 7"</u> Mid-Span Ht.	Front <input type="checkbox"/> / Back <input type="checkbox"/>	Proposed Attach Ht. <u>22' 3"</u> Mid-Span Ht. <u>19'</u>	
<u>18' 6"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>21'</u> Mid-Span Ht. _____	
<u>16' 3"</u> Mid-Span Ht.	Front <input checked="" type="checkbox"/> / Back <input checked="" type="checkbox"/>	Attach Ht. <u>18' 1"</u> Mid-Span Ht. <u>10' 9" Guy</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.	
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>		YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>	
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>	
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>	

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

 COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001521

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40733_S25774</u>		Telco Pole No. <u>MAW - 10 - 64</u>	
Street Location <u>Rockland St</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light Height of Lowest Point of Street Light Bracket <u>21' 11"</u>	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Primary <input type="checkbox"/> Yes Secondary <input type="checkbox"/> Yes
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Drip Loop <u>23'</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)		Pole Side* (Check One)		Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	
DNF	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach. Ht. <u>30'</u>	Mid-Span Ht. <u>DNF</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)			Ht. of Lowest Service or Secondary Drip Loop <u>23'</u>		
			Proposed Attach Ht. <u>20' 2"</u>		
<u>19'</u>	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. <u>18' 11"</u>	Mid-Span Ht. <u>23' 2"</u>	
	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>9' 8"</u>	Mid-Span Ht. <u>20' 6"</u>	
<u>10' 9" Guy</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>8' 11"</u>	Mid-Span Ht. <u>DNF</u>	
<u>14' 10"</u>	Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>		Mid-Span Ht. <u>DNF</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001522

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>Bell_Co_74</u>		Telco Pole No. <u>MAW - 10 - 65</u>	
Street Location <u>Rockland & Susquehanna St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket _____	Primary <input type="checkbox"/> Yes	Secondary <input type="checkbox"/> Yes
	Height of Lowest Point of Street Light Drip Loop _____		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)	Attach. Ht. _____	Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
<u>n/a</u>		<u>n/a</u>	<u>n/a</u>		<u>n/a</u>
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Ht. of Lowest Service or Secondary Drip Loop <u>n/a</u>			
		Proposed Attach Ht. <u>26'</u>			
<u>23' 2"</u>		<u>26' 6"</u>	<u>Run Ends</u>		<u>26' 6"</u>
<u>20' 6"</u>		<u>25' 6"</u>	<u>DNF</u>		<u>25' 6"</u>
<u>DNF</u>		<u>17' 8" Guy</u>	<u>Down Guy</u>		<u>17' 8" Guy</u>
<u>DNF</u>			<u>DNF</u>		<u>DNF</u>

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☐ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.

YARD ☐ - FIELD ☐ - DRIVEWAY ☒ - PARKING LOT ☐

ROADWAY ☐ - SWIMMING POOL ☐ - BODY OF WATER ☐

RAILROAD ☐ - PA TURNPIKE ☐

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001523

POLE ATTACHMENT DATA SHEET – CABLE/CABINET

Pole No. <u>40741_S25767</u>		Telco Pole No. <u>MAW - 10 - 66</u>	
Street Location <u>Susquehanna & Rockland St's</u>		Name of Attacher <u>MAW Communications Inc.</u>	
City/Boro/Township <u>Lancaster</u>		Date <u>12AUG2015</u>	
Attachment Type: Cable <input checked="" type="checkbox"/> Cabinet <input type="checkbox"/> Cabinet Size [w-d-h] _____		Vertical Clearance [Bottom Cabinet to Ground] _____	
Pole Size <u>~12" dia</u>	Street Light <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	PPL Conduit Riser <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Transformer/Device on Pole <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Height of Lowest Point of Street Light Bracket <u>27' 5"</u>	Primary <input type="checkbox"/> Yes <input type="checkbox"/> No	Secondary <input type="checkbox"/> Yes <input type="checkbox"/> No
	Height of Lowest Point of Street Light Drip Loop <u>28' 5"</u>		
<input type="checkbox"/> Guying will be required for angle, corner or tap pole construction		<input checked="" type="checkbox"/> Guying is not required	

NOTE: *ALL HEIGHTS ARE ABOVE GROUND LEVEL

Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)	Pole Side* (Check One)				Lowest Neutral <input type="checkbox"/> or Secondary <input checked="" type="checkbox"/> (Check One)
		Attach. Ht. <u>29'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input checked="" type="checkbox"/>	Ht. of Lowest Service or Secondary Drip Loop <u>28' 5"</u>		Mid-Span Ht. <u>16'</u>	
Top of Conduit Riser Ht. _____ (If Below Neutral or Secondary)		Proposed Attach Ht. <u>26'</u>			
Mid-Span Ht. _____	Front <input type="checkbox"/> /Back <input type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. <u>15' 10"</u>	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. _____		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>	Attach Ht. <u>25' 3"</u>		Mid-Span Ht. _____	
Mid-Span Ht. _____	Front <input checked="" type="checkbox"/> /Back <input checked="" type="checkbox"/>			Mid-Span Ht. <u>DNF</u>	
SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF _____ FT.			SPAN CROSSES OVER (CHECK ALL THAT APPLY BELOW) AT MID-SPAN HEIGHT OF <u>16'</u> FT.		
YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input type="checkbox"/> - PARKING LOT <input type="checkbox"/>			YARD <input type="checkbox"/> - FIELD <input type="checkbox"/> - DRIVEWAY <input checked="" type="checkbox"/> - PARKING LOT <input type="checkbox"/>		
ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>			ROADWAY <input type="checkbox"/> - SWIMMING POOL <input type="checkbox"/> - BODY OF WATER <input type="checkbox"/>		
RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>			RAILROAD <input type="checkbox"/> - PA TURNPIKE <input type="checkbox"/>		

Make Ready Work Required: ☐ Yes / Add'l. Pole Height Required: ☐ Yes

Raise: St. Lt. Brkt. _____ In.	Lower: _____ Cable _____ In.
Neutral/Secondary _____ In.	_____ Cable _____ In.
Transformer/Device _____ In.	_____ Cable _____ In.
_____ Cable _____ In.	_____ Other _____ In.
_____ (Other) _____ In.	_____ Other _____ In.

COMMENTS: _____

*Front pole side refers to roadside or side PPL pole number is on.

MAW001524