

700 West Mineral Ave
Littleton, CO 80120



Network Disclosure Announcement No. 791

Short Term Public Notice Under Rule 51.333(a)

CenturyLink's(Qwest Communications) Internet address:

<http://www.centurylink.com/disclosures/>

Fiber To The Home - Copper Retirements in Minnesota, and Washington.

First Implementation Date: *December 31, 2016*

Original Date Posted: **June 27, 2016**

Summary: Copper Retirements are necessary to respond to various factors in the Outside Plant, including road construction, maintenance problems, and growth accommodation. Replacement cables may be either copper or fiber. Specific information will be provided with each disclosure.

Locations, Timing of Deployments & Interface Requirements:

The following gives additional details on the copper retirement(s):

STATE	WIRE CENTER	PLANNED COMPLETION OR RETIREMENT DATE	DA (s)	Job #	Replacing
MN	St Paul Midway STPLMNMI	12-31-2016	411705 411702 110203 110302 311302 310502 210702, 210803 210702, 210803 210502 210602, 210702	N.015472 N.016739 N.017345 N.019057 N.012790 N.020391 N.016895 N.016892 N.014089 N.014990	Growth in the area requires CenturyLink to install Fiber Based Access to its customer. The copper loops will be replaced by fiber loops as customers migrate to higher speed Broadband Internet Access (BIA). Unbundled Copper Loops may not be available to an individual address after the planned completion/retirement date. This is Fiber-To-The Home (FTTH) overlay architecture.

STATE	WIRE CENTER	PLANNED COMPLETION OR RETIREMENT DATE	DA (s)	Job #	Replacing
MN	St Paul Midway STPLMNMI	12-31-2016	210602	N.015949	<p>Growth in the area requires CenturyLink to install Fiber Based Access to its customer. The copper loops will be replaced by fiber loops as customers migrate to higher speed Broadband Internet Access (BIA). Unbundled Copper Loops may not be available to an individual address after the planned completion/retirement date.</p> <p>This is Fiber-To-The Home (FTTH) overlay architecture.</p>
MN	Minneapolis 24 th MPLSMNTF	12-31-2016	314602 314402 315204, 314602	E.766370 E.766369 E.766365	<p>Growth in the area requires CenturyLink to install Fiber Based Access to its customer. The copper loops will be replaced by fiber loops as customers migrate to higher speed Broadband Internet Access (BIA). Unbundled Copper Loops may not be available to an individual address after the planned completion/retirement date.</p> <p>This is Fiber-To-The Home (FTTH) overlay architecture.</p>
WA	Vancouver Oxford VANCWA01	12-31-2016	310202	N.090049	<p>Growth in the area requires CenturyLink to install Fiber Based Access to its customer. The copper loops will be replaced by fiber loops as customers migrate to higher speed Broadband Internet Access (BIA). Unbundled Copper Loops may not be available to an individual address after the planned completion/retirement date.</p> <p>This is Fiber-To-The Home (FTTH) overlay architecture.</p>

Additional Information:

Any customer premises equipment vendor/manufacturer or enhanced services provider desiring additional technical information in conjunction with this Disclosure can contact:

Abdennaceur Boudhaouia
Regulatory Compliance Director
303-707-8561
Jamal.Boudhaouia@CenturyLink.com