



Jennifer E. Pelzman  
Manager, Legal Support  
Federal Regulatory and Legal Affairs

1300 I Street, N.W.  
Suite 500 East  
Washington, DC 20005  
Phone 202.515.2463  
[jennifer.e.pelzman@verizon.com](mailto:jennifer.e.pelzman@verizon.com)

November 19, 2019

Ms. Marlene H. Dortch  
Secretary  
Federal Communications Commission  
445 12<sup>th</sup> Street S.W.  
Washington, DC 20554

**Re: Verizon Public Notice of Network Changes and Certification  
Under Rules 51.325-51.335**

Dear Ms. Dortch:

Pursuant to Sections 51.325-51.335 of the Commission's rules, Verizon submits the attached Public Notice of Network Change under rule 51.329(a) and Certification of Public Notice of Network Change under rule 51.329(a). Specifically, Verizon is providing notification of the network changes that result in the decommissioning of the Glassboro NJ 5ESS switch (GLBONJGBDS5) located at 5 Focer Street, Glassboro, NJ 08028.

Please contact me should you need any further information.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jennifer Pelzman", written over a light blue rectangular background.

**CERTIFICATION OF PUBLIC NOTICE(s) OF NETWORK  
CHANGE UNDER RULE 51.329(a)**

On November 19, 2019 the following Public Notice of Network Change has been made by Verizon pursuant to Code of Federal Regulation 47, Subsections 51.325 – 51.335.

The Public Notice(s) can also be obtained at the Internet at:

<https://www.verizon.com/about/terms-conditions/network-disclosures>

Title(s) of Network Notification(s):

**Planned Network Changes – Glassboro, NJ switch retirement**

*Michael Warnken*

Michael Warnken  
Specialist – Communications  
Verizon Partner Solutions  
Telephone – (631) 569-3318  
Date: November 19, 2019



6929 N. Lakewood Avenue  
Tulsa, OK 74117

**PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)**

November 19, 2019

**Carrier:** Verizon New Jersey Inc., One Verizon Way, Basking Ridge, NJ 07920

**Contact:** For additional information on these planned network changes, please contact:

Lisa Thompson  
Global Data Network Engineering  
Verizon Wireline Network Operations  
13100 Columbia Pike, Floor 5 Room 505  
Silver Spring, MD 20904  
443-862-0212

John Dunne  
Senior Manager – Global Data Network Engineering  
Verizon Wireline Network Operations  
2147 Route 27  
Edison, NJ 08817  
732-593-4003

**Implementation Date:** On or after June 1, 2020

**Planned Network Change(s) will occur at the following locations in New Jersey:**

Verizon Central Office	Address	CLLI
GLASSBORO NJ 5ESS Switch	5 Focer Street, Glassboro NJ 08028	GLBONJGBDS5
CAMDEN NJ CS2K Switch	12 N 7th Street, Camden NJ 08102	CMDNNJCEPS0

This notice may also be viewed at <http://www.verizon.com/about/terms-conditions/network-disclosures>

**PLEASE NOTE:**

- All references to the Glassboro NJ 5ESS switch are associated with CLI code GLBONJGBDS5 and will not be repeated throughout this notice.
- All references to the Camden NJ CS2K switch are associated with CLI code CMDNNJCEPS0 and will not be repeated throughout this notice.

**Description of the Planned Network Change(s):**

The Verizon Glassboro NJ 5ESS switch located at 5 Focer Street, Glassboro, NJ 08028, will be retired and removed from the network after all traffic served by this switch is migrated to the Verizon Camden NJ CS2K switch located at 12 N. 7th Street, Camden, NJ 08102. All traffic to be migrated includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC/IXC), wireless, and paging traffic.

**Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):**

Competitive local exchange carriers (CLECs), interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers, will need to secure new trunk groups built to the Camden NJ CS2K switch or have existing trunk groups to that switch augmented. Carriers that are code holders for access connectivity in the Glassboro NJ 5ESS switch will be required to reposition the codes to the Camden NJ CS2K switch.

All ASRs for the Camden NJ CS2K switch must be received no later than May 1, 2020 in order to provide sufficient time to migrate the traffic described above. These direct end office trunk (DEOT) interconnections will support traffic migration for the Glassboro NJ 5ESS switch prior to its eventual decommissioning. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Glassboro NJ 5ESS switch (**on or after June 1, 2020**). This will serve to guide interconnect re-routes of traffic for the eight (8) native codes currently served by the Glassboro NJ 5ESS switch to reflect the Camden NJ CS2K switch as the new home switch. All ASRs for the Camden CS2K switch must carry the project code of **GLBONJGBRP0**.