

SUMMARY FOR MARKET AREA: DALLAS

TX

Total Access Lines in: DALLAS Total = 531612

Percentage Availability of ONA Services By Date for DALLAS Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	99.1%	99.1%	99.1%	99.1%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	99.1%	99.1%	99.1%	99.1%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	96.0%	95.8%	95.6%	95.5%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	95.2%	94.9%	94.6%	94.4%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	40.7%	41.1%	40.7%	40.3%
BSA	Dedicated Alert Transport	Alarm Signal	91.5%	91.3%	91.1%	90.9%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	44.6%	44.9%	44.4%	44.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	99.1%	99.1%	99.1%	99.1%
BSE	Fast Select Request Pkt	Fast Select	99.1%	99.1%	99.1%	99.1%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	90.9%	97.3%	97.1%	97.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	90.9%	97.3%	97.1%	97.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	92.7%	99.0%	98.9%	98.8%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	91.6%	97.9%	97.7%	97.6%
BSE	CXR Select On Rvse Charg	800 Service	90.9%	97.3%	97.1%	97.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	91.6%	97.9%	97.7%	97.6%
BSE	MWI- Activation Audible	MWI Audible	91.6%	97.9%	97.7%	97.6%
BSE	Multiline Hunt Group	Hunt Group Arrangement	92.7%	99.0%	98.9%	98.8%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	92.7%	99.0%	98.9%	98.8%
BSE	MLHG - UCD With Queuing	Queuing	90.9%	97.3%	97.1%	97.0%
BSE	Three Way Call Transfer	User Transfer	92.7%	99.0%	98.9%	98.8%
BSE	Remote Call Forwarding	Foreign Exchange	92.7%	99.0%	98.9%	98.8%
BSE	Route Diversity	Diversity Routing	90.9%	97.3%	97.1%	97.0%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	92.7%	99.0%	98.9%	98.8%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	18.2%	19.4%	19.4%	19.4%
BSE		MegaConnect Svc (SMDS)	26.8%	26.6%	26.8%	27.0%
BSE		MWI Actvtn Audbl Rng Brst	65.8%	71.0%	70.8%	70.7%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	99.1%	99.1%	99.1%	99.1%
CNS	Fast Select Accept Pkt	Fast Select	99.1%	99.1%	99.1%	99.1%
CNS	Fast Select Request Pkt	Fast Select	99.1%	99.1%	99.1%	99.1%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	92.7%	99.0%	98.9%	98.8%
CNS	Automatic Recall	Automatic Call Return	92.7%	99.0%	98.9%	98.8%

SUMMARY FOR MARKET AREA: DALLAS

TX

Total Access Lines in: DALLAS Total = 531612

Percentage Availability of ONA Services By Date for DALLAS Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	92.7%	99.0%	98.9%	98.8%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	26.9%	34.4%	34.2%	34.2%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	92.7%	99.0%	98.9%	98.8%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	92.7%	99.0%	98.9%	98.8%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	92.0%	98.3%	98.2%	98.1%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	92.7%	99.0%	98.9%	98.8%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	90.9%	97.3%	97.1%	97.0%
CNS	CF - Variable	Variable Cl Fwd'g	92.7%	99.0%	98.9%	98.8%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	13.8%	13.5%	13.5%	13.5%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	91.6%	97.9%	97.7%	97.6%
CNS	Call Waiting - Cancel	Cancel Call Waiting	92.7%	99.0%	98.9%	98.8%
CNS	Clg DA Deliv via BCLID	Clg No.ID Deliv CLASS	91.6%	97.9%	97.7%	97.6%
CNS	Customer Originated Trace	Call Tracing Service	92.7%	99.0%	98.9%	98.8%
CNS	Distinctive Ringing	VIP Alert	92.7%	99.0%	98.9%	98.8%
CNS	Dist Ring Term Screen	Smart Ring	92.7%	99.0%	98.9%	98.8%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	92.7%	99.0%	98.9%	98.8%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	85.7%	92.1%	92.0%	91.8%
CNS	Selective Call Forward'g	Special Call Forwarding	92.7%	99.0%	98.9%	98.8%
CNS	Selective Call Rejection	Call Block	92.7%	99.0%	98.9%	98.8%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	92.7%	99.0%	98.9%	98.8%
CNS		Busy Number Redial	92.7%	99.0%	98.9%	98.8%
CNS		Saved Number Redial	71.6%	76.7%	76.5%	76.4%
CNS		Last Number Redial	92.7%	99.0%	98.9%	98.8%
CNS	Call Waiting	Call Waiting	92.7%	99.0%	98.9%	98.8%
CNS	Three Way Calling	Three Way Calling	92.7%	99.0%	98.9%	98.8%
CNS	Remote Call Forwarding	Remote Call Forwarding	92.7%	99.0%	98.9%	98.8%
CNS		Cl Fwd'g Fixed-All clls	92.7%	99.0%	98.9%	98.8%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	92.7%	99.0%	98.9%	98.8%
CNS		Special Call Waiting	80.0%	86.6%	86.6%	86.5%
CNS		Special Call Acceptance	80.0%	86.6%	86.6%	86.5%
CNS		Anonymous Call Rejection	7.7%	15.5%	15.5%	15.5%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	92.7%	99.0%	98.9%	98.8%
CNS		Call Restriction Service	92.7%	99.0%	98.9%	98.8%
CNS		MWI Abl Rcv Adbl Rng Brst	65.8%	71.0%	70.8%	70.7%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	87.2%	92.0%	91.7%	91.6%

SUMMARY FOR MARKET AREA: DAVENPORT-ROCK ISLND IA

Total Access Lines in: DAVENPORT-ROCK ISLND Total = 17092

Percentage Availability of ONA Services By Date for DAVENPORT-ROCK ISLND Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	1.2%	1.2%	1.2%	1.2%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	1.2%	1.2%	1.2%	1.2%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	75.1%	75.0%	74.8%	74.5%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	83.8%	83.8%	83.7%	83.6%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	43.9%	44.0%	44.0%	43.8%
BSA	Dedicated Alert Transport	Alarm Signal	57.9%	58.0%	57.9%	57.6%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	1.2%	1.2%	1.2%	1.2%
BSE	Fast Select Request Pkt	Fast Select	1.2%	1.2%	1.2%	1.2%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	30.5%	30.5%	74.6%	74.4%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	30.5%	30.5%	74.6%	74.4%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	44.3%	44.2%	88.2%	88.1%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	38.0%	38.0%	82.2%	82.3%
BSE	CXR Select On Rvse Chrg	800 Service	30.5%	30.5%	74.6%	74.4%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	38.0%	38.0%	82.2%	82.3%
BSE	MWI- Activation Audible	MWI Audible	38.0%	38.0%	82.2%	82.3%
BSE	Multiline Hunt Group	Hunt Group Arrangement	52.4%	52.4%	96.4%	96.5%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	52.4%	52.4%	96.4%	96.5%
BSE	MLHG - UCD With Queuing	Queuing	30.5%	30.5%	74.6%	74.4%
BSE	Three Way Call Transfer	User Transfer	44.3%	44.2%	88.2%	88.1%
BSE	Remote Call Forwarding	Foreign Exchange	52.4%	52.4%	96.4%	96.5%
BSE	Route Diversity	Diversity Routing	30.5%	30.5%	74.6%	74.4%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	52.4%	52.4%	96.4%	96.5%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	16.1%	16.2%	16.3%	16.6%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	44.0%	43.8%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	1.2%	1.2%	1.2%	1.2%
CNS	Fast Select Accept Pkt	Fast Select	1.2%	1.2%	1.2%	1.2%
CNS	Fast Select Request Pkt	Fast Select	1.2%	1.2%	1.2%	1.2%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	52.4%	52.4%	96.4%	96.5%
CNS	Automatic Recall	Automatic Call Return	52.4%	52.4%	96.4%	96.5%

SUMMARY FOR MARKET AREA: DAVENPORT-ROCK ISLND IA

Total Access Lines in: DAVENPORT-ROCK ISLND Total = 17092

Percentage Availability of ONA Services By Date for DAVENPORT-ROCK ISLND Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	52.4%	52.4%	96.4%	96.5%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	52.4%	52.4%	96.4%	96.5%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	52.4%	52.4%	96.4%	96.5%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	52.4%	52.4%	96.4%	96.5%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	52.4%	52.4%	96.4%	96.5%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	52.4%	52.4%	96.4%	96.5%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	30.5%	30.5%	74.6%	74.4%
CNS	CF - Variable	Variable Cl Fwd'g	52.4%	52.4%	96.4%	96.5%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	14.5%	14.3%	14.2%	14.1%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	38.0%	38.0%	82.2%	82.3%
CNS	Call Waiting - Cancel	Cancel Call Waiting	52.4%	52.4%	96.4%	96.5%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	38.0%	38.0%	82.2%	82.3%
CNS	Customer Originated Trace	Call Tracing Service	52.4%	52.4%	96.4%	96.5%
CNS	Distinctive Ringing	VIP Alert	52.4%	52.4%	96.4%	96.5%
CNS	Dist Ring Term Screen	Smart Ring	52.4%	52.4%	96.4%	96.5%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	52.4%	52.4%	96.4%	96.5%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	38.0%	38.0%	82.2%	82.3%
CNS	Selective Call Forward'g	Special Call Forwarding	52.4%	52.4%	96.4%	96.5%
CNS	Selective Call Rejection	Call Block	52.4%	52.4%	96.4%	96.5%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	52.4%	52.4%	96.4%	96.5%
CNS		Busy Number Redial	52.4%	52.4%	96.4%	96.5%
CNS		Saved Number Redial	0.0%	0.0%	44.0%	43.8%
CNS		Last Number Redial	52.4%	52.4%	96.4%	96.5%
CNS	Call Waiting	Call Waiting	52.4%	52.4%	96.4%	96.5%
CNS	Three Way Calling	Three Way Calling	52.4%	52.4%	96.4%	96.5%
CNS	Remote Call Forwarding	Remote Call Forwarding	52.4%	52.4%	96.4%	96.5%
CNS		Cl Fwd'g Fixed-All clls	52.4%	52.4%	96.4%	96.5%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	52.4%	52.4%	96.4%	96.5%
CNS		Special Call Waiting	52.4%	52.4%	96.4%	96.5%
CNS		Special Call Acceptance	52.4%	52.4%	96.4%	96.5%
CNS		Anonymous Call Rejection	44.3%	44.2%	88.2%	88.1%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	52.4%	52.4%	96.4%	96.5%
CNS		Call Restriction Service	52.4%	52.4%	96.4%	96.5%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	44.0%	43.8%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	36.4%	36.2%	80.1%	79.9%

SUMMARY FOR MARKET AREA: DAYTON

OH

Total Access Lines in: DAYTON Total = 63391

Percentage Availability of ONA Services By Date for DAYTON Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	95.9%	95.9%	95.9%	95.9%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	84.4%	84.5%	84.6%	84.7%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	73.1%	73.2%	73.3%	73.3%
BSA	Dedicated Alert Transport	Alarm Signal	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	25.2%	25.5%	25.8%	26.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	61.9%	92.4%	92.4%	92.5%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	61.9%	92.4%	92.4%	92.5%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	61.9%	92.4%	92.4%	92.5%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	44.5%	75.0%	75.2%	75.3%
BSE	CXR Select On Rvse Charg	800 Service	61.9%	92.4%	92.4%	92.5%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	44.5%	75.0%	75.2%	75.3%
BSE	MWI- Activation Audible	MWI Audible	44.5%	75.0%	75.2%	75.3%
BSE	Multiline Hunt Group	Hunt Group Arrangement	61.9%	92.4%	92.4%	92.5%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	44.5%	75.0%	75.2%	75.3%
BSE	MLHG - UCD With Queuing	Queuing	44.5%	75.0%	75.2%	75.3%
BSE	Three Way Call Transfer	User Transfer	44.5%	75.0%	75.2%	75.3%
BSE	Remote Call Forwarding	Foreign Exchange	61.9%	92.4%	92.4%	92.5%
BSE	Route Diversity	Diversity Routing	61.9%	92.4%	92.4%	92.5%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	61.9%	92.4%	92.4%	92.5%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	25.2%	25.5%	25.8%	26.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	30.3%	30.1%	29.9%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	44.5%	75.0%	75.2%	75.3%
CNS	Automatic Recall	Automatic Call Return	44.5%	75.0%	75.2%	75.3%

SUMMARY FOR MARKET AREA: DAYTON

OH

Total Access Lines in: DAYTON Total = 63391

Percentage Availability of ONA Services By Date for DAYTON Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	61.9%	92.4%	92.4%	92.5%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	61.9%	62.1%	62.4%	62.6%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	61.9%	92.4%	92.4%	92.5%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	61.9%	92.4%	92.4%	92.5%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	61.9%	92.4%	92.4%	92.5%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	61.9%	92.4%	92.4%	92.5%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	44.5%	75.0%	75.2%	75.3%
CNS	CF - Variable	Variable Cl Fwd'g	61.9%	92.4%	92.4%	92.5%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	25.2%	25.5%	25.8%	26.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	44.5%	75.0%	75.2%	75.3%
CNS	Call Waiting - Cancel	Cancel Call Waiting	44.5%	75.0%	75.2%	75.3%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Delivv CLASS	44.5%	75.0%	75.2%	75.3%
CNS	Customer Originated Trace	Call Tracing Service	44.5%	75.0%	75.2%	75.3%
CNS	Distinctive Ringing	VIP Alert	44.5%	75.0%	75.2%	75.3%
CNS	Dist Ring Term Screen	Smart Ring	44.5%	75.0%	75.2%	75.3%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	61.9%	92.4%	92.4%	92.5%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	25.2%	55.8%	55.9%	56.0%
CNS	Selective Call Forward'g	Special Call Forwarding	44.5%	75.0%	75.2%	75.3%
CNS	Selective Call Rejection	Call Block	44.5%	75.0%	75.2%	75.3%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	61.9%	92.4%	92.4%	92.5%
CNS		Busy Number Redial	44.5%	75.0%	75.2%	75.3%
CNS		Saved Number Redial	19.3%	49.5%	49.4%	49.2%
CNS		Last Number Redial	44.5%	75.0%	75.2%	75.3%
CNS	Call Waiting	Call Waiting	61.9%	92.4%	92.4%	92.5%
CNS	Three Way Calling	Three Way Calling	61.9%	92.4%	92.4%	92.5%
CNS	Remote Call Forwarding	Remote Call Forwarding	61.9%	92.4%	92.4%	92.5%
CNS		Cll Frwd'g Fixed-All clls	61.9%	92.4%	92.4%	92.5%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	61.9%	92.4%	92.4%	92.5%
CNS		Special Call Waiting	19.3%	49.5%	49.4%	49.2%
CNS		Special Call Acceptance	19.3%	49.5%	49.4%	49.2%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	61.9%	92.4%	92.4%	92.5%
CNS		Call Restriction Service	61.9%	92.4%	92.4%	92.5%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	30.3%	30.1%	29.9%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	44.5%	75.0%	75.2%	75.3%

SUMMARY FOR MARKET AREA: DECATUR

AL

Total Access Lines in: DECATUR Total = 11559

Percentage Availability of ONA Services By Date for DECATUR Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	83.2%	83.2%	83.2%	83.2%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	33.6%	33.7%	33.8%	33.8%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	57.7%	57.7%	57.8%	57.8%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	49.0%	49.0%	49.0%	48.9%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	49.0%	49.0%	49.0%	48.9%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	70.7%	70.9%	71.1%	71.3%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivly CLASS	70.7%	70.9%	71.1%	71.3%
BSE	CXR Select On Rvse Charg	800 Service	49.0%	49.0%	49.0%	48.9%
BSE	Message Desk (SMDI)	Prwd Cl Info-Intraoffice	70.7%	70.9%	71.1%	71.3%
BSE	MWI- Activation Audible	MWI Audible	70.7%	70.9%	71.1%	71.3%
BSE	Multiline Hunt Group	Hunt Group Arrangement	70.7%	70.9%	71.1%	71.3%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	70.7%	70.9%	71.1%	71.3%
BSE	MLHG - UCD With Queuing	Queuing	49.0%	49.0%	49.0%	48.9%
BSE	Three Way Call Transfer	User Transfer	70.7%	70.9%	71.1%	71.3%
BSE	Remote Call Forwarding	Foreign Exchange	70.7%	70.9%	71.1%	71.3%
BSE	Route Diversity	Diversity Routing	49.0%	49.0%	49.0%	48.9%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	70.7%	70.9%	71.1%	71.3%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	49.0%	49.0%	49.0%	48.9%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	70.7%	70.9%	71.1%	71.3%
CNS	Automatic Recall	Automatic Call Return	70.7%	70.9%	71.1%	71.3%

SUMMARY FOR MARKET AREA: DECATUR

AL

Total Access Lines in: DECATUR Total = 11559

Percentage Availability of ONA Services By Date for DECATUR Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	70.7%	70.9%	71.1%	71.3%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	70.7%	70.9%	71.1%	71.3%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	70.7%	70.9%	71.1%	71.3%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	70.7%	70.9%	71.1%	71.3%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	70.7%	70.9%	71.1%	71.3%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	70.7%	70.9%	71.1%	71.3%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	49.0%	49.0%	49.0%	48.9%
CNS	CF - Variable	Variable Cl Fwd'g	70.7%	70.9%	71.1%	71.3%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	49.0%	49.0%	49.0%	48.9%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	70.7%	70.9%	71.1%	71.3%
CNS	Call Waiting - Cancel	Cancel Call Waiting	70.7%	70.9%	71.1%	71.3%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	70.7%	70.9%	71.1%	71.3%
CNS	Customer Originated Trace	Call Tracing Service	70.7%	70.9%	71.1%	71.3%
CNS	Distinctive Ringing	VIP Alert	70.7%	70.9%	71.1%	71.3%
CNS	Dist Ring Term Screen	Smart Ring	70.7%	70.9%	71.1%	71.3%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	70.7%	70.9%	71.1%	71.3%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	70.7%	70.9%	71.1%	71.3%
CNS	Selective Call Forward'g	Special Call Forwarding	70.7%	70.9%	71.1%	71.3%
CNS	Selective Call Rejection	Call Block	70.7%	70.9%	71.1%	71.3%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	70.7%	70.9%	71.1%	71.3%
CNS		Busy Number Redial	70.7%	70.9%	71.1%	71.3%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	70.7%	70.9%	71.1%	71.3%
CNS	Call Waiting	Call Waiting	70.7%	70.9%	71.1%	71.3%
CNS	Three Way Calling	Three Way Calling	70.7%	70.9%	71.1%	71.3%
CNS	Remote Call Forwarding	Remote Call Forwarding	70.7%	70.9%	71.1%	71.3%
CNS		Cl Fwd'g Fixed-All clls	70.7%	70.9%	71.1%	71.3%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	70.7%	70.9%	71.1%	71.3%
CNS		Special Call Waiting	21.7%	21.9%	22.2%	22.4%
CNS		Special Call Acceptance	21.7%	21.9%	22.2%	22.4%
CNS		Anonymous Call Rejection	21.7%	21.9%	22.2%	22.4%
CNS	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	70.7%	70.9%	71.1%	71.3%
CNS		Call Restriction Service	70.7%	70.9%	71.1%	71.3%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	70.7%	70.9%	71.1%	71.3%

SUMMARY FOR MARKET AREA: DES MOINES

IA

Total Access Lines in: DES MOINES Total = 4103

Percentage Availability of ONA Services By Date for DES MOINES Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	42.6%	42.5%	42.4%	42.3%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	13.8%	13.8%	13.8%	13.8%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	28.8%	28.7%	28.6%	28.5%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	42.1%	47.9%	47.9%	47.8%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	42.1%	47.9%	47.9%	47.8%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	42.1%	47.9%	47.9%	47.8%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	42.1%	47.9%	47.9%	47.8%
BSE	CXR Select On Rvse Charg	800 Service	42.1%	47.9%	47.9%	47.8%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	42.1%	47.9%	47.9%	47.8%
BSE	MWI- Activation Audible	MWI Audible	23.7%	23.6%	23.6%	23.6%
BSE	Multiline Hunt Group	Hunt Group Arrangement	42.1%	47.9%	47.9%	47.8%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	42.1%	47.9%	47.9%	47.8%
BSE	MLHG - UCD With Queuing	Queuing	42.1%	47.9%	47.9%	47.8%
BSE	Three Way Call Transfer	User Transfer	42.1%	47.9%	47.9%	47.8%
BSE	Remote Call Forwarding	Foreign Exchange	42.1%	47.9%	47.9%	47.8%
BSE	Route Diversity	Diversity Routing	42.1%	47.9%	47.9%	47.8%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	42.1%	47.9%	47.9%	47.8%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	23.7%	23.6%	23.6%	23.6%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	42.1%	47.9%	47.9%	47.8%
CNS	Automatic Recall	Automatic Call Return	42.1%	47.9%	47.9%	47.8%

SUMMARY FOR MARKET AREA: DES MOINES

IA

Total Access Lines in: DES MOINES Total = 4103

Percentage Availability of ONA Services By Date for DES MOINES Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	42.1%	47.9%	47.9%	47.8%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	42.1%	47.9%	47.9%	47.8%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	23.7%	23.6%	23.6%	23.6%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	42.1%	47.9%	47.9%	47.8%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	42.1%	47.9%	47.9%	47.8%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	42.1%	47.9%	47.9%	47.8%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	42.1%	47.9%	47.9%	47.8%
CNS	CF - Variable	Variable Cl Fwd'g	42.1%	47.9%	47.9%	47.8%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	23.7%	23.6%	23.6%	23.6%
CNS	Call Waiting - Cancel	Cancel Call Waiting	42.1%	47.9%	47.9%	47.8%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	23.7%	29.6%	29.5%	29.5%
CNS	Customer Originated Trace	Call Tracing Service	42.1%	47.9%	47.9%	47.8%
CNS	Distinctive Ringing	VIP Alert	42.1%	47.9%	47.9%	47.8%
CNS	Dist Ring Term Screen	Smart Ring	42.1%	47.9%	47.9%	47.8%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	42.1%	47.9%	47.9%	47.8%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	23.7%	23.6%	23.6%	23.6%
CNS	Selective Call Forward'g	Special Call Forwarding	42.1%	47.9%	47.9%	47.8%
CNS	Selective Call Rejection	Call Block	42.1%	47.9%	47.9%	47.8%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	42.1%	47.9%	47.9%	47.8%
CNS		Busy Number Redial	42.1%	47.9%	47.9%	47.8%
CNS		Saved Number Redial	18.4%	24.3%	24.3%	24.2%
CNS		Last Number Redial	42.1%	47.9%	47.9%	47.8%
CNS	Call Waiting	Call Waiting	42.1%	47.9%	47.9%	47.8%
CNS	Three Way Calling	Three Way Calling	42.1%	47.9%	47.9%	47.8%
CNS	Remote Call Forwarding	Remote Call Forwarding	42.1%	47.9%	47.9%	47.8%
CNS		Cl Fwd'g Fixed-All clls	42.1%	47.9%	47.9%	47.8%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	42.1%	47.9%	47.9%	47.8%
CNS		Special Call Waiting	42.1%	47.9%	47.9%	47.8%
CNS		Special Call Acceptance	42.1%	47.9%	47.9%	47.8%
CNS		Anonymous Call Rejection	23.7%	23.6%	23.6%	23.6%
CNS	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	42.1%	47.9%	47.9%	47.8%
CNS		Call Restriction Service	42.1%	47.9%	47.9%	47.8%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	18.4%	24.3%	24.3%	24.2%

SUMMARY FOR MARKET AREA: DETROIT

MI

Total Access Lines in: DETROIT Total = 85673

Percentage Availability of ONA Services By Date for DETROIT Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 PKT Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	93.3%	93.4%	93.4%	93.5%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	81.3%	81.4%	81.4%	81.5%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	15.0%	15.0%	15.0%	14.9%
BSA	Dedicated Alert Transport	Alarm Signal	58.2%	58.3%	58.3%	58.4%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	47.8%	73.7%	73.8%	73.8%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	47.8%	73.7%	73.8%	73.8%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	58.2%	70.5%	70.5%	70.5%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	67.5%	67.6%	67.5%	67.5%
BSE	CXR Select On Rvse Charg	800 Service	47.8%	73.7%	73.8%	73.8%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	67.5%	67.6%	67.5%	67.5%
BSE	MWI- Activation Audible	MWI Audible	52.5%	52.6%	52.7%	52.8%
BSE	Multiline Hunt Group	Hunt Group Arrangement	67.5%	93.4%	93.5%	93.5%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	67.5%	67.6%	67.5%	67.5%
BSE	MLHG - UCD With Queuing	Queuing	47.8%	47.8%	47.8%	47.8%
BSE	Three Way Call Transfer	User Transfer	58.2%	58.2%	58.2%	58.2%
BSE	Remote Call Forwarding	Foreign Exchange	67.5%	93.4%	93.5%	93.5%
BSE	Route Diversity	Diversity Routing	47.8%	73.7%	73.8%	73.8%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	67.5%	93.4%	93.5%	93.5%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	9.2%	9.4%	9.6%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	67.5%	67.6%	67.5%	67.5%
CNS	Automatic Recall	Automatic Call Return	67.5%	67.6%	67.5%	67.5%

SUMMARY FOR MARKET AREA: DETROIT

MI

Total Access Lines in: DETROIT Total = 85673

Percentage Availability of ONA Services By Date for DETROIT Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	67.5%	93.4%	93.5%	93.5%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	67.5%	93.4%	93.5%	93.5%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	52.5%	78.5%	78.6%	78.8%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	67.5%	93.4%	93.5%	93.5%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	67.5%	93.4%	93.5%	93.5%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	67.5%	93.4%	93.5%	93.5%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	47.8%	47.8%	47.8%	47.8%
CNS	CF - Variable	Variable Cl Fwd'g	67.5%	93.4%	93.5%	93.5%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	9.0%	9.2%	9.4%	9.6%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	52.5%	52.6%	52.7%	52.8%
CNS	Call Waiting - Cancel	Cancel Call Waiting	67.5%	81.2%	81.2%	81.2%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Deliv CLASS	52.5%	52.6%	52.7%	52.8%
CNS	Customer Originated Trace	Call Tracing Service	67.5%	67.6%	67.5%	67.5%
CNS	Distinctive Ringing	VIP Alert	67.5%	67.6%	67.5%	67.5%
CNS	Dist Ring Term Screen	Smart Ring	67.5%	81.2%	81.2%	81.2%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	67.5%	93.4%	93.5%	93.5%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	28.7%	28.9%	29.1%	29.3%
CNS	Selective Call Forward'g	Special Call Forwarding	67.5%	67.6%	67.5%	67.5%
CNS	Selective Call Rejection	Call Block	67.5%	67.6%	67.5%	67.5%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	67.5%	93.4%	93.5%	93.5%
CNS		Busy Number Redial	67.5%	67.6%	67.5%	67.5%
CNS		Saved Number Redial	38.8%	38.6%	38.4%	38.2%
CNS		Last Number Redial	67.5%	67.6%	67.5%	67.5%
CNS	Call Waiting	Call Waiting	67.5%	93.4%	93.5%	93.5%
CNS	Three Way Calling	Three Way Calling	67.5%	93.4%	93.5%	93.5%
CNS	Remote Call Forwarding	Remote Call Forwarding	67.5%	93.4%	93.5%	93.5%
CNS		Cll Prwd'g Fixed-All clls	67.5%	93.4%	93.5%	93.5%
CNS	CFBL/DA	Cll Prwd Bsy No Ans.Fixed	67.5%	93.4%	93.5%	93.5%
CNS		Special Call Waiting	58.5%	58.3%	58.1%	57.9%
CNS		Special Call Acceptance	58.5%	58.3%	58.1%	57.9%
CNS		Anonymous Call Rejection	10.4%	10.4%	10.4%	10.4%
CNS	3rd No. Bllg Inhibited	Bllg No. Screen'g (BNS)	67.5%	93.4%	93.5%	93.5%
CNS		Call Restriction Service	67.5%	93.4%	93.5%	93.5%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	67.5%	67.6%	67.5%	67.5%

SUMMARY FOR MARKET AREA: DOTHAN

AL

Total Access Lines in: DOTHAN Total = 63498

Percentage Availability of ONA Services By Date for DOTHAN Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	94.4%	94.4%	94.5%	94.5%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	91.9%	92.0%	92.0%	92.1%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	91.9%	92.0%	92.0%	92.1%
BSA	Dedicated Alert Transport	Alarm Signal	85.1%	84.9%	84.7%	84.5%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	52.9%	53.2%	53.3%	53.4%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	96.3%	98.0%	98.1%	98.1%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	96.3%	98.0%	98.1%	98.1%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	97.1%	98.8%	98.8%	98.8%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	97.1%	98.8%	98.8%	98.8%
BSE	CXR Select On Rvse Chrg	800 Service	96.3%	98.0%	98.1%	98.1%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	97.1%	98.8%	98.8%	98.8%
BSE	MWI- Activation Audible	MWI Audible	97.1%	98.8%	98.8%	98.8%
BSE	Multiline Hunt Group	Hunt Group Arrangement	97.1%	98.8%	98.8%	98.8%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	97.1%	98.8%	98.8%	98.8%
BSE	MLHG - UCD With Queuing	Queuing	96.3%	98.0%	98.1%	98.1%
BSE	Three Way Call Transfer	User Transfer	97.1%	98.8%	98.8%	98.8%
BSE	Remote Call Forwarding	Foreign Exchange	97.1%	98.8%	98.8%	98.8%
BSE	Route Diversity	Diversity Routing	96.3%	98.0%	98.1%	98.1%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	97.1%	98.8%	98.8%	98.8%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	33.7%	34.9%	34.5%	34.3%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	62.6%	63.1%	63.5%	63.8%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	97.1%	98.8%	98.8%	98.8%
CNS	Automatic Recall	Automatic Call Return	97.1%	98.8%	98.8%	98.8%

SUMMARY FOR MARKET AREA: DOTHAN

AL

Total Access Lines in: DOTHAN Total = 63498

Percentage Availability of ONA Services By Date for DOTHAN Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	97.1%	98.8%	98.8%	98.8%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	34.4%	35.7%	35.3%	35.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	97.1%	98.8%	98.8%	98.8%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	97.1%	98.8%	98.8%	98.8%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	97.1%	98.8%	98.8%	98.8%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	97.1%	98.8%	98.8%	98.8%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	96.3%	98.0%	98.1%	98.1%
CNS	CF - Variable	Variable Cl Fwd'g	97.1%	98.8%	98.8%	98.8%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	97.1%	98.8%	98.8%	98.8%
CNS	Call Waiting - Cancel	Cancel Call Waiting	97.1%	98.8%	98.8%	98.8%
CNS	Clg DA Deliv via BCLID	Clg No.ID Deliv CLASS	97.1%	98.8%	98.8%	98.8%
CNS	Customer Originated Trace	Call Tracing Service	97.1%	98.8%	98.8%	98.8%
CNS	Distinctive Ringing	VIP Alert	97.1%	98.8%	98.8%	98.8%
CNS	Dist Ring Term Screen	Smart Ring	97.1%	98.8%	98.8%	98.8%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	97.1%	98.8%	98.8%	98.8%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	97.1%	98.8%	98.8%	98.8%
CNS	Selective Call Forward'g	Special Call Forwarding	97.1%	98.8%	98.8%	98.8%
CNS	Selective Call Rejection	Call Block	97.1%	98.8%	98.8%	98.8%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	97.1%	98.8%	98.8%	98.8%
CNS		Busy Number Redial	97.1%	98.8%	98.8%	98.8%
CNS		Saved Number Redial	62.6%	63.1%	63.5%	63.8%
CNS		Last Number Redial	97.1%	98.8%	98.8%	98.8%
CNS	Call Waiting	Call Waiting	97.1%	98.8%	98.8%	98.8%
CNS	Three Way Calling	Three Way Calling	97.1%	98.8%	98.8%	98.8%
CNS	Remote Call Forwarding	Remote Call Forwarding	97.1%	98.8%	98.8%	98.8%
CNS		Cl Fwd'g Fixed-All clls	97.1%	98.8%	98.8%	98.8%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	97.1%	98.8%	98.8%	98.8%
CNS		Special Call Waiting	97.1%	98.8%	98.8%	98.8%
CNS		Special Call Acceptance	97.1%	98.8%	98.8%	98.8%
CNS		Anonymous Call Rejection	34.4%	35.7%	35.3%	35.0%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	97.1%	98.8%	98.8%	98.8%
CNS		Call Restriction Service	97.1%	98.8%	98.8%	98.8%
CNS		MWI Abl Rcv Adbl Rng Brst	62.6%	63.1%	63.5%	63.8%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	63.4%	63.9%	64.3%	64.5%

SUMMARY FOR MARKET AREA: DUBUQUE

IA

Total Access Lines in: DUBUQUE Total = 5643

Percentage Availability of ONA Services By Date for DUBUQUE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	49.6%	50.0%	50.3%	50.6%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	49.6%	50.0%	50.3%	50.6%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	49.6%	50.0%	50.3%	50.6%
BSA	Dedicated Alert Transport	Alarm Signal	49.6%	50.0%	50.3%	50.6%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	14.5%	14.4%	14.3%	14.1%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	14.5%	14.4%	14.3%	14.1%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	14.5%	14.4%	14.3%	14.1%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	14.5%	14.4%	14.3%	14.1%
BSE	CXR Select On Rvse Charg	800 Service	14.5%	14.4%	14.3%	14.1%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	14.5%	14.4%	14.3%	14.1%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	14.5%	14.4%	14.3%	14.1%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	14.5%	14.4%	14.3%	14.1%
BSE	MLHG - UCD With Queuing	Queuing	14.5%	14.4%	14.3%	14.1%
BSE	Three Way Call Transfer	User Transfer	14.5%	14.4%	14.3%	14.1%
BSE	Remote Call Forwarding	Foreign Exchange	14.5%	14.4%	14.3%	14.1%
BSE	Route Diversity	Diversity Routing	14.5%	14.4%	14.3%	14.1%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	14.5%	14.4%	14.3%	14.1%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	14.5%	14.4%	14.3%	14.1%
CNS	Automatic Recall	Automatic Call Return	14.5%	14.4%	14.3%	14.1%

SUMMARY FOR MARKET AREA: DUBUQUE

IA

Total Access Lines in: DUBUQUE Total = 5643

Percentage Availability of ONA Services By Date for DUBUQUE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	14.5%	14.4%	14.3%	14.1%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	14.5%	14.4%	14.3%	14.1%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	14.5%	14.4%	14.3%	14.1%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	14.5%	14.4%	14.3%	14.1%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	14.5%	14.4%	14.3%	14.1%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	14.5%	14.4%	14.3%	14.1%
CNS	CF - Variable	Variable Cl Fwd'g	14.5%	14.4%	14.3%	14.1%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	14.5%	14.4%	14.3%	14.1%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	14.5%	14.4%	14.3%	14.1%
CNS	Distinctive Ringing	VIP Alert	14.5%	14.4%	14.3%	14.1%
CNS	Dist Ring Term Screen	Smart Ring	14.5%	14.4%	14.3%	14.1%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	14.5%	14.4%	14.3%	14.1%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	14.5%	14.4%	14.3%	14.1%
CNS	Selective Call Rejection	Call Block	14.5%	14.4%	14.3%	14.1%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	14.5%	14.4%	14.3%	14.1%
CNS		Busy Number Redial	14.5%	14.4%	14.3%	14.1%
CNS		Saved Number Redial	14.5%	14.4%	14.3%	14.1%
CNS		Last Number Redial	14.5%	14.4%	14.3%	14.1%
CNS	Call Waiting	Call Waiting	14.5%	14.4%	14.3%	14.1%
CNS	Three Way Calling	Three Way Calling	14.5%	14.4%	14.3%	14.1%
CNS	Remote Call Forwarding	Remote Call Forwarding	14.5%	14.4%	14.3%	14.1%
CNS		Cll Frwd'g Fixed-All clls	14.5%	14.4%	14.3%	14.1%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	14.5%	14.4%	14.3%	14.1%
CNS		Special Call Waiting	14.5%	14.4%	14.3%	14.1%
CNS		Special Call Acceptance	14.5%	14.4%	14.3%	14.1%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	14.5%	14.4%	14.3%	14.1%
CNS		Call Restriction Service	14.5%	14.4%	14.3%	14.1%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	14.5%	14.4%	14.3%	14.1%

SUMMARY FOR MARKET AREA: DULUTH

MN

Total Access Lines in: DULUTH Total = 13037

Percentage Availability of ONA Services By Date for DULUTH Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	45.4%	45.2%	45.0%	44.8%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	14.0%	13.8%	13.8%	13.6%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	6.8%	6.7%	6.7%	6.7%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	2.7%	6.1%	6.1%	6.3%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	2.7%	6.1%	6.1%	6.3%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	55.1%	58.9%	59.2%	59.6%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	52.4%	52.8%	53.1%	53.3%
BSE	CXR Select On Rvse Charg	800 Service	2.7%	6.1%	6.1%	6.3%
BSE	Message Desk (SMIDI)	Frwd Cl Info-Intraoffice	52.4%	52.8%	53.1%	53.3%
BSE	MWI- Activation Audible	MWI Audible	52.4%	52.8%	53.1%	53.3%
BSE	Multiline Hunt Group	Hunt Group Arrangement	55.1%	58.9%	59.2%	59.6%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	55.1%	58.9%	59.2%	59.6%
BSE	MLHG - UCD With Queuing	Queuing	2.7%	6.1%	6.1%	6.3%
BSE	Three Way Call Transfer	User Transfer	55.1%	58.9%	59.2%	59.6%
BSE	Remote Call Forwarding	Foreign Exchange	55.1%	58.9%	59.2%	59.6%
BSE	Route Diversity	Diversity Routing	2.7%	6.1%	6.1%	6.3%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	55.1%	58.9%	59.2%	59.6%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	55.1%	58.9%	59.2%	59.6%
CNS	Automatic Recall	Automatic Call Return	55.1%	58.9%	59.2%	59.6%

SUMMARY FOR MARKET AREA: DULUTH

MN

Total Access Lines in: DULUTH Total = 13037

Percentage Availability of ONA Services By Date for DULUTH Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	55.1%	58.9%	59.2%	59.6%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	55.1%	58.9%	59.2%	59.6%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	55.1%	58.9%	59.2%	59.6%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	55.1%	58.9%	59.2%	59.6%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	46.4%	50.2%	50.7%	51.1%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	55.1%	58.9%	59.2%	59.6%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	2.7%	6.1%	6.1%	6.3%
CNS	CF - Variable	Variable Cl Fwd'g	55.1%	58.9%	59.2%	59.6%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	2.7%	6.1%	6.1%	6.3%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	52.4%	52.8%	53.1%	53.3%
CNS	Call Waiting - Cancel	Cancel Call Waiting	55.1%	58.9%	59.2%	59.6%
CNS	Clg DA Deliv via BCLID	Clg No.ID Deliv CLASS	52.4%	52.8%	53.1%	53.3%
CNS	Customer Originated Trace	Call Tracing Service	55.1%	58.9%	59.2%	59.6%
CNS	Distinctive Ringing	VIP Alert	55.1%	58.9%	59.2%	59.6%
CNS	Dist Ring Term Screen	Smart Ring	55.1%	58.9%	59.2%	59.6%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	55.1%	58.9%	59.2%	59.6%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	52.4%	52.8%	53.1%	53.3%
CNS	Selective Call Forward'g	Special Call Forwarding	55.1%	58.9%	59.2%	59.6%
CNS	Selective Call Rejection	Call Block	55.1%	58.9%	59.2%	59.6%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	55.1%	58.9%	59.2%	59.6%
CNS		Busy Number Redial	55.1%	58.9%	59.2%	59.6%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	55.1%	58.9%	59.2%	59.6%
CNS	Call Waiting	Call Waiting	55.1%	58.9%	59.2%	59.6%
CNS	Three Way Calling	Three Way Calling	55.1%	58.9%	59.2%	59.6%
CNS	Remote Call Forwarding	Remote Call Forwarding	55.1%	58.9%	59.2%	59.6%
CNS		Cl Fwd'g Fixed-All clls	55.1%	58.9%	59.2%	59.6%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	55.1%	58.9%	59.2%	59.6%
CNS		Special Call Waiting	55.1%	58.9%	59.2%	59.6%
CNS		Special Call Acceptance	55.1%	58.9%	59.2%	59.6%
CNS		Anonymous Call Rejection	2.7%	6.1%	6.1%	6.3%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	55.1%	58.9%	59.2%	59.6%
CNS		Call Restriction Service	55.1%	58.9%	59.2%	59.6%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	55.1%	58.9%	59.2%	59.6%

SUMMARY FOR MARKET AREA: EAU CLAIRE

WI

Total Access Lines in: EAU CLAIRE Total = 3326

Percentage Availability of ONA Services By Date for EAU CLAIRE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 PKT Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	46.1%	45.9%	45.7%	45.5%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivy CLASS	100.0%	100.0%	100.0%	100.0%
BSE	CXR Select On Rvse Charg	800 Service	100.0%	100.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	100.0%	100.0%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: EAU CLAIRE

WI

Total Access Lines in: EAU CLAIRE Total = 3326

Percentage Availability of ONA Services By Date for EAU CLAIRE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100.0%	100.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	100.0%	100.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cl1 Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl1 Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%

SUMMARY FOR MARKET AREA: EL PASO

TX

Total Access Lines in: EL PASO Total = 2517

Percentage Availability of ONA Services By Date for EL PASO Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 PKT Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	100.0%	100.0%	100.0%	100.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	0.0%	0.0%	0.0%
BSE	CXR Select On Rvse Charg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	0.0%	0.0%	0.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	0.0%	0.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	0.0%	0.0%	0.0%

SUMMARY FOR MARKET AREA: EL PASO

TX

Total Access Lines in: EL PASO Total = 2517

Percentage Availability of ONA Services By Date for EL PASO Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivy CLASS	0.0%	0.0%	0.0%	0.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	0.0%	0.0%	0.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	0.0%	0.0%	0.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	0.0%	0.0%	0.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Rejection	Call Block	0.0%	0.0%	0.0%	0.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	0.0%	0.0%	0.0%	0.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS		Cl Fwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	0.0%	0.0%	0.0%	0.0%
CNS		Special Call Acceptance	0.0%	0.0%	0.0%	0.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	0.0%	0.0%	0.0%

SUMMARY FOR MARKET AREA: ELKHART

IN

Total Access Lines in: ELKHART Total = 74275

Percentage Availability of ONA Services By Date for ELKHART Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	78.7%	78.4%	78.2%	78.1%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	78.7%	78.4%	78.2%	78.1%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	99.6%	99.6%	99.6%	99.7%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	99.6%	99.6%	99.6%	99.7%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	83.0%	83.0%	83.0%	83.0%
BSA	Dedicated Alert Transport	Alarm Signal	90.9%	91.1%	91.1%	91.2%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	36.0%	35.7%	35.4%	35.2%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	78.7%	78.4%	78.2%	78.1%
BSE	Fast Select Request Pkt	Fast Select	78.7%	78.4%	78.2%	78.1%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.4%	54.1%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.4%	54.1%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	0.4%	54.1%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	53.8%	99.6%	99.7%
BSE	CXR Select On Rvse Charg	800 Service	0.4%	54.1%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	53.8%	99.6%	99.7%
BSE	MWI- Activation Audible	MWI Audible	0.0%	53.8%	99.6%	99.7%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.4%	54.1%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.4%	54.1%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.4%	54.1%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	0.4%	54.1%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.4%	54.1%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.4%	54.1%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	0.4%	54.1%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	53.8%	99.6%	99.7%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	78.7%	78.4%	78.2%	78.1%
CNS	Fast Select Accept Pkt	Fast Select	78.7%	78.4%	78.2%	78.1%
CNS	Fast Select Request Pkt	Fast Select	78.7%	78.4%	78.2%	78.1%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.4%	54.1%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	0.4%	54.1%	100.0%	100.0%

SUMMARY FOR MARKET AREA: ELKHART

IN

Total Access Lines in: ELKHART Total = 74275

Percentage Availability of ONA Services By Date for ELKHART Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.4%	54.1%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.4%	0.4%	45.9%	45.7%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.4%	54.1%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.4%	54.1%	100.0%	100.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.4%	54.1%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.4%	54.1%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.4%	54.1%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.4%	54.1%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.4%	0.4%	0.4%	0.3%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	53.8%	99.6%	99.7%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.4%	54.1%	100.0%	100.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	53.8%	99.6%	99.7%
CNS	Customer Originated Trace	Call Tracing Service	0.4%	54.1%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	0.4%	54.1%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	0.4%	54.1%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.4%	54.1%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	53.8%	99.6%	99.7%
CNS	Selective Call Forward'g	Special Call Forwarding	0.4%	54.1%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	0.4%	54.1%	100.0%	100.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	0.4%	54.1%	100.0%	100.0%
CNS		Busy Number Redial	0.4%	54.1%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	53.8%	99.6%	99.7%
CNS		Last Number Redial	0.4%	54.1%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	0.4%	54.1%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	0.4%	54.1%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.4%	54.1%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	0.4%	54.1%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	0.4%	54.1%	100.0%	100.0%
CNS		Special Call Waiting	0.4%	54.1%	100.0%	100.0%
CNS		Special Call Acceptance	0.4%	54.1%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.4%	0.4%	45.9%	45.7%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	0.4%	54.1%	100.0%	100.0%
CNS		Call Restriction Service	0.4%	54.1%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	53.8%	99.6%	99.7%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.4%	54.1%	100.0%	100.0%

SUMMARY FOR MARKET AREA: ERIE

PA

Total Access Lines in: ERIE Total = 141479

Percentage Availability of ONA Services By Date for ERIE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	96.3%	96.3%	96.3%	96.3%
BSA	Type B - X.75 PKT Sw	Pkt Sw Ntwk Svc	96.3%	96.3%	96.3%	96.3%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	96.8%	96.8%	96.8%	96.8%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	94.1%	94.1%	94.2%	94.2%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	77.4%	77.4%	77.5%	77.5%
BSA	Dedicated Alert Transport	Alarm Signal	99.1%	99.1%	99.1%	99.1%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	30.9%	30.8%	30.7%	30.6%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	96.3%	96.3%	96.3%	96.3%
BSE	Fast Select Request Pkt	Fast Select	96.3%	96.3%	96.3%	96.3%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	14.9%	46.8%	98.0%	98.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	14.9%	46.8%	98.0%	98.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	14.9%	46.8%	98.0%	98.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	6.1%	38.0%	89.3%	89.3%
BSE	CXR Select On Rvse Charg	800 Service	14.9%	46.8%	98.0%	98.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	6.1%	38.0%	89.3%	89.3%
BSE	MWI- Activation Audible	MWI Audible	6.1%	38.0%	89.3%	89.3%
BSE	Multiline Hunt Group	Hunt Group Arrangement	14.9%	46.8%	98.0%	98.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	6.1%	38.0%	89.3%	89.3%
BSE	MLHG - UCD With Queuing	Queuing	6.1%	38.0%	89.3%	89.3%
BSE	Three Way Call Transfer	User Transfer	6.1%	38.0%	89.3%	89.3%
BSE	Remote Call Forwarding	Foreign Exchange	14.9%	46.8%	98.0%	98.0%
BSE	Route Diversity	Diversity Routing	14.9%	46.8%	98.0%	98.0%
BSE	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	14.9%	46.8%	98.0%	98.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	6.1%	6.2%	6.2%	6.2%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	31.9%	83.1%	83.1%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	96.3%	96.3%	96.3%	96.3%
CNS	Fast Select Accept Pkt	Fast Select	96.3%	96.3%	96.3%	96.3%
CNS	Fast Select Request Pkt	Fast Select	96.3%	96.3%	96.3%	96.3%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	6.1%	38.0%	89.3%	89.3%
CNS	Automatic Recall	Automatic Call Return	6.1%	38.0%	89.3%	89.3%