

Figure B-19



Figure B-20



Figure B-21



Figure B-22



Figure B-23



Figure B-24



Figure B-25



Figure B-26



Figure B-27



Figure B-28



Figure B-29



Figure B-30



Figure B-31



Figure B-32



Figure B-33



Figure B-34



Figure B-35



Figure B-36



Figure B-37



Figure B-38



Figure B-39



Figure B-40



Figure B-41



Figure B-42



Figure B-43



Figure B-44



Figure B-45



Figure B-46



Figure B-47



Figure B-48



Figure B-49



Figure B-50



Figure B-51



Figure B-52



Figure B-53



Figure B-54



Figure B-55



Figure B-56



Figure B-57



Figure B-58



Figure B-59



Figure B-60



Figure B-61



Figure B-62



Figure B-63



Figure B-64


Route 5, 6:09 PM
Cumulative Probability of Exceeding kTB
1
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
0
5
10
15
20
Power (dB) Relative to kTB
137.0125 MHz
137.4175 MHz
137.4445 MHz
137.4725 MHz
388.1 MHz
388.75 MHz
402.5 MHz
405.237 MHz

Figure B-65

APPENDIX C

Antenna Calibration