



Total Services Resale (TSR)

10.A.46 DDDO

Field Name: Desired Due Date Out

Definition: Indicates the customers desired due date for suspension or disconnect of service.

Cross Reference: LSR Form, Administrative Section, Field #9

Characteristics: 10 Alpha/numeric characters

Valid Entries: U. S. Standard

Two Digit Month (01-12)

Two Digit Day (01-31)

Two Digit Century (00-99)

Two Digit Year (00-99)

Metric Format

Two Digit Century (00-99)

Two Digit Year (00-99)

Two Digit Month (01-12)

Two Digit Day (01-31)

Usage Rules: Required when service is to be suspended and the DDD field is populated with a restoral date.

Required for short-term service (e.g. trade snow) and the DDD is populated with an install date.

Required for dual service or when the DDDO is different form the DDD for an outside move.

Otherwise optional.

Comments: Unless otherwise specified and agreed upon during the negotiations process, AT&T will populate this field using the U.S. Standard format.



Total Services Resale (TSR)

10.A.47 DFDT

Field Name: Desired Frame Due Time

Definition: Identifies the desired frame cut over time.

Cross Reference: LSR, Administrative Section, Field #10

Characteristics: 6 Alpha/numeric characters

Valid Entries: Two digit hour (01-12) / Two digit minute (00-59) / AM or PM
Two digit hour (01-12) / A or P / Two Digit Hour (01-12) / A or P
AM or PM

Usage Rules: Conditional

Comments: Required when CHC is populated with "Y", otherwise optional.

When CFC is so populated, this field must contain a specific time entry (e.g., 1100AM)



Total Services Resale (TSR)

10.A.48 DIRECTORY INFORMATION

Field Name: Directory Information Indicator

Definition: Identifies whether this particular customer will be included in the LEC directory and if an LSR Directory Services Request Form may be attached.

NOTE 1: This field is only filled out when a customer is to be placed in the LEC directory.

Cross Reference: End User Information, Per Customer Element Section

Characteristics: 1 Alpha character

Valid Entries: Y / N

Usage Rules: Optional

Comments: TCIF EDI mapping for this element is pending.
LSR Directory Services Request form has yet to be finalized by the OBF.



Total Services Resale (TSR)

10.A.49 DISC

Field Name: Disconnect Telephone Number

Definition: Identifies the end user telephone number to be disconnected.

Cross Reference: End User Disconnect Information, Field #33

Characteristics: 12 numeric characters.

Valid Entries:

Usage Rules: This field is optional

Comments: One occurrence of this field will be sent for each Working Telephone Number (WTN) being disconnected on this LSR.



Total Services Resale (TSR)

10.A.50 DQTY

Field Name: Disconnect Quantity

Definition: Identifies the quantity of telephone numbers affected by this request.

NOTE 1: Indicates the quantity of telephone numbers to be disconnected with this request.

NOTE 2: Indicates the quantity of telephone numbers affecting transfer call information.

Cross Reference: End User Administration Section, Field #3

Characteristics: 3 Numeric characters

Valid Entries:

Usage Rules: Required when the DISC # field(s) is populated, otherwise optional



Total Services Resale (TSR)

10.A.51 DRC

Field Name: Design Routing Code

Definition: Identifies the customer location routing code for Transmission of the design layout report.

NOTE 1: The routing code represents the following information:

- Company
- Street
- Floor
- Room
- City
- State/Province
- Zip Code

NOTE 2: When populated, this will be the first choice for routing the DLR.

NOTE 3: The codes are assigned by the provider.

Cross Reference: LSR Contact Section, Field #79

Characteristics: 3 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional

10.A.52 DSGCON



Total Services Resale (TSR)

Field Name: Design/Engineering Contact

Definition: Identifies the representative of the customer or agent that should be contacted on design/engineering matters

NOTE 1: If DSGCON represents a customer different from the CCNA, the Design Routing Code (DRC) field may be populated for proper DLR distribution.

Cross Reference: LSR Contact Section, Field #78

Characteristics: 15 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional



Total Services Resale (TSR)

10.A.53 EBD

Field Name: Effective Bill Date

Definition: Identifies the effective date billing to begin or cease billing when the billing date is different from the desired due date.

Cross Reference: LSR Bill Section, Field #48

Characteristics: 10 Alpha/numeric characters.

Valid Entries: U. S. Standard

Metric Format

Two Digit Month (01-12)

Two Digit Century (00-99)

Two Digit Day (01-31)

Two Digit Year (00-99)

Two Digit Century (00-99)

Two Digit Month (01-12)

Two Digit Year (00-99)

Two Digit Day (01-31)

NOTE 1: Metric date format may be used based on provider/customer negotiations.

Usage Rules: This field is optional

Comments:



Total Services Resale (TSR)

10.A.54 EBP

Field Name: Extended Billing Plan

Definition: Identifies the request for establishing or removing installment billing of non-recurring charges that may be offered by a provider.

Cross Reference: LSR Bill Section, Field #52

Characteristics: 6 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional



Total Services Resale (TSR)

10.A.55 ECCKT

Field Name: Exchange Company Circuit ID

Definition: Identifies a provider Circuit Identification.

NOTE 1: The format of the field is defined by the provider.

NOTE 2: All components within the ID should be delimited by either virgules or periods.

NOTE 3: The layout of the field is defined by the COMMON LANGUAGE standards.

NOTE 4: When a component of CLS and CLF is purposely omitted, the component should still be delimited and compressed to eliminate any spaces.

NOTE 5: If all positions in a component of CLS and CLF are not populated, the component should be compressed to eliminate any spaces.

Cross Reference: Resale, Service Details Section, Field #14
Port Services, Service Detail Section, Field #17
Loop Service with INP, Service Details, Field #7

Characteristics: 36 Alpha/Numeric characters

Valid Entries:

Usage Rules: This field is optional

Comments: Data may be in Telephone Number, Serial Number or Facility ID formats.



Total Services Resale (TSR)

10.A.56 EMAIL (DSGCON)

Field Name: Design/Engineering Contact Electronic Mail Address

Definition: Identifies the electronic mail address of the design/engineering contact.

Cross Reference: LSR Contact Section, Field #82

Characteristics: 60 Numeric characters

Valid Entries:

Usage Rules: This field is optional

10.A.57 EMAIL (INIT)

Field Name: Initiator Electronic Mail Address

Definition: Identifies the electronic mail Address of the initiator.

Cross Reference: LSR Contact Section, Field #64

Characteristics: 60 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional

10.A.58 EUMI



Total Services Resale (TSR)

Field Name: End User Moving

Definition: Indicates when the end user location is changing.

NOTE 1: End user address information may be required to ensure the telephone number is eligible for portability.

Cross Reference: End User Location & Access Section, Field #15

Characteristics: 1 alpha/numeric character

Valid Entries: Y= End User is moving

Usage Rules: This field is optional

10.A.59 EXP

Field Name: Expedite

Definition: Indicates that expedited treatment is requested and any charges generated in provisioning this request (e.g., additional engineering charges or labor charges if applicable) will be accepted.

Cross Reference: LSR Administrative Section, field #16

Characteristics: 1 alpha character

Valid Entries: Y = Expedite Charges Authorized

Usage Rules: Required when desired due date is less than the standard interval for the provisioning of the service, otherwise optional.



Total Services Resale (TSR)

10.A.60 FA

Field Name: Feature Activity

Definition: Indicates the activity type for the feature.

Cross Reference: Resale Service Details Section, Field #32
Port Service, Service Details Section, Field #30

Characteristics: 1 Alpha character

Valid Entries: A = Add/Install
C = Change to feature detail
D = Delete
V = Conversion of service to new LSP

Usage Rules: Required when the FEATURE field is populated, otherwise prohibited



Total Services Resale (TSR)

10.A.61 FAX NO (DSGCON)

Field Name: Design/Engineering Contact Facsimile Number

Definition: Identifies the fax number of representative of the customer or agent that should be contacted on design/engineering matters

Cross Reference: LSR Contact Section, Field #81

Characteristics: 12 Numeric characters.

Valid Entries:

Usage Rules: This field is optional

10.A.62 FAX NO (INIT)

Field Name: Initiator Facsimile Number

Definition: Identifies the fax number of the initiator.

Cross Reference: LSR Contact Section, Field #65

Characteristics: 12 numeric characters.

Valid Entries:

Usage Rules: This field is optional

10.A.63 FBI



Total Services Resale (TSR)

Field Name: Final Bill Information

Definition: Indicates whether a Final Bill should be sent to either the existing billing address or a different address may need to be rendered.

Cross Reference: End User Bill Section, Field #21

Characteristics: 1 alpha character

Valid Entries: E = Existing
D = Different

Usage Rules: This field is optional

Comments: When the valid entry is "D", the BillNM, Street, City, State and Zipcode must be populated



Total Services Resale (TSR)

10.A.64 FEATURE

Field Name: Feature Codes

Definition: Identifies the type of feature associated with the line.

NOTE 1: Codes for feature identification may include
USOCs, FIDs or TCIF maintained EDI codes.

Cross Reference: Resale Service Details Section, Field #33
Port Service, Service Details Section, Field #31

Characteristics: 6 Alpha / numeric characters

Valid Entries: A = Add/Install
C = Change to feature detail
D = Delete
V = Conversion of service to new LSP

Usage Rules: Required when the FA field is populated, otherwise prohibited

Comments:



Total Services Resale (TSR)

10.A.65 FEATURE DETAIL

Field Name: Feature Detail

Definition: Identifies additional information for the type of feature associated with the line.

Cross Reference: Resale Service Details Section, Field #34
Port Service, Service Details Section, Field #32

Characteristics: 24 Alpha / numeric characters

Valid Entries:

Usage Rules: This field is optional

10.A.66 FLOOR (BILL)

Field Name: Billing Address - Floor

Definition: Identifies the floor for the billing address associated with the billing name

Cross Reference: LSR Bill Section, Field #54

Characteristics: 3 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional

10.A.67 FLOOR (DSGCON)



Total Services Resale (TSR)

Field Name: Design/Engineering Contact Address - Floor

Definition: Identifies the floor of the design/engineering contact's address.

Cross Reference: LSR Contact Section, Field #84

Characteristics: 3 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional

10.A.68 FLOOR (END USER)

Field Name: End User Street Address

Definition: Identifies the floor of the end user location

Cross Reference: End User Location & Access Section, Field #7

Characteristics: 3 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional.



Total Services Resale (TSR)

10.A.69 FLOOR (INIT)

Field Name: Initiator Address - Floor

Definition: Identifies the floor of the initiator's address.

Cross Reference: LSR Contact Section, Field #67

Characteristics: 3 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional

10.A.70 FLOOR (LOCBAN)

Field Name: End User Billing Address - Floor

Definition: Identifies the floor for the billing address associated with the billing name.

Cross Reference: End User Bill Section, Field #25

Characteristics: 3 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional

Comments:



Total Services Resale (TSR)

10.A.71 FPI

Field Name: Freeze PIC Indicator

Definition: Indicates the customer's requested freeze option for the PIC or LPIC.

Cross Reference: Resale, Service Details Section, Field #15
Port Service, Service Details, Field #13
Loop Service with INP, Service Details, Field #29

Characteristics: 1 Alpha character

Valid Entries: E = Freeze Inter
A = Freeze Intra
B = Freeze Both Intra and Inter
R = Remove Inter freeze
S = Remove Intra freeze
T = Remove both

Usage Rules: This field is optional



Total Services Resale (TSR)

10.A.72 GLARE

Field Name: Type of Glare Characteristics

Definition: Identifies the rules for glare (simultaneous seizing of trunks) on the given trunk.

Cross Reference: Port Service, Service Details Section, Field # unassigned

Characteristics: 4 Alpha characters

Valid Entries:

Usage Rules: This field is optional

Comments: TCIF EDI mapping support for this field is pending
OBF support for this field is pending



Total Services Resale (TSR)

10.A.73 HA

Field Name: Hunt Group Activity

Definition: Identifies the activity associated with the hunt group on this request.

Cross Reference: Resale Hunting Section, Field #5
Port Services, Administrative Section, Field #6

Characteristics: 1 Alpha character

Valid Entries: N = New
E = Existing / no change
C = Change to Hunt Group sequence
D = Remove Hunt Group arrangement

Usage Rules: This field is optional



Total Services Resale (TSR)

10.A.74 HNTYP

Field Name: Hunting Type Code

Definition: Identifies the type of hunting involved.

NOTE 1: These forms of hunting are generic types and are offered by the provider using various or different names for the hunt type categories.

Cross Reference: Resale Hunting Section, Field #6
Port Services, Administrative Section, Field #7

Characteristics: 1 Numeric character

Valid Entries: 1 - Preferential
2 - Sequential
3 - Circular
4 - Regular
5 - Combination

NOTE 1: If the entry is 5, hunting type must be defined at the line level in the FA, Feature and Feature Detail fields.

Usage Rules: Required when the HA field is populated, otherwise optional



Total Services Resale (TSR)

10.A.75 HUNT SEQ

Field Name: Hunting Sequence

Definition: Identifies the desired hunting sequence.

Cross Reference: Resale, Hunting Section, Field #8
Port Service, Hunting Section, Field #8

Characteristics: 60 Alpha / numeric characters

Valid Entries:

Usage Rules: Required when the HA field is populated, otherwise optional



Total Services Resale (TSR)

10.A.76 IMPCON

Field Name: Implementation Contact

Definition: Identifies the customer's representative or office responsible for control of installation and completion

NOTE 1: During installation, this is the customer contact who will be informed by the provider's installer when the end user requires activity other than that ordered by the customer (i.e., wants the circuit terminated in a room other than designated on the order).

NOTE 2: To facilitate the ordering process, the identification of the company may be included with the representative's name as shown below in the example.

NOTE 3: This is the contact to be used for completions, acceptance testing and other such related installation activity unless otherwise specified by provider/customer negotiations.

Cross Reference: LSR Contact Section, Field #72

Characteristics: 15 Alpha/numeric characters

Valid Entries:

Usage Rules: This field is optional