



## Total Services Resale (TSR)

### 10.A.108 OTN

**Field Name:** Out Telephone Number

**Definition:** Identifies the existing telephone number that is being changed.

**Cross Reference:** Resale Service Details Section, Field #12  
Port Service, Service Details Section, Field #12

**Characteristics:** 12 numerics

**Valid Entries:**

**Usage Rules:** Required when the associated instance of LACT in the Service Details section is populated with an "X", otherwise prohibited.

### 10.A.109 PAGER (ALT IMPCON)

**Field Name:** Alternate Implementation Contact Pager Number

**Definition:** Identifies the pager number of the alternate implementation contact.

**Cross Reference:** LSR Contact Section, Field #77

**Characteristics:** 25 Numeric characters

**Valid Entries:**

**Usage Rules:** Optional when the ATL IMPCON field is populated, otherwise prohibited



**Total Services Resale (TSR)**

**10.A.110 PAGER (IMPCON)**

**Field Name:** Implementation Contact Pager Number

**Definition:** Identifies the pager number of the implementation contact

**Cross Reference:** LSR Contact Section, Field #74

**Characteristics:** 25 Alpha/Numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional



## Total Services Resale (TSR)

### 10.A.111 PG\_OF\_

**Field Name:** Page *n* of *n*

**Definition:** Identifies the page number and total number of pages contained in this request.

**Cross Reference:** LSR Form, Administrative Section, Field #6  
End User Information Form, Administrative Section, Field #4  
Resale Form, Administrative Section, Field #5  
Port Service, Administrative Section, Field #5  
Loop Service with INP, Administrative Section, Field #4

**Characteristics:** 4 Numeric Characters

**Valid Entries:** (0-9) + (0-9) + (0-9) + (0-9)

**Usage Rules:** Required for paper forms

**Comments:** Not recommended for EDI transaction sets.



## Total Services Resale (TSR)

### 10.A.112 PIC

**Field Name:** Presubscription Indicator Code

**Definition:** Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for InterLATA traffic.

**Cross Reference:** Resale, Service Details Section, Field #16  
Port Services, Service Detail Section, Field #14

**Characteristics:** 4 Numeric characters

**Valid Entries:** A Valid PIC  
N/A = Not applicable  
NONE  
DFLT = PIC will be assigned by provide at random

**Usage Rules:** This field is required



## Total Services Resale (TSR)

### 10.A.113 PON

**Field Name:** Purchase Order Number

**Definition:** Identifies the customer's unique purchase-order or requisition number that authorizes the issuance of this request or supplement.

**Cross Reference:** LSR Form, Administrative Section, Field #2  
End User Information Form, Administrative Section, Field #1  
Resale Form, Administrative Section, Field #1  
Port Service, Administrative Section, Field #1  
Loop Service with INP, Administrative Section, Field #1

**Characteristics:** 16 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Required

**Comments:** PON is considered to be a key index and must be contained on all LSR-specific transmittals.

### 10.A.114 PORTED #

**Field Name:** Ported Telephone Number

**Definition:** Identifies the telephone number to be retained.

**Cross Reference:** Loop Service with INP, Service Details Section, Field #22

**Characteristics:** 12 numeric characters



## Total Services Resale (TSR)

### Valid Entries:

**Usage Rules:** This field is required.



**Total Services Resale (TSR)**

**10.A.115 PQTY**

**Field Name:** Port Quantity

**Definition:** Identifies the quantity of ports involved in this service request.

**Cross Reference:** Port Services, Administrative Section, Field #3

**Characteristics:** 3 numeric characters

**Valid Entries:**

**Usage Rules:** Required

**Comments:** TCIF EDI mapping support for this element is pending



**Total Services Resale (TSR)**

**10.A.116 PROJECT**

**Field Name:** Project Identification

**Definition:** Identifies the project to which the request it to be associated.

**Cross Reference:** LSR, Administrative Section, Field #11

**Characteristics:** 16 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Optional

**10.A.117 PULSE**

**Field Name:** Type of Pulsing

**Definition:** Identifies the type of pulsing requested for the service.

**Cross Reference:** Resale Service Details Section, Field #29  
Port Service, Service Details Section, Field #28

**Characteristics:** 4 Alpha characters

**Valid Entries:** DP = Dial Pulse  
MF = Multi Frequency  
DTMF = Dual-tone Multi Frequency

**Usage Rules:** This field is optional



**Total Services Resale (TSR)**

**10.A.118 PULSE (OUT)**

**Field Name:** Type of Pulsing Outgoing

**Definition:** Identifies the type of pulsing requested for DOD or Two Way (out) trunks.

**Cross Reference:** Port Service, Service Details Section, Field # unassigned

**Characteristics:** 4 Alpha characters

**Valid Entries:** DP = Dial Pulse  
MF = Multi Frequency  
DTMF = Dual-tone Multi Frequency

**Usage Rules:** This field is optional

**Comments:** TCIF EDI mapping support for this field is pending  
OBF support for this field is pending



## Total Services Resale (TSR)

### 10.A.119 REFNUM

**Field Name:** Reference Number

**Definition:** Identifies the first line or trunk as a unique number and each additional line or trunk segment as a unique number.

**Cross Reference:** End User Disconnect Information, Field #34  
Resale, Service Details Section, Field #9  
Port Service, Service Details, Field #9  
Loop Service with INP, Service Details Section, Field #5

**Characteristics:** 4 Numeric characters (leading zeros, "0001", "0002" etc.)

**Valid Entries:**

**Usage Rules:** One occurrence of REFNUM is required for each occurrence of End User DISC # field that is populated

One occurrence of REFNUM is required for each occurrence of Resale/Port Service TN field that is populated

Otherwise optional.

**Comments:** The REF NUM is customer assigned and is returned on the confirmation notice to the ordering customer.

Once REF NUM is generated it cannot be changed and is retained through completion of the request.

The values are to be assigned consecutively and must be unique throughout the request at the PON level



## Total Services Resale (TSR)

### 10.A.120 RELAY RACK

**Field Name:** Relay Rack

**Definition:** A code that identifies the customer's bay/cabinet in a collocation arrangement and may also include the floor and aisle where the specific piece of equipment is located.

**Cross Reference:** Loop Service with INP, Service Details Section, Field #13

**Characteristics:** 10 alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is required when the customer has assignment control in a collocation arrangement, otherwise optional.

### 10.A.121 REMARKS (END USER)

**Field Name:** Remarks Text

**Definition:** Identifies a free flowing field which can be used to expand upon and clarify other data on this form.

**Cross Reference:** End User Remarks, Field #38  
Loop Service with INP, Remarks Section, Field #34

**Characteristics:** 136 Alpha/numeric

**Valid Entries:**



## Total Services Resale (TSR)

**Usage Rules:** This field is optional

### 10.A.122 REMARKS (LSR)

**Field Name:** LSR Remarks text

**Definition:** Identifies a free flowing field which can be used to expand upon and clarify other data on this form.

**Cross Reference:** LSR Contact Section, Field #89

**Characteristics:** 160 Alpha/numeric

**Valid Entries:**

**Usage Rules:** This field is optional

### 10.A.123 REMARKS (RESALE)

**Field Name:** Remarks Text

**Definition:** Identifies a free flowing field which can be used to expand upon and clarify other data on this form.

**Cross Reference:** Resale Service Details Section, Field #

**Characteristics:** 160 Alpha/numeric characters

**Valid Entries:**



**Total Services Resale (TSR)**

**Usage Rules:** This field is optional



**Total Services Resale (TSR)**

**10.A.124 REQTYP**

**Field Name:** Requisition Type and Status

**Definition:** Identifies the type of service being requested and the status of the request.

**Cross Reference:** LSR Administrative Section, Field #13

**Characteristics:** 2 Alpha characters

**Valid Entries:** Character Position 1

A = LOOP

B = LOOP WITH INP

C = INP

D = RETAIL/BUNDLED

E = RESALE

F = PORT

G = DIRECTORY ASSISTANCE

H = DIRECTORY LISTINGS WHITE

J = DIRECTORY LISTINGS YELLOW

Character Position 2

A = SERVICE INQUIRY

B = FIRM ORDER

**Usage Rules:** Required



**Total Services Resale (TSR)**

**10.A.125 RING GENERATION**

**Field Name:** Ring Generation

**Definition:** Identifies if ring generation is needed on this trunk.

**Cross Reference:** Port Service, Service Details Section, Field # unassigned

**Characteristics:** 1 Alpha character

**Valid Entries:**

**Usage Rules:** This field is optional

**Comments:** TCIF EDI mapping support for this field is pending  
OBF support for this field is pending



**Total Services Resale (TSR)**

**10.A.126 ROOM (BILL)**

**Field Name:** Billing Address - Room

**Definition:** Identifies the room for the billing address associated with the billing name

**Cross Reference:** LSR Bill Section, Field #55

**Characteristics:** 6 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional

**10.A.127 ROOM (END USER)**

**Field Name:** End User Room

**Definition:** Identifies the end user's room location.

**Cross Reference:** End User Location & Access Section, Field #8

**Characteristics:** 6 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional

**10.A.128 ROOM (LOCBAN)**



### Total Services Resale (TSR)

**Field Name:** End User Billing Address - Room

**Definition:** Identifies the room for the billing address associated with the billing name.

**Cross Reference:** End User Bill Section, Field #26

**Characteristics:** 9 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional

### 10.A.129 ROOM/MAIL STOP (DSGCON)

**Field Name:** Design/Engineering Contact Address - Room or Mail Stop

**Definition:** Identifies the room or mail stop of the design/engineering contact's address.

**Cross Reference:** LSR Contact Section, Field #85

**Characteristics:** 10 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional

### 10.A.130 ROOM/MAIL STOP (INIT)



### Total Services Resale (TSR)

**Field Name:** Initiator Address - Room/Mail Stop

**Definition:** Identifies the room or mail stop of the initiator's address.

**Cross Reference:** LSR Contact Section, Field #68

**Characteristics:** 10 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional

### 10.A.131 RORD

**Field Name:** Related Order Number

**Definition:** Identifies a related provider order number.

**Cross Reference:** LSR Administrative Section, Field #37

**Characteristics:** 17 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Required when the provider has preassigned a related order number, otherwise prohibited

### 10.A.132 RPON

**Field Name:** Related Purchase Order Number



### Total Services Resale (TSR)

**Definition:** Identifies the PON of a related service request.

**NOTE 1:** The RPON field may be used for relating connect and disconnect service requests, or multiple requests for the same location and due date.

**Cross Reference:** LSR Administrative Section, Field #36

**Characteristics:** 16 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional.

### 10.A.133 RSQTY

**Field Name:** Resale Quantity

**Definition:** Identifies the quantity of Resale Services (e.g. lines, circuits, trunks, etc.) involved in this service request.

**Cross Reference:** Resale Administrative Section, Field #3

**Characteristics:** 3 Numeric characters

**Valid Entries:**

**Usage Rules:** This field is required



## Total Services Resale (TSR)

### 10.A.134 RTI

**Field Name:** Route Index

**Definition:** Identifies the routing index to be used by the provider's switching equipment forward/port the provider's telephone number to the customer's non-RCF trunk group.

**Cross Reference:** Loop Service with INP, Service Details Section, Field #26

**Characteristics:** 6 alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional.

### 10.A.135 RTR

**Field Name:** Response Type Requested

**Definition:** Identifies the type of confirmation response requested by the customer

**Cross Reference:** LSR Administrative Section, Field #18

**Characteristics:** 1 alpha character

**Valid Entries:** C = Confirmation  
D = Confirmation and DLR  
F = Facility Confirmation  
N = No response requested

**Usage Rules:** This field is required



## Total Services Resale (TSR)

### 10.A.136 SAN

**Field Name:** Subscriber Authorization Number

**Definition:** Identifies a number equivalent to the end user Purchase Order Number.

**Cross Reference:** LSR Administrative Section, Field #39

**Characteristics:** 30 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional

**NOTE 1:** This may, at the option of the customer, be a requirement when providing service to some governmental agencies.



**Total Services Resale (TSR)**

**10.A.137 SBILLNM (BILL)**

**Field Name:** Secondary Bill Name

**Definition:** Identifies the name of a department or group within the designated BILLNM entry. May also be used to specify the end user customer as identified in the field entry "SAN", Subscriber Authorization Number used by the customer in conjunction with billing its customer.

**Cross Reference:** LSR Bill Section, Field #50

**Characteristics:**

**Valid Entries:** 25 Alpha/numeric characters

**Usage Rules:** This field is optional



**Total Services Resale (TSR)**

**10.A.138 SBILLNM (LOCBAN)**

**Field Name:** End User Secondary Billing Name

**Definition:** Identifies the name of a department or group within the designated BILLNM entry.

**NOTE 1:** May also be used to specify the end user as identified in the SAN field on the LSR Form, used by the customer in conjunction with billing its end user.

**Cross Reference:** End User Bill Section, Field #23

**Characteristics:** 25 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional



**Total Services Resale (TSR)**

**10.A.139 SC**

**Field Name:** Service Center

**Definition:** Identifies the Provider's Service Center.

**Cross Reference:** LSR Form, Administrative Section, Field #5

**Characteristics:** 4 Alpha/numeric characters

**Valid Entries:** Valid SC code as listed in Volume 1 of the OBF binders.

**Usage Rules:** Required

**Comments:** AT&T will populate this field with the Service Provider's Service Center code as specified and agreed upon during the negotiations process.

**10.A.140 SCA**

**Field Name:** Special Construction Authorization

**Definition:** Indicates pre-authorization for special construction

**Cross Reference:** LSR Administrative Section, Field #22

**Characteristics:** 1 alpha character

**Valid Entries:** Y = Special construction is authorized

**Usage Rules:** Optional



**Total Services Resale (TSR)**

**10.A.141 SEC NCI**

**Field Name:** Secondary Network Channel Interface Code

**Definition:** Identifies the electrical conditions on the circuit at the secondary ACTL or end user location

**Cross Reference:** LSR Administrative Section, Field #35

**Characteristics:** 5 (minimum) to 12 (maximum) alpha/numeric characters

**Valid Entries:** Transmission specifications may be described in provider tariffs and /or in Technical Reference Publications. The value of this field must also be compatible with the NC on the request

**Usage Rules:** Optional when the NC field is populated, otherwise prohibited