



FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith

FROM: Jerry Fischer, Region 6  
 Telephone: (308) 743-2494

RE: FCC NTSC Engineering Database

301 App for  
 minor mod  
 7-24-96

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KHG1-TV</u>	<input checked="" type="checkbox"/>
Channel:	<u>13</u>	<input checked="" type="checkbox"/>
Power:	<u>316 kW</u>	<input type="checkbox"/>
Antenna Height: <u>HAAT</u>	<u>338</u>	<input type="checkbox"/>
RCAMSL:	<u>976</u>	<input type="checkbox"/>
Transmitter Location:		
Latitude:	<u>40-39-28</u>	<input type="checkbox"/>
Longitude:	<u>98-52-04</u>	<input type="checkbox"/>
Directional Antenna:	<u>no</u>	<input checked="" type="checkbox"/>
Reference Angle:	<u>na</u>	<input checked="" type="checkbox"/>

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_

Channel: \_\_\_\_\_

Power: 312 kW

Antenna Height: HAAT 614 m

RCAMSL: 1242 m

Transmitter Location:

  Latitude: 40-56-54

  Longitude: 98-48-42

Directional Antenna: \_\_\_\_\_

Reference Angle: \_\_\_\_\_

### FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith

FROM: Jerry Lechner, Region 6  
 Telephone: (308) 743-2494

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KHG1-TV</u>	✓
Channel:	<u>13</u>	✓
Power:	<u>316 kW</u>	✓
Antenna Height: <i>HAA</i>	<u>338</u>	✓
RCAMSL:	<u>976</u>	—
Transmitter Location:		
Latitude:	<u>40-39-28</u>	✓
Longitude:	<u>98-52-04</u>	✓
Directional Antenna:	<u>no</u>	✓
Reference Angle:	<u>no</u>	✓

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_

Channel: \_\_\_\_\_

Power: \_\_\_\_\_

Antenna Height: *HAA* \_\_\_\_\_

RCAMSL: 972

Transmitter Location: \_\_\_\_\_

  Latitude: \_\_\_\_\_

  Longitude: \_\_\_\_\_

Directional Antenna: \_\_\_\_\_

Reference Angle: \_\_\_\_\_

### FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith

FROM: Jerry Lueker, Region 6  
 Telephone: (308) 743-2494

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KWNB-TV</u>	<input checked="" type="checkbox"/>
Channel:	<u>6</u>	<input checked="" type="checkbox"/>
Power:	<u>100 kW</u>	<input checked="" type="checkbox"/>
Antenna Height: <i>HAT</i>	<u>216</u>	<input type="checkbox"/>
RCAMSL:	<u>1160</u>	<input checked="" type="checkbox"/>
Transmitter Location:		
Latitude:	<u>40-37-29</u>	<input type="checkbox"/>
Longitude:	<u>100-01-58</u>	<input type="checkbox"/>
Directional Antenna:	<u>no</u>	<input checked="" type="checkbox"/>
Reference Angle:	<u>no</u>	<input checked="" type="checkbox"/>

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_

Channel: \_\_\_\_\_

Power: \_\_\_\_\_

Antenna Height: *HAT* 226

RCAMSL: \_\_\_\_\_

Transmitter Location:

  Latitude: 40-37-32

  Longitude: 101-01-46

Directional Antenna: \_\_\_\_\_

Reference Angle: \_\_\_\_\_

### FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith

FROM: Jerry Eubank, Region 6  
 Telephone: (308) 743-2494

RE: FCC NTSC Engineering Database

301 App for  
 minor mod  
 BPCT-960904KE

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KSNB-TV</u>	<input checked="" type="checkbox"/>
Channel:	<u>4</u>	<input checked="" type="checkbox"/>
Power:	<u>100 kW</u>	<input checked="" type="checkbox"/>
Antenna Height: <u>HAAT</u>	<u>394 m</u>	<input type="checkbox"/>
RCAMSL:	<u>851</u>	<input type="checkbox"/>
Transmitter Location:		
Latitude:	<u>40-05-13</u>	<input checked="" type="checkbox"/>
Longitude:	<u>97-55-13</u>	<input checked="" type="checkbox"/>
Directional Antenna:	<u>no</u>	<input checked="" type="checkbox"/>
Reference Angle:	<u>712</u>	<input checked="" type="checkbox"/>

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_

Channel: \_\_\_\_\_

Power: \_\_\_\_\_

Antenna Height: HAAT 610 m

RCAMSL: 1117 m

Transmitter Location: \_\_\_\_\_

  Latitude: \_\_\_\_\_

  Longitude: \_\_\_\_\_

Directional Antenna: \_\_\_\_\_

Reference Angle: \_\_\_\_\_

### FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith

FROM: Jerry Tucker, Region 6  
Telephone: (308) 743-2494

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KSNB-TV</u>	✓
Channel:	<u>4</u>	✓
Power:	<u>100 kW</u>	✓
Antenna Height: <i>HAAT</i>	<u>344 m</u>	✓
RCAMSL:	<u>851</u>	✓
Transmitter Location:		
Latitude:	<u>40-05-13</u>	✓
Longitude:	<u>97-55-13</u>	✓
Directional Antenna:	<u>70</u>	✓
Reference Angle:	<u>710</u>	✓

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_

Channel: \_\_\_\_\_

Power: \_\_\_\_\_

Antenna Height: *HAAT* \_\_\_\_\_

RCAMSL: \_\_\_\_\_

Transmitter Location: \_\_\_\_\_

  Latitude: \_\_\_\_\_

  Longitude: \_\_\_\_\_

Directional Antenna: \_\_\_\_\_

Reference Angle: \_\_\_\_\_

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith  
 FROM: Jerry Luehrer, Region 6  
 Telephone: (308) 749-2494  
 RE: FCC NTSC Engineering Database

301 Application  
 for CP, 7-24-96

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KTVG</u>	✓
Channel:	<u>17</u>	✓
Power:	<u>1860 kW</u>	—
Antenna Height: <u>HAAT</u>	<u>187</u>	—
RCAMSL:	<u>793</u>	—
Transmitter Location:		
Latitude:	<u>40-43-43</u>	—
Longitude:	<u>98-34-12</u>	—
Directional Antenna:	<u>Yw</u>	—
Reference Angle:	<u>0</u>	—

Please provide any necessary corrections in the spaces below:

Station Call Sign:	_____
Channel:	_____
Power:	<u>4948 kW</u>
Antenna Height: <u>HAAT</u>	<u>614</u>
RCAMSL:	<u>1242</u>
Transmitter Location:	
Latitude:	<u>40-56-54</u>
Longitude:	<u>98-48-42</u>
Directional Antenna:	<u>no</u>
Reference Angle:	<u>na</u>

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith

FROM: Jerry Luehner, Region 6  
 Telephone: (308) 743-2494

CP

RE: FCC NTSC Engineering Database

BMPCT-940914KG

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KTVG</u>	✓
Channel:	<u>17</u>	✓
Power:	<u>1860 kw</u>	✓
Antenna Height: <i>HAAT</i>	<u>197</u>	✓
RCAMSL:	<u>793</u>	✓
Transmitter Location:		
Latitude:	<u>40-43-43</u>	✓
Longitude:	<u>98-34-12</u>	✓
Directional Antenna:	<u>Yw</u>	✓
Reference Angle:	<u>0</u>	—

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_  
 Channel: \_\_\_\_\_  
 Power: \_\_\_\_\_  
 Antenna Height: *HAAT* \_\_\_\_\_  
 RCAMSL: \_\_\_\_\_  
 Transmitter Location: \_\_\_\_\_  
 Latitude: \_\_\_\_\_  
 Longitude: \_\_\_\_\_  
 Directional Antenna: \_\_\_\_\_  
 Reference Angle: 80 and 260 deg

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith

*Present on-air*

FROM: Jerry Luehrer, Region 6  
 Telephone: (308) 743-2494

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KTVG</u>	✓
Channel:	<u>17</u>	✓
Power:	<u>1860 kW</u>	—
Antenna Height: <i>HAAT</i>	<u>187</u>	—
RCAMSL:	<u>793</u>	—
Transmitter Location:		
Latitude:	<u>40-43-43</u>	—
Longitude:	<u>98-34-12</u>	—
Directional Antenna:	<u>yes</u>	—
Reference Angle:	<u>0</u>	—

Please provide any necessary corrections in the spaces below:

Station Call Sign:	_____
Channel:	_____
Power:	<u>105 kW</u>
Antenna Height: <i>HAAT</i>	<u>60</u>
RCAMSL:	<u>637</u>
Transmitter Location:	
Latitude:	<u>40-51-14</u>
Longitude:	<u>98-26-06</u>
Directional Antenna:	<u>yes</u>
Reference Angle:	<u>40 deg</u>

*Present on-air  
operation*

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith  
 FROM: Jerry Luehrer, Region 6  
 Telephone: (308) 743-2494  
 RE: FCC NTSC Engineering Database

301 App for  
 minor mod  
 7-24-96

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KHG1-TV</u>	<input checked="" type="checkbox"/>
Channel:	<u>13</u>	<input checked="" type="checkbox"/>
Power:	<u>316 kW</u>	<input type="checkbox"/>
Antenna Height: <u>HAAT</u>	<u>338</u>	<input type="checkbox"/>
RCAMSL:	<u>976</u>	<input type="checkbox"/>
Transmitter Location:		
Latitude:	<u>40-39-28</u>	<input type="checkbox"/>
Longitude:	<u>98-52-04</u>	<input type="checkbox"/>
Directional Antenna:	<u>no</u>	<input checked="" type="checkbox"/>
Reference Angle:	<u>na</u>	<input checked="" type="checkbox"/>

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_  
 Channel: \_\_\_\_\_  
 Power: 312 kW  
 Antenna Height: HAAT 614 m  
 RCAMSL: 1242 m  
 Transmitter Location:  
     Latitude: 40-56-54  
     Longitude: 98-48-42  
 Directional Antenna: \_\_\_\_\_  
 Reference Angle: \_\_\_\_\_

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith  
 FROM: Jerry Luehrer, Region 6  
 Telephone: (308) 743-2494  
 RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here <u>if Correct</u>
Station Call Sign:	<u>KHG1-TV</u>	<u>✓</u>
Channel:	<u>13</u>	<u>✓</u>
Power:	<u>316 kW</u>	<u>✓</u>
Antenna Height: <i>HAAT</i>	<u>338</u>	<u>✓</u>
RCAMSL:	<u>976</u>	<u>   </u>
Transmitter Location:		
Latitude:	<u>40-39-28</u>	<u>✓</u>
Longitude:	<u>98-52-04</u>	<u>✓</u>
Directional Antenna:	<u>no</u>	<u>✓</u>
Reference Angle:	<u>na</u>	<u>✓</u>

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_  
 Channel: \_\_\_\_\_  
 Power: \_\_\_\_\_  
 Antenna Height: *HAAT* \_\_\_\_\_  
 RCAMSL: 972 \_\_\_\_\_  
 Transmitter Location: \_\_\_\_\_  
     Latitude: \_\_\_\_\_  
     Longitude: \_\_\_\_\_  
 Directional Antenna: \_\_\_\_\_  
 Reference Angle: \_\_\_\_\_

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith  
 FROM: Jerry Luehrer, Region 6  
 Telephone: (308) 743-2494  
 RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KWNB-TV</u>	<u>✓</u>
Channel:	<u>6</u>	<u>✓</u>
Power:	<u>100 kW</u>	<u>✓</u>
Antenna Height: <i>HAAT</i>	<u>216</u>	<u>✓</u>
RCAMSL:	<u>1160</u>	<u>✓</u>
Transmitter Location:		
Latitude:	<u>40-37-29</u>	<u>—</u>
Longitude:	<u>100-01-58</u>	<u>—</u>
Directional Antenna:	<u>no</u>	<u>✓</u>
Reference Angle:	<u>na</u>	<u>✓</u>

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_  
 Channel: \_\_\_\_\_  
 Power: \_\_\_\_\_  
 Antenna Height: *HAAT* 226  
 RCAMSL: \_\_\_\_\_  
 Transmitter Location:  
     Latitude: 40-37-32  
     Longitude: 101-01-46  
 Directional Antenna: \_\_\_\_\_  
 Reference Angle: \_\_\_\_\_

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Steve Smith  
 FROM: Jerry Luehrer, Region 6  
 Telephone: (308) 749-2494  
 RE: FCC NTSC Engineering Database

301 App for  
 minor mod  
 BPCT-960904KE

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>KSNB-TV</u>	<u>✓</u>
Channel:	<u>4</u>	<u>✓</u>
Power:	<u>100 kW</u>	<u>✓</u>
Antenna Height: <u>HAAT</u>	<u>344 m</u>	<u>—</u>
RCAMSL:	<u>851</u>	<u>—</u>
Transmitter Location:		
Latitude:	<u>40-05-13</u>	<u>✓</u>
Longitude:	<u>97-55-13</u>	<u>✓</u>
Directional Antenna:	<u>no</u>	<u>✓</u>
Reference Angle:	<u>na</u>	<u>✓</u>

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_  
 Channel: \_\_\_\_\_  
 Power: \_\_\_\_\_  
 Antenna Height: HAAT 610 m  
 RCAMSL: 1117 m  
 Transmitter Location:  
     Latitude: \_\_\_\_\_  
     Longitude: \_\_\_\_\_  
 Directional Antenna: \_\_\_\_\_  
 Reference Angle: \_\_\_\_\_

NOV-06-1996 09:32 FROM PURI.CAPITAL.CORP  
 NOV 06 '96 12:00PM LBS ENGINEERING LAB

TO

14122444595

P.02

P.C

**FCC NTSC ENGINEERING DATABASE CORRECTION SHEET**

**TO:** Marty Faubell

**FROM:** Harish C. Puri, Region 6  
Telephone: 815.229.6000

**RE:** FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>WJWV</u>	___
Channel:	<u>57</u>	___
Power:	<u>646 kW</u>	___
Antenna Height:	<u>123 Meters</u>	___
RCAMSL:	<u>397 Meters</u>	___
Transmitter Location:		___
Latitude:	<u>42° 43' 47"</u>	___
Longitude:	<u>89° 10' 10"</u>	___
Directional Antenna:	<u>Yes</u>	___
Reference Angle:	<u>0°</u>	___

Please provide any necessary corrections in the spaces below:

Station Call Sign:	<u>WJWV</u>
Channel:	<u>57</u>
Power:	<u>3980.0 kW</u>
Antenna Height:	<u>340.0 Meters</u>
RCAMSL:	<u>617 Meters</u>
Transmitter Location:	
Latitude:	<u>42° 43' 40.02"</u>
Longitude:	<u>89° 13' 54.41"</u>
Directional Antenna:	<u>Yes</u>
Reference Angle:	<u>0.75°</u>



202-861-0342

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Victor Tawil

FROM: WBTV, Region 7 Bill Napier

Telephone: 704-394-3822

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if <u>Correct</u>
Station Call Sign:	_____	/
Channel:	_____	/
Power:	_____	/
Antenna Height:	_____	/
RCAMSL:	<u>NOT CORRECT</u>	—
Transmitter Location:		
Latitude:	_____	/
Longitude:	_____	/
Directional Antenna:	_____	/
Reference Angle:	_____	/

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_

Channel: \_\_\_\_\_

Power: \_\_\_\_\_

Antenna Height: \_\_\_\_\_

RCAMSL: 814 meters

Transmitter Location: \_\_\_\_\_

  Latitude: \_\_\_\_\_

  Longitude: \_\_\_\_\_

Directional Antenna: \_\_\_\_\_

Reference Angle: \_\_\_\_\_

Region 7

### FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

Post-It™ brand fax transmittal memo 7671		# of pages ▶	1
To	VICTOR TAWIL		
From	DAVID BRANT		
Co.	MSTV		
Co.	WTOL-TV		
Dept.	DTV CHAN. COORD.		
Phone #	(912) 234-1111		
Fax #	(202) 861-0342		
Fax #	(912) 238-5133		

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	WTOLTV	<input checked="" type="checkbox"/>
Channel:	11	<input checked="" type="checkbox"/>
Power:	316.0	<input checked="" type="checkbox"/>
Antenna Height:	445.0	<input type="checkbox"/>
RCAMSL:	448.0	<input type="checkbox"/>
Transmitter Location:		
Latitude:	32-03-14	<input checked="" type="checkbox"/>
Longitude:	81-21-01	<input checked="" type="checkbox"/>
Directional Antenna:	-	<input checked="" type="checkbox"/>
Reference Angle:	0.0	<input checked="" type="checkbox"/>

Please provide any necessary corrections in the spaces below:

Station Call Sign:	_____
Channel:	_____
Power:	_____
Antenna Height:	447.8
RCAMSL:	455.2
Transmitter Location:	_____
Latitude:	_____
Longitude:	_____
Directional Antenna:	_____
Reference Angle:	_____

### FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: \_\_\_\_\_

FROM: \_\_\_\_\_, Region \_\_\_\_\_  
Telephone: \_\_\_\_\_

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>WSB</u>	✓
Channel:	<u>2</u>	✓
Power:	<u>100kw ERP</u>	✓
Antenna Height:	<u>1040' (316m)</u>	✓
RCAMSL:	<u>2049' (625m)</u>	—
Transmitter Location:		
Latitude:	<u>33-45-51</u>	✓
Longitude:	<u>84-21-42</u>	✓
Directional Antenna:	<u>OMNI HARDS TAB-6L</u>	✓
Reference Angle:	<u>∅</u>	✓

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_

Channel: \_\_\_\_\_

Power: \_\_\_\_\_

Antenna Height: \_\_\_\_\_

RCAMSL: 2049' (625m)

Transmitter Location: \_\_\_\_\_

    Latitude: \_\_\_\_\_

    Longitude: \_\_\_\_\_

Directional Antenna: \_\_\_\_\_

Reference Angle: \_\_\_\_\_

By: \_\_\_\_\_

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Victor JAWIL

FROM: Merle THOMAS Region 7  
Telephone: 704 335-4833

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>WKAY</u>	___
Channel:	<u>64</u>	___ <input checked="" type="checkbox"/>
Power:	<u>129.0 ERP-KW</u>	___
Antenna Height:	<u>86.0</u>	___
RCAMSL:	<u>306.0</u>	___
Transmitter Location:		
Latitude:	<u>35-29-14</u>	___
Longitude:	<u>80-36-18</u>	___
Directional Antenna:	<u>AND ALP8MI-HSM</u>	___
Reference Angle:	<u>220.0</u>	___

Please provide any necessary corrections in the spaces below:

Station Call Sign:	<u>WAXN</u>
Channel:	<u>64</u>
Power:	<u>1900.0 ERP-KW</u>
Antenna Height:	<u>300.0</u>
RCAMSL:	<u>512.0</u>
Transmitter Location:	
Latitude:	<u>35-15-41.0</u>
Longitude:	<u>80-43-38.0</u>
Directional Antenna:	
Reference Angle:	<u>0.0</u>

Per CP filed for 12/12/95  
CP Granted 7/22/96

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Victor TAWIL  
 FROM: Meryl THOMAS Region 7  
 Telephone: 704 335-4833  
 RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>WKAY</u>	_____
Channel:	<u>64</u>	_____ <input checked="" type="checkbox"/>
Power:	<u>129.0 ERP-KW</u>	_____
Antenna Height:	<u>86.0</u>	_____
RCAMSL:	<u>306.0</u>	_____
Transmitter Location:		_____
Latitude:	<u>35-29-14</u>	_____
Longitude:	<u>80-36-18</u>	_____
Directional Antenna:	<u>AND ALP8MI-MSM</u>	_____
Reference Angle:	<u>220.0</u>	_____

Please provide any necessary corrections in the spaces below:

Station Call Sign:	<u>WAXN</u>
Channel:	<u>64</u>
Power:	<u>1900.0 ERP-KW</u>
Antenna Height:	<u>300.0</u>
RCAMSL:	<u>512.0</u>
Transmitter Location:	
Latitude:	<u>35-15-41.0</u>
Longitude:	<u>80-43-38.0</u>
Directional Antenna:	
Reference Angle:	<u>0.0</u>

Per CP filed for 12/12/95  
 CP Granted 7/22/96

georgia Region 7

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: VICTOR TAWI  
FROM: D. BOSWELL, Region \_\_\_\_\_  
Telephone: \_\_\_\_\_  
RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		Check Here if Correct
Station Call Sign:	<u>WLTX</u>	<input checked="" type="checkbox"/>
Channel:	<u>38</u>	<input checked="" type="checkbox"/>
Power:	<u>1400 kW ERP</u>	<input checked="" type="checkbox"/>
Antenna Height:	_____	<input checked="" type="checkbox"/>
RCAMSL:	_____	<input checked="" type="checkbox"/>
Transmitter Location:	_____	
Latitude:	_____	<input checked="" type="checkbox"/>
Longitude:	_____	<input checked="" type="checkbox"/>
Directional Antenna:	_____	<input checked="" type="checkbox"/>
Reference Angle:	_____	<input checked="" type="checkbox"/>

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_  
Channel: \_\_\_\_\_  
Power: 1070 kW ERP  
Antenna Height: \_\_\_\_\_  
RCAMSL: \_\_\_\_\_  
Transmitter Location: \_\_\_\_\_  
Latitude: \_\_\_\_\_  
Longitude: \_\_\_\_\_  
Directional Antenna: \_\_\_\_\_  
Reference Angle: \_\_\_\_\_

### FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Victor TAWil

FROM: Wilbur Brann, Region 7  
Telephone: (919) 890-6066

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

		<u>Check Here if Correct</u>
Station Call Sign:	<u>WRAZ</u>	<input checked="" type="checkbox"/>
Channel:	<u>50</u>	<input checked="" type="checkbox"/>
Power:	_____	<input checked="" type="checkbox"/>
Antenna Height:	_____	<input checked="" type="checkbox"/>
RCAMSL:	_____	<input checked="" type="checkbox"/>
Transmitter Location:	_____	
Latitude:	_____	
Longitude:	_____	
Directional Antenna:	_____	
Reference Angle:	_____	

Please provide any necessary corrections in the spaces below:

Station Call Sign: \_\_\_\_\_

Channel: \_\_\_\_\_

Power: \_\_\_\_\_

Antenna Height: \_\_\_\_\_

RCAMSL: \_\_\_\_\_

Transmitter Location:

    Latitude: 35 40 35

    Longitude: 78 32 09

Directional Antenna: \_\_\_\_\_

Reference Angle: \_\_\_\_\_



**FCC NTSC ENGINEERING DATABASE CORRECTION SHEET**

Stephen Steck

TO: \_\_\_\_\_

FROM: G. William Ryan, Region 8  
 Telephone: \_\_\_\_\_

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

Check Here  
if Correct

Station Call Sign:	_____	_____
Channel:	_____	_____
Power:	_____	_____
Antenna Height:	_____	_____
RCAMSL:	_____	_____
Transmitter Location:	_____	_____
Latitude:	_____	_____
Longitude:	_____	_____
Directional Antenna:	_____	_____
Reference Angle:	_____	_____

Please provide any necessary corrections in the spaces below:

Station Call Sign:	<u>WMFE-TV</u>
Channel:	<u>24 -10KHz</u>
Power:	<u>1350 KW</u>
Antenna Height:	<u>381 m</u>
RCAMSL:	<u>392 m</u>
Transmitter Location:	
Latitude:	<u>28-36-08</u>
Longitude:	<u>81-05-37</u>
Directional Antenna:	<u>OMNI</u>
Reference Angle:	_____

FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

~~Bill Dwyer~~

TO: Robert Fusco

FROM: G. William Lynd, Region 8  
Telephone: \_\_\_\_\_

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

Check Here  
if Correct

Station Call Sign:	_____	_____
Channel:	_____	_____
Power:	_____	_____
Antenna Height:	_____	_____
RCAMSL:	_____	_____
Transmitter Location:	_____	_____
Latitude:	_____	_____
Longitude:	_____	_____
Directional Antenna:	_____	_____
Reference Angle:	_____	_____

Please provide any necessary corrections in the spaces below:

Station Call Sign:	<u>WRBW</u>
Channel:	<u>65</u>
Power:	<u>5000 KW</u>
Antenna Height:	<u>465 meters HAAT</u>
RCAMSL:	<u>475 meters</u>
Transmitter Location:	
Latitude:	<u>28 34 51</u>
Longitude:	<u>81 04 32</u>
Directional Antenna:	<u>YES (SWR: 0.00931313KE, 1° Electrical Beam tilt)</u>
Reference Angle:	<u>270° TRUE (MAGNETIC LOBE)</u>