

78. TEL NO - Telephone Number

Identifies the telephone number of the implementation contact. The telephone number must be toll free or local from the end user's location.

USAGE: This field is conditional.

Required when the IMPCON field is populated.

DATA CHARACTERISTICS: 17 numeric characters. (including 3 preprinted hyphens)

EXAMPLE:

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 0 | 1 | - | 9 | 8 | 1 | - | 3 | 5 | 0 | 0 | - | 3 | 5 | 8 | 7 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

79. PAGER - Pager Number

Identifies the pager number of the implementation contact.

USAGE: This field is optional.

DATA CHARACTERISTICS: 25 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|
| 1 | - | 8 | 0 | 0 | - | 2 | 2 | 2 | - | 1 | 2 | 3 | 4 | - | 0 | 0 | 0 | 0 | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|

80. ALT IMPCON - Alternate Implementation Contact

Identifies the CLEC's alternative representative or office responsible for control of installation and completion.

During installation, this is the CLEC's representative who will be contacted by BellSouth's technician when the end user requests activity other than that ordered by the customer (i.e., wants the circuit terminated in a room other than designated on the order or requests additional wiring jacks).

To facilitate the ordering process, the identification of the company may be included with the representative's name as shown below in the example.

This is the contact to be used for completions, acceptance testing and other such related installation activity unless otherwise specified by BellSouth/CLEC negotiations.

USAGE: This field is optional.

DATA CHARACTERISTICS: 15 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | |
|---|---|---|--|---|---|---|---|---|--|--|--|--|--|--|
| A | N | N | | J | O | N | E | S | | | | | | |
|---|---|---|--|---|---|---|---|---|--|--|--|--|--|--|

81. TEL NO - Telephone Number

Identifies the telephone number of the alternate implementation contact. The telephone number must be toll free or local from the end user's location.

USAGE: This field is optional.

DATA CHARACTERISTICS: 17 numeric characters. (including 3 preprinted hyphens)

EXAMPLE:

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 0 | 1 | - | 9 | 6 | 8 | - | 7 | 4 | 6 | 3 | - | 1 | 2 | 3 | 4 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

82. PAGER - Pager Number

Identifies the pager number of the alternative implementation contact.

USAGE: This field is optional.

DATA CHARACTERISTICS: 25 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|
| 1 | - | 8 | 0 | 0 | - | 2 | 2 | 2 | - | 1 | 2 | 3 | 4 | - | 0 | 0 | 0 | 0 | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|

83. DSGCON - Design/Engineering Contact

Identifies the CLEC's employee or agent that should be contacted on design/engineering matters.

USAGE: This field is optional. This field is applicable when the service is **DESIGNED**.

Also required when the first character of the REQTYP field is "F."

DATA CHARACTERISTICS: 15 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | |
|---|---|---|---|--|---|---|---|---|---|--|--|--|--|--|
| J | O | H | N | | S | M | I | T | H | | | | | |
|---|---|---|---|--|---|---|---|---|---|--|--|--|--|--|

84. DRC - Design Routing Code

Identifies the CLEC location routing code for the transmission of the Design Layout Report for this request.

The routing code represents the following information:

Company
Street
Floor
Room
City
State
Zip Code

When populated, this will be the first choice for routing the DLR.

The codes are assigned by BellSouth.

USAGE: This field is optional.

DATA CHARACTERISTICS: 3 alphanumeric characters.

EXAMPLE:

| | | |
|---|---|---|
| A | N | 3 |
|---|---|---|

85. TEL NO - Telephone Number

Identifies the telephone number of the design/engineering contact.

USAGE: This field is optional.

DATA CHARACTERISTICS: 17 numeric characters. (including 3 preprinted hyphens)

EXAMPLE:

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 0 | 1 | - | 9 | 8 | 1 | - | 3 | 5 | 0 | 0 | - | 3 | 5 | 8 | 7 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

86. FAX NO - Facsimile Number

Identifies the fax number of the design / engineering contact.

USAGE: This field is optional.

DATA CHARACTERISTICS: 12 numeric characters. (including 2 preprinted hyphens)

EXAMPLE:

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 9 | 0 | 8 | - | 3 | 3 | 6 | - | 2 | 9 | 8 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|---|

| | Field Abbreviation | Field # | Field # |
|---|-----------------------|---------|-------------------------------------------|
| * | CHANNEL | 39 | Channel |
| | CHC | 16 | Coordinated Hot Cut |
| | CIC | 46 | Carrier Identification Code |
| | CITY (BILLNM) | 61 | City |
| | CITY (DSG) | 91 | City |
| | CITY (INIT) | 74 | City |
| | CUST | 47 | Customer Name |
| | D/TSENT | 9 | Date and Time Sent |
| | DATED | 28 | Date of Agency Authorization |
| | DDD | 10 | Desired Due Date |
| | DDDO | 12 | Desired Due Date Out |
| | DFDT | 14 | Desired Frame Due Time |
| | DRC | 84 | Design Routing Code |
| | DSGCON | 83 | Design/Engineering Contact |
| | EBD | 53 | Effective Bill Date |
| | EBP | 57 | Extended Billing Plan |
| | EMAIL (DSG) | 87 | Electronic Mail Address |
| | EMAIL (INIT) | 69 | Electronic Mail Address |
| | EXP | 20 | Expedite |
| | FAX NO (DSG) | 86 | Facsimile Number |
| | FAX NO (INIT) | 70 | Facsimile Number |
| | FLOOR (BILLNM) | 59 | Floor |
| | FLOOR (DSG) | 89 | Floor |
| | FLOOR (INIT) | 72 | Floor |
| | IMPCON | 77 | Implementation Contact |
| | INIT | 67 | Initiator Identification |
| | LSO | 34 | Local Serving Office |
| | LSP AUTH | 43 | Local Service Provider Authorization |
| | LSP AUTH DATE | 44 | Local Service Provider Authorization Date |
| | LSP AUTH NAME | 45 | Local Service Provider Authorization Name |
| | LSR NO | 4 | Local Service Request Number |
| | LST | 33 | Local Service Termination |
| | NC | 37 | Network Channel Code |
| | NCI | 38 | Network Channel Interface Code |
| | PAGER (ALT IMPCON) | 82 | Pager Number |
| | PAGER (IMPCON) | 79 | Pager Number |
| | PG __ OF __ | 8 | Page __ of __ |
| | PON | 2 | Purchase Order Number |
| | PROJECT | 15 | Project Identification |
| | REMARKS | 94 | Remarks |
| | REQTYP | 17 | Requisition Type and Status |
| | ROOM (BILLNM) | 60 | Room |
| | ROOM/MAIL STOP (DSG) | 90 | Room or Mail Stop |
| | ROOM/MAIL STOP (INIT) | 73 | Room or Mail Stop |
| | RORD | 42 | Related Order Number |

| Field Abbreviation | Field # | Field # |
|---------------------|---------|------------------------------------------|
| RPON | 41 | Related Purchase Order Number |
| RTR | 22 | Response Type Requested |
| ** SAN | ** | Subscriber Authorization Number |
| SBILLNM | 55 | Secondary Billing Name |
| SC | 7 | Service Center |
| SCA | 26 | Special Construction Authorization |
| SECNCI | 40 | Secondary Network Channel Interface Code |
| SPEC | 36 | Service and Product Enhancement Code |
| STATE (BILLNM) | 62 | State |
| STATE (DSG) | 92 | State |
| STATE (INIT) | 75 | State |
| STREET (BILLNM) | 58 | Street Address |
| STREET (DSG) | 88 | Street Address |
| STREET (INIT) | 71 | Street Address |
| SUP | 19 | Supplement Type |
| TE | 56 | Tax Exemption |
| TEL NO (ALT IMPCON) | 81 | Telephone Number |
| TEL NO (BILLNM) | 65 | Telephone Number |
| TEL NO (DSG) | 85 | Telephone Number |
| TEL NO (IMPCON) | 78 | Telephone Number |
| TEL NO (INIT) | 68 | Telephone Number |
| TOS | 35 | Type of Service |
| ** TSP | ** | Telecommunications Service Priority |
| VER | 3 | Version Identification |
| VTA | 66 | Variable Term Agreement |
| ZIP CODE (BILLNM) | 63 | Zip Code |
| ZIP CODE (DSG) | 93 | Zip Code |
| ZIP CODE (INIT) | 76 | Zip Code |

* This field has been added to this form.

** This field has been deleted from this form.

END USER INFORMATION (EU) FORM

Description

This section describes the End User Information (EU) form entries. Each field on the EU form is identified and defined. The EU form must always be associated with the Local Service Request (LSR) form.

The End User location and access information required for ordering local service is provided in the various fields contained within the EU Form. The request form provides entries for the specification of ordering options such as inside wire, disconnect information, etc. The Location and Access Section provides entries for describing end user locations including entries which may be necessary for gaining access for installation purposes.

These request forms were designed with the intent to require a minimum of input information. Remark fields provide space for clarification required for items not specifically covered by the request forms. Attachments may also be used to provide lengthy data requiring further specification (e.g., hunting patterns, restrictions, or other such details not easily described through a standard form entry).

This document incorporates the following BellSouth requirements for the population of form entries:

- Required is defined as the field must be populated.
- Optional is defined as the field may or may not be populated.
- Prohibited is defined as the field must not be populated.
- Conditional is defined as the field is dependent upon the relationship to another entry as specified in the usage statement and is dependent upon the presence, absence or combination of other data entries.

All local service ordering forms utilize the following general instructions for justification:

- Quantity fields are right justified.
- Fields with text are left justified.
- Fields not following these justification rules are so noted within the context of the definition and usage statement.
- If a field is designated as prohibited, it should be left blank.

Administrative Section

1. PON - Purchase Order Number

This field identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.

USAGE: This field is required.

DATA CHARACTERISTICS: 16 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|
| 8 | 2 | 4 | Z | 9 | | | | | | | | | | | |
|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|

2. VER - Version Identification

This field identifies the customer's version number.

USAGE: This field is conditional.

Required when the VER field on the LSR form is populated, otherwise prohibited.

This entry must be identical to the VER entry on the LSR form.

DATA CHARACTERISTICS: 2 numeric characters.

VALID ENTRIES: 01-99.

EXAMPLE:

| | |
|---|---|
| 0 | 1 |
|---|---|

3. AN - Account Number

Identifies the main account number assigned by the NSP. If a number is used, it may or may not be the same as the working telephone number.

USAGE: This field is conditional.

Required when the ATN field is not populated.
Otherwise optional.

DATA CHARACTERISTICS: 20 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| N | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

4. ATN - Account Telephone Number

Identifies the account telephone number assigned by the NSP.
If the number is used, it may or may not be the same as the working telephone number.
The LOCBAN field information used in the previous form version should be used here.

USAGE: This field is conditional.

Required when the AN field is not populated.
Otherwise optional.

DATA CHARACTERISTICS: 12 alphanumeric characters (including 2 preprinted hyphens).

EXAMPLE:

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 0 | 1 | - | 5 | 5 | 5 | - | 1 | 2 | 1 | 2 |
|---|---|---|---|---|---|---|---|---|---|---|---|

5. DQTY - Disconnect Quantity

Identifies the quantity of telephone numbers affected by this service request. It indicates the quantity of telephone numbers to be disconnected with this request as well as the quantity of telephone numbers affecting call transfer information.

This field is also used to indicate the quantity of telephone numbers to be converted when the ACT field on the LSR is "W" (because the Resale form is not being sent).

USAGE: This field is conditional.

Required when the DISC # field is populated, otherwise optional.

Required when the ACT field on the LSR is "W."

DATA CHARACTERISTICS: 3 numeric characters.

EXAMPLE:

| | | |
|--|--|---|
| | | 8 |
|--|--|---|

6. PG ___ of ___

This field identifies the page number and total number of pages contained in this request.

USAGE: This field is required.

DATA CHARACTERISTICS: 4 numeric characters.

EXAMPLE:

| | |
|---|---|
| 0 | 2 |
|---|---|

 of

| | |
|---|---|
| 2 | 4 |
|---|---|

10. SASF - Service Address House Number Suffix

Identifies the suffix for the house number of the service address.

USAGE: This field is conditional.

Optional when the SASN and SANO fields are populated, otherwise prohibited.

DATA CHARACTERISTICS: 5 alphanumeric characters.

EXAMPLE:

| | | | | |
|---|---|---|--|--|
| 1 | / | 2 | | |
|---|---|---|--|--|

Where 1/2 is the suffix for the address 25W 450 1/2 SW Camino Ramon Lane NW Suite 23.

11. SASD - Service Address Street Directional

Identifies the street directional for the service address.

USAGE: This field is conditional.

Optional when the SASN field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 2 alphanumeric characters.

VALID ENTRIES: E = East
W = West
N = North
S = South
NE = Northeast
NW = Northwest
SE = Southeast
SW = Southwest

EXAMPLE:

| | |
|---|---|
| S | W |
|---|---|

Where SW is the street directional for the address 25W 450 1/2 SW Camino Ramon Lane NW Suite 23.

14. SASS - Service Address Street Suffix

Identifies the suffix to the street name of the service address.

USAGE: This field is conditional.

Optional when the SASN field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 4 alphanumeric characters.

EXAMPLE:

| | | | |
|---|---|--|--|
| N | W | | |
|---|---|--|--|

Where NW is the street suffix for the address 25W 450 1/2 SW Camino Ramon Lane NW Suite 23.

15. SADLO - Service Address Descriptive Location

Identifies additional location information for the service address..

USAGE: This field is conditional.

Required when SANO is not populated, the service is at an unnumbered location, or additional instructions are needed to locate the service location, otherwise optional.

DATA CHARACTERISTICS: 100 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|
| T | R | A | I | L | E | R | | B | E | H | I | N | D | | G | A | S | | S | T | A | T | I | O |
| N | | N | E | X | T | | T | O | | P | O | S | T | | O | F | F | I | C | E | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

16. FLOOR

Identifies the floor of the end user location.

USAGE: This field is optional.

DATA CHARACTERISTICS: 3 alphanumeric characters.

EXAMPLE:

| | | |
|---|---|--|
| 3 | 2 | |
|---|---|--|

21. ZIP CODE

Identifies the zip code or postal code of the end user service location.

USAGE: This field is required.

DATA CHARACTERISTICS: 10 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | |
|---|---|---|---|---|--|--|--|--|--|
| 0 | 7 | 0 | 3 | 9 | | | | | |
|---|---|---|---|---|--|--|--|--|--|

22. LCON - Local Contact

Identifies the local contact name for access to the service location.

USAGE: This field is optional.

DATA CHARACTERISTICS: 15 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | |
|---|---|---|---|--|---|---|---|---|---|--|--|--|--|--|
| J | O | H | N | | S | M | I | T | H | | | | | |
|---|---|---|---|--|---|---|---|---|---|--|--|--|--|--|

23. TEL NO - Telephone Number

Identifies the telephone number of the local contact for the service location

USAGE: This field is optional.

DATA CHARACTERISTICS: 17 numeric characters. (including 3 preprinted hyphens)

EXAMPLE:

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|
| 2 | 0 | 1 | - | 9 | 8 | 1 | - | 3 | 5 | 8 | 7 | - | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|

24. EUMI - End User Moving Indicator

Identifies that the end users location is changing.

USAGE: This field is optional.

End user address information for the new location is required when "Y" is populated

DATA CHARACTERISTICS: 1 alpha character.

VALID ENTRIES: Y = End User is moving

EXAMPLE:

| |
|---|
| Y |
|---|

28. CPE MOD - Customer Premises Equipment Model Number

Identifies the model number of the CPE.

USAGE: This field is optional.

DATA CHARACTERISTICS: 20 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|
| B | I | T | S | U | R | F | E | R | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|

Inside Wire

29. IWO - Inside Wiring Options

Identifies the requirement for inside wire services.

USAGE: This field is conditional.

Optional if REQ TYP is "E," otherwise prohibited.

DATA CHARACTERISTICS: 1 alpha character

VALID ENTRIES: S = Provide repair plan for inside wire.
U = Provide inside wiring and repair plan.
W = Provide inside wiring

EXAMPLE:

| |
|---|
| S |
|---|

30. IWBAN - Inside Wiring Bill Account Number

Identifies the billing account number for charges associated with inside wire.

USAGE: This field is optional.

DATA CHARACTERISTICS: 13 alphanumeric characters

VALID ENTRIES: Billing Account Number
E = Existing Customer Billing Account Number
N = New Billing Account Number requested.

EXAMPLE:

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|--|
| 2 | 0 | 1 | - | 9 | 8 | 8 | - | 7 | 3 | 0 | 0 | |
|---|---|---|---|---|---|---|---|---|---|---|---|--|

31. IWCON - Inside Wire Contact

Identifies the name of the person to be contacted for inside wire.

USAGE: This field is conditional.

Required when the IWO field is populated, otherwise optional.

DATA CHARACTERISTICS: 25 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|--|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| T | O | M | | J | O | N | E | S | | | | | | | | | | | | | | | | |
|---|---|---|--|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

32. TEL NO - Inside Wire Contact Telephone Number

Identifies the contact telephone number associated with inside wire.

USAGE: This field is conditional.

Required when the IWCON field is populated, otherwise prohibited.

DATA CHARACTERISTICS: 17 numeric characters. (including 3 preprinted hyphens)

EXAMPLE:

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 | 0 | 1 | - | 9 | 8 | 8 | - | 7 | 6 | 2 | 3 | - | 1 | 0 | 1 | 2 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

**** LOCBAN - Local Billing Account Number**

This field has been deleted in this version.

Bill Section

33. EAN - Existing Account Number

This field is **NOT APPLICABLE** in BellSouth.

34. EATN - Existing Account Telephone Number

This field is **NOT APPLICABLE** in BellSouth.

35. FBI - Final Bill Information Indicator

Indicates whether an end user final bill should be sent to either the existing billing address or a different address.

USAGE: This field is optional.

If the valid entry is "D," the BILLNM, STREET, STATE and ZIP CODE fields must be populated.

DATA CHARACTERISTICS: 1 alpha character

VALID ENTRIES: D = Different
E = Existing

EXAMPLE:

| |
|---|
| D |
|---|

36. BILLNM - Bill Name

Identifies the end user bill name.

The end user final bill name will remain as it appears on the BST record.

USAGE: This field is conditional.

Required when the FBI field is "D," otherwise optional.

DATA CHARACTERISTICS: 20 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| A | B | C | C | O | | | | | | | | | | | | | | | |
|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

37. SBILLNM - Secondary Billing Name

Identifies the name of a department or group within the designated BILLNM entry.

USAGE: This field is optional.

DATA CHARACTERISTICS: 25 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|
| A | C | C | O | U | N | T | S | R | E | C | E | I | V | A | B | L | E | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|

38. STREET - Street Address

Identifies the street of the billing address associated with the billing name.

USAGE: This field is conditional.

Required when the FBI field is "D."

DATA CHARACTERISTICS: 25 alphanumeric characters.

EXAMPLE:

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|
| 1 | 2 | 5 | E | M | A | I | N | S | T | R | E | E | T | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|

39. FLOOR

Identifies the floor for the billing address associated with the billing name.

USAGE: This field is optional.

DATA CHARACTERISTICS: 3 alphanumeric characters.

EXAMPLE:

| | | |
|---|---|--|
| 3 | 2 | |
|---|---|--|

40. ROOM

Identifies the room for the billing address associated with the billing name.

USAGE: This field is optional.

DATA CHARACTERISTICS: 9 alphanumeric characters.

EXAMPLE:

| | | | | | | | | |
|---|---|---|---|---|---|--|--|--|
| 1 | K | 1 | 5 | 1 | A | | | |
|---|---|---|---|---|---|--|--|--|