

ORIGINAL

Before the
Federal Communications Commission
Washington, D.C. 20554

In the Matter of)
)
Amendment of Section 73.622(i)) RM-_____
Post-Transition Table of Allotments)
Digital Television Broadcast Stations)
(Providence, Rhode Island))

Accepted / Filed

APR - 9 2015

To: Office of the Secretary
Attn: Chief, Video Division
Media Bureau

DOCKET FILE COPY ORIGINAL

Federal Communications Commission
Office of the Secretary

**PETITION FOR RULEMAKING
TO AMEND THE DIGITAL TELEVISION TABLE OF ALLOTMENTS**

WJAR Licensee, LLC, the licensee of WJAR(TV), Channel 51, Providence, Rhode Island (the "Station") by its counsel, pursuant to Sections 1.401 and 73.622(a) of the Commission's Rules,¹ hereby requests that the Commission initiate a rulemaking proceeding to substitute and allot DTV Channel 50 for the Station's assigned DTV Channel 51 at Providence by amending the DTV Post-Transition Table of Allotments.² WJAR Licensee, LLC's request is being made in connection with the Commission's lifting of the freeze on channel change petitions filed by full power television stations if such stations are seeking to vacate Channel 51 "pursuant to a voluntary relocation agreement."³ WJAR Licensee, LLC has entered into such a voluntary relocation agreement with T-Mobile USA, Inc.

Grant of the proposed rulemaking request would serve the public interest. Operation of the Station on Channel 50, instead of Channel 51, would remove any potential interference with

¹ 47 C.F.R. §§ 1.401 and 73.622(a).

² 47 C.F.R. § 73.622(i).

³ See *General Freeze on the Filing and Processing of Applications for Channel 51 Effective Immediately and Sixty Day Amendment Window for Pending Channel 51 Low Power Television, TV Translator, and Class A Applications*, Public Notice, 26 FCC Rcd 11409 (2011) ("Channel 51 Notice").

No. of Copies rec'd 044
List ABCDE
MB Video 15-07

a wireless licensee in the Lower 700 MHz A Block located directly adjacent to Channel 51 in the Providence, RI-New Bedford, MA and Boston, MA television markets, and permit that licensee to expand operations in service to wireless subscribers sooner than would otherwise be the case. Specifically, the proposal will allow the Block A licensee to fully utilize the spectrum directly adjacent to Channel 51 that was acquired in auction No. 73 as WY-BEA003-A, Boston-Worcester, MA-NH-RI-VT. The proposal is therefore consistent with Commission precedent and the Commission's announcement lifting the freeze on channel changes for parties relocating from Channel 51.⁴

As set forth in the attached Engineering Statement of John E. Hidle, P.E. of Carl T. Jones Corporation, the instant proposal to allot DTV Channel 50 to Providence, Rhode Island can be accomplished in complete conformity with all Commission allocation requirements.⁵ As shown in the Engineering Statement, the only changes proposed are the change of channel and the replacement of the existing antenna with a new, same model, directional antenna to replicate to the extent possible the station's existing signal contour. All other station parameters are to remain unchanged.⁶

⁴ See, e.g., *Lincoln, Nebraska*, 27 FCC Rcd 433 (2012) (the public interest is served by moving a broadcaster from Channel 51); *Jackson, Mississippi*, 26 FCC Rcd 3935 (2011) (same); see also, *Amendment of Section 73.622(i), Post-Transition Table of DTV Allotments (Cedar Rapids, Iowa)*, 28 FCC Rcd 13009 (2013); *Channel 51 Notice*.

⁵ See Attachment A, Technical Exhibit of John E. Hidle, P.E. of Carl T. Jones Corporation in Support of Petition for Rulemaking.

⁶ *Id.* at 3.

CONCLUSION


For the foregoing reasons, WJAR Licensee, LLC respectfully requests the following change in the DTV Table of Allotments:

	<u>Current</u>	<u>Proposed</u>
Providence, Rhode Island	12, 13, *21, 51	12, 13, *21, 50

If the proposal set forth herein is adopted, WJAR Licensee, LLC will promptly file the appropriate application to specify operation of WJAR(TV) on DTV Channel 50 at Providence, Rhode Island with facilities consistent with those specified in the attached Engineering Statement and, if authorized, will construct the facilities contemplated therein and place the Station into operation on Channel 50.

Respectfully submitted,

WJAR LICENSEE, LLC

By: 
Clifford M. Harrington

Its Attorney

PILLSBURY WINTHROP SHAW PITTMAN LLP
1200 Seventeenth Street, N.W.
Washington, D.C. 20036
(202) 663-8000

Dated: April 9, 2015


CERTIFICATE OF SERVICE

I, Sylvia Davis, a secretary with the law firm of Pillsbury Winthrop Shaw Pittman LLP, hereby certify that a copy of the foregoing "**Petition for Rulemaking to Amend the Digital Television Table of Allotments**" was served via hand delivery on this 9th day of April 2015, to the following:

Barbara Kreisman
Chief, Video Division
Media Bureau
Federal Communications Commission
445 12th Street, S.W.
Washington, D.C. 20554

Kevin Harding
Associate Division Chief
Video Division
Media Bureau
Federal Communications Commission
445 12th Street, S.W.
Washington, D.C. 20554

Joyce Bernstein
Attorney Advisor
Media Bureau
Federal Communications Commission
445 12th Street, S.W.
Washington, D.C. 20554


Sylvia Davis

ATTACHMENT A



**STATEMENT OF JOHN E. HIDLE, P.E.
IN SUPPORT OF A PETITION TO AMEND
THE DIGITAL TELEVISION TABLE OF ALLOTMENTS
WJAR - PROVIDENCE, RHODE ISLAND
DTV - CH. 50 - 1000 kW - 306 m HAAT**

Prepared for: WJAR Licensee, LLC

I am a Consulting Engineer, an employee in the firm of Carl T. Jones Corporation, with offices located in Springfield, Virginia. My education and experience are a matter of record with the Federal Communications Commission. I am a Licensed Professional Engineer in the Commonwealth of Virginia, License No. 7418, and in the State of New York, License No. 63418.

GENERAL

This office has been authorized by WJAR Licensee, LLC, licensee of WJAR(TV), channel 51, licensed to Providence, Rhode Island, to prepare this statement in support of a Petition to Amend the Digital Television (DTV) Post Transition Table of Allotments, §73.622(i) of the FCC Rules. The petitioner requests that §73.622(i) of the Commission's Rules be modified in the following manner:

	<u>Present</u>	<u>Proposed</u>
Providence, Rhode Island	12, 13, *21, 51	12, 13, *21, 50

DTV channel 51 is the channel currently specified in the Digital Television Table of Allotments for WJAR(TV). The petitioner requests herein to substitute DTV channel 50 for DTV channel 51. The proposed arrangement of allotments is made in conjunction with a voluntary relocation agreement, as envisioned in Public Notice DA 11-1428, dated August

STATEMENT OF JOHN E. HIDLE, P.E.
WJAR - PROVIDENCE, RHODE ISLAND
Page 2

22, 2011, on page 3. "To facilitate the clearing of channel 51, however, we hereby lift the current freeze as applied to, and will accept, petitions for rulemaking filed by full power television stations seeking to relocate from channel 51 pursuant to a voluntary relocation agreement." WJAR Licensee, LLC has entered into a voluntary agreement to vacate channel 51, in deference to the Boston -Worcester, MA-NH-RI-VT licensee of the Block A spectrum in the lower 700 MHz band. The channel change will allow the Block A licensee to fully utilize the spectrum, directly adjacent to channel 51, that was acquired in auction 73 as WY-BEA003-A, Boston-Worcester, MA-NH-RI-VT.

TECHNICAL STUDY

An engineering study of all pertinent allotments, assignments, applications, construction permits and DTV licenses reveals that DTV channel 50 can be allotted to Providence, Rhode Island in lieu of channel 51, and, except for one Class A LPTV station, meets all of the Commission's interference criteria. The Class A station, WRIW-CD, Channel 50, Providence, Rhode Island, has agreed to migrate to channel 36. An additional engineering study shows that WRIW-CD can be moved to channel 36 and meets all of the Commission's interference criteria. See Appendix B.

The allotment reference coordinates for DTV channel 50 at Providence, Rhode Island are: 41 51' 54" N.L. and 71 17' 15" W.L.¹ The Providence allotment reference site meets the allotment standards in §73.616(b) with respect to: the Class A TV and digital Class A TV protection requirements set forth in §73.616(f); the land mobile requirements

¹ The channel 50 DTV allotment reference coordinates are the same as the DTV channel 51 allotment reference coordinates (as defined in Section 73.622(i) of the FCC Rules) of the petitioner's licensed WJAR, Providence, Rhode Island tower site. BLCDDT-20090811ABO (See FCC tower registration number 1005123).

STATEMENT OF JOHN E. HIDLE, P.E.
WJAR - PROVIDENCE, RHODE ISLAND
Page 3

set forth in §73.623(e), the FM radio protection requirement set forth in §73.623(f), and the principal community coverage requirements set forth in §73.625(a).

The petitioner proposes to install the same model directional antenna for channel 50 at WJAR's current centerline height above mean sea level (AMSL) of 334.6 meters and above average terrain (HAAT) of 306 meters. The antenna's azimuth pattern is oriented to minimize potential interference. See Exhibits 1 to 7. The proposed changes include the same model new directional antenna to operate on channel 50 and change from channel 51 to channel 50. All other station parameters are to remain unchanged.

ALLOCATION CONSIDERATIONS

Post-Transition DTV Considerations

A study was performed, using the FCC's software, tv_process, to determine if the instant petition to amend the post-transition Table is predicted to cause new prohibited interference to DTV stations, construction permits or DTV allotments. Results of the study indicate that the instant petition is predicted to cause no new interference greater than 0.5% to the populations served by any full-power DTV station, construction permit or allotment. See Appendix A. These results comply with the 0.5% limit for new post-transition interference set forth in §73.616(e) of the Commission's Rules.

International DTV Considerations

The WJAR site is located 351.1 kilometers from the nearest point on the US-Canadian border. Since the nearest Canadian co-channel station is 395 km away and the nearest adjacent channel stations are 445 km away, there is a vanishingly small probability that the current proposal will have any effect on any Canadian television facility.

Class A Television Allocation Considerations

As required in Section 73.616(f) of the FCC's Rules, the study results contained in Appendix A showed that there is one Class A station that is predicted to be affected by the proposed re-allotment of WJAR to channel 50. WRIW-CD, channel 50, Providence, Rhode Island is predicted to receive interference to approximately 94% of its population. However, the licensee of WRIW-CD has entered into an agreement to change to channel 36. This proposed channel change can be effectuated utilizing the same facility parameters for WRIW-CD as currently licensed. The sole change is to channel 36 from channel 50.

A separate study was performed using the Commission's application processing software, tv_process, to confirm that WRIW-CD's proposed operation on channel 36 will result in no new interference in excess of 0.5% to any television facility which must be protected by digital Class A LPTV stations. The study results, shown in Appendix B, confirm there is no new predicted impermissible interference from WRIW-CD on channel 36 to any television facility that must be protected by a Class A DTV facility.

The proposed move of WRIW-CD's operation to channel 36 will serve to permit the re-allotment of WJAR from channel 51 in deference to the Boston -Worcester, MA-NH-RI-VT licensee of the Block A spectrum in the lower 700 MHz band, which will allow the licensee to fully utilize its spectrum, that is located directly adjacent to channel 51.

Land Mobile and FM radio Considerations


The tv_process study found no Land Mobile violations for this site, and the site is deemed OK toward AM radio stations. Since the FM Radio requirements pertain only to DTV channel 6, these requirements are not pertinent to the instant Petition.

STATEMENT OF JOHN E. HIDLE, P.E.
WJAR - PROVIDENCE, RHODE ISLAND
Page 5


SUMMARY

It is submitted that the instant Petition to Amend the DTV Table of Allotments to substitute DTV channel 50 for DTV channel 51 in Providence, Rhode Island, as described herein, complies with the Rules, Regulations and relevant Policies of the Federal Communications Commission. This statement was prepared by me, or under my direct supervision, and its contents are believed to be true and correct to the best of my knowledge and belief.

DATED: March 31, 2015



John E. Hidle, P.E.




COMMONWEALTH OF VIRGINIA
JE HIDLE
Lic. No. 007418
PROFESSIONAL ENGINEER



Proposal Number	C-06227	Exhibit 1
Date	27-Mar-15	
Call Letters	WJAR-DT	Channel 50
Location	Providence, RI	
Customer	WJAR Licensee, LLC	
Antenna Type	TFU-24ETT/VP-R 4C160	

AZIMUTH PATTERN

Gain	1.60	(2.04 dB)	Frequency	689.00 MHz
Calculated / Measured		Calculated	Drawing #	TFU-4C160



This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.



Proposal Number **C-06227**
 Date **27-Mar-15**
 Call Letters **WJAR-DT** Channel **50**
 Location **Providence, RI**
 Customer **WJAR Licensee, LLC**
 Antenna Type **TFU-24ETT/VP-R 4C160**

Exhibit 2

TABULATION OF AZIMUTH PATTERN

Azimuth Pattern Drawing #: **TFU-4C160**


Angle	Field														
0	0.765	45	1.000	90	0.765	135	0.912	180	0.665	225	0.530	270	0.665	315	0.912
1	0.765	46	0.999	91	0.766	136	0.914	181	0.654	226	0.529	271	0.676	316	0.910
2	0.765	47	0.999	92	0.767	137	0.915	182	0.643	227	0.529	272	0.687	317	0.908
3	0.766	48	0.997	93	0.768	138	0.916	183	0.632	228	0.528	273	0.698	318	0.906
4	0.767	49	0.995	94	0.770	139	0.917	184	0.621	229	0.527	274	0.709	319	0.904
5	0.768	50	0.991	95	0.771	140	0.917	185	0.610	230	0.525	275	0.720	320	0.901
6	0.770	51	0.988	96	0.774	141	0.917	186	0.599	231	0.523	276	0.731	321	0.898
7	0.773	52	0.983	97	0.776	142	0.917	187	0.589	232	0.521	277	0.741	322	0.894
8	0.776	53	0.979	98	0.779	143	0.917	188	0.579	233	0.519	278	0.751	323	0.891
9	0.779	54	0.973	99	0.781	144	0.916	189	0.569	234	0.516	279	0.762	324	0.888
10	0.783	55	0.967	100	0.784	145	0.915	190	0.560	235	0.514	280	0.771	325	0.884
11	0.787	56	0.961	101	0.787	146	0.913	191	0.551	236	0.511	281	0.781	326	0.880
12	0.792	57	0.954	102	0.791	147	0.911	192	0.543	237	0.508	282	0.790	327	0.876
13	0.797	58	0.947	103	0.794	148	0.909	193	0.535	238	0.505	283	0.799	328	0.872
14	0.803	59	0.939	104	0.798	149	0.906	194	0.528	239	0.503	284	0.808	329	0.868
15	0.809	60	0.931	105	0.801	150	0.903	195	0.521	240	0.500	285	0.817	330	0.864
16	0.816	61	0.923	106	0.805	151	0.900	196	0.515	241	0.498	286	0.824	331	0.860
17	0.823	62	0.915	107	0.809	152	0.896	197	0.510	242	0.496	287	0.832	332	0.856
18	0.831	63	0.906	108	0.813	153	0.892	198	0.505	243	0.494	288	0.840	333	0.851
19	0.838	64	0.898	109	0.817	154	0.887	199	0.501	244	0.493	289	0.847	334	0.847
20	0.846	65	0.889	110	0.821	155	0.883	200	0.498	245	0.492	290	0.854	335	0.843
21	0.854	66	0.880	111	0.825	156	0.878	201	0.496	246	0.493	291	0.860	336	0.838
22	0.863	67	0.871	112	0.830	157	0.872	202	0.494	247	0.493	292	0.866	337	0.834
23	0.871	68	0.863	113	0.834	158	0.866	203	0.493	248	0.494	293	0.872	338	0.830
24	0.880	69	0.854	114	0.838	159	0.860	204	0.493	249	0.496	294	0.878	339	0.825
25	0.889	70	0.846	115	0.843	160	0.854	205	0.492	250	0.498	295	0.883	340	0.821
26	0.898	71	0.838	116	0.847	161	0.847	206	0.493	251	0.501	296	0.887	341	0.817
27	0.906	72	0.831	117	0.851	162	0.840	207	0.494	252	0.505	297	0.892	342	0.813
28	0.915	73	0.823	118	0.856	163	0.832	208	0.496	253	0.510	298	0.896	343	0.809
29	0.923	74	0.816	119	0.860	164	0.824	209	0.498	254	0.515	299	0.900	344	0.805
30	0.931	75	0.809	120	0.864	165	0.816	210	0.500	255	0.521	300	0.903	345	0.801
31	0.939	76	0.803	121	0.868	166	0.808	211	0.503	256	0.528	301	0.906	346	0.798
32	0.947	77	0.797	122	0.872	167	0.799	212	0.505	257	0.535	302	0.909	347	0.794
33	0.954	78	0.792	123	0.876	168	0.790	213	0.508	258	0.543	303	0.911	348	0.791
34	0.961	79	0.787	124	0.880	169	0.781	214	0.511	259	0.551	304	0.913	349	0.787
35	0.967	80	0.783	125	0.884	170	0.771	215	0.514	260	0.560	305	0.915	350	0.784
36	0.973	81	0.779	126	0.888	171	0.762	216	0.516	261	0.569	306	0.916	351	0.781
37	0.979	82	0.776	127	0.891	172	0.751	217	0.519	262	0.579	307	0.917	352	0.779
38	0.983	83	0.773	128	0.894	173	0.741	218	0.521	263	0.589	308	0.917	353	0.776
39	0.988	84	0.770	129	0.898	174	0.731	219	0.523	264	0.599	309	0.917	354	0.774
40	0.991	85	0.768	130	0.901	175	0.720	220	0.525	265	0.610	310	0.917	355	0.771
41	0.995	86	0.767	131	0.904	176	0.709	221	0.527	266	0.621	311	0.917	356	0.770
42	0.997	87	0.766	132	0.906	177	0.698	222	0.528	267	0.632	312	0.916	357	0.768
43	0.999	88	0.765	133	0.908	178	0.687	223	0.529	268	0.643	313	0.915	358	0.767
44	0.999	89	0.765	134	0.910	179	0.676	224	0.529	269	0.654	314	0.914	359	0.766

This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.

Proposal Number	C-06227	Exhibit 3
Date	27-Mar-15	
Call Letters	WJAR-DT	Channel 50
Location	Providence, RI	
Customer	WJAR Licensee, LLC	
Antenna Type	TFU-24ETT/VP-R 4C160	

AZIMUTH PATTERN/VERTICAL POLARIZATION

Gain	3.60	(5.56 dB)	Frequency	689.00 MHz
Calculated / Measured		Calculated	Drawing #	TFU-4C360 VP



180



Proposal Number **C-06227** **Exhibit 4**
 Date **27-Mar-15**
 Call Letters **WJAR-DT** Channel **50**
 Location **Providence, RI**
 Customer **WJAR Licensee, LLC**
 Antenna Type **TFU-24ETT/VP-R 4C160**

TABULATION OF AZIMUTH PATTERN/VERTICAL POLARIZATION

Azimuth Pattern Drawing #: **TFU-4C360 VP**

Angle	Field														
0	0.204	45	0.530	90	0.204	135	0.304	180	0.197	225	0.110	270	0.197	315	0.304
1	0.207	46	0.530	91	0.201	136	0.305	181	0.192	226	0.110	271	0.202	316	0.304
2	0.212	47	0.529	92	0.198	137	0.305	182	0.187	227	0.110	272	0.206	317	0.303
3	0.217	48	0.527	93	0.197	138	0.305	183	0.181	228	0.109	273	0.211	318	0.303
4	0.223	49	0.525	94	0.196	139	0.304	184	0.176	229	0.108	274	0.216	319	0.302
5	0.229	50	0.523	95	0.196	140	0.304	185	0.171	230	0.107	275	0.220	320	0.300
6	0.236	51	0.519	96	0.196	141	0.303	186	0.165	231	0.105	276	0.224	321	0.299
7	0.244	52	0.515	97	0.197	142	0.303	187	0.159	232	0.104	277	0.228	322	0.297
8	0.252	53	0.511	98	0.199	143	0.302	188	0.154	233	0.102	278	0.232	323	0.296
9	0.260	54	0.506	99	0.201	144	0.301	189	0.148	234	0.100	279	0.236	324	0.294
10	0.269	55	0.501	100	0.203	145	0.300	190	0.142	235	0.098	280	0.240	325	0.292
11	0.279	56	0.495	101	0.206	146	0.299	191	0.137	236	0.095	281	0.243	326	0.289
12	0.288	57	0.488	102	0.209	147	0.297	192	0.131	237	0.093	282	0.247	327	0.287
13	0.298	58	0.481	103	0.213	148	0.296	193	0.125	238	0.091	283	0.250	328	0.284
14	0.308	59	0.474	104	0.217	149	0.294	194	0.120	239	0.089	284	0.253	329	0.281
15	0.318	60	0.466	105	0.220	150	0.293	195	0.115	240	0.087	285	0.256	330	0.278
16	0.329	61	0.458	106	0.224	151	0.291	196	0.110	241	0.086	286	0.259	331	0.275
17	0.339	62	0.449	107	0.229	152	0.289	197	0.105	242	0.085	287	0.262	332	0.272
18	0.350	63	0.440	108	0.233	153	0.287	198	0.101	243	0.084	288	0.265	333	0.269
19	0.360	64	0.431	109	0.237	154	0.285	199	0.097	244	0.084	289	0.268	334	0.265
20	0.371	65	0.422	110	0.241	155	0.283	200	0.093	245	0.084	290	0.271	335	0.261
21	0.381	66	0.412	111	0.245	156	0.280	201	0.090	246	0.085	291	0.273	336	0.257
22	0.392	67	0.402	112	0.249	157	0.278	202	0.088	247	0.086	292	0.276	337	0.253
23	0.402	68	0.392	113	0.253	158	0.276	203	0.086	248	0.086	293	0.278	338	0.249
24	0.412	69	0.381	114	0.257	159	0.273	204	0.085	249	0.090	294	0.280	339	0.245
25	0.422	70	0.371	115	0.261	160	0.271	205	0.084	250	0.093	295	0.283	340	0.241
26	0.431	71	0.360	116	0.265	161	0.268	206	0.084	251	0.097	296	0.285	341	0.237
27	0.440	72	0.350	117	0.269	162	0.265	207	0.084	252	0.101	297	0.287	342	0.233
28	0.449	73	0.339	118	0.272	163	0.262	208	0.085	253	0.105	298	0.289	343	0.229
29	0.458	74	0.329	119	0.275	164	0.259	209	0.086	254	0.110	299	0.291	344	0.224
30	0.466	75	0.318	120	0.278	165	0.256	210	0.087	255	0.115	300	0.293	345	0.220
31	0.474	76	0.308	121	0.281	166	0.253	211	0.089	256	0.120	301	0.294	346	0.217
32	0.481	77	0.298	122	0.284	167	0.250	212	0.091	257	0.125	302	0.296	347	0.213
33	0.488	78	0.288	123	0.287	168	0.247	213	0.093	258	0.131	303	0.297	348	0.209
34	0.495	79	0.279	124	0.289	169	0.243	214	0.095	259	0.137	304	0.299	349	0.206
35	0.501	80	0.269	125	0.292	170	0.240	215	0.098	260	0.142	305	0.300	350	0.203
36	0.506	81	0.260	126	0.294	171	0.236	216	0.100	261	0.148	306	0.301	351	0.201
37	0.511	82	0.252	127	0.296	172	0.232	217	0.102	262	0.154	307	0.302	352	0.199
38	0.515	83	0.244	128	0.297	173	0.228	218	0.104	263	0.159	308	0.303	353	0.197
39	0.519	84	0.236	129	0.299	174	0.224	219	0.105	264	0.165	309	0.303	354	0.196
40	0.523	85	0.229	130	0.300	175	0.220	220	0.107	265	0.171	310	0.304	355	0.196
41	0.525	86	0.223	131	0.302	176	0.216	221	0.108	266	0.176	311	0.304	356	0.196
42	0.527	87	0.217	132	0.303	177	0.211	222	0.109	267	0.181	312	0.305	357	0.197
43	0.529	88	0.212	133	0.303	178	0.206	223	0.110	268	0.187	313	0.305	358	0.198
44	0.530	89	0.207	134	0.304	179	0.202	224	0.110	269	0.192	314	0.305	359	0.201


This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.



Proposal Number **C-06227** Exhibit 5
Date **27-Mar-15**
Call Letters **WJAR-DT** Channel **50**
Location **Providence, RI**
Customer **WJAR Licensee, LLC**
Antenna Type **TFU-24ETT/VP-R 4C160**

ELEVATION PATTERN

RMS Gain at Main Lobe	22.00 (13.42 dB)	Beam Tilt	0.50 deg
RMS Gain at Horizontal	19.40 (12.88 dB)	Frequency	689.00 MHz
Calculated / Measured	Calculated	Drawing #	24E220050




This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.



Proposal Number **C-06227** Exhibit **6**
Date **27-Mar-15**
Call Letters **WJAR-DT** Channel **50**
Location **Providence, RI**
Customer **WJAR Licensee, LLC**
Antenna Type **TFU-24ETT/VP-R 4C160**

ELEVATION PATTERN

RMS Gain at Main Lobe	22.00 (13.42 dB)	Beam Tilt	0.50 deg
RMS Gain at Horizontal	19.40 (12.88 dB)	Frequency	689.00 MHz
Calculated / Measured	Calculated	Drawing #	24E220050-90



This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.




Proposal Number **C-06227** Exhibit 7
 Date **27-Mar-15**
 Call Letters **WJAR-DT** Channel **50**
 Location **Providence, RI**
 Customer **WJAR Licensee, LLC**
 Antenna Type **TFU-24ETT/VP-R 4C160**

TABULATION OF ELEVATION PATTERN

Elevation Pattern Drawing #: **24E220050-90**

Angle	Field										
-10.0	0.102	2.4	0.420	10.6	0.093	30.5	0.014	51.0	0.037	71.5	0.027
-9.5	0.071	2.6	0.371	10.8	0.097	31.0	0.034	51.5	0.037	72.0	0.026
-9.0	0.048	2.8	0.339	11.0	0.096	31.5	0.048	52.0	0.032	72.5	0.024
-8.5	0.090	3.0	0.322	11.5	0.079	32.0	0.049	52.5	0.024	73.0	0.022
-8.0	0.127	3.2	0.312	12.0	0.054	32.5	0.036	53.0	0.014	73.5	0.019
-7.5	0.125	3.4	0.306	12.5	0.059	33.0	0.017	53.5	0.014	74.0	0.016
-7.0	0.086	3.6	0.296	13.0	0.079	33.5	0.017	54.0	0.022	74.5	0.014
-6.5	0.067	3.8	0.282	13.5	0.083	34.0	0.036	54.5	0.030	75.0	0.012
-6.0	0.123	4.0	0.262	14.0	0.064	34.5	0.046	55.0	0.035	75.5	0.012
-5.5	0.167	4.2	0.238	14.5	0.039	35.0	0.045	55.5	0.035	76.0	0.012
-5.0	0.162	4.4	0.211	15.0	0.048	35.5	0.031	56.0	0.032	76.5	0.013
-4.5	0.120	4.6	0.185	15.5	0.069	36.0	0.013	56.5	0.025	77.0	0.014
-4.0	0.130	4.8	0.164	16.0	0.073	36.5	0.018	57.0	0.018	77.5	0.015
-3.5	0.213	5.0	0.151	16.5	0.056	37.0	0.036	57.5	0.014	78.0	0.016
-3.0	0.271	5.2	0.147	17.0	0.032	37.5	0.045	58.0	0.018	78.5	0.017
-2.8	0.274	5.4	0.150	17.5	0.041	38.0	0.043	58.5	0.025	79.0	0.017
-2.6	0.264	5.6	0.156	18.0	0.062	38.5	0.032	59.0	0.030	79.5	0.018
-2.4	0.241	5.8	0.161	18.5	0.067	39.0	0.015	59.5	0.034	80.0	0.017
-2.2	0.212	6.0	0.162	19.0	0.051	39.5	0.015	60.0	0.034	80.5	0.017
-2.0	0.187	6.2	0.158	19.5	0.027	40.0	0.031	60.5	0.031	81.0	0.016
-1.8	0.188	6.4	0.150	20.0	0.033	40.5	0.041	61.0	0.026	81.5	0.015
-1.6	0.231	6.6	0.138	20.5	0.055	41.0	0.042	61.5	0.020	82.0	0.014
-1.4	0.307	6.8	0.124	21.0	0.063	41.5	0.034	62.0	0.015	82.5	0.013
-1.2	0.403	7.0	0.112	21.5	0.051	42.0	0.020	62.5	0.014	83.0	0.012
-1.0	0.506	7.2	0.104	22.0	0.027	42.5	0.011	63.0	0.018	83.5	0.010
-0.8	0.611	7.4	0.102	22.5	0.025	43.0	0.023	63.5	0.023	84.0	0.009
-0.6	0.711	7.6	0.105	23.0	0.047	43.5	0.036	64.0	0.027	84.5	0.008
-0.4	0.802	7.8	0.111	23.5	0.058	44.0	0.042	64.5	0.030	85.0	0.007
-0.2	0.878	8.0	0.118	24.0	0.051	44.5	0.039	65.0	0.031	85.5	0.005
0.0	0.938	8.2	0.122	24.5	0.030	45.0	0.029	65.5	0.029	86.0	0.004
0.2	0.978	8.4	0.122	25.0	0.017	45.5	0.016	66.0	0.027	86.5	0.003
0.4	0.998	8.6	0.118	25.5	0.038	46.0	0.012	66.5	0.023	87.0	0.003
0.6	0.997	8.8	0.109	26.0	0.054	46.5	0.024	67.0	0.019	87.5	0.002
0.8	0.975	9.0	0.098	26.5	0.053	47.0	0.035	67.5	0.017	88.0	0.001
1.0	0.934	9.2	0.086	27.0	0.037	47.5	0.039	68.0	0.016	88.5	0.001
1.2	0.876	9.4	0.074	27.5	0.016	48.0	0.037	68.5	0.018	89.0	0.000
1.4	0.806	9.6	0.068	28.0	0.026	48.5	0.028	69.0	0.021	89.5	0.000
1.6	0.726	9.8	0.067	28.5	0.045	49.0	0.017	69.5	0.023	90.0	0.000
1.8	0.643	10.0	0.070	29.0	0.052	49.5	0.012	70.0	0.026		
2.0	0.560	10.2	0.078	29.5	0.043	50.0	0.021	70.5	0.027		
2.2	0.484	10.4	0.086	30.0	0.023	50.5	0.031	71.0	0.028		

This document contains proprietary and confidential information of Dielectric Communications and SPX Corporation. It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric Communications or SPX Corporation.



**PREDICTED COVERAGE CONTOURS
WJAR - PROVIDENCE, RHODE ISLAND**

DTV - CH 50 - 1000 kW 306 m HAAT
Predicted Noise Limited 41 dBu
F(50,90) Coverage Contour
Area = 25,039 sq km
Interference Free
Population = 6,250,739

DTV - CH 50 - 1000 kW 306 m HAAT
Predicted Principal Community 48 dBu
F(50,90) Coverage Contour
Area = 18,630 sq km
Interference Free
Population = 5,478,258





Percent allowed new interference: 0.500
 Percent allowed new interference to non Class A LPTV: 2.000
 Census data selected 2000
 Data Base Selected
 ./data/tvdb.sff

TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 03-24-2015 Time: 15:11:22

Record Selected for Analysis

WJAR BLCDT -20090811ABO PROVIDENCE RI US
 Channel 50 ERP 1000 kW HAAT 306. m RCAMSL 334.6 m
 Latitude 041-51-54 Longitude 0071-17-15
 Status LIC Zone 1 Border Site number: 01
 Dir Antenna Make CDB Model 00000000087351 Beam tilt N Ref Azimuth 180.0
 Last update 00000000 Cutoff date 20110501 Docket
 Comments
 Applicant WJAR LICENSEE, LLC

Cell Size for Service Analysis 2.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Facility (site # 01) meets maximum height/power limits

Site number	ERP	HAAT	41.0 dBu F(50,90)
(Deg)	(kW)	(m)	(km)
0.0	585.225	295.0	91.2
45.0	1000.000	304.0	97.3
90.0	585.225	305.7	92.6
135.0	826.281	305.3	95.7
180.0	442.225	329.0	92.8
225.0	280.900	320.0	87.9
270.0	442.225	300.7	89.4
315.0	826.281	287.5	93.4

Evaluation toward Class A Stations from site # 01

No Spacing violations or contour overlap
 to Class A stations from site # 01

Class A Evaluation Complete

SPACING VIOLATION FOUND BETWEEN STATION

WJAR 50 PROVIDENCE RI BLCDT 20090811ABO Site # 01
 and station

SHORT TO: WVVH-CD 50 SOUTHAMPTON NY BLDTA 20110902AAP
 040-57-20 0072-15-16
 Req. separation 196.3 Actual separation 129.4 Short 66.9 km

SHORT TO: WRIW-CD 50 PROVIDENCE RI BLDTA 20120730AAD
 041-51-53 0071-17-14
 Req. separation 196.3 Actual separation 0.0 Short 196.3 km

Appendix A
WJAR - Providence, Rhode Island
Channel 50 - 1000 kW - Page 2

LANDMOBILE SPACING VIOLATIONS FOUND

NONE from Site # 01

Checks to Site Number 01

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quiet zone

Proposed facility OK toward Table Mountain

Proposed facility is within the Canadian coordination distance
Distance to border = 351.1km

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

Start of Interference Analysis

Channel	Call	Proposed Station City/State	ARN	
50	WJAR	PROVIDENCE RI	BLCDT	20090811ABO

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WEDW	BRIDGEPORT CT	170.7	LIC	BLEDT	20100513ABG
49	WLNE-TV	NEW BEDFORD MA	0.0	LIC	BLCDT	20040930BBS
49	WEKW-TV	KEENE NH	157.2	LIC	BLEDT	20120831AAG
50	WQAV-CD	GLASSBORO NJ	388.3	LIC	BLDTL	20140423AAN
50	WPHY-CD	TRENTON NJ	383.3	LIC	BLDTA	20110928AIU
50	WYPX-TV	AMSTERDAM NY	268.1	LIC	BLCDT	20040908ABO
50	WVH-CD	SOUTHAMPTON NY	129.3	LIC	BLDTA	20110902AAP
50	WNEP-DR	SCRANTON PA	388.7	APP	BPRM	20080619ALP
50	WNEP-TV	SCRANTON PA	388.8	LIC	BMLCDT	20120410ABT
50	WRIW-CD	PROVIDENCE RI	0.0	LIC	BLDTA	20120730AAD

%%%

Analysis of Interference to Affected Station 1

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
49	WEDW	BRIDGEPORT CT	BLEDT	-20100513ABG

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WRNNTV	KINGSTON NY	67.7	APP	BPRM	-20000328AAV
48	WRNN-TV	KINGSTON NY	67.8	LIC	BLCDT	-20140925AFG
49	WLNE-TV	NEW BEDFORD MA	170.7	LIC	BLCDT	-20040930BBS
49	WEKW-TV	KEENE NH	206.3	LIC	BLEDT	-20120831AAG
49	WWSI	ATLANTIC CITY NJ	221.4	LIC	BLCDT	-20131210CEO
50	WYPX-TV	AMSTERDAM NY	206.6	LIC	BLCDT	-20040908ABO
50	WNEP-DR	SCRANTON PA	224.6	APP	BPRM	-20080619ALP
50	WNEP-TV	SCRANTON PA	224.7	LIC	BMLCDT	-20120410ABT
50	WJAR	PROVIDENCE RI	170.7	LIC	BLCDT	-20090811ABO

Proposal causes no interference

Appendix A
WJAR - Providence, Rhode Island
Channel 50 - 1000 kW - Page 3

Analysis of Interference to Affected Station 2

Analysis of current record

Channel	Call	City/State	Application Ref. No.
49	WLNE-TV	NEW BEDFORD MA	BLCDT -20040930BBS

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist (km)	Status	Application Ref. No.
48	WRNNTV	KINGSTON NY	224.8	APP	BPRM -20000328AAV
48	WRNN-TV	KINGSTON NY	224.9	LIC	BLCDT -20140925AFG
49	WEDW	BRIDGEPORT CT	170.7	LIC	BLEDT -20100513ABG
49	WEKW-TV	KEENE NH	157.2	LIC	BLEDT -20120831AAG
49	WWSI	ATLANTIC CITY NJ	381.4	LIC	BLCDT -20131210CEO
50	WJAR	PROVIDENCE RI	0.0	LIC	BLCDT -20090811ABO

Total scenarios = 1

Result key: 1
Scenario 1 Affected station 2
Before Analysis

Results for: 49A MA NEW BEDFORD BLCDT 20040930BBS LIC
HAAT 284.0 m, ATV ERP 350.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5548304	19846.8
not affected by terrain losses	5489192	19489.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	49559	554.2
lost to ATV IX only	49559	554.2
lost to all IX	49559	554.2

Potential Interfering Stations Included in above Scenario 1
49A CT BRIDGEPORT BLEDT 20100513ABG LIC
49A NH KEENE BLEDT 20120831AAG LIC

After Analysis

Results for: 49A MA NEW BEDFORD BLCDT 20040930BBS LIC
HAAT 284.0 m, ATV ERP 350.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	5548304	19846.8
not affected by terrain losses	5489192	19489.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	60433	650.6
lost to ATV IX only	60433	650.6
lost to all IX	60433	650.6

Potential Interfering Stations Included in above Scenario 1
49A CT BRIDGEPORT BLEDT 20100513ABG LIC
49A NH KEENE BLEDT 20120831AAG LIC
50A RI PROVIDENCE BLCDT 20090811ABO LIC

Percent new IX = 0.1999%

Worst case new IX 0.1999% Scenario 1

#####

Analysis of Interference to Affected Station 3

Analysis of current record

Channel	Call	City/State	Application Ref. No.
---------	------	------------	----------------------

Carl T. Jones Corporation

7901 Yarnwood Court, Springfield, Virginia 22153-2827 (703) 569-7704 Fax: (703) 569-6417

Appendix A
 WJAR - Providence, Rhode Island
 Channel 50 - 1000 kW - Page 4

49 WEKW-TV KEENE NH BLEDT -20120831AAG

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
48	WLED-TV	LITTLETON NH	155.2	LIC	BLEDT	-20120831AAF
48	WRNNTV	KINGSTON NY	215.3	APP	BPRM	-20000328AAV
48	WRNN-TV	KINGSTON NY	215.4	LIC	BLCDT	-20140925AFG
49	WEDW	BRIDGEPORT CT	206.3	LIC	BLEDT	-20100513ABG
49	WLNE-TV	NEW BEDFORD MA	157.2	LIC	BLCDT	-20040930BBS
49	WWSI	ATLANTIC CITY NJ	420.7	LIC	BLCDT	-20131210CEO
50	WYPX-TV	AMSTERDAM NY	147.6	LIC	BLCDT	-20040908ABO
50	WJAR	PROVIDENCE RI	157.2	LIC	BLCDT	-20090811ABO

Total scenarios = 1

Result key: 2
 Scenario 1 Affected station 3
 Before Analysis

Results for: 49A NH KEENE BLEDT 20120831AAG LIC

HAAT 331.0 m, ATV ERP 112.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1062801	20591.9
not affected by terrain losses	540010	14755.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	48921	1108.4
lost to ATV IX only	48921	1108.4
lost to all IX	48921	1108.4

Potential Interfering Stations Included in above Scenario 1

49A CT BRIDGEPORT	BLEDT	20100513ABG	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC

After Analysis

Results for: 49A NH KEENE BLEDT 20120831AAG LIC

HAAT 331.0 m, ATV ERP 112.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1062801	20591.9
not affected by terrain losses	540010	14755.7
lost to NTSC IX	0	0.0
lost to additional IX by ATV	48921	1108.4
lost to ATV IX only	48921	1108.4
lost to all IX	48921	1108.4

Potential Interfering Stations Included in above Scenario 1

49A CT BRIDGEPORT	BLEDT	20100513ABG	LIC
49A MA NEW BEDFORD	BLCDT	20040930BBS	LIC
50A RI PROVIDENCE	BLCDT	20090811ABO	LIC

Percent new IX = 0.0000%

Worst case new IX 0.0000% Scenario 1

#####

Analysis of Interference to Affected Station 4

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	WQAV-CD	GLASSBORO NJ	BLDTL	-20140423AAN

Appendix A
 WJAR - Providence, Rhode Island
 Channel 50 - 1000 kW - Page 5

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WWSI	ATLANTIC CITY NJ	21.5	LIC	BLCDT	-20131210CEO
50	WDCW	WASHINGTON DC	207.0	LIC	BLCDT	-20101109AAT
50	WPHY-CD	TRENTON NJ	68.9	LIC	BLDTA	-20110928AIU
50	WYPX-TV	AMSTERDAM NY	384.0	LIC	BLCDT	-20040908ABO
50	WBQM-LD	NEW YORK NY	148.6	CP	BPDTL	-20120402ARL
50	WNEP-DR	SCRANTON PA	204.4	APP	BPRM	-20080619ALP
50	WNEP-TV	SCRANTON PA	204.4	LIC	BMLCDT	-20120410ABT
50	WGNT	PORTSMOUTH VA	339.8	LIC	BLCDT	-20020718AAK
50	WGNT-DR	PORTSMOUTH VA	339.8	LIC	BPRM	-20000413AAH
50	WJAR	PROVIDENCE RI	388.3	LIC	BLCDT	-20090811ABO

Proposal causes no interference

#####

Analysis of Interference to Affected Station 5

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	WPHY-CD	TRENTON NJ	BLDTA	-20110928AIU

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WWSI	ATLANTIC CITY NJ	48.1	LIC	BLCDT	-20131210CEO
50	WDCW	WASHINGTON DC	200.0	LIC	BLCDT	-20101109AAT
50	WQAV-CD	GLASSBORO NJ	68.9	LIC	BLDTL	-20140423AAN
50	WYPX-TV	AMSTERDAM NY	334.3	LIC	BLCDT	-20040908ABO
50	WBQM-LD	NEW YORK NY	128.1	CP	BPDTL	-20120402ARL
50	W50EL-D	PORT JERVIS NY	144.5	CP	BDCCDTL	-20110630AFX
50	WPCB-TV	GREENSBURG PA	391.1	LIC	BLCDT	-20030409ABC
50	WNEP-DR	SCRANTON PA	136.0	APP	BPRM	-20080619ALP
50	WNEP-TV	SCRANTON PA	136.0	LIC	BMLCDT	-20120410ABT
50	WGNT	PORTSMOUTH VA	379.0	LIC	BLCDT	-20020718AAK
50	WGNT-DR	PORTSMOUTH VA	379.0	LIC	BPRM	-20000413AAH
51	WNJN	MONTCLAIR NJ	121.4	LIC	BLEDT	-20061121ADG
50	WJAR	PROVIDENCE RI	383.3	LIC	BLCDT	-20090811ABO

Proposal causes no interference

#####

Analysis of Interference to Affected Station 6

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	WYPX-TV	AMSTERDAM NY	BLCDT	-20040908ABO

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WEDW	BRIDGEPORT CT	206.6	LIC	BLEDT	-20100513ABG
49	WEKW-TV	KEENE NH	147.6	LIC	BLEDT	-20120831AAG
50	WNEP-DR	SCRANTON PA	243.8	APP	BPRM	-20080619ALP
50	WNEP-TV	SCRANTON PA	244.0	LIC	BMLCDT	-20120410ABT
50	WJAR	PROVIDENCE RI	268.1	LIC	BLCDT	-20090811ABO

Total scenarios = 3

Result key: 3
 Scenario 1 Affected station 6
 Before Analysis

Results for: 50A NY AMSTERDAM BLCDT 20040908ABO LIC

Appendix A
WJAR - Providence, Rhode Island
Channel 50 - 1000 kW - Page 6

HAAT 207.0 m, ATV ERP 450.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1117718	17057.5
not affected by terrain losses	994123	13795.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3838	187.7
lost to ATV IX only	3838	187.7
lost to all IX	3838	187.7

Potential Interfering Stations Included in above Scenario 1
 50A PA SCRANTON BMLCDT 20120410ABT LIC

After Analysis

Results for: 50A NY AMSTERDAM BLCDT 20040908ABO LIC
 HAAT 207.0 m, ATV ERP 450.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1117718	17057.5
not affected by terrain losses	994123	13795.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5866	267.5
lost to ATV IX only	5866	267.5
lost to all IX	5866	267.5

Potential Interfering Stations Included in above Scenario 1
 50A PA SCRANTON BMLCDT 20120410ABT LIC
 50A RI PROVIDENCE BLCDT 20090811ABO LIC

Percent new IX = 0.2048%

Result key: 4
 Scenario 2 Affected station 6
 Before Analysis

Results for: 50A NY AMSTERDAM BLCDT 20040908ABO LIC
 HAAT 207.0 m, ATV ERP 450.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1117718	17057.5
not affected by terrain losses	994123	13795.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3904	203.6
lost to ATV IX only	3904	203.6
lost to all IX	3904	203.6

Potential Interfering Stations Included in above Scenario 2
 50A PA SCRANTON BPRM 20080619ALP APP
 50A PA SCRANTON BMLCDT 20120410ABT LIC

After Analysis

Results for: 50A NY AMSTERDAM BLCDT 20040908ABO LIC
 HAAT 207.0 m, ATV ERP 450.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1117718	17057.5
not affected by terrain losses	994123	13795.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5932	283.5
lost to ATV IX only	5932	283.5
lost to all IX	5932	283.5

Potential Interfering Stations Included in above Scenario 2
 50A PA SCRANTON BPRM 20080619ALP APP

Appendix A
WJAR - Providence, Rhode Island
Channel 50 - 1000 kW - Page 7

50A PA SCRANTON BMLCDT 20120410ABT LIC
50A RI PROVIDENCE BLCDT 20090811ABO LIC

Percent new IX = 0.2048%

Result key: 5
Scenario 3 Affected station 6
Before Analysis

Results for: 50A NY AMSTERDAM BLCDT 20040908ABO LIC

HAAT 207.0 m, ATV ERP 450.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1117718	17057.5
not affected by terrain losses	994123	13795.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	3838	187.7
lost to ATV IX only	3838	187.7
lost to all IX	3838	187.7

Potential Interfering Stations Included in above Scenario 3
50A PA SCRANTON BMLCDT 20120410ABT LIC

After Analysis

Results for: 50A NY AMSTERDAM BLCDT 20040908ABO LIC

HAAT 207.0 m, ATV ERP 450.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1117718	17057.5
not affected by terrain losses	994123	13795.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	5866	267.5
lost to ATV IX only	5866	267.5
lost to all IX	5866	267.5

Potential Interfering Stations Included in above Scenario 3
50A PA SCRANTON BMLCDT 20120410ABT LIC
50A RI PROVIDENCE BLCDT 20090811ABO LIC

Percent new IX = 0.2048%

Worst case new IX 0.2048% Scenario 2

#####

Analysis of Interference to Affected Station 7

Analysis of current record

Channel	Call	City/State	Application	Ref. No.
50	WVVH-CD	SOUTHAMPTON NY	BLDTA	-20110902AAP

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
49	WEDW	BRIDGEPORT CT	85.9	LIC	BLEDT	-20100513ABG
49	WLNE-TV	NEW BEDFORD MA	129.3	LIC	BLCDT	-20040930BBS
50	WYPX-TV	AMSTERDAM NY	276.1	LIC	BLCDT	-20040908ABO
50	WBQM-LD	NEW YORK NY	145.8	CP	BPDTL	-20120402ARL
50	WNEP-DR	SCRANTON PA	304.0	APP	BPRM	-20080619ALP
50	WNEP-TV	SCRANTON PA	304.1	LIC	BMLCDT	-20120410ABT
50	WRIW-CD	PROVIDENCE RI	129.3	LIC	BLDTA	-20120730AAD
50	WJAR	PROVIDENCE RI	129.3	LIC	BLCDT	-20090811ABO

Total scenarios = 1