Your business
is our business.

7852 Walker Drive, Suite 200
Greenbelt, Maryland 20770
phone: 301-459-7590, fax: 301-577-5575
internet: www.jsitel.com, e-mail: jsi@jsitel.com

August 30, 2015

VIA Electronic Comment Filing System

Marlene H. Dortch, Secretary
Federal Communications Commission
Office of the Secretary
445 12th Street, SW
Washington, DC 20554

Re: WC Docket No. 10-90
REVISED Corrections to Plant Mix Input Values of Miller Telephone Company
Study Area Code 421920

Dear Ms. Dortch:

On behalf of Miller Telephone Company, JSI files the attached revised corrections to the Company's plant mix input values.[1] A copy of this information was also provided to CostQuest.

Please direct any questions regarding the filing to the undersigned.

Sincerely,

John Kuykendall
JSI Vice President
301-459-7590
jkuykendall@jsitel.com

[1] *See* Wireline Competition Bureau Announces Upcoming Modifications to the Alternative Connect America Cost Model, WC Docket No. 10-90, Public Notice DA 15-896 (rel. July 29, 2015).

REVISED

State	SAC	Density	Dist_Aerial	Dist_Buried	Dist_Under	Fdr_Aerial	Fdr_Buried	Fdr_Under	IOF_Aerial	IOF_Buried	IOF_Underground
MO	421920	Rural	0.147228	0.843714	0.009058	0.140153	0.720251	0.139595	0.125153	0.745251	0.129595
MO	421920	Suburban	0.158931	0.803434	0.037636	0.100684	0.541143	0.358174	0.113184	0.578643	0.308174
MO	421920	Urban	0.35063	0.574783	0.074587	0.07913	0.354403	0.566467	0.10413	0.416903	0.478967