



Victoria Carter-Hall
Manager - Federal Regulatory

AT&T Services, Inc.
1120 20th St., NW, Suite 1000
Washington, DC 20036
T: 202.457.2164
F: 202.457.3072

February 23, 2015

Accepted / Filed

Ms. Marlene H. Dortch, Secretary
Federal Communications Commission
445 12th Street, S.W.
Washington, DC 20554

FEB 23 2015

**Federal Communications Commission
Office of the Secretary**

**Re: Certification of Public Notice of Network Change under Rule 51.329(a)
CC Docket No. 96-98**

Dear Ms. Dortch:

Pursuant to the notification requirements in §51.325 -- §51.335 of the Commission's rules, AT&T hereby submits this certification of Public Notice of Network Change. A description of the network change is provided below:

Number	Type of Change Planned	Location of Change																		
ATT20150223L.1	<p>The removal of the RT site will require the cutover of all DLC(SLC5, DISCS) service to straight copper at the existing SAIs shown below:</p> <table> <tr> <td>S 1100 13th St</td> <td>R Lot 3 Stadium</td> </tr> <tr> <td>2800 N Roosevelt Blvd</td> <td>S 1066 Farragut Rd</td> </tr> <tr> <td>1314 10th St</td> <td>R 1103 Dewey Rd</td> </tr> <tr> <td>3312 Northside Dr</td> <td>3131 N Roosevelt Blvd</td> </tr> <tr> <td>F 1001 17th St</td> <td>1400 Kennedy Dr</td> </tr> </table> <p>DSL service will be cutover to six existing IPDSLAM cabinets at the following locations:</p> <table> <tr> <td>R Lot 3 Stadium</td> <td>S 1066 Farragut Rd</td> </tr> <tr> <td>1314 10th St</td> <td>R 1103 Dewey Rd</td> </tr> <tr> <td>3312 Northside Dr</td> <td>F 1001 17th St</td> </tr> </table> <p>DSL service will also be cutover to two new IPDSLAMs at the following locations:</p> <table> <tr> <td>1400 Kennedy Dr</td> <td>1203 11th St</td> </tr> </table>	S 1100 13th St	R Lot 3 Stadium	2800 N Roosevelt Blvd	S 1066 Farragut Rd	1314 10th St	R 1103 Dewey Rd	3312 Northside Dr	3131 N Roosevelt Blvd	F 1001 17th St	1400 Kennedy Dr	R Lot 3 Stadium	S 1066 Farragut Rd	1314 10th St	R 1103 Dewey Rd	3312 Northside Dr	F 1001 17th St	1400 Kennedy Dr	1203 11th St	Key West, FL
S 1100 13th St	R Lot 3 Stadium																			
2800 N Roosevelt Blvd	S 1066 Farragut Rd																			
1314 10th St	R 1103 Dewey Rd																			
3312 Northside Dr	3131 N Roosevelt Blvd																			
F 1001 17th St	1400 Kennedy Dr																			
R Lot 3 Stadium	S 1066 Farragut Rd																			
1314 10th St	R 1103 Dewey Rd																			
3312 Northside Dr	F 1001 17th St																			
1400 Kennedy Dr	1203 11th St																			

This notice is also available at: <https://ebiznet.att.com/networkreg/>

If you have any questions, please do not hesitate to contact me at (202) 457-2164.

Sincerely,

Victoria Carter-Hall

Attachments

CC: Carmell Weathers

CERTIFICATION OF PUBLIC NOTICE(s) OF NETWORK CHANGE(s) UNDER RULE 51.329(a)

On **February 23, 2015** the following Public Notice(s) of Network Change(s) have been made by **BellSouth Telecommunications, LLC**. Pursuant to Code of Federal Regulations 47, Subsections 51.325 – 51.335.



Richard R. Hatch
Area Manager - Network Regulatory
Telephone: (479) 253-7675 Date: 02/23/2015

The Public Notice(s) can also be obtained on the Internet at:

<https://ebiznet.att.com/networkreg/>

Title(s) of Network Notification(s):

ATT20150223L.1

PUBLIC NOTICE of NETWORK CHANGE UNDER RULE 51.329(a)

Network Disclosure Number: ATT20150223L.1 Issue Date: 02/23/2015
 Modification Date: 2nd & 3rd Qtr 2016

Carrier's Name: BellSouth Telecommunications, LLC. d/b/a AT&T Florida

Carrier's Address: 135 Huntsville Rd, Eureka Springs, AR 72632

Contact: Your Account Manager or Service Representative
Technical Issues
 Richard Hatch
 135 Huntsville Rd
 Eureka Springs, AR 72632
 479 253-7675
rh4979@att.com

Public Notice: can be obtained on the Internet at: <https://ebiznet.att.com/networkreg/>

Network Change:

BellSouth Telecommunications LLC. d/b/a AT&T Florida is announcing that at Key West wire center (**KYWSFLMA**) in route 2, the expiration of a lease agreement requires the removal of RT site 2213A. Therefore, DLC (SLC5, DISCS) service will be cutover to copper/metallic from the Central Office to nearby SAIs. ATM DSL will be cutover to new and existing IPDSLAMs. DS1 service will be cutover to DMXtend mux and to new optical 3192 High Density Repeater Shelf (HDRS). There are ten SAIs affected by the cutovers within the affected route.

Description of Type of Changes Planned:

The removal of the RT site will require the cutover of all DLC(SLC5, DISCS) service to straight copper at the existing SAIs shown below:

S 1100 13th St	R Lot 3 Stadium
2800 N Roosevelt Blvd	S 1066 Farragut Rd
1314 10th St	R 1103 Dewey Rd
3312 Northside Dr	3131 N Roosevelt Blvd
F 1001 17th St	1400 Kennedy Dr

DSL service will be cutover to six existing IPDSLAM cabinets at the following locations:

R Lot 3 Stadium	S 1066 Farragut Rd
1314 10th St	R 1103 Dewey Rd
3312 Northside Dr	F 1001 17th St

DSL service will also be cutover to two new IPDSLAMs at the following locations:

1400 Kennedy Dr	1203 11th St
-----------------	--------------

Description of Reasonably Foreseeable Impact of the Planned Changes:

Upon implementation of this plan and completion of associated work to cutover Digital Loop Carrier (DLC) to metallic feeder from the Central Office, DLC in the affected area will no longer be available. DLC that is defined as compatible with unbundled loops, e.g., those defined to transport POTS-grade service, will be transferred to the new metallic feeder without consequence. **Competitive carrier circuits of this type are not affected by the cutover to the copper facilities.**

Competitive carriers currently employing unbundled loops on metallic facilities, e.g., Digital Subscriber Line (DSL) or line sharing circuits will continue providing service without consequence. **This will enable the Competitive Local Exchange Carriers to provide new ADSL services from their DSLAM located in their Collocation Arrangement to end users behind these ten SAI's over the homerun copper facilities.**

Location of Change:

CLLI Code/Statewide	City	State	Implementation Date
KYWSFLU0003	Key West	FL	2 nd & 3rd Qtr 2016

Your submission has been accepted

ECFS Filing Receipt -		
Confirmation number: 2015526169668		
Proceeding		
Name	Subject	
INBOX- 51.329	Section 251 Network Change Notification	
Contact Info		
Name of Filer: AT&T		
Email Address: vc3624@att.com		
Attorney/Author Name: Victoria Carter-Hall		
Address		
Address For: Filer		
Address Line 1: 1120 20th Street, NW		
Address Line 2: 10th Floor		
City: Washington		
State: DISTRICT OF COLUMBIA		
Zip: 20036		
Details		
Type of Filing: OTHER		
Document(s)		
File Name	Custom Description	Size
ATT20150223L 1.pdf	Long Term Network Disclosure	983 KB
ATT20150302L 1.pdf	Long Term Network Disclosure	1022 KB
ATT20150421L 1.pdf	Long Term Network Disclosure	417 KB
Disclaimer		
<p>This confirmation verifies that ECFS has received and accepted your filing. However, your filing will be rejected by ECFS if it contains macros, passwords, redlining, read-only formatting, a virus, or automated links to other documents.</p> <p>Filings are generally processed and made available for online viewing within one business day of receipt. You may use the link below to check on the status of your filing:</p> <p>http://apps.fcc.gov/ecfs/comment/confirm?confirmation=2015526169668</p> <p>For any problems please contact the Help Desk at 202-418-0193.</p>		