

LOOP FORM

73

LCFA (field #39)

ADDED NEW FIELD:

39. (LCFA) – Line Connecting Facility Assignment

Identifies the configuration of the CLEC line splitter (stand alone or integrated with DSLAM).

VALID ENTRIES:

The Line Connecting Facility Assignment consists of the following elements:

- **IR** (integrated splitter) or **NR** (non-integrated splitter)
- **5** numeric characters representing the 2 numeric floor, 3 numeric aisle and followed by a period (.).
- **3** numeric characters representing the bay and followed by a period (.).
- **2** numeric characters representing the shelf and followed by a dash (-).
- **3** numeric characters for the port.

USAGE: The following field is conditional.

<u>ACTIVITIES</u>										
	N	C	D	T	R	V	W	S	B	Y
Reqtyp A	C	C	P	P	O	P				

O - Optional C - Conditional N - Not Required R - Required P - Prohibited

Condition 1: This field is prohibited if the SPEC field on the LSR form is blank.

Condition 2: Prohibited if NC field on the LSR form is not equal to UA--.

DATA ENTRY CONDITION: The only valid special characters allowed are a period (.) and a dash (-).

Data Characteristics: 1- 42 alpha / numeric / special characters

Field Example:

I	R	0	1	0	0	2	.	3	4	5	.	6	7	-	0	0	9			

LOOP FORM

74

SCFA (field #40)

ADDED NEW FIELD:

40. (SCFA) – Splitter Connecting Facility Assignment

Identifies the CLEC splitter.

VALID ENTRIES:

The Splitter Connecting Facility Assignment consists of the following elements:

- **IR** (integrated splitter) or **NR** (non-integrated splitter)
- **5** numeric characters representing the 2 numeric floor, 3 numeric aisle and followed by a period (.).
- **3** numeric characters representing the bay and followed by a period (.).
- **2** numeric characters representing the shelf and followed by a dash (-).
- **3** numeric characters for the port.

NOTE: This field will be blank when a Southwestern Bell splitter is to be used.

USAGE: The following field is conditional.

ACTIVITIES										
	N	C	D	T	R	V	W	S	B	Y
Reqtyp A	C	C	P	P	O	P				

O - Optional C - Conditional N - Not Required R - Required P - Prohibited

Condition 1: This field is prohibited if the SPEC field on the LSR form is blank.

Condition 2: Prohibited if NC field on the LSR form is not equal to UA--.

DATA ENTRY CONDITION: The only valid special characters allowed are a period (.) and a dash (-).

Data Characteristics: 1- 42 alpha / numeric / special characters

Field Example:

N	R	2	0	0	1	9	.	0	7	2	.	0	8	-	0	0	3			

LOOP FORM

75

VCFA (field #41)

ADDED NEW FIELD:

41. (VCFA) – Voice Connecting Facility Assignment

Identifies the configuration of the CLEC voice splitter (stand alone or integrated with DSLAM).

VALID ENTRIES:

The Voice Connection Facility Assignment consists of the following elements:

- **IR** (integrated splitter) or **NR** (non-integrated splitter)
- **5** numeric characters representing the 2 numeric floor, 3 numeric aisle and followed by a period (.).
- **3** numeric characters representing the bay and followed by a period (.).
- **2** numeric characters representing the shelf and followed by a dash (-).
- **3** numeric characters for the port.

USAGE: The following field is conditional.

ACTIVITIES										
	<i>N</i>	<i>C</i>	<i>D</i>	<i>T</i>	<i>R</i>	<i>V</i>	<i>W</i>	<i>S</i>	<i>B</i>	<i>Y</i>
Reqtyp A	C	C	P	P	O	P				

O - Optional C - Conditional N - Not Required R - Required P – Prohibited

Condition 1: This field is prohibited if the SPEC field on the LSR form is blank.

Condition 2: If populated, the NC field on the LSR form must be UA--.

DATA ENTRY CONDITION: The only valid special characters allowed are a period (.) and a dash (-).

Data Characteristics: 1- 42 alpha / numeric / special characters

Field Example:

N	R	2	0	0	1	9	.	0	7	2	.	0	8	-	0	0	3		

LOOP FORM

76

VCI (field #42)

ADDED NEW FIELD:

42. (VCI) – Virtual Channel Identifier

Identifies the Virtual Channel Identifier for the Optical Concentration Device (OCD) Port.

VALID ENTRIES:

NNNNA.NNNNZ

N = Numeric (may be 1 to 4 numeric characters)

A = A (literal)

. = . (period)

N = Numeric (may be 1 to 4 numeric characters)

Z = Z (literal)

USAGE: The following field is conditional.

ACTIVITIES

	N	C	D	T	R	V	W	S	B	Y
Reqtyp A	C	C	P	P	O	P				

O - Optional C - Conditional N - Not Required R - Required P – Prohibited

Condition: Required if the NCI Code is 02QD9.005, 02QD9.OS5, 02QD2.005, 04QD2.005, 04QD4.OS5, 04QD4.005, otherwise prohibited.

Data Characteristics: 5-11 alpha/numeric/special characters (including one period {.})

Field Example:

3	6	A	.	3	2	Z				
---	---	---	---	---	---	---	--	--	--	--

1	2	3	A	.	3	5	6	Z		
---	---	---	---	---	---	---	---	---	--	--

1	2	2	A	.	1	2	3	4	Z	
---	---	---	---	---	---	---	---	---	---	--

LOOP FORM

77

VPI (field #43)

ADDED NEW FIELD:

43. (VPI) – Virtual Path Identifier

Identifies the Virtual Path Identifier for the Optical Concentration Device (OCD) Port .

VALID ENTRIES:

NNNNA.NNNNZ

N = Numeric (may be 1 to 4 numeric characters)

A = A (literal)

. = . (period)

N = Numeric (may be 1 to 4 numeric characters)

Z = Z (literal)

USAGE: The following field is conditional.

ACTIVITIES										
	N	C	D	T	R	V	W	S	B	Y
Reqtyp A	C	C	P	P	O	P				

O - Optional C - Conditional N - Not Required R - Required P – Prohibited

Condition: Required if the VCI field is populated, otherwise prohibited.

Data Characteristics: 5-11 alpha/numeric/special characters (including one period {.})

Field Examples:

3	6	A	.	3	2	Z				
---	---	---	---	---	---	---	--	--	--	--

1	2	3	A	.	3	5	6	Z		
---	---	---	---	---	---	---	---	---	--	--

1	2	2	A	.	1	2	3	4	Z	
---	---	---	---	---	---	---	---	---	---	--

LOOP FORM

78

RECCKT (field #44)

ADDED NEW FIELD:

44. (RECCKT) – Related Circuit ID
Identifies the Circuit ID for OCD Port .

- **VALID ENTRIES:**

SERIAL NUMBER FORMAT:
NN.AAAA.NNNNNN..SW

Element 1 = Prefix Value (i.e. **14** as shown in example below)
 Element 2 = Service Code (i.e. **SXFU** as shown in example below)
 Element 3 = Serial Number (i.e. **123456** as shown in example below)
 Element 4 = (Not used by at this time)
 Element 5 = Must be **SW** (for SWBT)
 This format may be up to 27 characters in length including space for depicting a range of numbers.

NOTE: If multiple RECCKTs are received, elements 1 and 2 must be the same.

USAGE: The following field is conditional.

<u>ACTIVITIES</u>										
	N	C	D	T	R	V	W	S	B	Y
Reqtyp A	C	C	P	P	O	P				

O - Optional C - Conditional N - Not Required R - Required P – Prohibited

Condition: Required if the VCI field is populated, otherwise prohibited.

Data Characteristics: 1 to 36 alpha/numeric characters

Field Example:

1	4	.	S	X	F	U	.	1	2	3	4	5	6	.	.	S	W			
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

LOOP FORM

79

CODE SET (field #45)

ADDED NEW FIELD:

45. (CODE SET) – CODE SET

Identifies the various service profiles that are established by the CLEC and used in the SOLID system.

NOTE: Identifies the values of logical parameters in the lifespan equipment.

USAGE: The following field is conditional.

	ACTIVITIES									
	N	C	D	T	R	V	W	S	B	Y
Reqtyp A	C	C	P	P	O	P				

O - Optional C - Conditional N - Not Required R - Required P - Prohibited

Condition: Required if the VCI field is populated, otherwise prohibited.

Data Characteristics: 1 - 4 numeric characters

Field Examples:

1	5		
---	---	--	--

6			
---	--	--	--

LSNP FORM

80

AN (field #3)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

81

SYSTEM ID (field #17)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

82

CABLE ID (field #18)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

83

SHELF (field #19)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

LSNP FORM

84

SLOT (field #20)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

85

RELAY RACK (field #21)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

86

CHAN/PAIR (field #22)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

87

JK CODE (field #23)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

LSNP FORM

88

JK NUM (field #24)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

89

JK POS (field #25)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

90

JR (field #26)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

LSNP FORM

91

NIDR (field #27)

REMOVED USAGE LINE and MATRIX:

USAGE: The following field is prohibited.

ACTIVITIES

	N	C	D	T	R	V	W	S	B	Y
Reqtyp B	P	P	P	P	P	P				

O - Optional C - Conditional N - Not Required R - Required P - Prohibited

ADDED NOTE:

Note: The following field is prohibited.

92

IWJK (field #28)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

93

IWJQ (field #29)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

LSNP FORM

94

FPI (field #38)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

95

LPIC (field #39)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

96

REMARKS (field #46)

ADDED NOTE:

The following characters are prohibited in this field:

- ~ (optional hyphen or dogleg)
- \$ (dollar sign)
- / (forward slash or virgule)
- ? (question mark)
- _ (underscore)
- ¢ (cent sign)

CHANGED DATA CHARACTERISTICS:

removed

Data Characteristics: 1-160 alpha / numeric characters

added

Data Characteristics: 1-160 alpha / numeric / special characters

NP FORM

97

AN (field #3)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

98

FPI (field #22)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

99

LPIC (field #23)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

NP FORM

100

REMARKS (field #30)

ADDED NOTE:

The following characters are prohibited in this field:

- (optional hyphen or dogleg)
- \$ (dollar sign)
- / (forward slash or virgule)
- ? (question mark)
- _ (underscore)
- ¢ (cent sign)

CHANGED DATA CHARACTERISTICS:

removed

Data Characteristics: 1-160 alpha / numeric characters

added

Data Characteristics: 1-160 alpha / numeric / special characters

DSR FORM

101

SC2 (field #11)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

102

EDDO (field #17)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

103

DSUP (field #23)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

104

DAORD (field #32)

CHANGED NOTE:

removed

NOTE 1: This field is not used by Southwestern Bell Telephone.

added

NOTE 1: This field is not used at this time.

DSR FORM

105

DLRORD (field #34)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

106

DARORD (field #35)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

107

SQTY (field #41)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

108

DDQTY (field #42)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

DSR FORM

109

DBI1 (field #43)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

110

DBI2 (field #45)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

111

DBAN2 (field #46)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

112

DTE (field #51)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

DSR FORM

113

DEMAIL (field #62)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

114

EA (field #70)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

115

ADVCONT (field #71)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

116

ADVCONT TN (field #72)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

DSR FORM

117

REMARKS (field #73)

ADDED NOTE:

The following characters are prohibited in this field:

- (optional hyphen or dogleg)
- \$ (dollar sign)
- / (forward slash or virgule)
- ? (question mark)
- _ (underscore)
- ¢ (cent sign)

CHANGED DATA CHARACTERISTICS:

removed

Data Characteristics: 1-160 alpha / numeric characters

added

Data Characteristics: 1-160 alpha / numeric / special characters

DSR FORM

118

SAPR (field #77)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

119

DELNUM (field #90)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

120

DDAPR (field #92)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

121

DIRIDDY (field #107)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

DSR FORM

122

DIRANY (field #108)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

123

DIRNEWY (field #109)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

124

DIRIDDB (field #110)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

125

DIRANB (field #111)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

DSR FORM

126

DIRNEWB (field #112)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

127

DIRIDDO (field #113)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

128

DIRANO (field #114)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

129

DIRNEWO (field #115)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

DL FORM

130

SC2 (field #6)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

131

TOA (field #16)

ADDED DATA ENTRY CONDITION:

The entry of R and RP are prohibited when "4" is the 1st character of the TOS field on the LSR or DSR Form.

132

LEX (field #22)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

133

PLA (field #27)

ADDED NOTE:

Refer to the Directory Matters Reference Guide (DMRG) for PLA rules.

DL FORM

134

LAPR (field #33)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

135

LAZC (field #43)

ADDED CONDITION:

Prohibited when the 1st character of the TOS field on the LSR or DSR Form is 4 and the LTY field is 2, 3, 4, 5, or 7.

136

YPH (field #49)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

137

YPHV (field #50)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

DL FORM

138

LID1 (field #56)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

139

LID2 (field #57)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

140

STR (field #59)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.

141

DML (field #60)

CHANGED NOTE:

removed

NOTE: This field is not used by Southwestern Bell Telephone.

added

NOTE: This field is not used at this time.