

## ATTACHMENT A

### CARRIER-TO-CARRIER PERFORMANCE ASSURANCE PLAN

#### Availability of Reports

1. Bell Atlantic/GTE shall provide the Commission with performance measurement results,<sup>41</sup> on a monthly basis in an Excel spreadsheet format, demonstrating Bell Atlantic/GTE's monthly performance provided to the aggregate of all CLECs in the Bell Atlantic/GTE Service Area within each of the Bell Atlantic/GTE States, as compared to Bell Atlantic/GTE's retail performance (where applicable) or as compared to a benchmark. Bell Atlantic/GTE shall also provide the Commission, state commissions in the Bell Atlantic/GTE States, and CLECs with access to Bell Atlantic/GTE's Internet website<sup>42</sup>, where these parties can obtain performance measurement results demonstrating Bell Atlantic/GTE's monthly performance provided to the aggregate of all CLECs, as compared to Bell Atlantic/GTE's retail performance (where applicable). Bell Atlantic/GTE shall also provide the CLECs with access to Bell Atlantic/GTE's Internet website where a CLEC can obtain performance measurement results demonstrating Bell Atlantic/GTE's monthly performance provided to that same CLEC on an individual basis. All such CLEC-specific data shall be made available, subject to protective agreements or agency confidentiality rules, to the Commission on Bell Atlantic/GTE's Internet website, and will be made available for review, subject to protective agreements, by state commissions in the Bell Atlantic/GTE States.

2. Bell Atlantic/GTE's implementation of the Plan does not limit either the Commission's or the states' authority regarding performance monitoring, in the context of applications for in-region, interLATA relief under 47 U.S.C. § 271 or otherwise.<sup>43</sup>

---

<sup>41</sup> These "performance measurement results" shall consist of the data collected according to the 17 performance measurements discussed in this Attachment, and listed in Attachments A-1a and A-1b.

<sup>42</sup> Availability via a single website will be phased in after merger. For the Bell Atlantic states, CLEC aggregate reports will be provided electronically as excel spreadsheets. CLEC specific reports, for those CLECs requesting individual reports, will be sent on electronic media via overnight mail and then via a Bell Atlantic web site via FTP. For the GTE states, reports will be available on the GTE website. Within six months of the merger, a single website will be available for all reports.

<sup>43</sup> Performance programs being developed by state commissions, particularly in the context of section 271 proceedings, serve a different purpose and may be designed to cover more aspects of local competition.

3. The performance measurements, benchmarks, and statistical methods utilized in the Plan were based upon those developed in the New York and California collaborative processes, with modifications to provide greater clarity or greater uniformity between measurements for the Bell Atlantic states and the GTE states.<sup>44</sup>

4. Bell Atlantic/GTE and the Chief of the Common Carrier Bureau shall jointly review the Bell Atlantic/GTE measurements on a semi-annual basis, to determine whether measurements should be added, deleted, or modified. Bell Atlantic/GTE shall provide the Chief of the Common Carrier Bureau with notice of any changes to the design or calculation of these measurements adopted by the New York or California State commissions. The Chief of the Common Carrier Bureau shall, at the next semi-annual review, determine whether and when Bell Atlantic/GTE shall implement such changes adopted by the New York State Public Service Commission in the Bell Atlantic States that utilize the changed plan and whether and when Bell Atlantic/GTE shall implement such changes adopted by the California Public Utility Commission in the GTE States that utilize the changed plan. Bell Atlantic/GTE and Commission staff shall meet within 60 days of the Merger Closing Date to agree on the format for the measurement reports.

#### **Performance Measurements**

5. In each Bell Atlantic/GTE State, the Plan shall consist of 17 measurement categories of performance that may have a direct and immediate impact upon a CLEC's end user customer.<sup>45</sup> The 17 performance measurement categories are designed to demonstrate whether Bell Atlantic/GTE is providing parity or benchmark performance in its Service Areas to each CLEC. Attachments A-1a and A-1b provide a list of the 17 performance measurement categories, and Attachments A-2a and A-2b provide a description of the definitions, exclusions, business rules, levels of disaggregation, calculation, and reporting structure for each of the 17 performance measurement categories.

6. Where Bell Atlantic/GTE provides a CLEC with a service that has a retail analog, the performance Bell Atlantic/GTE provides to its own retail operations within a state shall be compared with the performance Bell Atlantic/GTE provides to the CLEC within the same state to determine if parity exists. Where Bell Atlantic/GTE provides a CLEC a service for which there is no retail analog, the performance Bell Atlantic/GTE provides to the CLEC within a state shall be compared with a benchmark.

7. Generally accepted statistical analyses – *i.e.*, modified Z-tests and a critical Z-value – shall be utilized to determine whether Bell Atlantic/GTE is in parity or has met the

---

<sup>44</sup> The fact that these modifications were made should not be interpreted as reflecting the Commission's preference for these modifications over the business rules approved by the New York Public Service Commission or the California Public Utility Commission.

<sup>45</sup> As noted above, performance programs developed by state commissions, particularly in the context of section 271 proceedings, may be designed to cover more aspects of local competition.

benchmark. Attachment A-3 provides a description of how these statistical analyses shall be used.

### **Voluntary Payments**

8. The Plan shall also consist of voluntary payments to the U.S. Treasury, with monthly and annual caps for the Bell Atlantic/GTE Service Area (allocated on a per state basis). The 17 performance measurement categories are designated as being in either the High, Medium, or Low payment level. Attachments A-5a and A-5b provide a list of the 17 performance measurements and the payment level that applies each year. Attachment A-4 provides a table of the voluntary payments, setting forth the per occurrence and per measurement payments at the High, Medium, and Low levels, and the caps for those measurements where voluntary payments are made on a per occurrence basis with a cap. Attachment A-6 provides the per state monthly and annual caps that apply each year. The obligation to make these voluntary payments in all Bell Atlantic/GTE States attaches 270 days after the Merger Closing Date.

9. Bell Atlantic/GTE shall make voluntary payments to the U.S. Treasury if Bell Atlantic/GTE fails to provide parity or benchmark performance to the aggregate of all CLECs operating in the Bell Atlantic/GTE Service Area in any Bell Atlantic/GTE State on any measurement<sup>46</sup> for either (1) 3 consecutive months, or (2) 6 months or more in a Performance Plan Year, as determined by use of the modified Z-tests and a critical Z-value. A "Performance Plan Year" is the first twelve full calendar months that begin after the 270th day after the Merger Closing Date and each succeeding twelve full calendar months after the first Performance Plan Year. Voluntary payments for each Bell Atlantic/GTE State shall be made on a per occurrence or per occurrence with a cap basis for measurements listed in Schedule A and on a per measurement basis for measurements in Schedule B of Attachments A-1a and A-1b, applying the statistical analyses and the calculations described in Attachment A-3, the payment level for the measurements in Attachments A-5a and A-5b, and the per-occurrence and per-measurement voluntary payment amounts set forth in Attachment A-4. The voluntary payments shall be calculated on the rolling average of occurrences or measurements, as appropriate, where Bell Atlantic/GTE has failed to provide parity or benchmark performance for 3 consecutive months.<sup>47</sup>

---

<sup>46</sup> The word "measurement" in this context does not refer to the 17 measurement categories listed in Attachment A-1a and A-1b, but instead refers to each disaggregated sub-measurement into which the 17 performance measurement categories are divided. Bell Atlantic/GTE shall make a voluntary payment as required for any disaggregated sub-measurement.

<sup>47</sup> In other words, Bell Atlantic/GTE will make a voluntary payment in the event it fails to provide parity or benchmark performance for three consecutive months, and another payment if the failure continues for a fourth consecutive month, and so on. In each case, the payment will be calculated according to the rolling average of occurrences for the last three consecutive out-of-parity months. For example, if Bell Atlantic/GTE is out of parity on a measurement for January, February, and March, it would make a payment based on the January-February-March average; if it is also out of parity for the same measurement in April, it would make another payment, based on the February-March-April average.

If Bell Atlantic/GTE fails to provide parity or benchmark performance in any Bell Atlantic/GTE State for 6 or more months in a Performance Plan Year, the voluntary payments shall be calculated as if all such months were missed consecutively.<sup>48</sup>

10. In order to ensure that CLECs ordering low volumes of certain resold local services and UNEs, and CLECs operating in emerging markets, receive parity and benchmark performance, Bell Atlantic/GTE shall increase the voluntary payments calculated in accordance with Paragraph 9 for certain “qualifying sub-measurements.”<sup>49</sup> A “qualifying sub-measurement” is a disaggregated sub-category covering performance for certain resold services and UNEs for the following eight Bell Atlantic and GTE measurements: PR-3, PR-4, PR-5, PR-6, MR-2, MR-3, MR-4, and MR-5. For Bell Atlantic states, the covered services are UNE platform; resale 2-wire digital loops (ISDN); UNE 2 Wire xDSL Loops; UNE 2 Wire Digital Loops (ISDN). For GTE States, the covered services are UNE-platform; UNE Loop xDSL Capable; and Resale Specials. For these qualifying sub-measurements; the voluntary payments calculated using the 3 month rolling average described in Paragraph 9 above shall be multiplied by a factor of 3 under the following circumstances and pursuant to the following methodology. The provisions of this Paragraph 10 only apply in the event that a voluntary payment is owed for a qualifying sub-measurement per the provisions of Paragraph 9 (*i.e.*, this Paragraph only applies in the event that Bell Atlantic/GTE has failed to provide parity or benchmark performance on a qualifying sub-measurement for 3 consecutive months or in 6 or more months in a Performance Plan Year).

a. Qualifying Sub-Measurements. If, for the 3 months that are utilized to calculate the rolling average, there were 100 or more observations on average per month for the qualifying sub-measurement, then no increase in voluntary payments is owed pursuant to the provisions of this Subparagraph. If, for the 3 months that are utilized to calculate the rolling average, there were more than 10 but less than 100 observations on average per month for the qualifying sub-measurement, then Bell Atlantic/GTE shall calculate the voluntary payments to the U.S. Treasury for that qualifying sub-measurement in accordance with Paragraph 9 and shall treble the amount of such voluntary payments for that qualifying sub-measurement.

b. When Bell Atlantic/GTE and the Chief of the Common Carrier Bureau jointly review the 17 measurement categories on a semi-annual basis in accordance with Paragraph 4, the Chief of the Common Carrier Bureau may substitute, on a one-for-one basis, the sub-measurements associated with any other existing service or UNE within measurements PR-4 for the initial set of qualifying sub-measurements.<sup>50</sup> During this semi-annual review, the Chief of

---

<sup>48</sup> In other words, four payments would be made in a year where a measure is out of parity for six months (and five payments in a year where a measure is out of parity for seven months, and so on).

<sup>49</sup> The term, “qualifying sub-measurement,” applies to 38 disaggregated sub-measurements for Bell Atlantic and to 28 disaggregated sub-measurements for GTE, as set forth on the attached charts.

<sup>50</sup> The Chief of the Common Carrier Bureau may elect to substitute, for example, all “qualifying sub-measurements” relating to resold ISDN (*i.e.*, PR-4-02, PR-4-04, PR-4-05) with the

the Common Carrier Bureau may also increase the number of qualifying sub-measurements by including, from the list of qualifying measurements, the sub-measurements associated with new services and/or UNEs as qualifying sub-measurements. The Chief of the Common Carrier Bureau may add a maximum of 3 such new services and/or UNEs over the duration of the Plan.

11. The monthly and annual caps on the total amount of voluntary payments for which Bell Atlantic/GTE shall be liable, as provided for in Attachment A-6, may be reduced by an amount up to \$125 million in the third year of the Plan if Bell Atlantic/GTE completes the OSS interface and business rule changes provided for in Paragraphs 18-19 by a date that is sooner than the target dates specified in such Paragraphs, as follows:

a. The monthly and annual caps on the total amount of voluntary payments for which Bell Atlantic/GTE shall be liable may be reduced by an amount up to \$75 million during the third 12 month period if Bell Atlantic/GTE completes the OSS enhancement commitments in Paragraphs 18-19 of the Conditions in the Bell Atlantic Service Areas early and by an amount up to \$50 million during the third 12 month period if Bell Atlantic/GTE completes the commitments in Paragraphs 18-19 of the Conditions in the GTE Service Areas early. The amount of the reduction will correspond to the number of days early by which Bell Atlantic/GTE completes the commitments in Paragraphs 18-19 as follows:

Number of Days Early	Annual Cap Reduction if OSS Enhancements are Completed Early in Former Bell Atlantic Service Areas	Annual Cap Reduction if OSS Enhancements are Completed Early in Former GTE Service Areas
30	\$ 6 Million	\$ 4 Million
60	\$ 12 Million	\$ 8 Million
90	\$ 18 Million	\$ 12 Million
120	\$ 24 Million	\$ 16 Million
150	\$ 30 Million	\$ 20 Million
180	\$ 36 Million	\$ 24 Million
210	\$ 42 Million	\$ 28 Million
240	\$ 48 Million	\$ 32 Million
270	\$ 54 Million	\$ 36 Million
300	\$ 61 Million	\$ 40 Million
330	\$ 68 Million	\$ 45 Million
360	\$ 75 Million	\$ 50 Million

b. Any required reductions in the annual cap during the third 12-month period pursuant to Subparagraph (a) above shall be prorated across all Bell Atlantic/GTE States

---

corresponding sub-measurements relating to another resold service or UNE (such as resold DS1 service, or a new resold service which Bell Atlantic/GTE may offer in the future).

and apportioned to monthly caps utilizing the same ratios used to develop the tables in Attachment A-6.

12. The amount of payments otherwise due each month under this Plan in a state shall be offset by the sum of (1) the amount of any payments made by Bell Atlantic/GTE to private or public parties (including, but not limited to, CLECs, state commissions, state governments, public interest funds or groups, or other entities) each month under any state-approved local interconnection performance monitoring or performance measurement plan in that state, and (2) the amount of payments made by Bell Atlantic/GTE related to performance measurements paid to CLECs each month in that state under the terms of an approved local interconnection agreement with Bell Atlantic/GTE. Provided, however, that the amount of any payments made to affiliates of Bell Atlantic/GTE shall not be used in calculating the offset.

13. Performance measurement results for each month shall be available to the Commission, state commissions and CLECs by the 25th day of the following month. If Bell Atlantic/GTE becomes liable for voluntary payments to the U.S. Treasury, such payments shall be made 30 days after the performance measurement results become available. If such payments are made, Bell Atlantic/GTE shall provide notice to the Commission within 5 business days after the payment is made.

14. Bell Atlantic/GTE shall not be liable for voluntary payments to the U.S. Treasury if Bell Atlantic/GTE's failure to provide parity or benchmark performance is attributable to an atypical event beyond the control of Bell Atlantic/GTE such as an Act of God, or a *force majeure* event. Bell Atlantic/GTE shall engage in "root cause analysis" to demonstrate that an apparent out-of-parity condition was attributable to an atypical event beyond the reasonable control of the ILEC. If Bell Atlantic/GTE determines through "root cause analysis" that it failed to provide parity or benchmark performance only due to conditions outside the reasonable control of the ILEC, Bell Atlantic/GTE may seek a waiver from the Chief of the Common Carrier Bureau relieving Bell Atlantic/GTE from voluntary payments to the U.S. Treasury. Bell Atlantic/GTE shall have the burden of proof to make the required showing, and shall have a right of appeal to the Commission. If Bell Atlantic/GTE seeks such a waiver, Bell Atlantic/GTE shall place the voluntary payments at issue into an interest bearing escrow account. If Bell Atlantic/GTE fails to carry its burden of proof, the amount of voluntary payments paid into the escrow account, including any accrued interest, shall be remitted to the U.S. Treasury. If Bell Atlantic/GTE carries its burden of proof, the amount of voluntary payments paid into the escrow account, including any accrued interest, shall be returned to Bell Atlantic/GTE.

15. Voluntary payments made by Bell Atlantic/GTE under the Plan shall not be reflected in the revenue requirement of any Bell Atlantic/GTE incumbent LEC.

16. The measurements and benchmarks under the Plan bear no necessary relationship to the standard of performance that satisfies Bell Atlantic/GTE's legal obligations in a particular state, and payments under the Plan shall not constitute an admission by Bell Atlantic/GTE of any violation of law or noncompliance with statutory or regulatory requirements with respect to the provision of local facilities or services to Bell Atlantic/GTE's wholesale or retail customers.

**Attachment A-1a**

**BELL ATLANTIC/GTE PERFORMANCE MEASUREMENTS**

**BELL ATLANTIC STATES**

Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire,  
New Jersey, New York, Pennsylvania, Rhode Island, Virginia, Vermont, and West Virginia

**Schedule A1a – Performance Measurement Categories Subject to Voluntary Payments:**

#	Description	# of Sub-Metrics
PO-1	OSS Response Time	18
PO-2	OSS Availability	3
OR-1	Order Confirmation Timeliness	Resale: 7 UNE: 10 Trunks: 1
OR-2	Reject Timeliness	Resale: 7 UNE: 10 Trunks: 1
OR-5	% Flow Through/Achieved Flow Through	Resale: 1 UNE: 1
PR-3	Completed within Specified Number of Days (1-5 Lines)	Resale: 2 UNE: 2
PR-4	Missed Appointments	Resale: 11 UNE: 16 Trunks: 1
PR-5	Facility Missed Orders	Resale: 4 UNE: 5 Trunks: 1
PR-6	Installation Quality	Resale: 2 UNE: 6
PR-9	Hot Cut Loops	UNE: 1
MR-2	Trouble Report Rate	Resale: 3 UNE: 9 Trunks: 1
MR-3	Missed Repair Appointments	Resale: 2 UNE: 8
MR-4	Trouble Duration Intervals	Resale: 5 UNE: 5 Trunks: 1
MR-5	Repeat Trouble Reports	Resale: 2 UNE: 5
NP-1	Percent Final Trunk Group Blockage	1
NP-2	Collocation Performance	6
BI-2	Timeliness of Carrier Bill	1
	<b>TOTAL SUB-METRICS</b>	<b>159</b>

**Attachment A-1b**

**BA/GTE PERFORMANCE MEASUREMENTS  
GTE STATES**

Alabama, California, Florida, Hawaii, Idaho, Illinois, Indiana, Kentucky, Michigan,  
Missouri, Nevada, North Carolina, Ohio, Oregon, Pennsylvania,\* South Carolina, Texas,  
Virginia,\* Washington, Wisconsin

**Schedule A1b – Performance Measurement Categories Subject to Voluntary Payments:**

#	Description	# of Sub-Metrics
PO-1	OSS Response Time	7
PO-2	OSS Availability	4
OR-1	Order Confirmation Timeliness	Resale: 6 UNE: 19 Trunks: 1
OR-2	Reject Timeliness	Resale: 6 UNE: 18
OR-5	Percent Flow-Through	Resale: 1 UNE: 1
PR-3	Completed within Specified Number of Days	Resale: 2 UNE: 2
PR-4	Missed Due Dates	Resale: 5 UNE: 17 Trunks: 2
PR-5	Facility Missed Orders	Resale: 2 UNE: 6 Trunks: 1
PR-6	Installation Quality	Resale: 2 UNE: 7 Trunks: 1
PR-9	Coordinated Conversions	1
MR-2	Trouble Report Rate	Resale: 2 UNE: 6 Trunks: 1
MR-3	Missed Repair Commitments	Resale: 2 UNE: 6
MR-4	Trouble Duration Intervals	Resale: 4 UNE: 12 Trunks: 2
MR-5	Repeat Trouble Reports	Resale: 2 UNE: 6 Trunks: 1
NP-1	Percent Final Trunk Group Blockage	1
NP-2	Collocation Performance	2
BI-2	Timeliness of Carrier Bill	1
	<b>TOTAL SUB-METRICS</b>	<b>159</b>

\*As lines in GTE Service Areas in Pennsylvania and Virginia are converted pursuant to Paragraph 19f of the Conditions, performance for those lines will be measured using the Performance Measurement Categories and Business Rules that apply to Bell Atlantic Service Areas as specified in Attachments A-1a and A-2a.

**Attachment A-2a**

**BA/GTE PERFORMANCE MEASUREMENT BUSINESS RULES  
BELL ATLANTIC STATES**

**Connecticut, Delaware, District of Columbia, Massachusetts, Maryland, Maine, New  
Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, West Virginia, Virginia  
and Vermont**

## Pre-Ordering (PO)

Function
<b>PO-1 Response Time OSS Ordering Interface</b>
<b>Definition:</b> <ul style="list-style-type: none"><li>• <b>Response Time</b> – For PO-1-01 through –06, response time is the number of seconds between the issuance of a pre-ordering query and the successful receipt of the requested information in a specific field and screen.</li><li>• <b>Average Response Time</b> – Average response time is the sum of the response times divided by the number of pre-ordering queries in the report period. It is calculated separately for PO-1-01 through –06. Queries that “time-out” are excluded from the calculation of average response time.</li><li>• <b>Time-out</b> – A time-out is a query for which the requested information or an error message is not provided within 60 seconds for PO-1-01 through –04, and -06, or within 330 seconds for PO-1-05 Telephone Number Availability &amp; Reservation. Time-outs are set at long intervals to ensure that average response times include long response times but do not include queries that will never complete. (Time outs for TN selection may be reduced to 60 seconds pending state approval as the retail OSS is modified.)</li></ul>
<b>Methodology:</b> <p>The measurements for PO-1 are derived from simulated pre-ordering queries generated by Bell Atlantic’s simulation system<sup>51</sup>. These simulations also support the measure of PO-2 OSS Interface Availability. Time-outs that are removed from queues for average response time calculations are included in the PO-2 OSS Interface Availability calculations.</p> <p>Performance to CLECs is measured through BA’s Gateway and its pre-ordering Operations Support System (OSS). The simulation system replicates the keystrokes of a CLEC representative and measures the response times from when the “enter” key is hit until a response is received back on the display screen after processing.</p> <p>Performance to BA retail is measured directly to and from BA’s OSS. The simulation system replicates the keystrokes of a BA service representative and measures the response times from when the “enter” key is hit until a response is received back on the display screen after processing by the pre-ordering OSS.</p> <p>The simulation system uses the same account numbers for the CLEC and BA retail simulations. The simulation system generates simulated CLEC and BA retail queries simultaneously and continuously throughout the day, Monday through Friday, 8 AM to 6 PM, excluding New Year’s Day, Memorial Day, July 4<sup>th</sup>, Labor Day, Thanksgiving Day, and Christmas Day. At least ten BA retail simulated queries are generated per hour for each type of query. At least ten CLEC simulated queries are generated per hour for each type of query for each available CLEC interface (currently Web GUI, EDI, CORBA)<sup>52</sup> without regard to CLEC usage of each interface. The total number of simulated queries depends on the average response times.</p> <p>Each query has a unique name based on time and date. The simulation system robot monitors for a matching response, and identifies successful responses by the file extension names. The file extension varies according to whether the transaction is successful or experiences an error or time-out condition. Successful response for an Address Validation request is identified by a file extension of “.ada.” The file is then read to ensure it starts and ends with the appropriate indicators for a successful transaction.</p>

<sup>51</sup> Enview is currently used as the simulation system.

<sup>52</sup> As new CLEC interfaces become available, the the simulation system’s simulation process will be expanded to include them as well. If a CLEC interface is retired, the simulations, measurement, and reporting will cease for that interface. The Carrier Guidelines will be modified to reflect any such changes.

**PO-1 OSS Response Time (continued)**

**Exclusions:**

Normal exclusions include Saturday, Sunday, and major holidays, as well as hours outside of the normal report period.

NOTE: If response time aberrations occur due to failures of the simulation system robot itself or the network between the simulation system and the CLEC interface or between the simulation system and the BA OSS, BA will note such failure times and report the data without exclusion in a footnote on the report.

**Performance Standard:**

EDI & CORBA: Parity with Retail plus not more than 4 seconds. 4-Second difference allows for variations in functionality and additional security requirements of interface.

WEB GUI: Until April 2001, Parity with retail plus not more than 7 seconds. After April 2001 Parity with retail plus not more than 4 seconds. This allows for differences and improvements in Web technology.

**Formula:**

$\Sigma$  Response Times from enter key to reply on screen for each transaction / Number of Simulated Transactions for each transaction type.

**Report Dimensions:**

Company:	Geography:
<ul style="list-style-type: none"> <li>· BA Retail</li> <li>· CLEC Aggregate</li> </ul>	<ul style="list-style-type: none"> <li>· State</li> </ul>

<b>Products</b>	CLEC Aggregate:
	<ul style="list-style-type: none"> <li>· WEB GUI</li> <li>· EDI</li> <li>· CORBA</li> </ul>

**Sub-Metrics – PO-1 Response Time OSS Ordering Interface**

**PO-1-01 Average Response Time – Customer Service Record**

<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
--------------------	------------------	--------------------

	Sum of all response times from enter key to reply on screen for CSR transactions.	Number of CSR transactions simulated by the Simulation system
--	---	---

**PO-1-02 Average Response Time – Due Date Availability**

<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
--------------------	------------------	--------------------

	Sum of all response times from enter key to reply on screen for Due Date Availability.	Number of Due Date availability transactions simulated by the Simulation system
--	--	---

**PO-1-03 Average Response Time – Address Validation**

<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
--------------------	------------------	--------------------

	Sum of all response times from enter key to reply on screen for Address Validation.	Number of address validation transactions simulated by the Simulation system.
--	---	---

**PO-1-04 Average Response Time – Product & Service Availability**

<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
--------------------	------------------	--------------------

	Sum of all response times from enter key to reply on screen for Product and Service Availability.	Number of Product & Service availability transactions simulated by the Simulation system.
--	---	---

<b>Sub-Metrics – (continued) Response Time OSS Ordering Interface</b>		
<b>PO-1-05</b>	<b>Average Response Time – Telephone Number Availability &amp; Reservation <sup>53</sup></b>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of all response times from enter key to reply on screen for TN Availability/Reservation.	Number of TN Availability/Reservation transactions simulated by the Simulation system
<b>PO-1-06</b>	<b>Average Response Time – Facility Availability (Loop Qualification)</b>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Sum of all response times from enter key to reply on screen for Loop Qualification.	Number of Loop Qualification transactions simulated by the Simulation system.

<sup>53</sup> While Address Validation can be completed on a stand-alone basis, TN reservation is always combined with Address Validation. For BA retail representatives this is a required two step process requiring two separate transactions.

**Function:****PO-2 OSS Interface Availability****Definition:**

“OSS Interface Availability” measures the time during which the electronic OSS Interface is actually available as a percentage of scheduled availability. Bell Atlantic service representatives and CLEC service representatives obtain pre-ordering information from the same underlying OSS. As a result, if a particular OSS is down, it is equally unavailable to Bell Atlantic employees and to CLEC employees. Any difference in availability, therefore, will be caused by unavailability of the interface.

**Scheduled Availability**

- Prime Time: 6 AM to 12:00 Midnight EST Monday through Saturday, excluding Holidays
- Non-Prime Time: 12:01 to 5:59 AM EST Monday through Saturday, and Sundays and Holidays

Note: the number of hours of downtime will be noted in the reports under “observations”.

Separate measurements will be performed for each of the following: Pre-Ordering EDI, Pre-Ordering Web GUI, and Maintenance Web GUI. The EnView process will be expanded/updated to monitor and report on future OSS processes.

**Methodology:**

Bell Atlantic will use EnView as a means of monitoring all BA systems, including retail OSS. However, BA will measure reported outages, based on actual reported time frames as well as any outages captured by EnView and not reported by CLECs. Additionally if a BA outage affects only one CLEC, the system availability will be adjusted to reflect that CLEC’s outage. For example, if a single CLEC experienced a 3 hour outage, due to a Bell Atlantic problem, system outage would be counted, on a pro-rated basis. In this way, outages that impact a single CLEC, but that do not necessarily show up in EnView will be captured. EnView will be used as an alarm for system availability and to supplement CLEC reported outages. If no CLEC reported an outage, but EnView detected an outage, the EnView outage would be included as if the entire CLEC population experienced the outage.

EnView measurement of availability of the interfaces will be as follows: The mechanized OSS interface availability process is based on the transactions created by the EnView Robots. The program determines whether the transactions are successful or unsuccessful, or that no transactions are issued (not polled). Transactions are processed by transaction type and separately for each interface type and OSS. The hours of the day are divided into 6-minute measurement periods.

If the interface for any Pre-Order transaction type in a 6-minute measurement period has at least one successful transaction, then the interface is considered available. Unavailable time is calculated only when all interface transactions are unsuccessful and at least one of the corresponding OSS transactions is successful. This indicates that the interface was not available while at least one OSS was available. In this case, the 6-minute measurement period is counted as “unavailable”. If it is determined that no transactions were issued, then the 6-minute measurement period is excluded from all calculations since this is an indication of an EnView problem and not an EDI problem. Availability is calculated by dividing the total number of 6-minute measurement periods in a 24-hour day (excluding unmeasured 6-minute measurement periods) into the number of periods with no successful transactions for the day and subtracting this from 1 and multiplying by 100. For example, there are potentially 160 6-minute measurement periods in a 16-hour period. If two 6-minute measurement periods lack successful transactions, then availability equals  $(1 - (2/160)) \times 100 = 98.75\%$  Availability.

**Methodology – PO-2 OSS Availability (continued)**

**Web GUI:** BA will implement, date to be determined, a mechanized means to measure availability of the Web GUI interface. Until mechanized measurement of availability of the Web GUI interface is operational, BA will measure availability of the Web GUI interface based on out of service troubles reported by CLECs. Out of service troubles must be reported by CLECs to BA's designated trouble reporting point. Once mechanized monitoring is in effect, the Web GUI measurement will be identical to EDI.

**Trouble Logs:** BA will make available for inspection by the CLEC BA's logs of CLEC reports that the interface is not available.

**Exclusions:**

The following exclusions will apply

- Troubles reported but not found in BA
- Troubles reported by a CLEC that were not reported to BA's designated trouble reporting point.

**Performance Standard:**

Metric PO-2-02 (Prime Time):  $\geq 99.5\%$

**Formula:**

$[(\text{Number of hours scheduled less number of scheduled hours not available}) / (\text{Number of hours scheduled})] \times 100.$

**Report Dimensions:**

Company:

- CLEC Aggregate

Geography:

- State

**Products:**

- Web GUI (Pre-Order, Order and Repair)
- EDI
- CORBA

**Sub-Metrics:**

PO-2-02

OSS Interface Availability – Prime Time

Calculation

Numerator

Denominator

(Number of Prime Time Hours in Month) -  
(Number of Prime Time Hours in Month  
Interface is not available).

Number of Prime Time Hours in Month.

## Ordering (OR)

<b>Function</b>	
<b>OR-1 Order Confirmation Timeliness</b>	
<b>Definition:</b>	
<p><u>Resale &amp; UNE:</u></p> <p><u>Order Confirmation Response Time:</u> The amount of elapsed time (in hours and minutes) between receipt of a valid order request date and time stamp and distribution of a service order confirmation. Orders that are rejected will have the clock re-started upon receipt of a valid order. Partial migrations for less than 10 lines – with accounts that include more than 10 lines that must be rearranged will be treated as 10 lines or greater.</p> <p><u>Percent of Orders Confirmed On Time:</u> The percentage of orders confirmed within the agreed upon timeframes as specified in the Performance Standards.</p> <p><u>Trunks:</u></p> <p>The amount of time in business days between receipt of a clean ASR (received date restarted for each SUPP) and distribution of a firm order confirmation. Measures service orders completed between the measured dates.</p> <p>Notes:</p> <ol style="list-style-type: none"> <li>(1) Rejected Orders – Orders failing “Basic front-end edits”<sup>54</sup> are not placed on Completed PON Master File.</li> <li>(2) Bell Atlantic includes in the Order confirmation Timeliness measurement CLEC requests for resent confirmations that are submitted electronically as well as resent confirmations due to Bell Atlantic’s error in initial confirmation<sup>55</sup>. The measurements are based on confirmed orders.</li> <li>(3) If no order confirmations time exists due to a missing order confirmations, BA will use the completion notification time.</li> </ol>	
<b>Exclusions:</b>	
<p><u>Resale &amp; UNE:</u></p> <ul style="list-style-type: none"> <li>· BA Test Orders<sup>56</sup></li> <li>· Weekend and Holiday Hours (Other than Flow-through) – Weekend Hours are from 5:00pm Friday to 8:00am Monday. Holiday Hours are from 5:00pm of the business day preceding the holiday to 8:00am of the first business day following the holiday. These hours are excluded from the elapsed time when calculating the response times for non-flow through requests.</li> <li>· SOP scheduled downtime hours (Flow-through).</li> </ul>	
<b>Report Dimensions</b>	
<p>Company:</p> <ul style="list-style-type: none"> <li>· CLEC Aggregate</li> <li>· CLEC Specific</li> </ul>	<p>Geography:</p> <ul style="list-style-type: none"> <li>· State</li> </ul>

<sup>54</sup> Basic front-end edits – see Glossary.

<sup>55</sup> Resent confirmations due to CLEC error – such as duplicate PON numbers, or confirmations resent to reschedule a missed provisioning appointment – either due to CLEC, End User or BA reasons are not counted as resent confirmations.

<sup>56</sup> BA-Test Orders – see Glossary.

<b>Performance Standard: OR-1 Order Confirmation Timeliness</b>		
95% On Time According to schedule below:		
<b>Resale:</b>	<b>UNE:</b>	<b>Interconnection Trunks:</b>
<b>Electronically Submitted Orders:</b> <i>POTS/Pre-Qualified Complex:</i> <ul style="list-style-type: none"> <li>Flow-Through Orders: 2 Hours</li> <li>Orders with &lt; 10 Lines: 24 Hours</li> <li>Orders with ≥ 10 Lines: 72 Hours</li> </ul> <i>Complex Services (requiring loop qualification)</i> <ul style="list-style-type: none"> <li>2 wire Digital Services: 72 hours</li> <li>2 Wire xDSL Services: 72 hours</li> </ul> <i>Special Services:</i> <ul style="list-style-type: none"> <li>Orders with &lt; 10 Lines: 48 Hours</li> <li>Orders with ≥ 10 Lines: 72 Hours <sup>57</sup></li> </ul> <b>Faxed/Mailed Orders:</b> Add 24 Hours to intervals above.	<b>Electronically Submitted Orders:</b> <i>POTS/Pre-Qualified Complex:</i> <ul style="list-style-type: none"> <li>Flow-Through Orders: 2 Hours</li> <li>Orders with &lt; 10 Lines: 24 Hours</li> <li>Orders with ≥ 10 Lines: 72 Hours</li> </ul> <i>Complex Services (requiring loop qualification)</i> <ul style="list-style-type: none"> <li>2 Wire Digital Services: 72 hours</li> <li>2 Wire xDSL Services: 72 hours</li> </ul> <i>Special Services:</i> <ul style="list-style-type: none"> <li>Orders with &lt; 10 Lines: 48 Hours</li> <li>Orders with ≥ 10 Lines: 72 Hours <sup>4</sup></li> </ul> <b>Faxed/Mailed Orders:</b> Add 24 Hours to intervals above.	<b>Electronically Submitted Orders:</b> <i>Firm Order Confirmation:</i> <ul style="list-style-type: none"> <li>≤ 192 Trunks: 10 Business Days</li> <li>&gt; 192 Trunks: Negotiated Process</li> <li><i>Design Layout Record:</i> ≤ 192 Trunks: 10 Business Days</li> <li>&gt; 192 Trunks: Negotiated Process</li> </ul> <b>Faxed/Mailed Orders:</b> Add 24 Hours to intervals above
<b>Sub-Metrics</b>		
<b>OR-1-02</b>	<b>% On Time LSRC – Flow Through</b>	
<b>Products</b>	<i>Resale:</i> <ul style="list-style-type: none"> <li>POTS/Pre-Qualified Complex</li> </ul>	<i>UNE:</i> <ul style="list-style-type: none"> <li>POTS/Pre-Qualified Complex</li> </ul>
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of electronic LSRCs sent where confirmation date and time less submission date and time is less than 2 hours for specified product.	Total number of flow through LSRs confirmed for specified product.
<b>OR-1-04</b>	<b>% On Time LSRC &lt; 10 Lines (Electronic – No Flow Through)</b>	
<b>Products</b>	<i>Resale:</i> <ul style="list-style-type: none"> <li>POTS/Pre-Qualified Complex</li> <li>2 Wire Digital Services</li> <li>2 Wire xDSL Services</li> <li>Specials</li> </ul>	<i>UNE:</i> <ul style="list-style-type: none"> <li>POTS/Pre-Qualified Complex</li> <li>2 Wire Digital Services</li> <li>2 Wire xDSL Services</li> <li>Specials</li> </ul>
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of electronic LSRCs for less than 10 lines, sent where confirmation date and time less submission date and time is less than standard for specified product.	Total number of electronic LSRs for less than 10 lines confirmed for specified product.
<b>OR-1-06</b>	<b>% On Time LSRC ≥ 10 Lines (Electronic)</b>	
<b>Products</b>	<i>Resale:</i> <ul style="list-style-type: none"> <li>POTS/Pre-qualified Complex</li> <li>Specials</li> </ul>	<i>UNE:</i> <ul style="list-style-type: none"> <li>POTS/Pre-qualified Complex</li> <li>Specials</li> </ul>
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of electronic LSRCs for 10 or more lines, sent where confirmation date and time less submission date and time is less than standard for specified product.	Total number of electronic LSRs for 10 or more lines, confirmed for specified product.

<sup>57</sup> Also includes orders requiring facility verification as specified in the interval appendix.

Sub-Metrics OR-1 Order Confirmation Timeliness (continued)		
OR-1-12	% On Time FOC	
Products	Trunks: <ul style="list-style-type: none"> <li>· CLEC Trunks (≤ 192 Forecasted Trunks)</li> <li>· CLEC Trunks (&gt; 192 and Unforecasted Trunks)</li> </ul>	
Calculation	Numerator	Denominator
	Count of orders confirmed within 10 days	Count of orders confirmed (faxed orders) with 192 or less trunks that are not designated projects.

<b>Function:</b>		
<b>OR-2 Reject Timeliness</b>		
<b>Definition:</b>		
<p><b>Reject Response Time:</b> The amount of elapsed time (in hours and minutes) between receipt of an order request and distribution of a service order reject, both based on date and time stamp.</p> <p><b>Percent of Orders Rejected On Time:</b> The percentage of orders rejected within the agreed-upon timeframes as specified in the Performance Standards.</p> <p>Notes: (1) Rejected Orders – Orders failing “Basic front-end edits”<sup>58</sup> are not placed on Completed PON Master File. (2) Measurements are based on rejected orders.</p>		
<b>Exclusions:</b>		
<ul style="list-style-type: none"> <li>• BA Test Orders</li> <li>• Duplicate Rejects – Rejects issued against a unique PON (PON + Version Number + CLEC Id), identical and subsequent to the first reject.</li> <li>• Weekend and Holiday Hours (Other than Flow-through) – Weekend Hours are from 5:00pm Friday to 8:00am Monday. Holiday Hours are from 5:00pm of the business day preceding the holiday to 8:00am of the first business day following the holiday. These hours are excluded from the elapsed time when calculating the response times for non-flow-through requests.</li> <li>• SOP scheduled downtime hours (Flow-through).</li> </ul>		
<b>Report Dimensions :</b>		
Company:	Geography:	
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> </ul>	<ul style="list-style-type: none"> <li>• State</li> </ul>	
<b>Performance Standard:</b>		
95% On Time According to schedule below:		
<b>Resale:</b>	<b>UNE:</b>	<b>Interconnection Trunks:</b>
<p><b>Electronically Submitted Orders:</b> <i>POTS/Pre-Qualified Complex:</i></p> <ul style="list-style-type: none"> <li>• Flow-Through Orders: 2 Hours</li> <li>• Orders with &lt; 10 Lines: 24 Hours</li> <li>• Orders with ≥ 10 Lines: 72 Hours</li> </ul> <p><i>Complex Services (requiring loop qualification)</i></p> <ul style="list-style-type: none"> <li>• 2 wire Digital Services: 72 hours</li> <li>• 2 Wire xDSL Services: 72 hours</li> </ul> <p><i>Special Services:</i></p> <ul style="list-style-type: none"> <li>• Orders with &lt; 10 Lines: 48 Hours</li> <li>• Orders with ≥ 10 Lines: 72 Hours <sup>59</sup></li> </ul> <p><b>Faxed/Mailed Orders:</b> Add 24 Hours to intervals above</p>	<p><b>Electronically Submitted Orders:</b> <i>POTS/Pre-Qualified Complex:</i></p> <ul style="list-style-type: none"> <li>• Flow-Through Orders: 2 Hours</li> <li>• Orders with &lt; 10 Lines: 24 Hours</li> <li>• Orders with ≥ 10 Lines: 72 Hours</li> </ul> <p><i>Complex Services(requiring loop qualification)</i></p> <ul style="list-style-type: none"> <li>• 2 Wire Digital Services: 72 hours</li> <li>• 2 Wire xDSL Services: 72 hours</li> </ul> <p><i>Special Services:</i></p> <ul style="list-style-type: none"> <li>• Orders with &lt; 10 Lines: 48 Hours</li> <li>• Orders with ≥ 10 Lines: 72 Hours <sup>4</sup></li> </ul> <p><b>Faxed/Mailed Orders:</b> Add 24 Hours to intervals above.</p>	<p>Electronically Submitted Orders:</p> <ul style="list-style-type: none"> <li>• ≤ 192 Trunks: 10 Business Days</li> <li>• &gt; 192 Trunks: Negotiated Process</li> </ul> <p>Faxed/Mailed Orders: Add 24 Hours to intervals above</p>

<sup>58</sup> Basic front-end edits – see Glossary.

<sup>59</sup> Also includes orders requiring facility verification as specified in the interval appendix.

Sub-Metrics - OR-2 Reject Timeliness		
<b>OR-2-02</b>	<b>% On Time LSR Reject – Flow Through</b>	
<b>Products</b>	<i>Resale:</i> · POTS/Pre-Qualified Complex	<i>UNE:</i> · POTS/Pre-Qualified Complex
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of electronic rejects sent where reject date and time less submission date and time is less than 2 hours for specified product.	Total number of flow-through LSRs rejected for specified product.
<b>OR-2-04</b>	<b>% On Time LSR Reject &lt; 10 Lines (Electronic – No Flow Through)</b>	
<b>Products</b>	<i>Resale:</i> · POTS/Pre-Qualified Complex · 2 Wire Digital Services · 2 Wire xDSL Services · Specials	<i>UNE:</i> · POTS/Pre-Qualified Complex · 2 Wire Digital Services · 2 Wire xDSL Services · Specials
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of electronic rejects sent where reject date and time less submission date and time is within standard for orders less than 10 lines for specified product.	Total number of LSRs electronically submitted for less than 10 lines rejected for specified product.
<b>OR-2-06</b>	<b>% On Time LSR Reject ≥ 10 Lines (Electronic)</b>	
<b>Products</b>	<i>Resale:</i> · POTS/Pre-qualified Complex · Specials	<i>UNE:</i> · POTS/Pre-qualified Complex · Specials
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Number of electronic rejects sent where reject date and time less submission date and time is within standard for orders 10 or more lines for specified product.	Total number of LSRs electronically submitted for 10 or more lines rejected for specified product.
<b>OR-2-12</b>	<b>% On Time Trunk ASR Reject</b>	
<b>Products</b>	Trunks: · CLEC Trunks	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Count of rejected trunk orders that meet reject trunk standard (10 days).	Count of rejected trunk orders for less than 192 trunks.

<b>Function:</b>		
<b>OR-5 Percent Flow-Through</b> <sup>60</sup>		
<b>Definition:</b>		
<u>Total Flow-Through</u> : The percent of valid orders received through the electronic ordering Gateway and processed directly to the legacy service order processor without manual intervention. These service orders require no action by a BA service representative to type an order into the service order processor. This is also known as “ordering” flow-through.		
<u>% Flow Through Achieved</u> : % of valid orders received through the electronic ordering Gateway that are designed to flow through and actually flow through, but excluding those orders that do not flow due to CLEC errors or a pending order status.		
Note: Rejected Orders – Orders failing “Basic front-end edits” <sup>61</sup> are not placed on Completed PON Master File.		
<b>Exclusions:</b>		
<ul style="list-style-type: none"> <li>• BA Test Orders</li> <li>• Orders sent via US Mail or Fax</li> <li>• From Achieved Flow Through: Orders not eligible to flow through (i.e., order types that are not designed to flow through); Orders on BA accounts where business rules require manual intervention, such as pending orders, BA blocking, contractual issues such as special touch tone requirements (designed to ensure timely billing completion); and Orders with CLEC input errors, such as typographical errors and failure to abide by specified business rules. [specific error codes to be provided in separate attachment; specific exclusions under development with NYPSC]</li> </ul>		
<b>Performance Standard:</b>		
No Standard Developed for Total Flow-Through <sup>62</sup> . To be developed within 6 months of merger close.		
<b>Report Dimensions</b>		
Company:	Geography:	
<ul style="list-style-type: none"> <li>• CLEC Aggregate</li> </ul>	<ul style="list-style-type: none"> <li>• State</li> </ul>	
<b>Sub-Metrics</b>		
<b>OR-5-01</b>	<b>% Flow Through – Total</b>	
Products	Resale	UNE
Calculation	Numerator	Denominator
	Sum of all orders that flow through (FLWTHRU-CAND-IND = ‘1’) for specified product.	Total number of LSR/ASR records (orders) for specified product.

<sup>60</sup> While two performance metrics are included for flow through performance, a single metric and standard will be incorporated for performance remedies. The measure will be one of the two provided and the standard finalized 6 months after merger close. Significant development is underway in NY in the development of exclusions for flow through achieved which will enable a recommendation for a metric and standard.

<sup>61</sup> Basic front-end edits – see Glossary.

<sup>62</sup> NY PAP special provisions includes an 80% threshold for total flow through and 95% Achieved.

<b>Sub-Metrics OR-5 % Flow Through (continued)</b>		
<b>OR-5-03</b>	<b>% Flow Through Achieved</b>	
<b>Products</b>	<b>Resale</b>	<b>UNE</b>
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Count of orders that flow through (FLWTHRU-CAND-IND='1') for specified product	Count of flow through eligible orders

## Provisioning (PR)

<b>Function:</b>			
<b>PR-3 Completed within Specified Number of Days (1-5 Lines)</b>			
<b>Definition:</b>			
For POTS orders with 5 or fewer lines, the percent of orders completed in five business days, between application and work completion dates. The application date is the date (day 0) that a valid service request is received.			
<b>Exclusions:</b>			
<ul style="list-style-type: none"> <li>· BA Test Orders.</li> <li>· Disconnect Orders.</li> <li>· Orders where customers request a due date that is beyond the standard available appointment interval. (X Appointment Code).</li> <li>· Bell Atlantic Administrative orders.<sup>63</sup></li> <li>· Orders with invalid intervals (Negative Intervals or intervals over 200 business days – indicative of typographical error).</li> <li>· Additional Segments on orders (parts of a whole order are included in the whole).</li> <li>· Orders that are not complete. (Orders are included in the month that they are complete).</li> <li>· Suspend for non-payment and associated restore orders.</li> <li>· Orders completed late due to any end user or CLEC caused delay.</li> <li>· Coordinated cut-over Unbundled Network Elements such as loops or number portability orders.</li> </ul>			
<b>Performance Standard:</b>			
Parity with BA Retail. See Interval Guide for specific products and services.			
<b>Report Dimensions</b>			
Company:		Geography:	
<ul style="list-style-type: none"> <li>· BA Retail</li> <li>· CLEC Aggregate</li> <li>· CLEC Specific</li> </ul>		<ul style="list-style-type: none"> <li>· State</li> </ul>	
Products (For all PR-3)	Retail: · POTS - Total	Resale: · POTS - Total	UNE: · POTS – Platform & Other (UNE Switch & INP)
<b>Sub-Metrics</b>			
PR-3-08	% Completed in 5 Days (1-5 Lines – No Dispatch)		
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of POTS orders with 1 to 5 lines where completion date less application date is 5 or fewer days.		Count of Dispatch POTS orders with 1 to 5 lines.
PR-3-09	% Completed in 5 Days (1-5 Lines – Dispatch)		
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of POTS orders with 1 to 5 lines where completion date less application date is 5 or fewer days.		Count of Dispatch POTS orders with 1 to 5 lines.

<sup>63</sup> BA Administrative Orders – See Glossary

<b>Function:</b>	
<b>PR-4 Missed Appointments</b>	
<b>Definition:</b>	
The Percent of Orders completed after the commitment date. <u>LNP</u> : The percent of orders completed on Time (not early) <u>Trunks</u> : Includes reciprocal trunks from BA to CLEC. The percentage of <u>trunks</u> completed for which there was a missed appointment.	
<b>Exclusions:</b>	
<ul style="list-style-type: none"> <li>• BA Test Orders</li> <li>• Disconnect Orders</li> <li>• Bell Atlantic Administrative orders <sup>64</sup></li> <li>• Additional Segments <sup>65</sup> on orders (parts of a whole order are included in the whole)</li> <li>• Orders that are not complete. (Orders are included in the month that they are complete)</li> <li>• Suspend for non-payment and associated restore orders.</li> <li>• For Delay Days: for orders with both a BA miss and a customer/CLEC miss, delay days attributable to the customer/CLEC are excluded.</li> </ul>	
<b>Performance Standard:</b>	
Parity with BA Retail Retail Comparison for IOF and EEL is total Retail Specials LNP: 95% on Time Retail Comparison for 2 Wire DSL and 2 Wire Digital is POTS Second Lines	
<b>Report Dimensions</b>	
Company: <ul style="list-style-type: none"> <li>• BA Retail</li> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> </ul>	Geography: <ul style="list-style-type: none"> <li>• State</li> </ul>

<sup>64</sup> BA Administrative Orders – See Glossary

<sup>65</sup> Segments – See Glossary

<b>Sub-Metrics – PR-4 Missed Appointments</b>				
<b>PR-4-01</b>	<b>% Missed Appointment – Bell Atlantic – Total</b>			
<b>Description</b>	The Percent of Orders completed after the commitment date due to Bell Atlantic reasons.			
<b>Products</b>	Retail: · Specials · IXC FGD Trunks	Resale: · Specials	UNE: · EEL · IOF · Specials	Trunks: · CLEC Trunks
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>	
	Count of Orders where the Order completion date is greater than the order due date due to Company Reasons (CISR_MAC like 'C*') for product group		Count of Orders Completed for product group.	
<b>PR-4-02</b>	<b>Average Delay Days – Total</b>			
<b>Description</b>	For orders missed due to Bell Atlantic reasons, the average number of days between committed due date and actual work completion date, attributable to BA.			
<b>Products</b>	Retail: · POTS · 2 Wire Digital · 2 Wire xDSL · Specials · IXC FGD Trunks	Resale: · POTS · 2 Wire Digital · 2 Wire xDSL · Specials	UNE: · POTS · 2 Wire Digital · 2 Wire xDSL · Specials · EEL · IOF	Trunks: · CLEC Trunks
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>	
	Sum of the completion date less due date for orders missed due to company reasons by product group.		Count of orders missed for company reasons, by product group.	
<b>PR-4-04</b>	<b>% Missed Appointment – Bell Atlantic – Dispatch</b>			
<b>Description</b>	The Percent of Dispatched Orders completed after the commitment date, due to Bell Atlantic reasons.			
<b>Products</b>	Retail: · POTS · 2 Wire Digital · 2 Wire xDSL	Resale: · POTS · 2 Wire Digital · 2 Wire xDSL	UNE: · Platform · Loop – New	
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>	
	Count of Dispatched Orders where the Order completion date is greater than the order due date due to Company Reasons (CISR_MAC like 'C*') for product group.		Count of Dispatched Orders Completed for product group.	

<b>Sub-Metrics PR-4 Missed Appointments (continued)</b>		
<b>PR-4-05</b>	<b>% Missed Appointment – Bell Atlantic – No Dispatch</b>	
<b>Description</b>	The Percent of No-Dispatch Orders completed after the commitment date, due to Bell Atlantic reasons.	
<b>Products</b>	Retail: <ul style="list-style-type: none"> <li>• POTS</li> <li>• 2 Wire Digital</li> <li>• 2 Wire xDSL</li> </ul>	Resale: <ul style="list-style-type: none"> <li>• POTS</li> <li>• 2 Wire Digital</li> <li>• 2 Wire xDSL</li> </ul>
		UNE: <ul style="list-style-type: none"> <li>• Platform</li> </ul>
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Count of No Dispatch Orders where the Order completion date is greater than the order due date due to Company Reasons (CISR_MAC like 'C*') for product group.	Count of No Dispatch Orders Completed for product group.
<b>PR-4-07</b>	<b>% On Time Performance – LNP Only</b>	
<b>Description</b>	% of all LNP PONs (including the associated retail disconnect orders) where trigger is in place before the frame due date and disconnect is completed after, but on the due date For LNP only orders, the percent of LNP (retail disconnect) orders completed in translation on or after date and time on order. Reported in Aggregate. Orders disconnected early are considered not met.	
<b>Products</b>	UNE: <ul style="list-style-type: none"> <li>• LNP</li> </ul>	
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Count of LNP orders, where port trigger is completed before frame due time (as scheduled on order) and retail disconnect is completed on or after committed time frame. (manual count)	Count of LNP orders completed. (Manual count)
<b>PR-4-10</b>	<b>% Completed On Time – Complex (DD-2 Test &amp; Serial Number)</b>	
<b>Description</b>	% of complex (2 wire digital or 2 wire x DSL services) completed on time with a serial number (index number) provided by CLEC. CLEC did perform test at due date –2.	
<b>Products</b>	Retail <ul style="list-style-type: none"> <li>• POTS – Residential Second Line</li> </ul>	UNE: <ul style="list-style-type: none"> <li>• 2 Wire Digital Svcs.</li> <li>• 2 Wire xDSL Svcs.</li> </ul>
<b>Calculation</b>	<b>Numerator</b>	<b>Denominator</b>
	Count of all orders completed on or before the due date with CLEC acceptance via serial number (and DD-2 test)	Count of all orders completed where the CLEC provided an 800 number and due date –2 test results

<b>Function</b>			
<b>PR-5 Facility Missed Orders</b>			
<b>Definition:</b>			
<p><b>% Facility Miss:</b> The Percent of Orders completed after the commitment date, where the cause of the delay is lack of facilities.</p> <p><b>% Facility Orders &gt; 30 Days:</b> The percent of orders missed for lack of facilities where the completion date minus the appointment date is greater than 30 calendar days.</p> <p><b>Trunks:</b> The percentage of <u>trunks</u> completed after the commitment date, where the cause of the delay is lack of facilities.</p>			
<b>Exclusions:</b>			
<ul style="list-style-type: none"> <li>· BA Test Orders</li> <li>· Disconnect Orders</li> <li>· Bell Atlantic Administrative orders <sup>66</sup></li> <li>· Additional Segments on orders (parts of a whole order are included in the whole)</li> <li>· Orders that are not complete. (Orders are included in the month that they are complete)</li> <li>· Suspend for non-payment and associated restore orders.</li> </ul>			
<b>Performance Standard:</b>			
Parity with BA Retail.			
<b>Report Dimensions</b>			
<b>Company:</b> <ul style="list-style-type: none"> <li>· BA Retail</li> <li>· CLEC Aggregate</li> <li>· CLEC Specific</li> </ul>		<b>Geography:</b> <ul style="list-style-type: none"> <li>· State</li> </ul>	
<b>Sub-Metrics</b>			
<b>PR-5-03</b>	<b>% Orders Held for Facilities &gt; 60 Days</b>		
<b>Description:</b>	The Percent of Orders completed more than 60 days after the commitment date, due to lack of Bell Atlantic facilities.		
<b>Products</b>	<b>Retail:</b> <ul style="list-style-type: none"> <li>· POTS</li> <li>· Specials</li> <li>· 2 Wire Digital</li> <li>· 2 Wire xDSL</li> <li>· IXC FGD Trunks</li> </ul>	<b>Resale:</b> <ul style="list-style-type: none"> <li>· POTS</li> <li>· 2 Wire Digital</li> <li>· 2 Wire xDSL</li> <li>· Specials</li> </ul>	<b>UNE:</b> <ul style="list-style-type: none"> <li>· Loop</li> <li>· Platform</li> <li>· 2 Wire Digital</li> <li>· 2 Wire xDSL</li> <li>· Specials</li> </ul>
			<b>Trunks:</b> <ul style="list-style-type: none"> <li>· CLEC Trunks</li> </ul>
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of Orders where the completion date less due date is 60 or more days for Company Facility Reasons (CISR_MAC 'CF') for product group		Count of Orders Completed for product group.

<sup>66</sup> BA Administrative Orders – See Glossary

**Function:**

**PR-6 Installation Quality**

**Definition:**

The percent of lines/circuits/trunks installed where a trouble was reported and found in the network within 30 days (and within 7 days for POTS services) of order completion. Includes disposition codes 3 (Drop Wire), 4 (Cable) and 5(Central Office). Disposition Code 5 includes translation troubles closed via STARMEM automatically by CLEC.

**Exclusions:**

- Subsequent reports (additional customer calls while the trouble is pending)
- Troubles closed due to customer action.
- Troubles reported by Bell Atlantic employees in the course of performing preventative maintenance, where no customer has reported a trouble.

**Formula:**

Installation Troubles (within 7 or 30 days) with Disposition Code 3, 4 and 5 / Lines completed x 100

**Performance Standard:**

Parity with BA Retail For Found Troubles  
 For PR-6-02 Loop Hot Cuts: ≤ 2%

**Report Dimensions**

Company: <ul style="list-style-type: none"> <li>· BA Retail</li> <li>· CLEC Aggregate</li> <li>· CLEC Specific</li> </ul>	Geography: <ul style="list-style-type: none"> <li>· State</li> </ul>
---	--

**Sub-Metrics**

<b>PR-6-01</b>	<b>% Installation Troubles reported within 30 Days</b>		
<b>Description</b>	The percent of lines/circuits/trunks installed where a trouble was reported and found in the network within 30 days of order completion. Includes disposition codes 03 (Drop Wire), 04 (Cable) and 05(Central Office).		
<b>Products</b>	Retail: <ul style="list-style-type: none"> <li>· Specials</li> <li>· IXC FGD Trunks</li> </ul>	Resale: <ul style="list-style-type: none"> <li>· 2 Wire Digital</li> <li>· 2 Wire xDSL</li> <li>· Specials</li> </ul>	UNE: <ul style="list-style-type: none"> <li>· 2 Wire Digital</li> <li>· 2 Wire xDSL</li> <li>· Specials</li> </ul> Trunks: <ul style="list-style-type: none"> <li>· CLEC Trunks</li> </ul>
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of central office and outside plant loop (disposition code 03, 04 and 05) troubles with installation activity within 30 days of trouble report.		Total Lines with installation activity within 30 days.
<b>PR-6-02</b>	<b>% Installation Troubles reported within 7 Days</b>		
<b>Description</b>	The percent of lines/circuits/trunks installed where a trouble was reported and found in the network within 7 days of order completion. Includes disposition codes 03 (Drop Wire), 04 (Cable) and 05(Central Office).		
<b>Products</b>	Retail: <ul style="list-style-type: none"> <li>· POTS</li> </ul>	Resale: <ul style="list-style-type: none"> <li>· POTS</li> </ul>	UNE: <ul style="list-style-type: none"> <li>· POTS – Loop - Total</li> <li>· POTS – Loop Hot Cut</li> <li>· POTS - Platform</li> </ul>
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of central office and outside plant loop (disposition code 03, 04 and 05) troubles with installation activity within 7 days of trouble report.		Total Lines with installation activity within 30 days.

<b>Function:</b>					
<b>PR-9 Hot Cut Loops</b>					
<b>Definition:</b>					
A Hot Cut is considered complete when one of the following occurs:					
<ol style="list-style-type: none"> <li>1. BA performs the hot cut, notifies the CLEC by telephone, and the CLEC accepts the hot cut and issues a serial number (or index number), or</li> <li>2. BA performs the hot-cut, notifies the CLEC by telephone, but the CLEC does not accept the hot cut, or report a trouble, within one hour of notification and has not specifically requested, within the hour, more time to test; or</li> <li>3. BA performs the hot cut, attempts to notify the CLEC by telephone but receives no answer and leaves a phone message, and the CLEC does not respond within one hour of the message.</li> </ol>					
<b>Exclusions:</b>					
<ul style="list-style-type: none"> <li>· BA Test Orders</li> <li>· Bell Atlantic Administrative orders <sup>67</sup></li> <li>· Additional Segments <sup>68</sup> on orders (parts of a whole order are included in the whole)</li> <li>· Orders that are not complete. (Orders are included in the month that they are complete)</li> </ul>					
<b>Performance Standard:</b>					
Hot Cuts: 95% completed within window.					
Standard for Cut-Over Window: Amount of time from start to completion of physical cut-over of lines:					
1 to 9 lines: 1 Hour					
10 to 49 lines: 2 Hours					
50 to 99 lines: 3 Hours					
100 to 199 lines: 4 Hours					
200 plus lines: 8 Hours					
If IDLC is involved – 4 Hour Window (8AM to 12 Noon or 1PM to 5PM)					
<b>Report Dimensions</b>					
Company:	Geography:				
<ul style="list-style-type: none"> <li>· CLEC Aggregate</li> <li>· CLEC Specific</li> </ul>	<ul style="list-style-type: none"> <li>· State</li> </ul>				
<b>Sub-Metrics</b>					
<b>PR-9-01</b>	<b>% On Time Performance – Hot Cut</b>				
<b>Description</b>	% of all UNE Loop orders completed within cut-over window. Start time specified on LSR. For UNE Loops, includes both Loop only and Loop & number portability. Orders disconnected early are considered not met.				
<b>Products</b>	UNE: <ul style="list-style-type: none"> <li>· Loop – Hot Cut (Coordinated Cut-over)</li> </ul>				
<b>Calculation</b>	<table border="1"> <thead> <tr> <th>Numerator</th> <th>Denominator</th> </tr> </thead> <tbody> <tr> <td>Count of hot cut (coordinated loop orders) (With or without number portability) completed within commitment window (as scheduled on order) on due date.</td> <td>Count of hot cut (coordinated loop orders) completed.</td> </tr> </tbody> </table>	Numerator	Denominator	Count of hot cut (coordinated loop orders) (With or without number portability) completed within commitment window (as scheduled on order) on due date.	Count of hot cut (coordinated loop orders) completed.
Numerator	Denominator				
Count of hot cut (coordinated loop orders) (With or without number portability) completed within commitment window (as scheduled on order) on due date.	Count of hot cut (coordinated loop orders) completed.				

<sup>67</sup> BA Administrative Orders – See Glossary

<sup>68</sup> Segments – See Glossary

## Maintenance and Repair (MR)

<b>Function:</b>				
<b>MR-2 Trouble Report Rate</b>				
<b>Definition:</b>				
<p><b>Report Rate:</b> Total Initial Customer direct or referred Troubles reported, where the trouble disposition was found to be in the network, per 100 lines/circuits/trunks in service. "Loop" equals Drop Wire plus Outside Plant Loop. Network Trouble means a trouble with a disposition code of 3 (drop-wire), 4 (outside plant loop), or 5 (central office).            UNE Loop is defined as 2 wire analog loop</p>				
<b>Exclusions:</b>				
<ul style="list-style-type: none"> <li>· Report rate excludes Subsequent reports (additional customer calls while the trouble is pending)</li> <li>· Troubles reported on BA official (administrative lines)</li> <li>· Troubles closed due to customer action.</li> <li>· Troubles reported by Bell Atlantic employees in the course of performing preventative maintenance, where no customer has reported a trouble</li> </ul> <p>Excluded from Total and Loop/CO report rates:</p> <ul style="list-style-type: none"> <li>· Customer Premises Equipment (CPE) troubles</li> <li>· Troubles reported but not found (Found OK and Test OK).</li> </ul>				
<b>Performance Standard:</b>				
<p>Report Rate:            Parity with BA Retail.            Trunk Retail Equivalent = IXC FGD. Parity should be assessed in conjunction with MTTR</p>				
<b>Report Dimensions</b>				
<b>Company:</b> <ul style="list-style-type: none"> <li>· BA Retail</li> <li>· CLEC Aggregate</li> <li>· CLEC Specific</li> </ul>		<b>Geography:</b> <ul style="list-style-type: none"> <li>· State</li> </ul>		
<b>Sub-Metrics</b>				
<b>MR-2-01</b>	<b>Network Trouble Report Rate</b>			
<b>Products</b>	<b>Retail:</b> <ul style="list-style-type: none"> <li>· Specials</li> <li>· IXC FGD Trunks</li> </ul>	<b>Resale:</b> <ul style="list-style-type: none"> <li>· Specials</li> </ul>	<b>UNE:</b> <ul style="list-style-type: none"> <li>· Specials</li> </ul>	<b>Trunks:</b> <ul style="list-style-type: none"> <li>· CLEC Trunks</li> </ul>
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>	
	Count of All trouble Reports with found network troubles (trbl cd is FAC or CO)		Count of Lines or specials or trunks in service	

<b>Sub-Metrics - MR-2 Network Trouble Report Rate (continued)</b>			
<b>MR-2-02</b>	<b>Network Trouble Report Rate - Loop</b>		
<b>Products</b>	Retail: · POTS/ Complex	Resale: · POTS/Complex	UNE: · Platform · Loop · 2 Wire Digital Services · 2 Wire xDSL Services
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of all loop trouble reports (Disposition Code of 03 and 04)		Count of Lines in service
<b>MR-2-03</b>	<b>Network Trouble Report Rate - Central Office</b>		
<b>Products</b>	Retail: · POTS/ Complex	Resale: · POTS/Complex	UNE: · Platform · Loop · 2 Wire Digital Services · 2 Wire xDSL Services
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of all central office trouble Reports (Disposition Code of 05)		Count of Lines in service

<b>Function:</b>			
<b>MR-3 Missed Repair Appointments</b>			
<b>Definition:</b>			
The Percent of reported Network Troubles not repaired and cleared by the date and time committed. Also referred as % of customer troubles not resolved within estimate. Appointment intervals vary with force availability in the POTS environment. Includes disposition codes 03 (Drop Wire), 04 (Cable) and 05(Central Office). Loop is defined as disposition Codes 03 plus 04 and are always dispatched.			
<b>Exclusions:</b>			
<ul style="list-style-type: none"> <li>· Missed appointments where the CLEC or end user causes the missed appointment or required access was not available during appointment interval</li> <li>· Excludes Subsequent reports (additional customer calls while the trouble is pending)</li> <li>· Customer Premises Equipment (CPE) troubles</li> <li>· Troubles reported but not found (Found OK and Test OK).</li> <li>· Troubles closed due to customer action.</li> <li>· Troubles reported by Bell Atlantic employees in the course of performing preventative maintenance, where no customer has reported a trouble</li> </ul>			
<b>Performance Standard:</b>			
MR-3-01 and MR-3-02 - Parity with BA Retail.			
<b>Report Dimensions</b>			
Company:		Geography:	
<ul style="list-style-type: none"> <li>· BA Retail</li> <li>· CLEC Aggregate</li> <li>· CLEC Specific</li> </ul>		<ul style="list-style-type: none"> <li>· State</li> </ul>	
<b>Sub-Metrics</b>			
<b>MR-3-01</b>	<b>% Missed Repair Appointment – Loop</b>		
<b>Products</b>	Retail: · POTS/ Complex	Resale: · POTS/Complex	UNE: · Platform · Loop · 2 Wire Digital · 2 Wire xDSL
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of loop troubles where clear time is greater than commitment time (missed appointments for (M=X) for disposition codes 0300-0499).		Count of Loop Troubles (disposition codes 03 and 04).
<b>MR-3-02</b>	<b>% Missed Repair Appointment – Central Office</b>		
<b>Products</b>	Retail: · POTS/ Complex	Resale: · POTS/Complex	UNE: · Platform · Loop · 2 Wire Digital · 2 Wire xDSL
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of central office troubles where clear time is greater than commitment time (missed appointments (M=X) for disposition code 05).		Count of Central Office Troubles (disposition code 05).

**Function:**

**MR-4 Trouble Duration Intervals**

**Definition:**

**Mean Time to Repair:** (MTTR) For Network Trouble reports, the average duration time from trouble receipt to trouble clearance. Includes disposition codes 03 (Drop Wire), 04 (Cable) and 05(Central Office). For POTS and Complex -type services this is measured on a "running clock" basis. Run clock includes weekends and holidays.

For Special Services-type services and interconnection trunks, this is measured on a "stop clock" basis (i.e., the clock is stopped when CLEC testing is occurring, BA is awaiting carrier acceptance, or BA is denied access).

**Out of Service Intervals:** The percent of Network Troubles that indicate an out of service condition which was repaired and cleared more than "y" hours after receipt of trouble report. Out of Service (OOS) means that there is no dial tone, the customer cannot call out, or the customer cannot be called. The Out of Service period commences when the trouble is entered into BA's designated trouble reporting interface either directly by the CLEC or by a BA representative upon notification. Includes weekends and holidays. Includes disposition codes 03 (Drop Wire), 04 (Cable) and 05(Central Office). Note: "y" equals hours out of service (12 or 24 hours). For Special Services: OOS is defined as troubles where, in the initial contact with the customer it is determined that the circuit is completely out of service and not just intermittent problem (osi = 'y') and that the trouble completion code indicated that a trouble was found within the Bell Atlantic network (trbl\_cd is "FAC" or "CO").

**Exclusions:**

- Subsequent reports (additional customer calls while the trouble is pending)
- Customer Premises Equipment (CPE) troubles
- Troubles reported but not found (Found OK and Test OK).
- Troubles closed due to customer action.
- Troubles reported by Bell Atlantic employees in the course of performing preventative maintenance, where no customer has reported a trouble

**Performance Standard:**

Parity with BA Retail.

**Report Dimensions**

<b>Company:</b> <ul style="list-style-type: none"> <li>· BA Retail</li> <li>· CLEC Aggregate</li> <li>· CLEC Specific</li> </ul>	<b>Geography:</b> <ul style="list-style-type: none"> <li>· State</li> </ul>
--	---

**Sub-Metrics**

<b>MR-4-01</b>	<b>Mean Time To Repair – Total</b>			
<b>Products</b>	<b>Retail:</b> <ul style="list-style-type: none"> <li>· Specials</li> <li>· IXC FGD Trunks</li> </ul>	<b>Resale:</b> <ul style="list-style-type: none"> <li>· Specials</li> </ul>	<b>UNE:</b> <ul style="list-style-type: none"> <li>· Specials</li> </ul>	<b>Trunks:</b> <ul style="list-style-type: none"> <li>· CLEC Trunks</li> </ul>
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>	
	Sum of Trouble clear date and time less trouble receipt date and time for central office and loop troubles (disposition code 03, 04 and 05 (Specials – excludes stop time))		Count of central office and loop troubles (disposition codes 03, 04 and 05.)	

<b>Sub-Metrics MR-4 Trouble Duration Intervals (continued)</b>			
<b>MR-4-02</b>	<b>Mean Time To Repair – Loop Trouble</b>		
<b>Products</b>	Retail: · POTS/ Complex	Resale: · POTS/Complex	UNE: · Platform · Loop · 2 Wire Digital · 2 Wire xDSL
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Sum of Trouble clear date and time less trouble receipt date and time for loop troubles (disposition code 03 and 04)		Count of loop troubles (disposition codes 03 and 04)
<b>MR-4-03</b>	<b>Mean Time To Repair – Central Office Trouble</b>		
<b>Products</b>	Retail: · POTS/ Complex	Resale: · POTS/Complex	UNE: · POTS – Platform · POTS - Loop · 2 Wire Digital · 2 Wire xDSL
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Sum of Trouble clear date and time less trouble receipt date and time for central office troubles (disposition code 05)		Count of Total central office troubles (disposition codes 05)
<b>MR-4-07</b>	<b>% Out of Service &gt; 12 Hours</b>		
<b>Products</b>	Retail: · IXC FGD Trunks	Trunks: · CLEC Trunks	
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of troubles out of service, where the trouble clear date and time less trouble receipt date and time is greater than 12 hours.		Count of Out of service troubles (Loop & CO)
<b>MR-4-08</b>	<b>% Out of Service &gt; 24 Hours</b>		
<b>Products</b>	Retail: · POTS/Complex · Specials	Resale: · POTS/Complex · Specials	UNE: · Platform · Loop · 2 Wire Digital · 2 Wire xDSL · Specials
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>
	Count of troubles out of service, where the trouble clear date and time less trouble receipt date and time is greater than 24 hours.		Count of Out of service troubles (Loop & CO).

<b>Function:</b>				
<b>MR-5 Repeat Trouble Reports</b>				
<b>Definition:</b>				
The percent of troubles cleared that have an additional trouble within 30 days for which a network trouble (Disposition Codes 3, 4, or 5) is found. A repeat trouble report is defined as a trouble on the same line/circuit/trunk as a previous trouble report within the last 30 calendar days. Any trouble, regardless of the original disposition code, that repeat as a code 3, 4, or 5 will be classified as a repeat report.				
<b>Exclusions:</b>				
A report is not scored a repeat where the original reports are:				
<ul style="list-style-type: none"> <li>• Troubles reported by Bell Atlantic employees in the course of performing preventative maintenance, where no customer has reported a trouble</li> </ul>				
Excluded from the "repeat" reports are:				
<ul style="list-style-type: none"> <li>• Subsequent reports (additional customer calls while the trouble is pending)</li> <li>• Customer Premises Equipment (CPE) troubles</li> <li>• Troubles reported but not found upon dispatch (Found OK and Test OK).</li> <li>• Troubles closed due to customer action.</li> <li>• Troubles reported by Bell Atlantic employees in the course of performing preventative maintenance, where no customer has reported a trouble</li> </ul>				
<b>Performance Standard:</b>				
Parity with BA Retail.				
<b>Report Dimensions</b>				
Company:		Geography:		
<ul style="list-style-type: none"> <li>• BA Retail</li> <li>• CLEC Aggregate</li> <li>• CLEC Specific</li> </ul>		<ul style="list-style-type: none"> <li>• State</li> </ul>		
<b>Sub-Metrics</b>				
<b>MR-5-01</b>	<b>% Repeat Reports within 30 Days</b>			
<b>Products</b>	Retail: <ul style="list-style-type: none"> <li>• POTS/ Complex</li> <li>• Specials</li> <li>• IXC FGD Trunks</li> </ul>	Resale: <ul style="list-style-type: none"> <li>• POTS/Complex</li> <li>• Specials</li> </ul>	UNE: <ul style="list-style-type: none"> <li>• Platform</li> <li>• Loop</li> <li>• 2 Wire Digital</li> <li>• 2 Wire xDSL</li> <li>• Specials</li> </ul>	Trunks: <ul style="list-style-type: none"> <li>• CLEC Trunks</li> </ul>
<b>Calculation</b>	<b>Numerator</b>		<b>Denominator</b>	
	Count of central office and loop troubles that had previous troubles within the last 30 days. (Disposition codes 03/04/05, That Repeated From Disposition codes < 14)		Total central office and loop Found troubles (Disposition codes 03, 04 and 05)	