



PUBLIC NOTICE

Federal Communications Commission
The Portals
445 Twelfth Street, S.W.
Washington, D.C. 20554

News media information 202 / 418-0500
Fax-On-Demand 202 / 418-2830
Internet: <http://www.fcc.gov>
<ftp.fcc.gov>

Report No. 2486

May 21, 2001

24973

PETITION FOR CLARIFICATION OF ACTION IN RULEMAKING PROCEEDING

Petition for Clarification has been filed in the Commission's rulemaking proceeding listed in this Public Notice and published pursuant to 47 CFR Section 1.429(e). The full text of this document is available for viewing and copying in Room CY-A257, 445 12th Street, S.W., Washington, D.C. or may be purchased from the Commission's copy contractor, ITS, Inc. (202) 857-3800. Oppositions to this petition must be filed within 15 days of the date of public notice of the petition in the Federal Register. See Section 1.4(b)(1) of the Commission's rules (47 CFR 1.4(b)(1)). Replies to an opposition must be filed within 10 days after the time for filing oppositions has expired.

Subject: Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems (CC Docket No. 94-102)

Filed By: - Jason C. Marshall for City of Richardson, Texas on 04/04/2001

FCC