RECEIVED

OCT 16 2001

FEDERAL COMMUNICATIONS COMMISSION
OFFICE OF THE SECRETARY

BELLSOUTH

BellSouth
Suite 900
1133-21st Street, N.W.
Washington, D.C. 20036-3351

kathleen.levitz@bellsouth.com

Kathleen B. Levitz
Vice President-Federal Regulatory

202 463-4113
Fax 202 463-4198

October 16, 2001

WRITTEN EX PARTE

EX PARTE OR LATE FILED

Ms. Magalie Roman Salas
Secretary
Federal Communications Commission
The Portals
445 12th Street, S.W.
Washington, D.C. 20554

Re: CC Docket No. 01-277

Dear Ms. Salas:

I am providing you with hard copies of a document that I sent electronically to Pam Megna of the Commission's Office of Plans and Policy on October 16, 2001. This document was sent to Dr. Megma at her request. I am also sending copies of these documents electronically to James Davis-Smith and Cynthia Lewis of the Department of Justice's Telecommunications Task Force.

In accordance with Section 1.1206, I am filing two copies of this notice and the accompanying attachments and requesting that you please place them in the record of the proceeding identified above.

Sincerely,

Kathleen Levitz

Kathleen B. Levitz

Attachments

cc: Pam Megna (w/o attachment)
Jessica Rosenworcel
Susan Pie
James Davis-Smith
Cynthia Lewis

No. of Copies rec'd 0+2
List ABCDE

BellSouth Monthly Performance Summary

Louisiana, August 2001

August Data | July Data | June Data | May Data

Results - Grooms

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Aug-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Jul-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Jun-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	May-01 Equity
		% Repeated Service Requests - Mechanized																																
A 1.1.1	O-7	Residence/LA(%)	Diagnostic			9.62%	27,674			Diagnostic				8.80%	26,999			Diagnostic				9.62%	24,977			Diagnostic				10.06%	30,195			Diagnostic
A 1.1.2	O-7	Business/LA(%)	Diagnostic			15.40%	795			Diagnostic				17.84%	823			Diagnostic				17.16%	779			Diagnostic				15.96%	791			Diagnostic
A 1.1.3	O-7	Design (Bundled)/LA(%)	Diagnostic							Diagnostic				0.00%	1			Diagnostic								Diagnostic				0.00%	1			Diagnostic
A 1.1.4	O-7	PBX/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
A 1.1.5	O-7	Centrex/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
A 1.1.6	O-7	IBSN/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
		% Repeated Service Requests - Partially Mechanized																																
A 1.2.1	O-7	Residence/LA(%)	Diagnostic			24.56%	4,219			Diagnostic				26.55%	3,848			Diagnostic				24.44%	4,106			Diagnostic				29.04%	4,734			Diagnostic
A 1.2.2	O-7	Business/LA(%)	Diagnostic			34.79%	398			Diagnostic				25.98%	404			Diagnostic				35.92%	362			Diagnostic				39.81%	762			Diagnostic
A 1.2.3	O-7	Design (Bundled)/LA(%)	Diagnostic							Diagnostic				100.00%	3			Diagnostic				100.00%	1			Diagnostic				66.67%	3			Diagnostic
A 1.2.4	O-7	PBX/LA(%)	Diagnostic							Diagnostic								Diagnostic				0.00%	1			Diagnostic								Diagnostic
A 1.2.5	O-7	Centrex/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
A 1.2.6	O-7	IBSN/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
		% Repeated Service Requests - Non-Mechanized																																
A 1.3.1	O-7	Residence/LA(%)	Diagnostic			46.08%	147			Diagnostic				44.71%	85			Diagnostic				39.34%	117			Diagnostic				37.82%	121			Diagnostic
A 1.3.2	O-7	Business/LA(%)	Diagnostic			45.18%	249			Diagnostic				33.84%	184			Diagnostic				41.14%	162			Diagnostic				36.35%	198			Diagnostic
A 1.3.3	O-7	Design (Bundled)/LA(%)	Diagnostic			30.30%	33			Diagnostic				29.21%	39			Diagnostic				41.77%	24			Diagnostic				23.08%	48			Diagnostic
A 1.3.4	O-7	PBX/LA(%)	Diagnostic			12.50%	16			Diagnostic				12.50%	8			Diagnostic				16.67%	6			Diagnostic				20.00%	5			Diagnostic
A 1.3.5	O-7	Centrex/LA(%)	Diagnostic							Diagnostic				77.78%	9			Diagnostic								Diagnostic				66.67%	6			Diagnostic
A 1.3.6	O-1	IBSN/LA(%)	Diagnostic			28.57%	35			Diagnostic				34.09%	44			Diagnostic				28.42%	34			Diagnostic				35.29%	85			Diagnostic
		Repair interval - Mechanized																																
A 1.4.1	O-8	Residence/LA(%)	>= 97% w in 1 hr			96.32%	2,989			NO				95.89%	2,868			NO				96.77%	2,579			NO				91.96%	4,296			NO
A 1.4.2	O-8	Business/LA(%)	>= 97% w in 1 hr			97.89%	95			YES				96.04%	110			YES				96.47%	157			YES				89.07%	302			15.2
A 1.4.3	O-8	Design (Bundled)/LA(%)	>= 97% w in 1 hr																															
A 1.4.4	O-8	PBX/LA(%)	>= 97% w in 1 hr																															
A 1.4.5	O-8	Centrex/LA(%)	>= 97% w in 1 hr																															
A 1.4.6	O-8	IBSN/LA(%)	>= 97% w in 1 hr																															
		Repair interval - Partially Mechanized - 24 hours																																
A 1.5.1	O-8	Residence/LA(%)	>= 95% w in 24 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.5.2	O-8	Business/LA(%)	>= 95% w in 24 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.5.3	O-8	Design (Bundled)/LA(%)	>= 95% w in 24 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.5.4	O-8	PBX/LA(%)	>= 95% w in 24 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.5.5	O-8	Centrex/LA(%)	>= 95% w in 24 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.5.6	O-8	IBSN/LA(%)	>= 95% w in 24 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
		Repair interval - Partially Mechanized - 10 hours																																
A 1.6.1	O-8	Residence/LA(%)	>= 95% w in 10 hrs	96.37%	1,148			YES				Not available before August data month								Not available before August data month								Not available before August data month						
A 1.6.2	O-8	Business/LA(%)	>= 95% w in 10 hrs	97.67%	129			YES				Not available before August data month								Not available before August data month								Not available before August data month						
A 1.6.3	O-8	Design (Bundled)/LA(%)	>= 95% w in 10 hrs									Not available before August data month								Not available before August data month								Not available before August data month						
A 1.6.4	O-8	PBX/LA(%)	>= 95% w in 10 hrs									Not available before August data month								Not available before August data month								Not available before August data month						
A 1.6.5	O-8	Centrex/LA(%)	>= 95% w in 10 hrs									Not available before August data month								Not available before August data month								Not available before August data month						
A 1.6.6	O-8	IBSN/LA(%)	>= 95% w in 10 hrs									Not available before August data month								Not available before August data month								Not available before August data month						
		Repair interval - Non-Mechanized																																
A 1.8.1	O-8	Residence/LA(%)	>= 95% w in 24 hrs	100.00%	60			YES				97.87%	94					YES		100.00%	46					YES		89.47%	38					YES
A 1.8.2	O-8	Business/LA(%)	>= 95% w in 24 hrs	89.47%	141			YES				92.73%	88					YES		89.48%	67					YES		85.83%	89					YES
A 1.8.3	O-8	Design (Bundled)/LA(%)	>= 95% w in 24 hrs	91.67%	12			NO				100.00%	11					YES		100.00%	10					YES		100.00%	12					YES
A 1.8.4	O-8	PBX/LA(%)	>= 95% w in 24 hrs	100.00%	4			YES				100.00%	1					YES		100.00%	1					YES		100.00%	1					YES
A 1.8.5	O-8	Centrex/LA(%)	>= 95% w in 24 hrs									100.00%	7					YES										100.00%	6					YES
A 1.8.6	O-8	IBSN/LA(%)	>= 95% w in 24 hrs	100.00%	39			YES				89.47%	17					YES		100.00%	9					YES		100.00%	19					YES
		POC Timeliness - Mechanized																																
A 1.9.1	O-9	Residence/LA(%)	>= 95% w in 3 hrs	96.68%	24,688			YES				96.89%	21,920					YES		96.90%	22,670					YES		98.24%	31,110					YES
A 1.9.2	O-9	Business/LA(%)	>= 95% w in 3 hrs	99.50%	400			YES				100.00%	347					YES		99.66%	597					YES		99.62%	540					YES
A 1.9.3	O-9	Design (Bundled)/LA(%)	>= 95% w in 3 hrs																									100.00%	1					YES
A 1.9.4	O-9	PBX/LA(%)	>= 95% w in 3 hrs																															
A 1.9.5	O-9	Centrex/LA(%)	>= 95% w in 3 hrs																															
A 1.9.6	O-9	IBSN/LA(%)	>= 95% w in 3 hrs																															
		POC Timeliness - Partially Mechanized																																
A 1.10.1	O-9	Residence/LA(%)	>= 95% w in 36 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.10.2	O-9	Business/LA(%)	>= 95% w in 36 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.10.3	O-9	Design (Bundled)/LA(%)	>= 95% w in 36 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.10.4	O-9	PBX/LA(%)	>= 95% w in 36 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.10.5	O-9	Centrex/LA(%)	>= 95% w in 36 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
A 1.10.6	O-9	IBSN/LA(%)	>= 95% w in 36 hrs	This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below								This data not available after 01-2001, see below						
		POC Timeliness - Partially Mechanized - 10 hours																																
A 1.11.1	O-9	Residence/LA(%)	>= 95% w in 18 hrs	This data not available after 01-2001, see below								89.84%	2,956					YES		95.04%	3,395					YES		94.99%	3,257					YES
A 1.11.2	O-9	Business/LA(%)	>= 95% w in 18 hrs	This data not available after 01-2001, see below								97.49%	759					YES		95.30%	947					YES		97.23%	642					YES
A 1.11.3	O-9	Design (Bundled)/LA(%)	>= 95% w in 18 hrs	This data not available after 01-2001, see below								100.00%	1					YES										100.00%	1					YES
A 1.11.4	O-9	PBX/LA(%)	>= 95% w in 18 hrs	This data not available after 01-2001, see below																100.00%	1					YES								
A 1.11.5	O-9	Centrex/LA(%)	>= 95% w in 18 hrs	This data not available after 01-2001, see below																														
A 1.11.6	O-9	IBSN/LA(%)	>= 95% w in 18 hrs	This data not available after 01-2001, see below																														
		POC Timeliness - Partially Mechanized - 10 hours																																
A 1.12.1	O-9	Residence/LA(%)	>= 95% w in 10 hrs	95.68%	3,398			YES				Not available before August data month								Not available before August data month								Not available before August data month						
A 1.12.2	O-9	Business/LA(%)	>= 95% w in 10 hrs	96.69%	2992			YES				Not available before August data month								Not available before August data month								Not available before August data month						
A 1.12.3	O-9	Design (Bundled)/LA(%)	>= 95% w in 10 hrs									Not available before August data month								Not available before August data month								Not available before August data month						
A 1.12.4	O-9	PBX/LA(%)	>= 95% w in 10 hrs									Not available before August data month								Not available before August data month								Not available before August data month						
A 1.12.5	O-9	Centrex/LA(%)	>= 95% w in 10 hrs									Not available before August data month								Not available before August data month								Not available before August data month						
A 1.12.6	O-9	IBSN/LA(%)	>= 95% w in 10 hrs									Not available before August data month								Not available before August data month								Not available before August data month						
		POC Timeliness - Non-Mechanized																																
A 1.13.1	O-9	Residence/LA(%)	>= 95% w in 36 hrs	89.89%	71			YES				89.39%	66					YES		95.65%	72					YES		88.46%	60					YES
A 1.13.2	O-9	Business/LA(%)	>= 95% w in 36 hrs	96.33%	120			YES				95.08%	90					YES		97.40%	77					YES		100.00%	105					YES
A 1.13.3	O-9	Design (Bundled)/LA(%)	>= 95% w in 36 hrs	100.00%	19			YES				91.67%	24					YES		100.00%	19					YES		100.00%	50					YES
A 1.13.4	O-9	PBX/LA(%)	>= 95% w in 36 hrs	100.00%	14			YES				85.00%	6					YES		100.00%	3					YES		100.00%	3					YES
A 1.13.5	O-9	Centrex/LA(%)	>= 95% w in 36 hrs									100.00%	11					YES										100.00%	6					YES
A 1.13.6	O-9	IBSN/LA(%)	>= 95% w in 36 hrs	100.00%	27			YES				91.30%	31					YES		100.00%	20					YES		100.00%	31					YES
		POC & Relief Responses Completeness - Mechanized																																
A 1.14.1	O-11	Residence/LA(%)	>= 95%	89.71%	27,674			YES				89.98%	26,999					NO		89.23%	24,977					YES		89.14%	30,195					YES
A 1.14.2	O-11	Business/LA(%)	>= 95%	87.77%	698			YES				75.95%	625					NO		88.82%	772					NO		87.99%	791					NO
A 1.14.3	O-11	Design (Bundled)/LA(%)	>= 95%									0.00%	1					NO										0.00%	1					YES
A 1.14.4	O-11	PBX/LA(%)	>= 95%																															
A 1.14.5	O-11	Centrex/LA(%)	>= 95%																															
A 1.14.6	O-11	IBSN/LA(%)	>= 95%																															
		POC & Relief Responses Completeness - Partially Mechanized																																
A 1.15.1	O-11	Residence/LA(%)	>= 95%	89.70%	4,219			YES				100.00%	3,848					YES		89.89%	4,106					YES		100.00%	4,734					YES
A 1.15.2	O-11	Business/LA(%)	>= 95%	89.19%	398			YES				100.00%	404					YES		100.00%	362					YES		100.00%	764					YES
A 1.15.3	O-11	Design (Bundled)/LA(%)	>= 95%									100.00%	3					YES		100.00%	1					YES		100.00%	1					YES
A 1.15.4	O-11	PBX/LA(%)	>= 95%																	100.00%	1					YES								
A 1.15.5	O-11	Centrex/LA(%)	>= 95%																															
A 1.15.6	O-11	IBSN/LA(%)	>= 95%																															
		POC & Relief Responses Completeness - Non-Mechanized																																
A 1.16.1	O-11	Residence/LA(%)	>= 95%	89.66%	147			YES				92.94%	141					NO		91.20%	147					NO		90.08%	126					NO
A 1.16.2	O-11	Business/LA(%)	>= 95%	92.77%	249			NO				90.85%	192					NO		99.06%	160					NO		87.18%	257					NO
A 1.16.3	O-11	Design (Bundled)/LA(%)	>= 95%	97.06%	33			NO				100.00%	30					YES		79.17%	24					NO		96.55%	58					NO
A 1.16.4	O-11	PBX/LA(%)	>= 95%	87.50%	16			NO				46.71%	7					NO		100.00%	6					YES		100.00%	9					NO
A 1.16.5	O-11	Centrex/LA(%)	>= 95%									92.86%	14					NO										100.00%	9					YES
A 1.16.6	O-11	IBSN/LA(%)	>= 95%	91.64%	95			NO				90.16%	61					NO		92.81%	83					NO		97.23%	266					NO
		POC & Relief Responses Completeness - Multiple Responses - Mechanized																																
A 1.17.1	O-11	Residence/LA(%)	>= 95%	97.56%	27,666			YES				100.00%	26,999					YES		100.00%	26,646					YES		100.00%	30,440					YES
A 1.17.2	O-11	Business/LA(%)	>= 95%	94.87%	649			NO				100.00%	667					YES		100.00%	994					YES		100.00%	892					YES
A 1.17.3	O-11	Design (Bundled)/LA(%)	>= 95%																									100.00%	1					YES
A 1.17.4	O-11	PBX/LA(%)	>= 95%																															
A 1.17.5	O-11	Centrex/LA(%)	>= 95%																															
A 1.17.6	O-11	IBSN/LA(%)	>= 95%																															
		POC & Relief Responses Completeness - Multiple Responses - Partially Mechanized																																
A 1.18.1	O-11	Residence/LA(%)	>= 95%	91.66%	4,208			NO				95.79%	3,806					YES		89.62%	4,127					YES		94.79%	4,734					NO
A 1.18.2	O-11	Business/LA(%)	>= 95%	89.74%	382			NO				95.89%	484					NO		91.90%	362					NO		92.59%	764					NO
A 1.18.3	O-11	Design (Bundled)/LA(%)	>= 95%									92.86%	28					NO		100.00%	1					YES		100.00%	1					YES
A 1.18.4	O-11	PBX/LA(%)	>= 95%																															
A 1.18.5	O-11	Centrex/LA(%)	>= 95%																															
A 1.18.6	O-11	IBSN/LA(%)	>= 95%																															
		POC & Relief Responses Completeness - Multiple Responses - Non-Mechanized																																
A 1.19.1	O-11	Residence/LA(%)	>= 95%	89.39%	141			NO				97.50%	112					NO		91.92%	127					NO		97.91%	118					NO
A 1.19.2	O-11	Business/LA(%)	>= 95%	95.58%	231			NO				92.53%	174					NO		98.10%	174					NO		94.06%	284					NO
A 1.19.3	O-11	Design (Bundled)/LA(%)	>= 95%	89.21%	33			NO				97.06%	34					YES		144.00%	19					YES		96.55%	58					YES
A 1.19.4	O-11	PBX/LA(%)	>= 95%	95.24%	15			NO				100.00%	8					YES		166.67%	6					YES		100.00%	7					YES
A 1.19.5	O-11	Centrex/LA(%)	>= 95%									100.00%	15					YES										100.00%	11					YES
A 1.19.6	O-11	IBSN/LA(%)	>= 95%	96.88%	32			YES				90.91%	33					YES		100.00%	30					YES		94.64%	37					NO

Results - Provisioning

		Order Completion Interval																																
A 2.1.1.1	P-4	Residence(<= 10 circuits/Classic/LA(days))	Res	4.69	14,717	3.89	894	3.798	0.15641	5.49901	YES	3.77	11,994	3.17	918	4.991	0.17927	5.1671	YES	5.92	12,443	4.95	796	3.772	0.13259	5.1471	YES	4.98	12,173	4.42	950	3.981	0.13548	1.9670	YES
A 2.1.1.2	P-4	Residence(<= 10 circuits/Classic/LA(days))	Res	8.98	344,626	5.76	10,476	7.207	0.02207	21.20007	YES	1.01	290,434	0.75	17,218	1.543	0.00361	62.5614	YES	1.06	314,992	1.25	13,191	2.213	0.01012	26.2382	YES	1.05	277,791	1.50	21,709	1.231	0.01042	14.1794	NO
A 2.1.1.3	P-4	Residence(<= 10 circuits/Expedite/LA(days))	Res	5.88	64	4.22	3	5.690	2.38561	0.9668	YES	5.08	54	4.33	3	5.886	2.42218	0.9668	YES	6.05	40	5.05	2	5.000	3.53553	0.7947	YES	4.40	56	2.00	1	3.364	2.37477	0.7941	YES
A 2.1.2.1	P-4	Business(<= 10 circuits/Classic/LA(days))	Bus									0.62	8			0.667				0.89	9			0.000				0.82	11			0.603			
A 2.1.2.2	P-4	Business(<= 10 circuits/Classic/LA(days))	Bus	2.76	4,495	2.14	158	5.736	0.87119	0.71249	YES	2.73	3,914	3.24	118	5.420	0.82054	1.0990	YES	3.26	3,969	3.41	176	6.648	0.68808	0.3179	YES	3.45	5,157	3.08	165	7.577	0.84402	0.4809	NO
A 2.1.2.3	P-4	Business(<= 10 circuits/Non-Dispatch/LA(days))	Bus	1.16	15,149	0.76	46	4.413	0.20491	2.1908	YES	1.10	11,277	0.91	50	2.162	0.10081	2.9922	YES	1.34	11,750	1.11	54	3.391	0.1686	1.9746	YES	1.50	13,512	1.03	70	3.275	0.12401	1.4781	YES
A 2.1.2.4	P-4	Business(<= 10 circuits/Dispatch/LA(days))	Bus	23.05	58	2.44	9	42.317	42.57404	0.5413	YES	22.90	48	1.00	1	99.217				10.71	35			10.731				15.35	50	21.91	1	5.45	5.45422	0.8944	YES
A 2.2.2.1	P-4	Residence(>= 10 circuits/Non-Dispatch/LA(days))	Res	1.07	3	1.00	1	1.000				1.38	7	0.83	5	1.952	0.99955	0.6572	YES	1.38	7	0.83	5	2.067	0.95420	0.6304	YES	2.21	10	1.00	1	5.454	5.24464	0.1952	YES
A 2.2.1.1	P-4	Design (Bundled)/LA(%)	Design	27.59	764	3.00	3	29.472	33.49992	11.19885	YES	28.09	1,000	12.50	4	29.734	29.74881	0.9508	YES	29.08	1,004	41.14	8	31.267	11.00443	0.9264	YES	27.59	1,067	7.00	1	31.142	32.18956	0.8595	YES
A 2.1.1.2	P-4	Design (Bundled)/LA(%)	Design	32.79	39	3.00	1	31.880	32.98481	0.99246	YES	46.06	50	2.00	1	27.734	39.04218	1.1679	YES	6.15	741	0.84	133	14.894	1.07645	2.8501	YES	37.76	89	4.54	1	36.272	64.02864	0.5672	YES
A 2.1.3.1	P-4	Design (Standard)(>=10 circuits/Classic/LA(days))	Design	24.43	7			11.179				9.00	2			4.243												29.00	2			12.064			
A 2.1.3.2	P-4	Design (Standard)(>=10 circuits/Non-Dispatch/LA(days))	Design																	1.00	0	4.00	1	1.094	1.69575	-1.1600	YES	1.00	1			2.000			
A 2.1.4.1	P-4	PBX(<=10 circuits/Classic/LA(days))	PBX	17.14	66			22.557				9.04	27	0.00	1	16.292	10.87081	0.1660	YES	10.13	53			13.308				14.19	54	4.00	1	20.256	24.54741	0.4149	YES
A 2.1.4.2	P-4	IBSN(<=10 circuits/Non-Dispatch/LA(days))	IBSN	2.91	106	2.00	2	5.273	2.58547	0.2958	YES	3.21	172	1.83	5	3.206	1.76886	0.5168	YES	5.29	150	2.92	4	7.284	3.56074	0.7180	YES	3.53	111	3.41	13	6.234	1.53440	0.1750	NO
A 2.1.4.3	P-4	PBX(<=10 circuits/Dispatch/LA(days))	PBX									0.00				0.000												0.00				0.000			NO

BellSouth Monthly Performance Summary

Louisiana, August 2001



BellSouth Monthly Performance Summary

Louisiana, August 2001



Benchmark / Analog	August Data								July Data								June Data								May Data							
	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jul-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jun-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Rate-based Deviation	Standard Error	ZScore	May-01 Equity
Control	0.00	42			1.404				0.00	91			2.449				3.42	138			21.916				1.98	126			4.791			
SDN	84.21	146			162.346				84.75	150			195.006				30.00	139			71.485				84.50	148			305.197			
SDN	202.49	174			869.617				1043.87	524			14,471				209.97	152			849.542				739.94	169	157.08	3	1020.129	557.0445	0.0000	75.0
SDN									0.00	2			0.000												19.41	1			0.4310			
SDN	0.00	13			0.270				0.00	27			12.000												0.97	1			0.000			
Average Completion Notice Interval - Non-Mechanized																																
P-5		22.05	84							27.24	25							23.05	42							22.46	31					
P-5		19.89	36							24.97	27							18.46	26							17.00	40					
P-5																																
P-5		21.34	27							36.79	19							21.67	54							17.22	27					
P-5		14.71	89							50.98	106							20.80	133							16.70	147					
P-5		16.65	3																							17.26	4					
P-5										110.00	1																					
P-5																		21.15	2							17.00	3					
P-5		27.52	2							89.36	1							18.00	2							14.50	1					
P-5																																
P-5																																
P-5										155.50	1							71.50	1							30.50	1					
P-5		10.00	3							30.40	1							14.00	1							54.50	16					
P-5																																
P-5		14.00	2							14.00	1							14.00	1													
P-5																																
P-5		14.00	2							14.00	4							14.00	1							174.00	2					
P-5																																
P-5		20.00	2							14.00	3															14.00	1					
P-5										67.71	3							50.00	2													
P-5		51.00	11							69.00	4							21.94	5							51.00	18					
P-5																																
Total Service Order Cycle Time - Mechanized																																
P-10		3.66	797							3.10	691							4.54	758							4.62	740					
P-10		0.92	16,008							0.94	14,377							1.20	13,410							1.33	22,218					
P-10		4.05	3															6.62	4							2.95	1					
P-10																																
P-10		2.61	51							3.35	49							2.26	52							3.35	78					
P-10		1.19	149							1.19	169							1.40	170							1.75	184					
P-10																										

BellSouth Monthly Performance Summary

Louisiana, August 2001



BellSouth Monthly Performance Summary

Louisiana, August 2001

		Benchmark / Analog	August Data							July Data							June Data							May Data						
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	jl-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ay-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ay-01 Equiv
	Unbundled Network Elements - Ordering																																	
	% Rejected Service Requests - Mechanized																																	
B1.1.1	O-7	Switch Ports/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.1.2	O-7	Local Interoffice Transport/LA(%)	Diagnostic							Diagnostic								Diagnostic			3.14%	191				Diagnostic			8.14%	86				Diagnostic
B1.1.3	O-7	Loop + Port Combinations/LA(%)	Diagnostic		17.86%	1,885				Diagnostic			17.85%	1,227				Diagnostic			19.54%	1,256				Diagnostic			22.79%	1,081				Diagnostic
B1.1.4	O-7	Combo Other/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.1.5	O-7	xDSL (ADSL, HDSL and UCL)/LA(%)	Diagnostic		14.46%	166				Diagnostic			11.32%	106				Diagnostic			7.32%	123				Diagnostic			12.88%	132				Diagnostic
B1.1.6	O-7	ISDN Loop (UDN, UDC)/LA(%)	Diagnostic		0.00%	2				Diagnostic								Diagnostic			0.00%	1				Diagnostic								Diagnostic
B1.1.7	O-7	Line Sharing/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.1.8	O-7	2W Analog Loop Design/LA(%)	Diagnostic		42.86%	28				Diagnostic			60.00%	5				Diagnostic			72.22%	18				Diagnostic			0.00%	1				Diagnostic
B1.1.9	O-7	2W Analog Loop Non-Design/LA(%)	Diagnostic		25.00%	4				Diagnostic			0.00%	2				Diagnostic								Diagnostic								Diagnostic
B1.1.10	O-7	2W Analog Loop w/INP Design/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.1.11	O-7	2W Analog Loop w/INP Non-Design/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.1.12	O-13	2W Analog Loop wLNP Design/LA(%)	Diagnostic		58.33%	12				Diagnostic			100.00%	1				Diagnostic			100.00%	1				Diagnostic								Diagnostic
B1.1.13	O-13	2W Analog Loop wLNP Non-Design/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.1.14	O-7	Other Design/LA(%)	Diagnostic		28.28%	99				Diagnostic			24.00%	125				Diagnostic			3.13%	192				Diagnostic			8.14%	86				Diagnostic
B1.1.15	O-7	Other Non-Design/LA(%)	Diagnostic							Diagnostic								Diagnostic			19.54%	1,256				Diagnostic			22.79%	1,081				Diagnostic
B1.1.16	O-7	INP Standalone/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.1.17	O-13	LNP Standalone/LA(%)	Diagnostic		19.30%	57				Diagnostic			14.49%	41				Diagnostic			16.67%	12				Diagnostic			0.00%	11				Diagnostic
	% Rejected Service Requests - Partially Mechanized																																	
B1.2.1	O-7	Switch Ports/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.2.2	O-7	Local Interoffice Transport/LA(%)	Diagnostic							Diagnostic								Diagnostic			7.32%	41				Diagnostic			33.33%	39				Diagnostic
B1.2.3	O-7	Loop + Port Combinations/LA(%)	Diagnostic		42.08%	1,404				Diagnostic			39.88%	1,131				Diagnostic			39.49%	762				Diagnostic			46.67%	510				Diagnostic
B1.2.4	O-7	Combo Other/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.2.5	O-7	xDSL (ADSL, HDSL and UCL)/LA(%)	Diagnostic		0.00%	38				Diagnostic			6.67%	15				Diagnostic								Diagnostic			0.00%	1				Diagnostic
B1.2.6	O-7	ISDN Loop (UDN, UDC)/LA(%)	Diagnostic		33.33%	3				Diagnostic								Diagnostic			33.33%	3				Diagnostic								Diagnostic
B1.2.7	O-7	Line Sharing/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.2.8	O-7	2W Analog Loop Design/LA(%)	Diagnostic		61.20%	49				Diagnostic			0.00%	4				Diagnostic			23.81%	21				Diagnostic			33.33%	3				Diagnostic
B1.2.9	O-7	2W Analog Loop Non-Design/LA(%)	Diagnostic		0.00%	1				Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.2.10	O-7	2W Analog Loop w/INP Design/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.2.11	O-7	2W Analog Loop w/INP Non-Design/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.2.12	O-13	2W Analog Loop wLNP Design/LA(%)	Diagnostic		41.18%	17				Diagnostic			100.00%	1				Diagnostic								Diagnostic								Diagnostic
B1.2.13	O-13	2W Analog Loop wLNP Non-Design/LA(%)	Diagnostic							Diagnostic			14.29%	7				Diagnostic								Diagnostic								Diagnostic
B1.2.14	O-7	Other Design/LA(%)	Diagnostic		41.54%	65				Diagnostic			31.09%	28				Diagnostic			8.98%	44				Diagnostic			33.33%	33				Diagnostic
B1.2.15	O-7	Other Non-Design/LA(%)	Diagnostic							Diagnostic								Diagnostic			39.49%	762				Diagnostic			46.67%	510				Diagnostic
B1.2.16	O-7	INP Standalone/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.2.17	O-13	LNP Standalone/LA(%)	Diagnostic		33.33%	114				Diagnostic			18.77%	88				Diagnostic			53.13%	32				Diagnostic			74.47%	47				Diagnostic
	% Rejected Service Requests - Non-Mechanized																																	
B1.3.1	O-7	Switch Ports/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.3.2	O-7	Local Interoffice Transport/LA(%)	Diagnostic							Diagnostic			0.00%	1				Diagnostic			5.26%	58				Diagnostic			15.38%	78				Diagnostic
B1.3.3	O-7	Loop + Port Combinations/LA(%)	Diagnostic		43.04%	79				Diagnostic			88.89%	9				Diagnostic			25.00%	16				Diagnostic			55.56%	9				Diagnostic
B1.3.4	O-7	Combo Other/LA(%)	Diagnostic							Diagnostic								Diagnostic								Diagnostic								Diagnostic
B1.3.5	O-7	xDSL (ADSL, HDSL and UCL)/LA(%)	Diagnostic		14.40%	125				Diagnostic			15.38%	104				Diagnostic			12.62%	103				Diagnostic			12.28%	114				Diagnostic
B1.3.6	O-7	ISDN Loop (UDN, UDC)/LA(%)	Diagnostic		11.76%	119				Diagnostic			0.00%	8				Diagnostic			0.00%	20				Diagnostic			0.00%	26				Diagnostic
B1.3.7	O-7	Line Sharing/LA(%)	Diagnostic		19.30%	57				Diagnostic			13.25%	83				Diagnostic			22.81%	83				Diagnostic			21.57%	51				Diagnostic
B1.3.8	O-7	2W Analog Loop Design/LA(%)	Diagnostic		20.69%	116				Diagnostic			4.44%	45				Diagnostic			5.36%	56				Diagnostic			8.13%	47				Diagnostic
B1.3.9	O-7	2W Analog Loop Non-Design/LA(%)	Diagnostic		56.35%	159				Diagnostic			61.00%	208				Diagnostic			58.00%	281				Diagnostic			54.52%	299				Diagnostic
B1.3.10	O-7	2W Analog Loop w/INP Design/LA(%)	Diagnostic		47.06%	17				Diagnostic			66.22%	23				Diagnostic			20.00%	15				Diagnostic			47.06%	17				Diagnostic
B1.3.11	O-7	2W Analog Loop w/INP Non-Design/LA(%)	Diagnostic							Diagnostic								Diagnostic			Data Redacted					Diagnostic			Data Redacted					Diagnostic
B1.3.12	O-13	2W Analog Loop wLNP Design/LA(%)	Diagnostic		43.18%	364				Diagnostic			37.04%	243				Diagnostic			80.57%	175				Diagnostic			97.57%	173				Diagnostic
B1.3.13	O-13	2W Analog Loop wLNP Non-Design/LA(%)	Diagnostic							Diagnostic			41.67%	12				Diagnostic			Data Redacted					Diagnostic			Data Redacted					Diagnostic
B1.3.14	O-7	Other Design/LA(%)	Diagnostic		36.54%	208				Diagnostic			14.81%	54				Diagnostic			9.86%	76				Diagnostic			11.54%	104				Diagnostic
B1.3.15	O-7	Other Non-Design/LA(%)	Diagnostic							Diagnostic								Diagnostic			25.00%	16				Diagnostic			55.56%	9				Diagnostic
B1.3.16	O-7	INP Standalone/LA(%)	Diagnostic		31.53%	593				Diagnostic			32.67%	535				Diagnostic								Diagnostic								Diagnostic
B1.3.17	O-13	LNP Standalone/LA(%)	Diagnostic		28.31%	710				Diagnostic			26.79%	606				Diagnostic			24.47%	453				Diagnostic			32.39%	568				Diagnostic
	Reject Interval - Mechanized																																	
B1.4.1	O-8	Switch Ports/LA(%)	>= 97% w in 1 hr																		100.00%	6			YES	100.00%	7					YES	
B1.4.2	O-8	Local Interoffice Transport/LA(%)	>= 97% w in 1 hr																		100.00%	9			NO	75.88%	246					NO	
B1.4.3	O-8	Loop + Port Combinations/LA(%)	>= 97% w in 1 hr		80.68%	399			NO				86.35%	219			NO				86.28%	242												
B1.4.4	O-8	Combo Other/LA(%)	>= 97% w in 1 hr																															
B1.4.5	O-8	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 97% w in 1 hr		100.00%	24			YES				100.00%	12			YES				100.00%	9			YES	100.00%	17					YES	
B1.4.6	O-8	ISDN Loop (UDN, UDC)/LA(%)	>= 97% w in 1 hr																															
B1.4.7	O-8	Line Sharing/LA(%)	>= 97% w in 1 hr																															
B1.4.8	O-8	2W Analog Loop Design/LA(%)	>= 97% w in 1 hr		82.35%	17			NO				100.00%	3			YES				82.81%	13			NO									
B1.4.9	O-8	2W Analog Loop Non-Design/LA(%)	>= 97% w in 1 hr		100.00%	1			YES																									
B1.4.10	O-8	2W Analog Loop w/INP Design/LA(%)	>= 97% w in 1 hr																															
B1.4.11	O-8	2W Analog Loop w/INP Non-Design/LA(%)	>= 97% w in 1 hr																															
B1.4.12	O-14	2W Analog Loop wLNP Design/LA(%)	>= 97% w in 1 hr		100.00%	9			YES				100.00%	1			YES				100.00%	1			YES									
B1.4.13	O-14	2W Analog Loop wLNP Non-Design/LA(%)	>= 97% w in 1 hr																															
B1.4.14	O-8	Other Design/LA(%)	>= 97% w in 1 hr		58.39%	24			NO				80.00%	30			NO				100.00%	6			YES	100.00%	7					YES	
B1.4.15	O-8	Other Non-Design/LA(%)	>= 97% w in 1 hr																		86.28%	242			NO	75.88%	246					NO	
B1.4.16	O-8	INP Standalone/LA(%)	>= 97% w in 1 hr																															
B1.4.17	O-14	LNP Standalone/LA(%)	>= 97% w in 1 hr		100.00%	16			YES				100.00%	6			YES				100.00%	2			YES									
	Reject Interval - Partially Mechanized - 24 hour																																	
B1.5.1	O-8	Switch Ports/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.2	O-8	Local Interoffice Transport/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.3	O-8	Loop + Port Combinations/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.4	O-8	Combo Other/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.5	O-8	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.6	O-8	ISDN Loop (UDN, UDC)/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.7	O-8	Line Sharing/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.8	O-8	2W Analog Loop Design/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.9	O-8	2W Analog Loop Non-Design/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.10	O-8	2W Analog Loop w/INP Design/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.11	O-8	2W Analog Loop w/INP Non-Design/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.12	O-14	2W Analog Loop wLNP Design/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.13	O-14	2W Analog Loop wLNP Non-Design/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.14	O-8	Other Design/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.15	O-8	Other Non-Design/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.16	O-8	INP Standalone/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
B1.5.17	O-14	LNP Standalone/LA(%)	>= 85% w in 24 hrs								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below								This data not applicable after 8-1-2001, see below							
	Reject Interval - Partially Mechanized - 18 hour																																	
B1.6.1	O-8	Switch Ports/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below										66.67%	3			NO	100.00%	11					YES	
B1.6.2	O-8	Local Interoffice Transport/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below										96.01%	301			YES	99.19%	238					YES	
B1.6.3	O-8	Loop + Port Combinations/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below		97.97%	444			YES																	
B1.6.4	O-8	Combo Other/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below																							
B1.6.5	O-8	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below		100.00%	1			YES																	
B1.6.6	O-8	ISDN Loop (UDN, UDC)/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below										100.00%	1			YES								
B1.6.7	O-8	Line Sharing/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below																							
B1.6.8	O-8	2W Analog Loop Design/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below										100.00%	5			YES	100.00%	1					YES	
B1.6.9	O-8	2W Analog Loop Non-Design/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below																							
B1.6.10	O-8	2W Analog Loop w/INP Design/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below																							
B1.6.11	O-8	2W Analog Loop w/INP Non-Design/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below																							
B1.6.12	O-14	2W Analog Loop wLNP Design/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below		100.00%	1			YES																	
B1.6.13	O-14	2W Analog Loop wLNP Non-Design/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below		100.00%	1			YES																	
B1.6.14	O-8	Other Design/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below		100.00%	9			YES				75.00%	4			NO	100.00%	11					YES	
B1.6.15	O-8	Other Non-Design/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below										96.01%	301			YES	99.19%	238					YES	
B1.6.16	O-8	INP Standalone/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below																							
B1.6.17	O-14	LNP Standalone/LA(%)	>= 85% w in 18 hrs								This data not applicable after 8-1-2001, see below		84.12%	17			YES				88.24%	17			YES	81.43%	35					YES	
	Reject Interval - Partially Mechanized - 10 hours																																	
B1.7.1	O-8	Switch Ports/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.2	O-8	Local Interoffice Transport/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.3	O-8	Loop + Port Combinations/LA(%)	>= 85% w in 10 hrs		89.80%	589			YES		Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.4	O-8	Combo Other/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.5	O-8	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.6	O-8	ISDN Loop (UDN, UDC)/LA(%)	>= 85% w in 10 hrs		100.00%	1			YES		Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.7	O-8	Line Sharing/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.8	O-8	2W Analog Loop Design/LA(%)	>= 85% w in 10 hrs		100.00%	30			YES		Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.9	O-8	2W Analog Loop Non-Design/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.10	O-8	2W Analog Loop w/INP Design/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.11	O-8	2W Analog Loop w/INP Non-Design/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.12	O-14	2W Analog Loop wLNP Design/LA(%)	>= 85% w in 10 hrs		57.50%	8			YES		Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.13	O-14	2W Analog Loop wLNP Non-Design/LA(%)	>= 85% w in 10 hrs		0.00%	1			NO		Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.14	O-8	Other Design/LA(%)	>= 85% w in 10 hrs		92.59%	27			YES		Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.15	O-8	Other Non-Design/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.16	O-8	INP Standalone/LA(%)	>= 85% w in 10 hrs								Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
B1.7.17	O-14	LNP Standalone/LA(%)	>= 85% w in 10 hrs		82.61%	69			NO		Not applicable before August data month								Not applicable before August data month								Not applicable before August data month							
	Reject Interval - Non-Mechanized																																	

BellSouth Monthly Performance Summary

Louisiana, August 2001

		Benchmark / Antreg	August Data							July Data							June Data							May Data						
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	un-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ay-01 Equiv
B.1.8.1	O-9	Switch Ports/LA(%)																			100.00%	3				YES			100.00%	12				YES
B.1.8.2	O-9	Local Interoffice Transport/LA(%)	>= 85% w in 24 hrs																		100.00%	4				YES			100.00%	5				YES
B.1.8.3	O-9	Loop + Port Combinations/LA(%)	>= 85% w in 24 hrs		94.12%	34				YES			100.00%	3				YES																
B.1.8.4	O-9	Combo Other/LA(%)	>= 85% w in 24 hrs																															
B.1.8.5	O-9	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 85% w in 24 hrs		91.49%	47				YES			83.78%	18				YES			87.31%	13				YES			100.00%	14				YES
B.1.8.6	O-9	ISDN Loop (UDN, UDC)/LA(%)	>= 85% w in 24 hrs		100.00%	15				YES																								
B.1.8.7	O-9	Line Sharing/LA(%)	>= 85% w in 24 hrs		100.00%	11				YES			90.91%	11				YES			50.32%	15				YES			100.00%	11				YES
B.1.8.8	O-9	UNE Analog Loop Design/LA(%)	>= 85% w in 24 hrs		100.00%	31				YES			100.00%	2				YES			100.00%	3				YES			100.00%	1				YES
B.1.8.9	O-9	UNE Analog Loop Non-Design/LA(%)	>= 85% w in 24 hrs		100.00%	80				YES			95.28%	127				YES			96.10%	184				YES			96.18%	183				YES
B.1.8.10	O-9	UNE Analog Loop w/INP Design/LA(%)	>= 85% w in 24 hrs		90.91%	22				YES			93.33%	15				YES			100.00%	3				YES			100.00%	8				YES
B.1.8.11	O-9	UNE Analog Loop w/INP Non-Design/LA(%)	>= 85% w in 24 hrs																		Data Insufficient to Z 1.5 %								Data Insufficient to Z 1.5 %					
B.1.8.12	O-14	UNE Analog Loop w/LNP Design/LA(%)	>= 85% w in 24 hrs		94.44%	198				YES			88.67%	90				YES			82.43%	108				YES			93.85%	65				YES
B.1.8.13	O-14	UNE Analog Loop w/LNP Non-Design/LA(%)	>= 85% w in 24 hrs										100.00%	5				YES			Data Insufficient to Z 1.5 %					YES			Data Insufficient to Z 1.5 %					YES
B.1.8.14	O-9	Other Design/LA(%)	>= 85% w in 24 hrs		100.00%	78				YES			87.50%	8				YES			100.00%	3				YES			100.00%	12				YES
B.1.8.15	O-9	Other Non-Design/LA(%)	>= 85% w in 24 hrs																		100.00%	4				YES			100.00%	5				YES
B.1.8.16	O-9	INP Standalone/LA(%)	>= 85% w in 24 hrs		94.27%	348				YES			95.86%	170				YES																
B.1.8.17	O-14	LNP Standalone/LA(%)	>= 85% w in 24 hrs		92.86%	238				YES			94.91%	162				YES			93.81%	113				YES			95.11%	184				YES
		FOC Timeliness - Mechanized																																
B.1.9.1	O-9	Switch Ports/LA(%)	>= 95% w in 3 hrs																															
B.1.9.2	O-9	Local Interoffice Transport/LA(%)	>= 95% w in 3 hrs																		99.43%	175				YES			100.00%	72				YES
B.1.9.3	O-9	Loop + Port Combinations/LA(%)	>= 95% w in 3 hrs		96.88%	1,330				YES			96.67%	824				YES			99.32%	885				YES			99.39%	776				YES
B.1.9.4	O-9	Combo Other/LA(%)	>= 95% w in 3 hrs																															
B.1.9.5	O-9	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 95% w in 3 hrs		92.80%	389				NO			92.33%	300				NO			96.36%	220				YES			84.74%	133				NO
B.1.9.6	O-9	ISDN Loop (UDN, UDC)/LA(%)	>= 95% w in 3 hrs		100.00%	2				YES																								
B.1.9.7	O-9	Line Sharing/LA(%)	>= 95% w in 3 hrs																															
B.1.9.8	O-9	UNE Analog Loop Design/LA(%)	>= 95% w in 3 hrs		95.24%	21				YES			100.00%	1				YES			33.33%	3				NO								
B.1.9.9	O-9	UNE Analog Loop Non-Design/LA(%)	>= 95% w in 3 hrs		100.00%	3				YES																								
B.1.9.10	O-9	UNE Analog Loop w/INP Design/LA(%)	>= 95% w in 3 hrs																															
B.1.9.11	O-9	UNE Analog Loop w/INP Non-Design/LA(%)	>= 95% w in 3 hrs																															
B.1.9.12	O-15	UNE Analog Loop w/LNP Design/LA(%)	>= 95% w in 3 hrs		100.00%	5				YES																				100.00%	1				YES
B.1.9.13	O-15	UNE Analog Loop w/LNP Non-Design/LA(%)	>= 95% w in 3 hrs																															
B.1.9.14	O-9	Other Design/LA(%)	>= 95% w in 3 hrs		100.00%	79				YES			86.67%	75				YES			99.43%	175				YES			100.00%	72				YES
B.1.9.15	O-9	Other Non-Design/LA(%)	>= 95% w in 3 hrs																		99.32%	885				YES			99.39%	776				YES
B.1.9.16	O-9	INP Standalone/LA(%)	>= 95% w in 3 hrs																															
B.1.9.17	O-15	LNP Standalone/LA(%)	>= 95% w in 3 hrs		100.00%	41				YES			96.30%	27				YES			100.00%	6				YES			72.73%	11				NO
		FOC Timeliness - Partially Mechanized																																
B.1.10.1	O-9	Switch Ports/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.2	O-9	Local Interoffice Transport/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.3	O-9	Loop + Port Combinations/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.4	O-9	Combo Other/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.5	O-9	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.6	O-9	ISDN Loop (UDN, UDC)/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.7	O-9	Line Sharing/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.8	O-9	UNE Analog Loop Design/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.9	O-9	UNE Analog Loop Non-Design/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.10	O-9	UNE Analog Loop w/INP Design/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.11	O-9	UNE Analog Loop w/INP Non-Design/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.12	O-15	UNE Analog Loop w/LNP Design/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.13	O-15	UNE Analog Loop w/LNP Non-Design/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.14	O-9	Other Design/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.15	O-9	Other Non-Design/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.16	O-9	INP Standalone/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.10.17	O-18	LNP Standalone/LA(%)	>= 85% w in 36 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
		FOC Timeliness - Partially Mechanized - 18 hours																																
B.1.11.1	O-9	Switch Ports/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.2	O-9	Local Interoffice Transport/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.3	O-9	Loop + Port Combinations/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.4	O-9	Combo Other/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.5	O-9	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.6	O-9	ISDN Loop (UDN, UDC)/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.7	O-9	Line Sharing/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.8	O-9	UNE Analog Loop Design/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.9	O-9	UNE Analog Loop Non-Design/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.10	O-9	UNE Analog Loop w/INP Design/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.11	O-9	UNE Analog Loop w/INP Non-Design/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.12	O-15	UNE Analog Loop w/LNP Design/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.13	O-15	UNE Analog Loop w/LNP Non-Design/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*		100.00%	5				YES														
B.1.11.14	O-9	Other Design/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*		100.00%	20				YES			97.62%	42				YES			100.00%	23				YES
B.1.11.15	O-9	Other Non-Design/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.16	O-9	INP Standalone/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*								*This data not applicable after 8-1-2001, see below*						
B.1.11.17	O-18	LNP Standalone/LA(%)	>= 85% w in 18 hrs		*This data not applicable after 8-1-2001, see below*						*This data not applicable after 8-1-2001, see below*		85.48%	62				YES			71.43%	14				NO			83.33%	6				NO
		FOC Timeliness - Partially Mechanized - 10 hours																																
B.1.12.1	O-9	Switch Ports/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.2	O-9	Local Interoffice Transport/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.3	O-9	Loop + Port Combinations/LA(%)	>= 85% w in 10 hrs		83.93%	839				YES	*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.4	O-9	Combo Other/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.5	O-9	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 85% w in 10 hrs		85.71%	28				YES	*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.6	O-9	ISDN Loop (UDN, UDC)/LA(%)	>= 85% w in 10 hrs		100.00%	2				YES	*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.7	O-9	Line Sharing/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.8	O-9	UNE Analog Loop Design/LA(%)	>= 85% w in 10 hrs		84.74%	19				YES	*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.9	O-9	UNE Analog Loop Non-Design/LA(%)	>= 85% w in 10 hrs		0.00%	1				NO	*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.10	O-9	UNE Analog Loop w/INP Design/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.11	O-9	UNE Analog Loop w/INP Non-Design/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.12	O-15	UNE Analog Loop w/LNP Design/LA(%)	>= 85% w in 10 hrs		83.33%	12				NO	*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.13	O-15	UNE Analog Loop w/LNP Non-Design/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.14	O-9	Other Design/LA(%)	>= 85% w in 10 hrs		100.00%	41				YES	*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.15	O-9	Other Non-Design/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.16	O-9	INP Standalone/LA(%)	>= 85% w in 10 hrs								*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
B.1.12.17	O-15	LNP Standalone/LA(%)	>= 85% w in 10 hrs		91.25%	80				YES	*Not applicable before August data month*								*Not applicable before August data month*								*Not applicable before August data month*						
		FOC Timeliness - Non-Mechanized																																
B.1.13.1	O-9	Switch Ports/LA(%)	>= 85% w in 36 hrs										100.00%	1				YES			100.00%	52				YES			100.00%	71				YES
B.1.13.2	O-9	Local Interoffice Transport/LA(%)	>= 85% w in 36 hrs										100.00%	7				YES			100.00%	11				YES			100.00%	4				YES
B.1.13.3	O-9	Loop + Port Combinations/LA(%)	>= 85% w in 36 hrs		91.43%	35				YES																								
B.1.13.4	O-9	Combo Other/LA(%)	>= 85% w in 36 hrs																															
B.1.13.5	O-9	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 85% w in 36 hrs		100.00%	102				YES			96.88%	96				YES			100.00%	93				YES			99.33%	150				YES
B.1.13.6	O-9	ISDN Loop (UDN, UDC)/LA(%)	>= 85% w in 36 hrs		96.72%	109				YES			100.00%	8				YES			100.00%	14				YES			100.00%	20				YES
B.1.13.7	O-9	Line Sharing/LA(%)	>= 85% w in 36 hrs		100.00%	46				YES			100.00%	71				YES			100.00%	50				YES			100.00%	45				YES
B.1.13.8	O-9	UNE Analog Loop Design/LA(%)	>= 85% w in 36 hrs		88.60%	61				YES			100.00%	41				YES			97.87%	47				YES			100.00%	44				YES
B.1.13.9	O-9	UNE Analog Loop Non-Design/LA(%)	>= 85% w in 36 hrs		100.00%	56				YES			100.00%	143				YES			100.00%	174				YES			100.00%	208				YES
B.1.13.10	O-9	UNE Analog Loop w/INP Design/LA(%)	>= 85% w in 36 hrs		100.00%	14				YES			100.00%	13				YES			100.00%	14				YES			100.00%	18				YES
B.1.13.11	O-9	UNE Analog Loop w/INP Non-Design/LA(%)	>= 85% w in 36 hrs																															
B.1.13.12	O-15	UNE Analog Loop w/LNP Design/LA(%)	>= 85% w in 36 hrs		82.07%	227				YES			90.74%	162				YES			94.77%	172				YES			100.00%	139				YES
B.1.13.13	O-15	UNE Analog Loop w/LNP Non-Design/LA(%)	>= 85% w in 36 hrs										100.00%	4				YES			100.00%	3				YES			100.00%	2				YES
B.1.13.14	O-9	Other Design/LA(%)	>= 85% w in 36 hrs		89.24%	132				YES			100.00%	45				YES			100.00%	66				YES			100.00%	84				YES
B.1.13.15	O-9	Other Non-Design/LA(%)	>= 85% w in 36 hrs																		100.00%	11				YES			100.00%	4				YES
B.1.13.16	O-9	INP Standalone/LA(%)	>= 85% w in 36 hrs																															
B.1.13.17	O-18	LNP Standalone/LA(%)	>= 85% w in 36 hrs		95.61%	406				YES			96.61%	373				YES			94.57%	368				YES			99.46%	561				YES
		FOC & Reject Response Completeness - Mechanized																																
B.1.14.1	O-11	Switch Ports/LA(%)	>= 95%																		94.76%	191				NO			91.86%	86				NO
B.1.14.2	O-11	Local Interoffice Transport/LA(%)	>= 95%																		91.18%	1,295				NO			94.54%	1,081				NO
B.1.14.3	O-11	Loop + Port Combinations/LA(%)	>= 95%		99.14%	1,866				YES			98.09%	1,227				NO																
B.1.14.4	O-11	Combo Other/LA(%)	>= 95%																															
B.1.14.5	O-11	xDSL (ADSL, HDSL and UCL)/LA(%)	>= 95%		86.67%	67				NO			84.52%	143				NO			77.80%	125				NO			84.25%	127				NO
B.1.14.6	O-11	ISDN Loop (UDN, UDC)/LA(%)	>= 95%		100.00%	2				YES											0.00%	1				NO								
B.1.14.7	O-11	Line Sharing/LA(%)	>= 95%																															
B.1.14.8	O-11	UNE Analog Loop Design/LA(%)	>= 95%		94.87%	39				NO			80.00%	5				NO			85.89%	18				NO			0.00%	1				NO
B.1.14.9	O-11	UNE Analog Loop Non-Design/LA(%)	>= 95%		100.00%	4				YES			0.00%	2				NO																
B.1.14.10	O-11	UNE Analog Loop w/INP Design/LA(%)	>= 95%																															
B.1.14.11	O-11	UNE Analog Loop w/INP Non-Design/LA(%)	>= 95%																															
B.1.14.12	O-11	UNE Analog Loop w/LNP Design/LA(%)	>= 95%		100.00%	8				YES			100.00%	1				YES																
B.1.14.13	O-11	UNE Analog Loop w/LNP Non-Design/LA(%)	>= 95%										100.00%	1				YES																
B.1.14.14	O-11	Other Design/LA(%)	>= 95%		87.98%	99				YES			84.00%	125				NO			94.27%	192				NO			91.86%	86				NO
B.1.14.15	O-11	Other Non-Design/LA(%)	>= 95%																		91.18%	1,295				NO			94.54%	1,081				NO
B.1.14.16	O-11	INP Standalone/LA(%)	>= 95%																															
B.1.14.17	O-11	LNP Standalone/LA(%)	>= 95%		100.00%	39				YES			100.00%	18				YES			100.00%	14				YES			100.00%	42				YES
		FOC & Reject Response Completeness - Partially Mechanized																																
B.1.15.1	O-11	Switch Ports/LA(%)	>= 95%																		100.00%	41				YES			100.00%	43				YES
B.1.15.2	O-11	Local Interoffice Transport/LA(%)	>= 95%																		100.00%	782				YES			100.00%	510				YES
B.1.15.3	O-11	Loop + Port Combinations/LA(%)	>= 95%		98.38%	1,464				YES			100.00%	1,191				YES																
B.1.15.4	O-11	Combo Other/LA(%)	>= 95%																															

BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark / Analog	August Data								July Data								June Data								May Data							
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jun-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	May-01 Equiv
B.1.15.5	O-11	xDSL (ADSL, HDSL and UCL)(LA(%)	>= 85%			50.00%	20				NO			80.00%	15				NO								YES			0.00%	1				NO
B.1.15.6	O-11	ISDN Loop (UDN, UDC)(LA(%)	>= 85%			100.00%	3				YES											100.00%	3				YES								
B.1.15.7	O-11	Line Sharing(LA(%)	>= 85%																																
B.1.15.8	O-11	2W Analog Loop Design(LA(%)	>= 85%			100.00%	48				YES			100.00%	4				YES			100.00%	21				YES			100.00%	3				YES
B.1.15.9	O-11	2W Analog Loop Non-Design(LA(%)	>= 85%			100.00%	1				YES																								
B.1.15.10	O-11	2W Analog Loop w/INP Design(LA(%)	>= 85%																																
B.1.15.11	O-11	2W Analog Loop w/INP Non-Design(LA(%)	>= 85%																																
B.1.15.12	O-11	2W Analog Loop w/LNP Design(LA(%)	>= 85%			100.00%	21				YES			100.00%	1				YES			100.00%	1				YES								
B.1.15.13	O-11	2W Analog Loop w/LNP Non-Design(LA(%)	>= 85%											100.00%	6				YES																
B.1.15.14	O-11	Other Design(LA(%)	>= 85%			100.00%	65				YES			100.00%	29				YES			100.00%	44				YES			100.00%	33				YES
B.1.15.15	O-11	Other Non-Design(LA(%)	>= 85%																			100.00%	762				YES			100.00%	510				YES
B.1.15.16	O-11	INP Standalone(LA(%)	>= 85%																																
B.1.15.17	O-11	LNP Standalone(LA(%)	>= 85%			100.00%	140				YES			98.08%	108				YES			100.00%	28				YES			100.00%	23				YES
		FOC & Reject Response Completeness - Non-Mechanized																																	
B.1.16.1	O-11	Switch Ports(LA(%)	>= 95%																																
B.1.16.2	O-11	Local Interoffice Transport(LA(%)	>= 95%											100.00%	1				YES			98.21%	56				YES			100.00%	82				YES
B.1.16.3	O-11	Loop + Port Combinations(LA(%)	>= 95%			95.08%	79				NO			100.00%	10				YES			95.00%	20				YES			100.00%	12				YES
B.1.16.4	O-11	Combo Others(LA(%)	>= 95%																																
B.1.16.5	O-11	xDSL (ADSL, HDSL and UCL)(LA(%)	>= 95%			82.78%	151				NO			80.00%	4				NO			100.00%	9				YES			100.00%	11				YES
B.1.16.6	O-11	ISDN Loop (UDN, UDC)(LA(%)	>= 95%			84.98%	119				NO			100.00%	9				YES			100.00%	14				YES			100.00%	22				YES
B.1.16.7	O-11	Line Sharing(LA(%)	>= 95%			92.99%	57				NO			96.90%	63				YES			91.89%	74				NO			99.61%	56				YES
B.1.16.8	O-11	2W Analog Loop Design(LA(%)	>= 95%			86.26%	116				YES			100.00%	44				YES			100.00%	49				YES			97.78%	45				YES
B.1.16.9	O-11	2W Analog Loop Non-Design(LA(%)	>= 95%			86.79%	159				NO			90.36%	339				YES			93.92%	404				NO			86.49%	466				YES
B.1.16.10	O-11	2W Analog Loop w/INP Design(LA(%)	>= 95%			70.99%	173				NO			69.23%	13				NO			100.00%	18				YES			100.00%	8				YES
B.1.16.11	O-11	2W Analog Loop w/INP Non-Design(LA(%)	>= 95%																																
B.1.16.12	O-11	2W Analog Loop w/LNP Design(LA(%)	>= 95%			100.00%	287				YES			100.00%	182				YES			100.00%	228				YES			88.52%	308				YES
B.1.16.13	O-11	2W Analog Loop w/LNP Non-Design(LA(%)	>= 95%											100.00%	8				YES			100.00%	4				YES			100.00%	7				YES
B.1.16.14	O-11	Other Design(LA(%)	>= 95%			86.69%	206				YES			100.00%	56				YES			88.87%	70				YES			100.00%	104				YES
B.1.16.15	O-11	Other Non-Design(LA(%)	>= 95%																			95.00%	20				YES			100.00%	12				YES
B.1.16.16	O-11	INP Standalone(LA(%)	>= 95%																																
B.1.16.17	O-11	LNP Standalone(LA(%)	>= 95%			99.83%	576				YES			100.00%	508				YES			99.62%	548				YES			100.00%	663				YES
		FOC & Reject Response Completeness (Multiple Responses) - Mechanized																																	
B.1.17.1	O-11	Switch Ports(LA(%)	>= 95%																																
B.1.17.2	O-11	Local Interoffice Transport(LA(%)	>= 95%																			100.00%	181				YES			100.00%	79				YES
B.1.17.3	O-11	Loop + Port Combinations(LA(%)	>= 95%			87.15%	1,634				NO			99.90%	1,044				YES			100.00%	1,127				YES			100.00%	1,022				YES
B.1.17.4	O-11	Combo Others(LA(%)	>= 95%																																
B.1.17.5	O-11	xDSL (ADSL, HDSL and UCL)(LA(%)	>= 95%			96.28%	54				YES			89.36%	121				NO			94.85%	97				NO			95.39%	107				YES
B.1.17.6	O-11	ISDN Loop (UDN, UDC)(LA(%)	>= 95%			100.00%	2				YES																								
B.1.17.7	O-11	Line Sharing(LA(%)	>= 95%																																
B.1.17.8	O-11	2W Analog Loop Design(LA(%)	>= 95%			84.08%	57				NO			100.00%	4				YES			100.00%	18				YES								
B.1.17.9	O-11	2W Analog Loop Non-Design(LA(%)	>= 95%			75.00%	4				NO																								
B.1.17.10	O-11	2W Analog Loop w/INP Design(LA(%)	>= 95%																																
B.1.17.11	O-11	2W Analog Loop w/INP Non-Design(LA(%)	>= 95%																																
B.1.17.12	O-11	2W Analog Loop w/LNP Design(LA(%)	>= 95%			100.00%	8				YES			100.00%	1				YES																
B.1.17.13	O-11	2W Analog Loop w/LNP Non-Design(LA(%)	>= 95%											100.00%	1				YES																
B.1.17.14	O-11	Other Design(LA(%)	>= 95%			78.36%	97				NO			100.00%	105				YES			100.00%	181				YES			100.00%	79				YES
B.1.17.15	O-11	Other Non-Design(LA(%)	>= 95%																			100.00%	1,127				YES			100.00%	1,022				YES
B.1.17.16	O-11	INP Standalone(LA(%)	>= 95%																																
B.1.17.17	O-11	LNP Standalone(LA(%)	>= 95%			100.00%	38				YES			100.00%	18				YES			100.00%	14				YES			100.00%	22				YES
		FOC & Reject Response Completeness (Multiple Responses) - Partially Mechanized																																	
B.1.18.1	O-11	Switch Ports(LA(%)	>= 95%																																
B.1.18.2	O-11	Local Interoffice Transport(LA(%)	>= 95%																			87.56%	41				YES			99.97%	33				YES
B.1.18.3	O-11	Loop + Port Combinations(LA(%)	>= 95%			87.17%	1,395				NO			99.57%	1,131				NO			95.48%	782				NO			99.88%	510				NO
B.1.18.4	O-11	Combo Others(LA(%)	>= 95%																																
B.1.18.5	O-11	xDSL (ADSL, HDSL and UCL)(LA(%)	>= 95%			100.00%	10				YES			91.67%	12				NO																
B.1.18.6	O-11	ISDN Loop (UDN, UDC)(LA(%)	>= 95%			100.00%	3				YES											100.00%	3				YES								
B.1.18.7	O-11	Line Sharing(LA(%)	>= 95%																																
B.1.18.8	O-11	2W Analog Loop Design(LA(%)	>= 95%			97.96%	49				YES			100.00%	4				YES			100.00%	21				YES			100.00%	3				YES
B.1.18.9	O-11	2W Analog Loop Non-Design(LA(%)	>= 95%			100.00%	1				YES																								
B.1.18.10	O-11	2W Analog Loop w/INP Design(LA(%)	>= 95%																																
B.1.18.11	O-11	2W Analog Loop w/INP Non-Design(LA(%)	>= 95%																																
B.1.18.12	O-11	2W Analog Loop w/LNP Design(LA(%)	>= 95%			100.00%	21				YES			100.00%	1				YES			100.00%	1				YES								
B.1.18.13	O-11	2W Analog Loop w/LNP Non-Design(LA(%)	>= 95%											100.00%	6				YES																
B.1.18.14	O-11	Other Design(LA(%)	>= 95%			89.27%	65				NO			99.55%	29				YES			97.73%	44				YES			96.87%	33				YES
B.1.18.15	O-11	Other Non-Design(LA(%)	>= 95%																			93.48%	782				NO			99.88%	510				NO
B.1.18.16	O-11	INP Standalone(LA(%)	>= 95%																																
B.1.18.17	O-11	LNP Standalone(LA(%)	>= 95%			100.00%	140				YES			100.00%	108				YES			92.00%	25				NO			100.00%	23				YES
		FOC & Reject Response Completeness (Multiple Responses) - Non-Mechanized																																	
B.1.19.1	O-11	Switch Ports(LA(%)	>= 95%																																
B.1.19.2	O-11	Local Interoffice Transport(LA(%)	>= 95%											100.00%	1				YES			85.48%	55				NO			92.90%	62				NO
B.1.19.3	O-11	Loop + Port Combinations(LA(%)	>= 95%			85.58%	66				YES			90.00%	10				NO			84.74%	19				NO			100.00%	12				YES
B.1.19.4	O-11	Combo Others(LA(%)	>= 95%																																
B.1.19.5	O-11	xDSL (ADSL, HDSL and UCL)(LA(%)	>= 95%			98.80%	126				YES			50.00%	2				NO			100.00%	9				YES			100.00%	11				YES
B.1.19.6	O-11	ISDN Loop (UDN, UDC)(LA(%)	>= 95%			94.99%	113				NO			100.00%	9				YES			100.00%	14				YES			86.36%	22				NO
B.1.19.7	O-11	Line Sharing(LA(%)	>= 95%			94.34%	53				NO			96.70%	62				YES			91.18%	68				NO			96.25%	57				YES
B.1.19.8	O-11	2W Analog Loop Design(LA(%)	>= 95%			92.98%	114				NO			86.36%	44				NO			85.71%	49				NO			86.36%	44				NO
B.1.19.9	O-11	2W Analog Loop Non-Design(LA(%)	>= 95%			94.20%	138				NO			86.36%	323				YES			84.43%	377				NO			81.40%	445				NO
B.1.19.10	O-11	2W Analog Loop w/INP Design(LA(%)	>= 95%			93.75%	128				NO			100.00%	8				YES			90.00%	10				NO			83.33%	6				NO
B.1.19.11	O-11	2W Analog Loop w/INP Non-Design(LA(%)	>= 95%																																
B.1.19.12	O-11	2W Analog Loop w/LNP Design(LA(%)	>= 95%			100.00%	367				YES			100.00%	182				YES			100.00%	229				YES			100.00%	306				YES
B.1.19.13	O-11	2W Analog Loop w/LNP Non-Design(LA(%)	>= 95%											100.00%	8				YES			100.00%	4				YES			100.00%	7				YES
B.1.19.14	O-11	Other Design(LA(%)	>= 95%			83.09%	201				NO			87.50%	56				NO			88.41%	69				NO			83.85%	104				NO
B.1.19.15	O-11	Other Non-Design(LA(%)	>= 95%																			94.74%	19				NO			100.00%	12				YES
B.1.19.16	O-11	INP Standalone(LA(%)	>= 95%																																
B.1.19.17	O-11	LNP Standalone(LA(%)	>= 95%			100.00%	577				YES			100.00%	508				YES			100.00%	545				YES			100.00%	663				YES
		Unbundled Network Elements - Provisioning																																	
		Order Completion Interval																																	
B.2.1.1.1	P-4	Switch Ports/<10 circuits/Dispatch LA(days)	R&B (POTS)	3.85	24,537			4.726				3.35	16,913			5.242				4.54	20,739			5.106				4.16	21,550			5.985			
B.2.1.1.2	P-4	Switch Ports/>10 circuits/Non-Dispatch LA(days)	R&B (POTS)	0.84	282,856			1.609				1.02	237,886			1.314				1.08	226,186			1.470				1.17	251,198			1.847			
B.2.1.2.1	P-4	Switch Ports/>10 circuits/Dispatch LA(days)	R&B (POTS)	15.92	108			33.709				16.18	78			30.475				7.26	120			9.995				12.35	80			20.480			
B.2.1.2.2	P-4	Switch Ports/>10 circuits/Non-Dispatch LA(days)	R&B (POTS)	1.07	9			1.508				0.75	16			0.831				1.50	6			2.422				2.07	10			2.811			
B.2.1.2.1	P-4	Local Interoffice Transport/<10 circuits/Dispatch LA(days)	DS1/DS3	19.02	473	20.00	1	20.902	20.92418	0.1904	YES																			16.00	1						
B.2.1.2.2	P-4	Local Interoffice Transport/<10 circuits/Non-Dispatch LA(days)	DS1/DS3																																
B.2.2.2.1	P-4	Local Interoffice Transport/>=10 circuits/Dispatch LA(days)	DS1/DS3																																
B.2.2.2.2	P-4	Local Interoffice Transport/>=10 circuits/Non-Dispatch LA(days)	DS1/DS3																																
B.2.3.1.1	P-4	Loop + Port Combinations/<10 circuits/Dispatch LA(days)	R&B	3.84	24,985	2.48	59	4.772	0.57525	2.4807	YES	3.37	20,280	2.48	104	5.263	0.51735	1.7259	YES	4.56	21,074	3.54	41	5.133	0.80242	1.2720	YES	4.27	22,193	3.53	36	5.885	0.98323	0.7512	YES
B.2.3.1.2	P-4	Loop + Port Combinations/<10 circuits/Non-Dispatch LA(days)	R&B	0.94	264,326	0.70	1,570	1.625	0.04112	6.0435	YES	1.02	238,953	0.90	1,116	1.321	0.03954	3.0810	YES	1.04	227,264	0.93	479	1.464	0.08790	10.3670	YES	1.17	267,664	0.99	544	1.812	0.07777	2.3328	YES
B.2.3.1.3	P-4	Loop + Port Combinations/<10 circuits/Switch Based Orders LA(days)	R&B	0.33	129,895	0.33	994	0.227	0.00752	0.0413	YES	0.32	82,821	0.34	686	0.263	0.01006	0.2569	YES	Data Invalidated for 8.2.1.2.1.2								Data Invalidated for 8.2.1.2.1.2				Data data unavailable with July Run							
B.2.3.1.4	P-4	Loop + Port Combinations/<10 circuits/Dispatch Int LA(days)	R&B	1.58	134,675	1.33	572	2.108	0.08812	2.5344	YES	1.80	129,794	1.80	426	1.580	0.07551	2.7064	NO	Data Invalidated for 8.2.1.2.1.2								Data Invalidated for 8.2.1.2.1.2				Data data unavailable with July Run							
B.2.3.2.1	P-4	Loop + Port Combinations/>=10 circuits/Dispatch LA(days)	R&B	16.18	126	3.60	2	31.667	22.58032	0.5615	YES	14.56	97	4.67	3	27.598	19.17841	0.6113	YES	7.56	144	1.00	1	9.055	8.06806	0.7240	YES	10.16	193	4.00	2	14.195	10.08890	0.6128	YES
B.2.3.2.2	P-4	Loop + Port Combinations/>=10 circuits/Non-Dispatch LA(days)	R&B	2.02	88	0.83	4	2.335	1.18782	1.0021	YES	3.23	157			5.298				1.29	166	0.33	3	1.407	1.41148	0.8618	YES	2.71	173			6.193			
B.2.3.2.3	P-4	Loop + Port Combinations/>=10 circuits/Switch Based Orders LA(days)	R&B	0.33	34	0.33	1	0.000	0.00000		YES	0.36	37			0.275				Data Invalidated for 8.2.1.2.2.2												Data data unavailable with July Run							
B.2.3.2.4	P-4	Loop + Port Combinations/>=10 circuits/Dispatch Int LA(days)	R&B	2.92	64	1.00	3	2.445	1.44453	1.2306	YES	4.11	129			5.332				Data Invalidated for 8.2.1.2.2.2												Data data unavailable with July Run							
B.2.4.1.1	P-4	Combo Other/<10 circuits/Dispatch LA(days)	R&B/AD - Desi	4.73	26,005			6.701				4.54	21,642			9.806				6.06	22,525			11.273				5.53	23,508			11.147			
B.2.4.1.4	P-4	Combo Other/<10 circuits/Dispatch Int LA(days)	R&B/AD - Desi																																
B.2.4.2.1	P-4	Combo Other/>=10 circuits/Dispatch LA(days)	R&B/AD - Desi	16.89	126			30.956				14.10	102			26.992				7.56	144			9.055				10.54	198			14.366			
B.2.4.2.4	P-4	Combo Other/>=10 circuits/Dispatch Int LA(days)	R&B/AD - Desi																																
B.2.5.3.1	P-4	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch LA(days)	ADSL to Retail	9.25	302	4.82	66	25.602	3.50081	1.2389	YES	6.06	385	4.81	52	30.709	4.53701	0.7163	YES	4.95	273	4.75	40	7.877	1.33367	0.9935	YES	7.71	358	6.85	55	18.581	2.40222	0.5245	YES
B.2.5.3.2	P-4	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch LA(days)	ADSL to Retail	3.23	89			1.256				3.17	129			1.334				3.15	191			1.289				4.17	251			4.272			
B.2.5.4.1	P-4	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch LA(days)	ADSL to Retail	9.00	1			0.000				6.78	9			11.052				4.00	4			0.000				13.00	2			11.314			
B.2.5.4.2	P-4	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch LA(days)	ADSL to Retail																																
B.2.1.5.1	P-4	xDSL (ADSL, HDSL and UCL)/>=14 circuits/Dispatch LA(days)	ADSL to Retail																	9.00	1			0.000											
B.2.1.5.2	P-4	xDSL (ADSL, HDSL and UCL)/>=14 circuits/Non-Dispatch LA(days)	ADSL to Retail																																
B.2.1.6.1	P-4	LINE ISDN/<8 circuits/Dispatch LA(days)	ISDN - BRI	13.80	143	11.51	53	5.578	1.37959	1.9617	YES	12.12	139	10.72	46	6.877	1.62816	0.8544	YES	14.28	164	10.12	57	12.407	1.90770	2.1859	YES	9.50	264	12.31	54	14.427	2.13941	-1.2641	YES
B.2.1.6.2	P-4	LINE ISDN/<8 circuits/Non-Dispatch LA(days)	ISDN - BRI	2.85	113			8.467				4.07	110			9.274				4.51	159			6.478				1.89	180			3.278			
B.2.1.6.1	P-4	LINE ISDN/8-13 circuits/Dispatch LA(days)	ISDN - BRI																																
B.2.1.6.2	P-4	LINE ISDN/8-13 circuits/Non-Dispatch LA(days)	ISDN - BRI									0.33	1			0.000												0.33	1			0.000			
B.2.1.6.1	P-4	LINE ISDN/>=14 circuits/Dispatch LA(days)	ISDN - BRI																																
B.2.1.6.2	P-4	LINE ISDN/>=14 circuits/Non-Dispatch LA(days)	ISDN - BRI																																
B.2.7.3.1	P-4	Line Sharing/<8 circuits/Dispatch LA(days)	ADSL to Retail	9.25	302	35.00	1	25.602	25.64415	1.0041	YES	6.06	385			30.709				4.95	273	22.00	1	7.877	7.59131	2.1720	NO	7.71	358			18.581			
B.2.7.3.2	P-4	Line Sharing/<8 circuits/Non-Dispatch LA(days)	ADSL to Retail	3.23	89	3.82	37	1.256	0.24214	-1.8106	YES	3.17	129	3.85	51	1.334	0.23265	2.1753	NO	3.15	191	3.39	23	1.289	0.28443	-0.7343	YES	4.17	251			4.272			
B.2.7.4.1	P-4	Line Sharing/8-13 circuits/Dispatch LA(days)	ADSL to Retail	9.00	1			0.000				6.78	9			11.052				4.00	4			0.000				13.00	2			11.314			
B.2.7.4.2	P-4	Line Sharing/8-13 circuits/Non-Dispatch LA(days)	ADSL to Retail																																
B.2.7.5.1	P-4	Line Sharing/>=14 circuits/Dispatch LA(days)	ADSL to Retail																	9.00	1			0.000											
B.2.7.5.2	P-4	Line Sharing/>=14 circuits/Non-Dispatch LA(days)	ADSL to Retail																																
B.2.1.8.1	P-4	2W Analog Loop Design/<10 circuits/Dispatch LA(days)	R&B - Disp	3.85	24,985	4.50	38	4.772	0.77468	0.7939	YES	3.37	20,280	5.21	28	5.263	0.99821	1.8501	NO	4.56	21,074	4.87	91	5.133	0.53625	0.5613	YES	4.27	22,193	5.99	91	5.885	0.81918	-4.4005	NO
B.2.1.8.2	P-4	2W Analog Loop Design/<10 circuits/Non-Dispatch LA(days)	R&B - Disp	3.84	24,985			4.772				3.37	20,280			5.263				4.56	21,074			5.133				4.27	22,193			5.885			
B.2.1.8.1	P-4	2W Analog Loop Design/>=10 circuits/Dispatch LA(days)	R&B - Disp	16.18	126			31.667				14.56	97			27.598				7.56	144	9.00	2	9.055	8.44595	0.2205	YES	10.16	193			14.195			
B.2.1.8.2	P-4	2W Analog Loop Design/>=10 circuits/Non-Dispatch LA(days)	R&B - Disp	16.18	126			31.667				14.56	97			27.598				7.56	144			9.055				10.16	193			14.195			

BellSouth Monthly Performance Summary

Louisiana, August 2001

		Benchmark / Analog	August Data								July Data								June Data								May Data							
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jun-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	May-01 Equiv
B.2.1.9.1.1	P-4	3W Analog Loop Non-Design/<10 circuits/Dispatch/LA(days)	3.85	24,532			4.725				3.35	19,911			5.842				4.84	20,720			5.106				4.18	21,530			5.665			
B.2.1.9.1.4	P-4	3W Analog Loop Non-Design/<10 circuits/Dispatch Int/LA(days)	1.52	134,021			2.062				1.59	129,262			1.548				1.47	139,018			1.724											
B.2.1.9.2.1	P-4	3W Analog Loop Non-Design/>=10 circuits/Dispatch/LA(days)	15.92	108			33.709				18.18	78			30.475				7.26	120			8.998				12.36	80			20.490			
B.2.1.9.2.4	P-4	3W Analog Loop Non-Design/>=10 circuits/Dispatch Int/LA(days)	2.00	4			2.000				2.00	4			0.817				2.47	5			3.151											
B.2.1.10.1.1	P-4	3W Analog Loop w/HNP Design/<10 circuits/Non-Dispatch/LA(days)	3.85	24,995	5.00	2	4.772	3.37451	-0.3904	YES	3.37	20,280			5.283				4.56	21,074	6.00	5	5.133	2.29462	-0.6287	YES	4.27	22,193	4.00	1	5.895	5.88473	0.0450	YES
B.2.1.10.1.2	P-4	3W Analog Loop w/HNP Design/<10 circuits/Non-Dispatch/LA(days)	3.86	24,995			4.772				3.37	20,280			5.283				4.56	21,074			5.133				4.27	22,193			5.895			
B.2.1.10.2.1	P-4	3W Analog Loop w/HNP Design/>=10 circuits/Dispatch/LA(days)	16.18	128			31.887				14.56	87			27.586				7.56	144			8.955				10.18	193			14.195			
B.2.1.10.2.2	P-4	3W Analog Loop w/HNP Design/>=10 circuits/Non-Dispatch/LA(days)	16.18	128			31.887				14.56	87			27.586				7.56	144			8.955				10.18	193			14.195			
B.2.1.11.1.1	P-4	3W Analog Loop w/HNP Non-Design/<10 circuits/Dispatch/LA(days)	3.85	24,532			4.725				3.35	19,911			5.842				4.84	20,720			5.106				4.18	21,530			5.665			
B.2.1.11.1.2	P-4	3W Analog Loop w/HNP Non-Design/<10 circuits/Dispatch Int/LA(days)	1.52	134,021			2.062				1.59	129,262			1.548				1.47	139,018			1.724											
B.2.1.11.2.1	P-4	3W Analog Loop w/HNP Non-Design/>=10 circuits/Dispatch/LA(days)	15.92	108			33.709				18.18	78			30.475				7.26	120			8.998				12.36	80			20.490			
B.2.1.11.2.4	P-4	3W Analog Loop w/HNP Non-Design/>=10 circuits/Dispatch Int/LA(days)	2.00	4			2.000				2.00	4			0.817				2.47	5			3.151											
B.2.1.12.1.1	P-4	3W Analog Loop w/LNP Design/<10 circuits/Dispatch/LA(days)	3.86	24,995	4.83	125	4.772	0.42787	-2.2086	NO	3.37	20,280	5.42	72	5.283	0.62129	-0.2848	NO	4.56	21,074	5.29	48	5.133	0.74173	-0.9884	YES	4.27	22,193	7.19	86	5.895	0.71582	4.0889	NO
B.2.1.12.1.2	P-4	3W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/LA(days)	3.86	24,995			4.772				3.37	20,280			5.283				4.56	21,074			5.133				4.27	22,193			5.895			
B.2.1.12.2.1	P-4	3W Analog Loop w/LNP Design/>=10 circuits/Dispatch/LA(days)	16.18	128	6.00	1	31.887	31.81094	0.3200	YES	14.56	87			27.586				7.56	144	8.00	2	9.055	6.44985	-0.2205	YES	10.18	193			14.195			
B.2.1.12.2.2	P-4	3W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/LA(days)	16.18	128			31.887				14.56	87			27.586				7.56	144			8.955				10.18	193			14.195			
B.2.1.13.1.1	P-4	3W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/LA(days)	3.85	24,532			4.725				3.35	19,911			5.842				4.84	20,720			5.106				4.18	21,530			5.665			
B.2.1.13.1.4	P-4	3W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch Int/LA(days)	1.52	134,021			2.062				1.59	129,262			1.548				1.47	139,018			1.724											
B.2.1.13.2.1	P-4	3W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/LA(days)	15.92	108			33.709				18.18	78			30.475				7.26	120			8.998				12.36	80			20.490			
B.2.1.13.2.4	P-4	3W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch Int/LA(days)	2.00	4			2.000				2.00	4			0.817				2.47	5			3.151											
B.2.1.14.1.1	P-4	Other Design/<10 circuits/Dispatch/LA(days)	24.86	1,049	6.78	27	30.328	5.91177	3.0857	YES	21.81	1,364	10.13	8	27.053	8.56231	1.2259	YES	24.10	1,751	3.00	5	31.412	14.08905	1.5002	YES	26.97	1,313			33.521			
B.2.1.14.1.2	P-4	Other Design/<10 circuits/Non-Dispatch/LA(days)	30.83	226			48.708				61.89	418			67.852				10.84	906			22.218				66.17	166			86.272			
B.2.1.14.2.1	P-4	Other Design/>=10 circuits/Dispatch/LA(days)	28.25	8			10.361				5.20	5			3.884												25.00	5			13.064			
B.2.1.14.2.2	P-4	Other Design/>=10 circuits/Non-Dispatch/LA(days)	9.17	18			5.370				18.34	36			18.643				1.89	6			1.990				1.00	1			0.000			
B.2.1.15.1.1	P-4	Other Non-Design/<10 circuits/Dispatch/LA(days)	3.86	24,995			4.772				3.37	20,280			5.283				4.56	21,074			5.133				4.27	22,193			5.895			
B.2.1.15.1.2	P-4	Other Non-Design/<10 circuits/Non-Dispatch/LA(days)	0.84	284,328			1.625				1.02	258,653			1.321				1.04	227,284			1.484				1.17	227,284			1.612			
B.2.1.15.2.1	P-4	Other Non-Design/>=10 circuits/Dispatch/LA(days)	16.18	128			31.887				14.56	87			27.586				7.56	144			8.955				10.18	193			14.195			
B.2.1.15.2.2	P-4	Other Non-Design/>=10 circuits/Non-Dispatch/LA(days)	2.52	95			2.328				2.22	197			5.065				1.89	185			1.407				2.71	173			6.193			
B.2.1.16.1.1	P-4	INP (Standalone)/<10 circuits/Dispatch/LA(days)	RAB (POTS)	3.85	24,527			4.725				3.35	19,913			5.842				4.84	20,720			5.106				4.18	21,530			5.665			
B.2.1.16.1.2	P-4	INP (Standalone)/<10 circuits/Non-Dispatch/LA(days)	RAB (POTS)	0.84	282,856			1.609				1.02	257,666			1.314				1.03	226,196			1.470				1.17	251,196			1.847			
B.2.1.16.2.1	P-4	INP (Standalone)/>=10 circuits/Dispatch/LA(days)	RAB (POTS)	15.92	108			33.709				18.18	78			30.475				7.26	120			8.998				12.36	80			20.490			
B.2.1.16.2.2	P-4	INP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)	RAB (POTS)	1.07	9			1.508				0.75	18			0.831				1.52	9			2.422				2.07	10			2.814			
B.2.1.17.1.1	P-4	LNP (Standalone)/<10 circuits/Dispatch/LA(days)	RAB (POTS)	3.85	24,527	0.33	1	4.725	4.72470	0.7456	YES	3.35	19,913			5.842				4.84	20,720	3.50	4	5.106	2.55415	0.4056	YES	4.18	21,530	2.75	8	5.665	2.01275	3.7106	YES
B.2.1.17.1.2	P-4	LNP (Standalone)/<10 circuits/Non-Dispatch/LA(days)	RAB (POTS)	0.84	282,856	0.48	283	1.609	0.08927	4.4257	YES	1.02	257,666	0.85	252	1.314	0.06279	4.4327	YES	1.00	226,196	12.44	45	1.470	0.21911	-52.0827	NO	1.17	251,196	7.18	114	1.847	0.17358	34.7444	NO
B.2.1.17.2.1	P-4	LNP (Standalone)/>=10 circuits/Dispatch/LA(days)	RAB (POTS)	15.92	108			33.709				18.18	78			30.475				7.26	120			8.998				12.36	80	1.00	1	20.490	20.01787	0.8807	YES
B.2.1.17.2.2	P-4	LNP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)	RAB (POTS)	1.07	9	2.17	2	1.508	1.17901	-0.8311	YES	0.75	18	0.33	2	0.831	0.60348	-0.9595	YES	1.52	9	1.00	2	2.422	1.86287	0.2728	YES	2.07	10			2.814			
B.2.1.18.1.1	P-4	Digital Loop < DS1/<10 circuits/Dispatch/LA(days)	Digital Loop < DS1	14.28	269	8.05	112	12.302	1.38306	4.5045	YES	17.06	249	8.71	69	14.205	1.83280	4.8817	YES	15.30	227	10.12	57	10.348	1.53927	3.3993	YES	28.78	157	12.20	54	28.554	4.50458	3.0132	YES
B.2.1.18.1.2	P-4	Digital Loop < DS1/<10 circuits/Non-Dispatch/LA(days)	Digital Loop < DS1	9.86	218			11.564				8.70	265			9.977				27.63	8			24.564				7.50	8			10.827			
B.2.1.18.2.1	P-4	Digital Loop < DS1/>=10 circuits/Dispatch/LA(days)	Digital Loop < DS1	16.00	1			0.000																											
B.2.1.18.2.2	P-4	Digital Loop < DS1/>=10 circuits/Non-Dispatch/LA(days)	Digital Loop < DS1																																
B.2.1.19.1.1	P-4	Digital Loop >= DS1/<10 circuits/Dispatch/LA(days)	Digital Loop >= DS1	10.86	86	6.41	81	17.180	2.69818	1.7010	YES	15.51	62	6.84	69	20.648	3.58806	2.3818	YES	28.81	26	6.52	77	34.099	7.33241	3.0729	YES	19.47	45	7.46	124	16.905	2.94201	4.0762	YES
B.2.1.19.1.2	P-4	Digital Loop >= DS1/<10 circuits/Non-Dispatch/LA(days)	Digital Loop >= DS1	16.67	3			27.241				2.22	3			5.006				8.00	1			5.196				20.50	2			18.284			
B.2.1.19.2.1	P-4	Digital Loop >= DS1/>=10 circuits/Dispatch/LA(days)	Digital Loop >= DS1																																
B.2.1.19.2.2	P-4	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/LA(days)	Digital Loop >= DS1																																

Order Completion Interval within X days

B.2.2.1	P-4	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<=9 circuits/Dispatch/LA(days)	14 days																	4.00	1					YES								
B.2.2.2	P-4	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<=8 circuits/Dispatch/LA(days)	7 days		4.82	85				YES			4.61	52				YES	4.77	36						YES			5.48	56				YES

Held Orders

B.2.3.1.1.1	P-1	Switch Ports/<10 circuits/Facility/LA(days)	RAB (POTS)	26.32	81			93.304				37.67	69			135.139				56.79	52			175.368				24.08	71			81.603			
B.2.3.1.1.2	P-1	Switch Ports/<10 circuits/Equipment/LA(days)	RAB (POTS)	0.00	0							0.00	0																						
B.2.3.1.1.3	P-1	Switch Ports/<10 circuits/Other/LA(days)	RAB (POTS)	6.08	13			8.026				3.00	13			2.236				8.64	14			8.956				42.10	10			100.298			
B.2.3.1.2.1	P-1	Switch Ports/>=10 circuits/Facility/LA(days)	RAB (POTS)	1.00	1			0.000				2.00	1			0.000																			
B.2.3.1.2.2	P-1	Switch Ports/>=10 circuits/Equipment/LA(days)	RAB (POTS)	0.00	0							0.00	0																						
B.2.3.1.2.3	P-1	Switch Ports/>=10 circuits/Other/LA(days)	RAB (POTS)	0.00	0							0.00	0																						
B.2.3.2.1.1	P-1	Local Interoffice Transport/<10 circuits/Facility/LA(days)	DS1/DS3 - Interoffice	0.00	0	0.00	0				YES																								
B.2.3.2.1.2	P-1	Local Interoffice Transport/<10 circuits/Equipment/LA(days)	DS1/DS3 - Interoffice	0.00	0	0.00	0				YES																								
B.2.3.2.1.3	P-1	Local Interoffice Transport/<10 circuits/Other/LA(days)	DS1/DS3 - Interoffice	72.00	3	0.00	0	110.823			YES																								
B.2.3.2.2.1	P-1	Local Interoffice Transport/>=10 circuits/Facility/LA(days)	DS1/DS3 - Interoffice																																
B.2.3.2.2.2	P-1	Local Interoffice Transport/>=10 circuits/Equipment/LA(days)	DS1/DS3 - Interoffice																																
B.2.3.2.2.3	P-1	Local Interoffice Transport/>=10 circuits/Other/LA(days)	DS1/DS3 - Interoffice																																
B.2.3.3.1.1	P-1	Loop + Port Combinations/<10 circuits/Facility/LA(days)	RAB	26.32	81	5.00	1	93.304	93.61526	0.2272	YES	37.67	69	16.00	1	135.139	136.11454	0.1592	YES	56.75	53			173.957				23.71	72			81.071			
B.2.3.3.1.2	P-1	Loop + Port Combinations/<10 circuits/Equipment/LA(days)	RAB	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.3.1.3	P-1	Loop + Port Combinations/<10 circuits/Other/LA(days)	RAB	6.08	13	9.00	2	8.026				3.00	13	0.00	0	2.236				8.64	14			8.956				42.10	10			100.298			
B.2.3.3.2.1	P-1	Loop + Port Combinations/>=10 circuits/Facility/LA(days)	RAB	1.50	2	0.00	0	0.707			YES	10.50	2	0.00	0	12.021			YES																
B.2.3.3.2.2	P-1	Loop + Port Combinations/>=10 circuits/Equipment/LA(days)	RAB	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.3.2.3	P-1	Loop + Port Combinations/>=10 circuits/Other/LA(days)	RAB	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.4.1.1	P-1	Combo Other/<10 circuits/Facility/LA(days)	RABAD - Disp	29.00	99			98.873				38.19	72			133.358				56.75	80			165.622				28.86	77			84.347			
B.2.3.4.1.2	P-1	Combo Other/<10 circuits/Equipment/LA(days)	RABAD - Disp	0.00	0							0.00	0																						
B.2.3.4.1.3	P-1	Combo Other/<10 circuits/Other/LA(days)	RABAD - Disp	53.42	18			40.404				58.11	28			94.956				66.40	26			87.361				116.93	27			122.713			
B.2.3.4.2.1	P-1	Combo Other/>=10 circuits/Facility/LA(days)	RABAD - Disp	1.67	3			0.577				10.50	2			12.021				19.00	1			0.000											
B.2.3.4.2.2	P-1	Combo Other/>=10 circuits/Equipment/LA(days)	RABAD - Disp	0.00	0							0.00	0																						
B.2.3.4.2.3	P-1	Combo Other/>=10 circuits/Other/LA(days)	RABAD - Disp	1.67	3			0.577				1.67	3			0.577																			
B.2.3.5.1.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Facility/LA(days)	ADSL to Retail	34.74	50	0.00	0	38.518			YES	52.70	125	2.67	3	50.156	28.30284	1.7076	YES	62.86	173			76.536				58.26	120			61.441			
B.2.3.5.1.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Equipment/LA(days)	ADSL to Retail	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.5.1.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Other/LA(days)	ADSL to Retail	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	2.00	4			0.000				9.50	2			10.607			
B.2.3.5.2.1	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Facility/LA(days)	ADSL to Retail	0.00	0							0.00	0																						
B.2.3.5.2.2	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Equipment/LA(days)	ADSL to Retail	0.00	0							0.00	0																						
B.2.3.5.2.3	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Other/LA(days)	ADSL to Retail	0.00	0							0.00	0																						
B.2.3.6.1.1	P-1	LINE ISDN/<10 circuits/Facility/LA(days)	ISDN - BRI	6.00	2	0.00	0	0.000			YES	96.50	2	0.00	0	21.920			YES	81.83	6			82.866				58.00	4	15.00	1	62.065	8.39022	0.6197	YES
B.2.3.6.1.2	P-1	LINE ISDN/<10 circuits/Equipment/LA(days)	ISDN - BRI	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.6.1.3	P-1	LINE ISDN/<10 circuits/Other/LA(days)	ISDN - BRI	521.00	1	9.00	0	0.000			YES	490.00	1	0.00	0	0.000			YES	295.50	2			318.077				256.00	3			272.643			
B.2.3.6.2.1	P-1	LINE ISDN/>=10 circuits/Facility/LA(days)	ISDN - BRI									0.00	0																						
B.2.3.6.2.2	P-1	LINE ISDN/>=10 circuits/Equipment/LA(days)	ISDN - BRI									0.00	0																						
B.2.3.6.2.3	P-1	LINE ISDN/>=10 circuits/Other/LA(days)	ISDN - BRI									0.00	0																						
B.2.3.7.1.1	P-1	Line Sharing/<10 circuits/Facility/LA(days)	ADSL to Retail	34.74	50	0.00	0	38.518			YES	52.70	125	0.00	0	50.156			YES	62.86	173			76.536				58.26	120			61.441			
B.2.3.7.1.2	P-1	Line Sharing/<10 circuits/Equipment/LA(days)	ADSL to Retail	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.7.1.3	P-1	Line Sharing/<10 circuits/Other/LA(days)	ADSL to Retail	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	2.00	4			0.000				9.50	2			10.607			
B.2.3.7.2.1	P-1	Line Sharing/>=10 circuits/Facility/LA(days)	ADSL to Retail	0.00	0							0.00	0																						
B.2.3.7.2.2	P-1	Line Sharing/>=10 circuits/Equipment/LA(days)	ADSL to Retail	0.00	0							0.00	0																						
B.2.3.7.2.3	P-1	Line Sharing/>=10 circuits/Other/LA(days)	ADSL to Retail	0.00	0							0.00	0																						
B.2.3.8.1.1	P-1	3W Analog Loop Design/<10 circuits/Facility/LA(days)	RAB - Disp	26.32	81	0.00	0	93.304			YES	37.67	69	0.00	0	135.139			YES	56.79	53			173.957				23.71	72			81.071			
B.2.3.8.1.2	P-1	3W Analog Loop Design/<10 circuits/Equipment/LA(days)	RAB - Disp	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.8.1.3	P-1	3W Analog Loop Design/<10 circuits/Other/LA(days)	RAB - Disp	6.08	13	0.00	0	8.026			YES	3.00	13	0.00	0	2.236			YES	8.64	14			8.956				42.10	10			100.298			
B.2.3.8.2.1	P-1	3W Analog Loop Design/>=10 circuits/Facility/LA(days)	RAB - Disp	1.50	2	0.00	0	0.707			YES	10.50	2	0.00	0	12.021			YES																
B.2.3.8.2.2	P-1	3W Analog Loop Design/>=10 circuits/Equipment/LA(days)	RAB - Disp	0.00	0							0.00	0	0.00	0				YES																
B.2.3.8.2.3	P-1	3W Analog Loop Design/>=10 circuits/Other/LA(days)	RAB - Disp	0.00	0							0.00	0	0.00	0				YES																
B.2.3.9.1.1	P-1	3W Analog Loop w/HNP Design/<10 circuits/Facility/LA(days)	RAB (POTS) excl SB Or	26.32	81	0.00	0	93.304			YES	37.67	69	0.00	0	135.139			YES	56.79	53			173.957				23.71	72			81.071			
B.2.3.9.1.2	P-1	3W Analog Loop w/HNP Design/<10 circuits/Equipment/LA(days)	RAB (POTS) excl SB Or	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.9.1.3	P-1	3W Analog Loop w/HNP Design/<10 circuits/Other/LA(days)	RAB (POTS) excl SB Or	6.08	13	0.00	0	8.026			YES	3.00	13	0.00	0	2.236			YES	8.64	14			8.956				42.10	10			100.298			
B.2.3.9.2.1	P-1	3W Analog Loop w/HNP Design/>=10 circuits/Facility/LA(days)	RAB (POTS) excl SB Or	1.00	1			0.000				2.00	1			0.000																			
B.2.3.9.2.2	P-1	3W Analog Loop w/HNP Design/>=10 circuits/Equipment/LA(days)	RAB (POTS) excl SB Or	0.00	0							0.00	0																						
B.2.3.9.2.3	P-1	3W Analog Loop w/HNP Design/>=10 circuits/Other/LA(days)	RAB (POTS) excl SB Or	0.00	0							0.00	0																						
B.2.3.10.1.1	P-1	3W Analog Loop w/NP Design/<10 circuits/Facility/LA(days)	RAB - Disp	26.32	81	0.00	0	93.304			YES	37.67	69			135.139				56.79	53			173.957				23.71	72			81.071			
B.2.3.10.1.2	P-1	3W Analog Loop w/NP Design/<10 circuits/Equipment/LA(days)	RAB - Disp	0.00	0	0.00	0				YES	0.00	0																						
B.2.3.10.1.3	P-1	3W Analog Loop w/NP Design/<10 circuits/Other/LA(days)	RAB - Disp	6.08	13	0.00	0	8.026			YES	3.00	13			2.236				8.64	14			8.956				42.10	10			100.298			
B.2.3.10.2.1	P-1	3W Analog Loop w/NP Design/>=10 circuits/Facility/LA(days)	RAB - Disp	1.50	2			0.707				10.50	2			12.021																			
B.2.3.10.2.2	P-1	3W Analog Loop w/NP Design/>=10 circuits/Equipment/LA(days)	RAB - Disp	0.00	0							0.00	0																						
B.2.3.10.2.3	P-1	3W Analog Loop w/NP Design/>=10 circuits/Other/LA(days)	RAB - Disp	0.00	0							0.00	0																						
B.2.3.11.1.1	P-1	3W Analog Loop w/NP Non-Design/<10 circuits/Facility/LA(days)	RAB (POTS) excl SB Or	26.32	81			93.304				37.67	69			135.139				56.79	52			175.368				24.08	71			81.603			
B.2.3.11.1.2	P-1	3W Analog Loop w/NP Non-Design/<10 circuits/Equipment/LA(days)	RAB (POTS) excl SB Or	0.00	0							0.00	0																						
B.2.3.11.1.3	P-1	3W Analog Loop w/NP Non-Design/<10 circuits/Other/LA(days)	RAB (POTS) excl SB Or	6.08	13			8.026				3.00	13			2.236				8.64	14			8.956				42.10	10			100.298			
B.2.3.11.2.1	P-1	3W Analog Loop w/NP Non-Design/>=10 circuits/Facility/LA(days)	RAB (POTS) excl SB Or	1.00	1			0.000				2.00	1			0.000																			
B.2.3.11.2.2	P-1	3W Analog Loop w/NP Non-Design/>=10 circuits/Equipment/LA(days)	RAB (POTS) excl SB Or	0.00	0							0.00	0																						
B.2.3.11.2.3	P-1	3W Analog Loop w/NP Non-Design/>=10 circuits/Other/LA(days)	RAB (POTS) exc

BellSouth Monthly Performance Summary

Louisiana, August 2001

				Benchmark / Analog	August Data							July Data							June Data							May Data						
					BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	oh-01 Equi	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	oh-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ay-01 Equity
B.2.3.15.1.1	P-1	Other Non-Design(>=10 circuits/Facility/LA(days)																																
B.2.3.15.1.2	P-1	Other Non-Design(>=10 circuits/Equipment/LA(days)																																
B.2.3.15.1.3	P-1	Other Non-Design(>=10 circuits/Other/LA(days)																																
B.2.3.15.2.1	P-1	Other Non-Design(>=10 circuits/Facility/LA(days)																																
B.2.3.15.2.2	P-1	Other Non-Design(>=10 circuits/Equipment/LA(days)																																
B.2.3.15.2.3	P-1	Other Non-Design(>=10 circuits/Other/LA(days)																																
B.2.3.16.1.1	P-1	INP (Standalone)(<10 circuits/Facility/LA(days)	26.32	91	0.00	0	93.304			YES	37.67	69	0.00	0	135.139			YES	56.76	53			175.857				29.71	72			81.623			
B.2.3.16.1.2	P-1	INP (Standalone)(<10 circuits/Equipment/LA(days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.16.1.3	P-1	INP (Standalone)(<10 circuits/Other/LA(days)	6.06	13	0.00	0	6.026			YES	3.00	13	0.00	0	2.236			YES	5.64	14			6.896				42.10	10			100.288			
B.2.3.16.2.1	P-1	INP (Standalone)(>=10 circuits/Facility/LA(days)	1.00	1			0.000				2.00	1			0.000																			
B.2.3.16.2.2	P-1	INP (Standalone)(>=10 circuits/Equipment/LA(days)	0.00	0							0.00	0																						
B.2.3.16.2.3	P-1	INP (Standalone)(>=10 circuits/Other/LA(days)	0.00	0							0.00	0																						
B.2.3.17.1.1	P-1	LNP (Standalone)(<10 circuits/Facility/LA(days)	26.32	91	0.00	0	93.304			YES	37.67	69	0.00	0	135.139			YES	56.76	53			175.389				29.08	71			81.603			
B.2.3.17.1.2	P-1	LNP (Standalone)(<10 circuits/Equipment/LA(days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.17.1.3	P-1	LNP (Standalone)(<10 circuits/Other/LA(days)	6.06	13	0.00	0	6.026			YES	3.00	13	0.00	0	2.236			YES	5.64	14			6.896				42.10	10			100.288			
B.2.3.17.2.1	P-1	LNP (Standalone)(>=10 circuits/Facility/LA(days)	1.00	1	0.00	0	0.000			YES	2.00	1	0.00	0	0.000			YES																
B.2.3.17.2.2	P-1	LNP (Standalone)(>=10 circuits/Equipment/LA(days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.17.2.3	P-1	LNP (Standalone)(>=10 circuits/Other/LA(days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.18.1.1	P-1	Digital Loop < DS1(<10 circuits/Facility/LA(days)	8.00	2	0.00	0	5.657			YES	0.00	0	2.67	3															56.00	1	15.00	1	0.000	0.00000		YES
B.2.3.18.1.2	P-1	Digital Loop < DS1(<10 circuits/Equipment/LA(days)	0.00	0	0.00	0				YES	0.00	0	0.00	0																				
B.2.3.18.1.3	P-1	Digital Loop < DS1(<10 circuits/Other/LA(days)	15.50	2	0.00	0	4.950			YES	3.00	2	0.00	0	2.828			YES	4.14	7			3.671				10.00	1			0.000			
B.2.3.18.2.1	P-1	Digital Loop < DS1(>=10 circuits/Facility/LA(days)	0.00	0																														
B.2.3.18.2.2	P-1	Digital Loop < DS1(>=10 circuits/Equipment/LA(days)	0.00	0																														
B.2.3.18.2.3	P-1	Digital Loop < DS1(>=10 circuits/Other/LA(days)	0.00	0																														
B.2.3.18.1.1	P-1	Digital Loop >= DS1(<10 circuits/Facility/LA(days)	8.50	2	4.00	1	10.607	12.99038	0.3484	YES	0.00	0	5.00	1															5.00	2	23.00	1	2.828	3.46407	-4.6186	NO
B.2.3.19.1.2	P-1	Digital Loop >= DS1(<10 circuits/Equipment/LA(days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES																
B.2.3.19.1.3	P-1	Digital Loop >= DS1(<10 circuits/Other/LA(days)	22.00	1	0.00	0	0.000			YES	2.00	2	0.00	0	0.000			YES	10.00	2			1.414				11.00	3			0.000			
B.2.3.19.2.1	P-1	Digital Loop >= DS1(>=10 circuits/Facility/LA(days)																																
B.2.3.19.2.2	P-1	Digital Loop >= DS1(>=10 circuits/Equipment/LA(days)																																
B.2.3.19.2.3	P-1	Digital Loop >= DS1(>=10 circuits/Other/LA(days)																																
		% Jeopardies - Mechanized																																
B.2.5.1	P-2	Switch Ports/LA(%)	0.48%	303,780							0.40%	272,350							0.48%	282,561							0.44%	286,695						
B.2.5.2	P-2	Local Interoffice Transport/LA(%)	34.25%	811	0.00%	1		0.47480	0.7213	YES																								
B.2.5.3	P-2	Loop + Port Combinations/LA(%)	0.50%	305,627	0.37%	3,147		0.00152	0.0112	YES	0.41%	273,853	0.88%	1,893		0.00158	-5.0438	NO	0.48%	284,247	1.07%	869		0.00295	-1.9880	NO	0.43%	304,343	0.29%	1,090		0.00205	0.8992	YES
B.2.5.4	P-2	Combo Other/LA(%)	5.80%	30,248							3.91%	42,040															0.80%	308,245						
B.2.5.5	P-2	xDSL (ADSL, HDSL, and UCL)/LA(%)	17.04%	4,848	1.36%	144		0.00161	4.8186	YES	17.05%	4,484	6.85%	73		0.04427	2.2864	YES	13.55%	4,207	8.67%	120		0.02188	2.1721	YES	17.81%	4,690	6.30%	81		0.04806	1.9180	YES
B.2.5.6	P-2	UNE ISDN/LA(%)	8.78%	274	0.00%	53		0.00850	5.2175	YES	11.11%	270	0.00%	4		0.11829	0.7018	YES	12.15%	362	37.21%	53		0.05271	-4.7535	NO	8.12%	505	0.00%	7		0.10364	0.7811	YES
B.2.5.7	P-2	Line Sharing/LA(%)	17.04%	4,848	0.00%	43		0.00760	2.9542	YES	17.08%	4,484	0.00%	50		0.05345	3.1877	YES	13.55%	4,207							17.81%	4,690						
B.2.5.8	P-2	JW Analog Loop Design/LA(%)	0.50%	305,627	1.75%	57		0.00931	-1.3621	YES	0.41%	273,853	9.09%	11		0.01829	-4.4986	NO	0.48%	284,247	100.00%	3		0.04019	24.7579	NO	0.43%	304,343	100.00%	5		0.02934	-33.9308	NO
B.2.5.9	P-2	JW Analog Loop Non-Design/LA(%)	0.50%	174,835	0.00%	-1		0.00072	0.0915	YES	0.80%	179,868							0.72%	175,393	0.00%	1		0.06427	0.0848	YES	0.62%	304,113						
B.2.5.10	P-2	JW Analog Loop w/INP Design/LA(%)	0.50%	305,627	0.00%	4		0.00513	0.1412	YES	0.41%	273,853							0.48%	284,247	40.00%	5		0.03113	-12.6810	NO	0.43%	304,343						
B.2.5.11	P-2	JW Analog Loop w/INP Non-Design/LA(%)	0.83%	174,835							0.80%	179,868							0.72%	175,393							0.62%	304,113						
B.2.5.12	P-2	JW Analog Loop wt.NP Design/LA(%)	0.50%	305,627	0.00%	69		0.00648	0.5884	YES	0.41%	273,853							0.48%	284,247							0.43%	304,343	0.00%	1		0.08562	0.9854	YES
B.2.5.13	P-2	JW Analog Loop wt.NP Non-Design/LA(%)	0.83%	174,835							0.80%	179,868	0.00%	12		0.02237	0.2707	YES	0.72%	175,393							0.62%	304,113						
B.2.5.14	P-2	JW Analog Loop wt/INP Design/LA(%)	11.88%	2,004	13.33%	30		0.06872	-0.2273	YES	25.49%	2,040	30.33%	3		0.28180	0.9115	YES	15.57%	3,208	0.00%	3		0.30774	0.7548	YES	26.67%	1,695						
B.2.5.15	P-2	Other Design/LA(%)	0.50%	305,627	0.00%	1		0.00925	0.0708	YES	0.41%	273,853							0.48%	284,247							0.43%	304,343						
B.2.5.16	P-2	Other Non-Design/LA(%)	0.48%	303,780							0.40%	272,350							0.48%	282,561							0.44%	286,695						
B.2.5.17	P-2	INP (Standalone)/LA(%)	0.48%	303,780	0.00%	170		0.00526	0.9040	YES	0.40%	272,350	0.00%	119		0.00578	0.8804	YES	0.48%	282,561	0.00%	23		0.01438	0.3192	YES	0.44%	286,695	0.00%	6		0.00711	0.1634	YES
B.2.5.18	P-2	Digital Loop < DS1/LA(%)	16.12%	515	0.51%	196		0.00084	5.0574	YES	10.82%	548	6.76%	74		0.03817	1.0138	YES	25.46%	259	37.21%	43		0.07178	-1.6342	YES	32.62%	187	0.00%	7		0.13648	1.8074	YES
B.2.5.19	P-2	Digital Loop >= DS1/LA(%)	34.02%	97	50.46%	109		0.08815	-2.4867	NO	34.87%	75	72.29%	83		0.07562	4.9621	NO	53.49%	43	24.79%	182		0.08457	3.4010	YES	56.58%	54	51.41%	142		0.07844	0.5200	YES
		% Jeopardies - Non-Mechanized																																
B.2.6.1	P-2	Switch Ports/LA(%)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.6.2	P-2	Local Interoffice Transport/LA(%)								Diagnostic								Diagnostic								Diagnostic			0.00%	2				Diagnostic
B.2.6.3	P-2	Loop + Port Combinations/LA(%)								Diagnostic			3.13%	32				Diagnostic			0.00%	12				Diagnostic			0.00%	16				Diagnostic
B.2.6.4	P-2	Combo Other/LA(%)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.6.5	P-2	xDSL (ADSL, HDSL, and UCL)/LA(%)			37.50%	9				Diagnostic			8.57%	70				Diagnostic			35.56%	43				Diagnostic			10.92%	119				Diagnostic
B.2.6.6	P-2	UNE ISDN/LA(%)			50.00%	22				Diagnostic			30.32%	63				Diagnostic			19.84%	54				Diagnostic			31.62%	86				Diagnostic
B.2.6.7	P-2	Line Sharing/LA(%)								Diagnostic			0.00%	4				Diagnostic			0.00%	29				Diagnostic								Diagnostic
B.2.6.8	P-2	JW Analog Loop Design/LA(%)			53.33%	15				Diagnostic			17.39%	46				Diagnostic			12.88%	152				Diagnostic								Diagnostic
B.2.6.9	P-2	JW Analog Loop Non-Design/LA(%)								Diagnostic			100.00%	1				Diagnostic								Diagnostic								Diagnostic
B.2.6.10	P-2	JW Analog Loop w/INP Design/LA(%)								Diagnostic								Diagnostic			11.11%	9				Diagnostic								Diagnostic
B.2.6.11	P-2	JW Analog Loop w/INP Non-Design/LA(%)								Diagnostic								Diagnostic								Diagnostic			0.00%	1				Diagnostic
B.2.6.12	P-2	JW Analog Loop wt.NP Design/LA(%)			3.00%	1,402				Diagnostic			1.00%	548				Diagnostic			2.00%	433				Diagnostic			4.00%	97				Diagnostic
B.2.6.13	P-2	JW Analog Loop wt.NP Non-Design/LA(%)								Diagnostic			0.00%	12				Diagnostic			0.00%	2				Diagnostic			0.00%	4				Diagnostic
B.2.6.14	P-2	Other Design/LA(%)			46.15%	13				Diagnostic			50.00%	8				Diagnostic			0.00%	6				Diagnostic								Diagnostic
B.2.6.15	P-2	Other Non-Design/LA(%)								Diagnostic			0.00%	1				Diagnostic								Diagnostic								Diagnostic
B.2.6.16	P-2	INP (Standalone)/LA(%)								Diagnostic			0.00%	1				Diagnostic								Diagnostic								Diagnostic
B.2.6.17	P-2	LNP (Standalone)/LA(%)			0.00%	652				Diagnostic			0.50%	585				Diagnostic			0.00%	518				Diagnostic			0.00%	164				Diagnostic
B.2.6.18	P-2	Digital Loop < DS1/LA(%)			46.67%	30				Diagnostic			25.49%	102				Diagnostic			19.84%	58				Diagnostic			31.82%	88				Diagnostic
B.2.6.19	P-2	Digital Loop >= DS1/LA(%)			58.93%	56				Diagnostic			65.79%	76				Diagnostic			36.48%	85				Diagnostic			46.41%	209				Diagnostic
		Average Jeopardy Notice Interval - Mechanized																																
B.2.8.1	P-2	Switch Ports/LA(hours)																																
B.2.8.2	P-2	Local Interoffice Transport/LA(hours)																																
B.2.8.3	P-2	Loop + Port Combinations/LA(hours)			222.00	6				YES			91.20	15				YES			272.00	6				YES			184.00	2				YES
B.2.8.4	P-2	Combo Other/LA(hours)																																
B.2.8.5	P-2	xDSL (ADSL, HDSL, and UCL)/LA(hours)			96.00	2				YES			282.20	5				YES			316.00	6				YES			86.40	5				YES
B.2.8.6	P-2	UNE ISDN/LA(hours)																			424.50	16				YES								
B.2.8.7	P-2	Line Sharing/LA(hours)																																
B.2.8.8	P-2	JW Analog Loop Design/LA(hours)			192.00	1				YES			744.00	1				YES			344.00	3				YES			354.40	5				YES
B.2.8.9	P-2	JW Analog Loop Non-Design/LA(hours)																																
B.2.8.10	P-2	JW Analog Loop w/INP Design/LA(hours)																			444.00	2				YES								
B.2.8.11	P-2	JW Analog Loop w/INP Non-Design/LA(hours)																																
B.2.8.12	P-2	JW Analog Loop wt.NP Design/LA(hours)																																
B.2.8.13	P-2	JW Analog Loop wt.NP Non-Design/LA(hours)																																
B.2.8.14	P-2	Other Design/LA(hours)			156.00	4				YES			264.00	1				YES																
B.2.8.15	P-2	Other Non-Design/LA(hours)																																
B.2.8.16	P-2	INP (Standalone)/LA(hours)																																
B.2.8.17	P-2	LNP (Standalone)/LA(hours)																																
B.2.8.18	P-2	Digital Loop < DS1/LA(hours)			24.00	1				NO			259.20	5				YES			424.50	16				YES								
B.2.8.19	P-2	Digital Loop >= DS1/LA(hours)			264.36	55				YES			481.80	60				YES			337.80	45				YES			260.11	73				YES
		Average Jeopardy Notice Interval - Non-Mechanized																																
B.2.9.1	P-2	Switch Ports/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.2	P-2	Local Interoffice Transport/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.3	P-2	Loop + Port Combinations/LA(hours)								Diagnostic			576.00	1				Diagnostic								Diagnostic								Diagnostic
B.2.9.4	P-2	Combo Other/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.5	P-2	xDSL (ADSL, HDSL, and UCL)/LA(hours)			280.00	3				Diagnostic			156.00	8				Diagnostic			180.27	11				Diagnostic			148.84	13				Diagnostic
B.2.9.6	P-2	UNE ISDN/LA(hours)			362.73	11				Diagnostic			343.43	21				Diagnostic			240.00	11				Diagnostic			197.14	28				Diagnostic
B.2.9.7	P-2	Line Sharing/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.8	P-2	JW Analog Loop Design/LA(hours)			153.00	6				Diagnostic			276.00	8				Diagnostic			253.09	22				Diagnostic								Diagnostic
B.2.9.9	P-2	JW Analog Loop Non-Design/LA(hours)								Diagnostic			360.00	1				Diagnostic								Diagnostic								Diagnostic
B.2.9.10	P-2	JW Analog Loop w/INP Design/LA(hours)								Diagnostic								Diagnostic			168.00	1				Diagnostic								Diagnostic
B.2.9.11	P-2	JW Analog Loop w/INP Non-Design/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.12	P-2	JW Analog Loop wt.NP Design/LA(hours)			168.50	46				Diagnostic			138.90	5				Diagnostic			142.48	8				Diagnostic			183.33	4				Diagnostic
B.2.9.13	P-2	JW Analog Loop wt.NP Non-Design/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.14	P-2	Other Design/LA(hours)			244.00	6				Diagnostic			504.00	3				Diagnostic								Diagnostic								Diagnostic
B.2.9.15	P-2	Other Non-Design/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.16	P-2	INP (Standalone)/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.17	P-2	LNP (Standalone)/LA(hours)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.9.18	P-2	Digital Loop < DS1/LA(hours)			368.57	14				Diagnostic			231.99	25				Diagnostic			240.00	11				Diagnostic			187.14	28				Diagnostic
B.2.9.19	P-2	Digital Loop >= DS1/LA(hours)			181.82	33				Diagnostic			236.54	50				Diagnostic			215.86	28				Diagnostic			180.02	97				Diagnostic
		% Jeopardy Notice >= 48 hours - Mechanized																																
B.2.10.1	P-2	Switch Ports/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.2	P-2	Local Interoffice Transport/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.3	P-2	Loop + Port Combinations/LA(%)			80.00%	5				NO			33.33%	6				NO			100.00%	4				YES			100.00%	3				YES
B.2.10.4	P-2	Combo Other/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.5	P-2	xDSL (ADSL, HDSL, and UCL)/LA(%)			0.00%	14				NO																			40.00%	5				NO
B.2.10.6	P-2	UNE ISDN/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.7	P-2	Line Sharing/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.8	P-2	JW Analog Loop Design/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.9	P-2	JW Analog Loop Non-Design/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.10	P-2	JW Analog Loop w/INP Design/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.11	P-2	JW Analog Loop w/INP Non-Design/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.12	P-2	JW Analog Loop wt.NP Design/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.13	P-2	JW Analog Loop wt.NP Non-Design/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.14	P-2	Other Design/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.15	P-2	Other Non-Design/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.16	P-2	INP (Standalone)/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.17	P-2	LNP (Standalone)/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.18	P-2	Digital Loop < DS1/LA(%)								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs								95% >= 48 hrs
B.2.10.19	P-2	Digital Loop >= DS1/LA(%)			100.00%	12				YES			100.00%	5				YES											93.84%	66				N/D

BellSouth Monthly Performance Summary

Louisiana, August 2001



BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark / Analog	August Data								July Data								June Data								May Data							
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ul-01 Equi	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	un-01 Equi	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ay-01 Equiv
B.2.1.9.1.1.1	P-9	Switch Parts/<10 circuits/Dispatch/LA(%)	RAB (POTS)	8.84%	22,553							7.95%	23,001							7.48%	23,951							5.12%	26,420						
B.2.1.9.1.1.2	P-9	Switch Parts/>=10 circuits/Non-Dispatch/LA(%)	RAB (POTS)	3.88%	248,947							3.90%	234,934							4.00%	262,438							3.26%	254,883						
B.2.1.9.1.2.1	P-9	Switch Parts/>=10 circuits/Dispatch/LA(%)	RAB (POTS)	8.18%	98							15.79%	133							10.31%	97							7.56%	119						
B.2.1.9.1.2.2	P-9	Switch Parts/>=10 circuits/Non -Dispatch/LA(%)	RAB (POTS)	6.25%	16							0.00%	9							0.00%	10							0.72%	138						
B.2.1.9.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/LA(%)	DS1/DS3	0.00%	368																	100.00%	1					4.84%	764	50.00%	2		0.15195	-2.6720	NO
B.2.1.9.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/LA(%)	DS1/DS3																									0.00%	1						
B.2.1.9.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/LA(%)	DS1/DS3																																
B.2.1.9.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/LA(%)	DS1/DS3																																
B.2.1.9.3.1.1	P-9	Loop + Port Combo/<10 circuits/Dispatch/LA(%)	RAB	8.86%	22,833	7.57%	185		0.01868	-0.0675	YES	7.56%	23,356	5.52%	562		0.01128	1.8088	YES	7.30%	24,816	3.06%	98		0.00291	1.3071	YES	8.03%	26,986	7.84%	31		0.00804	-0.9171	YES
B.2.1.9.3.1.2	P-9	Loop + Port Combo/<10 circuits/Non -Dispatch/LA(%)	RAB	3.67%	248,818	5.12%	1,525		0.00483	-3.0008	NO	3.89%	240,060	4.80%	884		0.00293	-1.3789	YES	3.77%	278,934	1.77%	893		0.00615	3.2571	YES	3.26%	254,939	5.54%	580		0.00731	3.2010	NO
B.2.1.9.3.1.3	P-9	Loop + Port Combo/<10 circuits/Switch Based Orders/LA(%)	RAB	3.49%	82,483	4.81%	562		0.00700	-2.0324	NO	Data Included in 8.2.1.9.3.1.2								Data Included in 8.2.1.9.3.1.2															
B.2.1.9.3.1.4	P-9	Loop + Port Combo/>=10 circuits/Dispatch /LA(%)	RAB	3.78%	140,856	5.28%	851		0.00664	-2.2770	NO	Data Included in 8.2.1.9.3.1.2								Data Included in 8.2.1.9.3.1.2															
B.2.1.9.3.2.1	P-9	Loop + Port Combo/>=10 circuits/Dispatch /LA(%)	RAB	8.55%	117	0.00%	4		0.14218	0.8012	YES	14.01%	157	0.00%	3		0.08232	0.9828	YES	6.67%	210	0.00%	3		0.14804	0.4568	YES	4.82%	166	0.00%	1		0.21096	0.2194	YES
B.2.1.9.3.2.2	P-9	Loop + Port Combo/>=10 circuits/Non -Dispatch/LA(%)	RAB	0.84%	157	0.00%	1		0.07961	0.0796	YES	0.00%	170							0.57%	176	0.00%	1		0.07538	0.0764	YES	0.32%	312	0.00%	1		0.05681	0.0568	YES
B.2.1.9.3.2.3	P-9	Loop + Port Combo/>=10 circuits/Switch Based Orders/LA(%)	RAB	0.00%	37							Data Included in 8.2.1.9.3.2.2								Data Included in 8.2.1.9.3.2.2								Data Included in 8.2.1.9.3.2.2							
B.2.1.9.3.2.4	P-9	Loop + Port Combo/>=10 circuits/Dispatch Int/LA(%)	RAB	0.82%	120	0.00%	1		0.08128	0.0813	YES	Data Included in 8.2.1.9.3.2.2								Data Included in 8.2.1.9.3.2.2								Data Included in 8.2.1.9.3.2.2							
B.2.1.8.1.1.1	P-9	Combo Other/<10 circuits/Dispatch/LA(%)	RABAD - Disp	6.67%	24,329							7.27%	25,111							7.08%	26,939							4.77%	31,307						
B.2.1.8.1.1.2	P-9	Combo Other/<10 circuits/Dispatch Int/LA(%)	RABAD - Disp																																
B.2.1.8.1.2.1	P-9	Combo Other/>=10 circuits/Dispatch/LA(%)	RABAD - Disp	5.20%	122							14.01%	157							6.51%	215							4.56%	198						
B.2.1.8.1.2.2	P-9	Combo Other/>=10 circuits/Dispatch Int/LA(%)	RABAD - Disp																																
B.2.1.9.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/LA(%)	ADSL to Retail	10.08%	4,926	5.26%	133		0.02654	1.8167	YES	7.66%	3,482	6.98%	158		0.02187	0.3283	YES	7.13%	4,183	9.47%	169		0.02019	-1.1572	YES	3.14%	4,017	4.47%	425		0.00990	-1.4951	YES
B.2.1.9.5.1.2	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non -Dispatch/LA(%)	ADSL to Retail	17.09%	158							8.95%	246							8.31%	349							7.67%	287						
B.2.1.9.5.2.1	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/LA(%)	ADSL to Retail	14.63%	41							7.41%	27							0.00%	13							0.00%	8						
B.2.1.9.5.2.2	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non -Dispatch/LA(%)	ADSL to Retail																																
B.2.1.8.6.1.1	P-9	LINE ISDN/<10 circuits/Dispatch/LA(%)	ISDN - BRI	4.26%	141	3.13%	64		0.09042	0.3715	YES	0.00%	166	11.00%	100		0.00000		NO	0.00%	285	11.70%	94		0.00000		NO	16.75%	126	7.79%	116		0.08003	2.1995	YES
B.2.1.8.6.1.2	P-9	LINE ISDN/<10 circuits/Non -Dispatch/LA(%)	ISDN - BRI	0.00%	111							0.00%	159							0.00%	161							8.35%	265						
B.2.1.8.6.2.1	P-9	LINE ISDN/>=10 circuits/Dispatch/LA(%)	ISDN - BRI																																
B.2.1.8.6.2.2	P-9	LINE ISDN/>=10 circuits/Non -Dispatch/LA(%)	ISDN - BRI	0.00%	1															0.00%	1														
B.2.1.9.7.1.1	P-9	Line Sharing/<10 circuits/Dispatch/LA(%)	ADSL to Retail	10.08%	4,926	0.00%	1		0.30118	0.3346	YES	7.66%	3,862	100.00%	1		0.28948	-3.4717	NO	7.13%	4,183							3.14%	4,017						
B.2.1.9.7.1.2	P-9	Line Sharing/<10 circuits/Non -Dispatch/LA(%)	ADSL to Retail	17.09%	158	1.89%	53		0.05675	2.5443	YES	8.95%	246	5.45%	31		0.05544	0.5205	YES	8.31%	349	0.00%	15		0.07278	1.1418	YES	7.67%	287							
B.2.1.9.7.2.1	P-9	Line Sharing/>=10 circuits/Dispatch/LA(%)	ADSL to Retail	14.63%	41							7.41%	27							0.00%	13							0.00%	8						
B.2.1.9.7.2.2	P-9	Line Sharing/>=10 circuits/Non -Dispatch/LA(%)	ADSL to Retail																																
B.2.1.9.8.1.1	P-9	JW Analog Loop Design/<10 circuits/Dispatch/LA(%)	RAB - Disp	6.48%	22,833	6.00%	50		0.03584	0.2458	YES	7.56%	23,356	0.00%	57		0.03805	2.1540	YES	7.30%	24,816	2.78%	144		0.02174	2.0790	YES	5.03%	26,986	2.01%	349		0.01391	2.1727	YES
B.2.1.9.8.1.2	P-9	JW Analog Loop Design/<10 circuits/Non -Dispatch/LA(%)	RAB - Disp	6.98%	22,833							7.56%	23,356							7.30%	24,816							5.03%	26,986	0.00%	19		0.06000	0.6289	YES
B.2.1.9.8.2.1	P-9	JW Analog Loop Design/>=10 circuits/Dispatch/LA(%)	RAB - Disp	8.55%	117	33.33%	3		0.18947	1.8162	YES	14.01%	157	0.00%	1		0.34822	0.4024	YES	6.67%	210							4.82%	166	0.00%	4		0.10568	0.4355	YES
B.2.1.9.8.2.2	P-9	JW Analog Loop Design/>=10 circuits/Non -Dispatch/LA(%)	RAB - Disp	8.55%	117							14.01%	157							6.67%	210							4.82%	166						
B.2.1.9.9.1.1	P-9	JW Analog Loop Non -Design/<10 circuits/Dispatch/LA(%)	RAB (POTS) excl SB Or	6.93%	22,550	0.00%	1		0.25369	0.2729	YES	7.65%	23,001	0.00%	2		0.18793	0.4089	YES	7.48%	23,951							5.12%	26,420	0.00%	1		0.22033	0.2322	YES
B.2.1.9.9.1.2	P-9	JW Analog Loop Non -Design/<10 circuits/Non -Dispatch/LA(%)	RAB (POTS) excl SB Or	3.80%	140,360							3.95%	151,748							3.75%	179,737							3.75%	179,737						
B.2.1.9.9.2.1	P-9	JW Analog Loop Non -Design/>=10 circuits/Dispatch/LA(%)	RAB (POTS) excl SB Or	8.18%	98							15.79%	133							10.31%	97							7.56%	119						
B.2.1.9.9.2.2	P-9	JW Analog Loop Non -Design/>=10 circuits/Non -Dispatch/LA(%)	RAB (POTS) excl SB Or	25.00%	4							0.00%	5							0.00%	5							0.00%	5						
B.2.1.9.10.1.1	P-9	JW Analog Loop w/NP Design/<10 circuits/Dispatch/LA(%)	RAB - Disp	6.66%	22,833							7.56%	23,356	0.00%	13		0.07933	1.0906	YES	7.30%	24,816	0.00%	1		0.29014	0.2606	YES	5.03%	26,986	0.00%	2		0.15480	0.3256	YES
B.2.1.9.10.1.2	P-9	JW Analog Loop w/NP Design/<10 circuits/Non -Dispatch/LA(%)	RAB - Disp	6.66%	22,833							7.56%	23,356							7.30%	24,816							5.03%	26,986						
B.2.1.9.10.2.1	P-9	JW Analog Loop w/NP Design/>=10 circuits/Dispatch/LA(%)	RAB - Disp	8.55%	117							14.01%	157							6.67%	210							4.82%	166						
B.2.1.9.10.2.2	P-9	JW Analog Loop w/NP Design/>=10 circuits/Non -Dispatch/LA(%)	RAB - Disp	8.55%	117							14.01%	157							6.67%	210							4.82%	166						
B.2.1.9.11.1.1	P-9	JW Analog Loop w/NP Non -Design/<10 circuits/Dispatch/LA(%)	RAB (POTS) excl SB Or	6.93%	22,550							7.65%	23,001							7.48%	23,951							5.12%	26,420						
B.2.1.9.11.1.2	P-9	JW Analog Loop w/NP Non -Design/<10 circuits/Non -Dispatch/LA(%)	RAB (POTS) excl SB Or	3.80%	140,360							3.95%	151,748							3.75%	179,737							3.75%	179,737						
B.2.1.9.11.2.1	P-9	JW Analog Loop w/NP Non -Design/>=10 circuits/Dispatch/LA(%)	RAB (POTS) excl SB Or	8.18%	98							15.79%	133							10.31%	97							7.56%	119						
B.2.1.9.11.2.2	P-9	JW Analog Loop w/NP Non -Design/>=10 circuits/Non -Dispatch/LA(%)	RAB (POTS) excl SB Or	25.00%	4							0.00%	5							0.00%	5							0.00%	5						
B.2.1.9.14.1.1	P-9	Other Design/<10 circuits/Dispatch/LA(%)	Design	3.29%	1,368	8.08%	11		0.05398	-1.0750	YES	3.48%	1,755	9.09%	9		0.06121	0.5678	YES	3.18%	1,321							1.51%	2,318	0.00%	236		0.00833	1.8117	YES
B.2.1.9.14.1.2	P-9	Other Design/<10 circuits/Non -Dispatch/LA(%)	Design	0.95%	632							0.11%	902							0.59%	170							0.59%	171						
B.2.1.9.14.2.1	P-9	Other Design/>=10 circuits/Dispatch/LA(%)	Design	0.00%	5							0.00%	6							0.00%	5							0.00%	3						
B.2.1.9.14.2.2	P-9	Other Design/>=10 circuits/Non -Dispatch/LA(%)	Design	0.00%	36							0.00%	6							0.00%	1														
B.2.1.9.15.1.1	P-9	Other Non -Design/<10 circuits/Dispatch/LA(%)	RAB	6.98%	22,833	0.00%	1		0.25313	0.2716	YES	7.56%	23,356							7.30%	24,816							5.03%	26,986						
B.2.1.9.15.1.2	P-9	Other Non -Design/<10 circuits/Non -Dispatch/LA(%)	RAB	3.67%	248,818							3.89%	240,060							3.77%	278,934							3.25%	254,939	0.00%	34		0.02414	1.3473	YES
B.2.1.9.15.2.1	P-9	Other Non -Design/>=10 circuits/Dispatch/LA(%)	RAB	8.55%	117							14.01%	157							6.67%	210							4.82%	166						
B.2.1.9.15.2.2	P-9	Other Non -Design/>=10 circuits/Non -Dispatch/LA(%)	RAB	0.84%	157							0.00%	170							0.57%	176							0.32%	312						
B.2.1.9.16.1.1	P-9	INP (Standalone)/<10 circuits/Dispatch/LA(%)	RAB (POTS)	8.84%	22,553	0.00%	1		0.25413	0.2731	YES	7.95%	23,001							7.48%	23,951							5.12%	26,420						
B.2.1.9.16.1.2	P-9	INP (Standalone)/<10 circuits/Non -Dispatch/LA(%)	RAB (POTS)	3.88%	248,947							3.90%	234,934							4.00%	262,438							3.26%	254,883						
B.2.1.9.16.2.1	P-9	INP (Standalone)/>=10 circuits/Dispatch/LA(%)	RAB (POTS)	8.18%	98							15.79%	133							10.31%	97							7.56%	119						
B.2.1.9.16.2.2	P-9	INP (Standalone)/>=10 circuits/Non -Dispatch/LA(%)	RAB (POTS)	6.25%	16							0.00%	9							0.00%	10							0.72%	138						
B.2.1.9.17.1.1	P-9	LNP (Standalone)/<10 circuits/Dispatch/LA(%)	RAB (POTS)	8.84%	22,553							7.95%	23,001							7.48%	23,951							5.12%	26,420						
B.2.1.9.17.1.2	P-9	LNP (Standalone)/<10 circuits/Non -Dispatch/LA(%)	RAB (POTS)	3.88%	248,947							3.90%	234,934							4.00%	262,438							3.26%	254,883						
B.2.1.9.17.2.1	P-9	LNP (Standalone)/>=10 circuits/Dispatch/LA(%)	RAB (POTS)	8.18%	98							15.79%	133							10.31%	97							7.56%	119						
B.2.1.9.17.2.2	P-9	LNP (Standalone)/>=10 circuits/Non -Dispatch/LA(%)	RAB (POTS)	6.25%	16							0.00%	9							0.00%	10							0.72%	138						
B.2.1.9.18.1.1	P-9	Digital Loop < DS1/<10 circuits/Dispatch/LA(%)	Digital Loop < DS1	1.57%	254	3.66%	164		0.01247	1.6708	NO	0.00%	230	9.36%	235		0.00000		NO	0.00%	159	11.70%	94		0.00000		NO	0.00%	139	2.00%	50					
B.2.1.9.18.1.2	P-9	Digital Loop < DS1/<10 circuits/Non -Dispatch/LA(%)	Digital Loop < DS1	0.00%	267							0.00%	8							0.00%	6														
B.2.1.9.18.2.1	P-9	Digital Loop < DS1/>=10 circuits/Dispatch/LA(%)	Digital Loop < DS1																																
B.2.1.9.18.2.2	P-9	Digital Loop < DS1/>=10 circuits/Non -Dispatch/LA(%)	Digital Loop < DS1																																
B.2.1.9.19.1.1	P-9	Digital Loop >= DS1/<10 circuits/Dispatch/LA(%)	Digital Loop >= DS1	4.76%	84	7.56%	159		0.09129	0.8139	YES	0.00%	32	15.84%	101		0.00000		NO	0.00%	45	12.90%	31		0.00000		NO	10.26%	68	5.76%	328		0.04048	1.1115	YES
B.2.1.9.19.1.2	P-9	Digital Loop >= DS1/<10 circuits/Non -Dispatch/LA(%)	Digital Loop >= DS1	0.00%	3							0.00%	7							0.00%	2							1.64%	61						
B.2.1.9.19.2.1	P-9	Digital Loop >= DS1/>=10 circuits/Dispatch/LA(%)	Digital Loop >= DS1																																
B.2.1.9.19.2.2	P-9	Digital Loop >= DS1/>=10 circuits/Non -Dispatch/LA(%)	Digital Loop >= DS1																																

Average Completion Notice Interval - Misclassified

B.2.2.1.1.1.1	P-5	Switch Parts/<10 circuits/Dispatch/LA(hours)	RAB (POTS)	1.82	15,831				9.525				1.24	12,383				9.643			1.78	12,929				8.336			1.85	13,170				12.061		
B.2.2.1.1.1.2	P-5	Switch Parts/<10 circuits/Non -Dispatch/LA(hours)	RAB (POTS)	1.02	237,333				4.089				1.02	192,265				4.023			1.31	194,260				5.242			1.05	201,588				4.172		
B.2.2.1.1.2.1	P-5	Switch Parts/>=10 circuits/Dispatch/LA(hours)	RAB (POTS)	2.89	88				3.702				2.90	81				14.090			2.30	90				6.315			5.04	84				17.782		
B.2.2.1.1.2.2	P-5	Switch Parts/>=10 circuits/Non -Dispatch/LA(hours)	RAB (POTS)	0.22	4				24.095				0.41	5				0.325			5.42	7				12.460			0.86	9				0.295		
B.2.2.1.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/LA(hours)	DS1/DS3 - Interoffice	80.71	358				458.595																										
B.2.2.1.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non -Dispatch/LA(hours)	DS1/DS3 - Interoffice																																
B.2.2.1.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/LA(hours)	DS1/DS3 - Interoffice																																
B.2.2.1.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non -Dispatch/LA(hours)	DS1/DS3 - Interoffice																																
B.2.2.1.3.1.1	P-5	Loop + Port Combo/<10 circuits/Dispatch/LA(hours)	RAB	1.68	16,254	0.43	112		10.084	0.85344	1.3218	YES	1.26	12,499	0.47	148		9.817	0.81268	0.9867	YES	1.79	13,123	5.00	112		9.343	0.9886	-0.6204	NO	1.98	13,438	13.07	84		12.121	1.32867	-6.3566	NO
B.2.2.1.3.1.2	P-5	Loop + Port Combo/<10 circuits/Non -Dispatch/LA(hours)	RAB	1.03	237,874	0.84	1,791		4.260	0.10175	1.8088	YES	1.02	182,813	0.85	1,248		4.027	0.11436	1.4817	YES	1.32	194,777	3.18	483		5.270	0.24797	-7.5852	NO	1.08	210,084	2.01	822		4.214	0.14725	-6.2643	NO
B.2.2.1.3.2.1	P-5	Loop + Port Combo/>=10 circuits/Switch Based Orders/LA(hours)	RAB	1.42	937	0.96	55		2.709	0.19955	2.1892	YES	1.40	76,025	0.81	534		5.191	0.24105	2.0056	YES	Data Included in 8.2.2.1.3.2.2							Data Included in 8.2.2.1.3.2.2							
B.2.2.1.3.2.2	P-5	Loop + Port Combo/>=10 circuits/Dispatch Int/LA(hours)	RAB	0.73	136,047	0.83	933		2.712	0.08610	-11.1408	YES	0.73	115,777	0.88	714		2.586	0.08842	-1.4785	YES	Data Included in 8.2.2.1.3.2.2							Data Included in 8.2.2.1.3.2.2							
B.2.2.1.3.2.3	P-5	Loop + Port Combo/>=10 circuits/Non -Dispatch/LA(hours)	RAB	3.29	101	0.02	2		17.295	12.35012	0.2622	YES	4.15	75	0.02	3		14.588	6.58005	0.4609	YES	3.86	107	34.37	4		12.816	8.52647	-4.6752	NO	5.75	155	18.30	4		11.941	6.04735	-2.0745	NO
B.2.2.1.3.2.4	P-5	Loop + Port Combo/>=10 circuits/Switch Based Orders/LA(hours)	RAB	1.81	98	0.44	5		1.656	3.09828	0.3870	YES	0.87	117	0.02	1		1.312	3.02115	0.2798	YES	2.30	154	0.90	1		30.130	30.20847	0.0800	YES	1.62	137	22	1		4.015	4.02933	0.1004	YES
B.2.2.1.3.2.5	P-5	Loop + Port Combo/>=10 circuits/Dispatch Int/LA(hours)	RAB	1.30	83	0.44	4		5.021	2.58618	0.8321	YES	0.91	97	0.02	1		3.301	3.31817	0.2871	YES	Data Included in 8.2.2.1.3.2.2							Data Included in 8.2.2.1.3.2.2							
B.2.2.1.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/LA(hours)	RABAD - Disp	7.45	16,666				111.504				8.04	13,261				107.117			7.00	14,156				81.756			11.04	14,346				139.678		
B.2.2.1.4.1.2	P-5	Combo Other/<10 circuits/Dispatch Int/LA(hours)	RABAD - Disp																																
B.2.2.1.4.2.1	P-5	Combo Other/<10 circuits/Dispatch/LA(hours)	RABAD - Disp	4.30	108				17.442				4.18	76				14.206			3.86	107				12.816			8.80	160				15.864		
B.2.2.1.4.2.2	P-5	Combo Other/>=10 circuits/Dispatch Int/LA(hours)	RABAD - Disp																																
B.2.2.1.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/LA(hours)	ADSL to Retail	1.67	4,087				6.984				1.27	3,486				8.645			2.44	3,352	6.40	2		9.536	6.74814	-0.5868	YES	1.39	3,810				7.018		
B.2.2.1.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non -Dispatch/LA(hours)	ADSL to Retail	0.59	166				0.319				0.63	123				0.309			0.87	221				4.902			1.14	302				7.018		
B.2.2.1.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/LA(hours)	ADSL to Retail	1.21	34				1.656				0.24	34				1.319			1.38	19				5.081			0.00	10				0.008		
B.2.2.1.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non -Dispatch/LA(hours)	ADSL to Retail																																
B.2.2.1.6.1.1	P-5	LINE ISDN/<10 circuits/Dispatch/LA(hours)	ISDN - BRI	43.38	116				55.650				38.32	87	0.00	1		48.541	45.84238	0.8304	YES	28.05	106				53.867			48.28	101				79.801		
B.2.2.1.6.1.2	P-5	LINE ISDN/<10 circuits/Non -Dispatch/LA(hours)	ISDN - BRI	5.07	104				28.056				11.27	85				30.577			5.28	107				25.857			9.40	98				55.400		
B.2.2.1.6.2.1	P-5	LINE ISDN/>=10 circuits/Dispatch/LA(hours)	ISDN - BRI																																
B.2.2.1.6.2.2	P-5	LINE ISDN/>=10 circuits/Non -Dispatch/LA(hours)	ISDN - BRI										0.82	1				0.000											0.87	1				0.000		
B.2.2.1.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/LA(hours)	ADSL to Retail	1.67	4,087				6.984				1.27	3,486				8.683			2.44	3,352				9.536			1.39	3,810				8.144		
B.2.2.1.7.1.2	P-5	Line Sharing/<10 circuits/Non -Dispatch/LA(hours)	ADSL to Retail	0.59	166				0.319				0.63	123				0.309			0.87	221				4.902			1.14	302				7.018		
B.2.2.1.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/LA(hours)	ADSL to Retail	1.21	34				1.656				0.24	34				1.319			1.38	19				5.081			0.00	10				0.008		
B.2.2.1.7.2.2	P-5	Line Sharing/>=10 circuits/Non -Dispatch/LA(hours)	ADSL to Retail																																
B.2.2.1.8.1.1	P-5	JW Analog Loop Design/<10 circuits/Dispatch/LA(hours)	RAB - Disp	1.68	16,254	8.67	10		10.084	3.18067	11.5853	YES	1.26	12,499	0.00	1		9.817	9.81750	0.1292	YES	1.79	13,123				9.343			1.98	13,438				12.121		
B.2.2.1.8.1.2	P-5	JW Analog Loop Design/<10 circuits/Non -Dispatch/LA(hours)	RAB - Disp	1.68	16,254				10.084				1.26	12,499				9.817			1.79	13,123				9.343			1.98	13,438				12.121		
B.2.2.1.8.2.1	P-5	JW Analog Loop Design/>=10 circuits/Dispatch/LA(hours)	RAB - Disp	3.26	101				17.295				4.15	75				14.588			3.86	107				12.816		

BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark / Analog	August Data							July Data							June Data							May Data						
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	un-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ay-01 Equiv
B.2.21.13.1.1	P-5	AV Analog Loop w/LNP Non-Design(>=10 circuits/Dispatch/LA/hours)	R&B (POTS) excl SB Or	1.52	15,927			8.525				1.24	12,280			8.643				1.78	12,929			9.339				1.85	13,170			12.051			
B.2.21.13.1.4	P-5	AV Analog Loop w/LNP Non-Design(>=10 circuits/Dispatch Int/LA/hours)	R&B (POTS) excl SB Or	0.72	136,663			2.413				0.73	116,391			2.550				1.08	120,526			4.100				Alarm data unreliable with July Run							
B.2.21.13.2.1	P-5	AV Analog Loop w/LNP Non-Design(>=10 circuits/Dispatch/LA/hours)	R&B (POTS) excl SB Or	0.86	88			3.702				3.86	61			14.080				2.30	90			6.315				5.04	64			17.782			
B.2.21.13.2.4	P-5	AV Analog Loop w/LNP Non-Design(>=10 circuits/Dispatch Int/LA/hours)	R&B (POTS) excl SB Or	0.62	9			0.182				0.32	9			0.350				7.50	5			15.395				Alarm data unreliable with July Run							
B.2.21.14.1.1	P-5	Other Design(<10 circuits/Dispatch/LA/hours)	Design	138.20	718			524.245				121.13	885			395.579				79.13	1,006			330.856				141.22	935			526.859			
B.2.21.14.1.2	P-5	Other Design(>=10 circuits/Non-Dispatch/LA/hours)	Design	418.26	126			1190.686				1029.69	33.2			1210.005				118.89	294			431.865				860.36	133			1049.287			
B.2.21.14.2.1	P-5	Other Design(>=10 circuits/Non-Dispatch/LA/hours)	Design	19.35	7			12.548				4.16	4			5.139				4.16	4			5.139				36.38	5			52.916			
B.2.21.14.2.2	P-5	Other Design(>=10 circuits/Dispatch Int/LA/hours)	Design	0.65	13			0.270				2.80	26			13.080				3.00	4			4.807											
B.2.21.15.1.1	P-5	Other Non-Design(<10 circuits/Dispatch/LA/hours)	R&B	1.69	18,254			10.054				1.28	12,499			8.617				1.79	13,125			9.343				1.96	13,426			12.121			
B.2.21.15.1.2	P-5	Other Non-Design(>=10 circuits/Non-Dispatch/LA/hours)	R&B	1.09	257,974			4.260				1.02	182,813			4.027				1.32	184,777			5.272				1.08	210,024			4.214			
B.2.21.15.2.1	P-5	Other Non-Design(>=10 circuits/Dispatch/LA/hours)	R&B	3.26	101			17.295				4.15	75			14.589				3.86	107			12.816				5.75	155			11.941			
B.2.21.15.2.2	P-5	Other Non-Design(>=10 circuits/Dispatch Int/LA/hours)	R&B	1.81	88			8.086				0.87	117			3.012				3.32	156			30.130				1.82	137			4.018			
B.2.21.16.1.1	P-5	INP (Standalone)(<10 circuits/Non-Dispatch/LA/hours)	R&B (POTS)	1.52	15,891			8.525				1.24	12,280			8.643				1.78	12,929			9.339				1.85	13,170			12.051			
B.2.21.16.1.2	P-5	INP (Standalone)(>=10 circuits/Non-Dispatch/LA/hours)	R&B (POTS)	1.02	257,393			4.086				1.02	182,285			4.023				1.31	184,260			5.242				1.05	201,568			4.172			
B.2.21.16.2.1	P-5	INP (Standalone)(<10 circuits/Dispatch/LA/hours)	R&B (POTS)	0.99	88			3.702				3.86	61			14.080				2.30	90			6.315				5.04	64			17.782			
B.2.21.16.2.2	P-5	INP (Standalone)(>=10 circuits/Dispatch/LA/hours)	R&B (POTS)	8.22	8			24.095				0.41	5			0.525				5.42	7			12.480				0.69	9			0.995			
B.2.21.17.1.1	P-5	LNP (Standalone)(<10 circuits/Non-Dispatch/LA/hours)	R&B (POTS)	1.52	15,831	85.17	5	9.525	4.26004	-19.6120	NO	1.24	12,280			8.643				1.78	12,929			9.339				1.85	13,170			12.051			
B.2.21.17.1.2	P-5	LNP (Standalone)(>=10 circuits/Non-Dispatch/LA/hours)	R&B (POTS)	1.02	237,333	62.14	147	4.086	0.33621	-259.8536	NO	1.02	182,285	122.16	89	4.023	0.48438	-260.1006	NO	1.31	184,260	18.79	13	5.242	1.45363	-12.0219	NO	1.05	201,568	129.545	5	4.172	1.88571	-65.6946	NO
B.2.21.17.2.1	P-5	LNP (Standalone)(>=10 circuits/Dispatch/LA/hours)	R&B	0.99	88			3.702				3.86	61			14.080				2.30	90			6.315				5.04	64			17.782			
B.2.21.17.2.2	P-5	LNP (Standalone)(>=10 circuits/Non-Dispatch/LA/hours)	R&B (POTS)	8.22	8			24.095				0.41	5			0.525				5.42	7			12.480				0.69	9			0.995			
B.2.22.3.2.4	P-5	Digital Loop < DS1(<10 circuits/Dispatch/LA/hours)	Digital Loop < DS1	66.41	148			213.901				106.00	120	0.00	1	244.756	246.76364	0.4312	YES	77.29	184			152.906				79.25	88			140.010			
B.2.21.16.1.2	P-5	Digital Loop < DS1(>=10 circuits/Non-Dispatch/LA/hours)	Digital Loop < DS1	120.71	11			210.409				85.88	4			184.341				275.05	8			497.283				31.23	8			36.859			
B.2.21.16.2.1	P-5	Digital Loop < DS1(>=10 circuits/Dispatch/LA/hours)	Digital Loop < DS1	0.00	1			0.000																											
B.2.21.16.2.2	P-5	Digital Loop < DS1(>=10 circuits/Non-Dispatch/LA/hours)	Digital Loop < DS1																																
B.2.21.19.1.1	P-5	Digital Loop >= DS1(<10 circuits/Dispatch/LA/hours)	Digital Loop >= DS1	148.21	31	62.73	73	289.754	64.26019	1.3454	YES	58.15	20	63.48	71	132.964	33.65686	-0.7527	YES	213.26	24	79.80	24	364.256	113.81167	1.1814	YES	44.76	36	32.71	93	82.879	16.48795	0.7308	YES
B.2.21.19.1.2	P-5	Digital Loop >= DS1(<10 circuits/Non-Dispatch/LA/hours)	Digital Loop >= DS1	27.74	4			42.908				1.92	1			0.000				16.50	2			23.052				80.80	1			0.000			
B.2.21.19.2.1	P-5	Digital Loop >= DS1(>=10 circuits/Dispatch/LA/hours)	Digital Loop >= DS1																																
B.2.21.19.2.2	P-5	Digital Loop >= DS1(>=10 circuits/Non-Dispatch/LA/hours)	Digital Loop >= DS1																																

Average Completion Notice Interval - Non-Mechanized

B.2.22.1.1.1	P-5	Switch Ports(<10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.1.1.2	P-5	Switch Ports(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.1.2.1	P-5	Switch Ports(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.1.2.2	P-5	Switch Ports(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.2.1.1	P-5	Local Interoffice Transport(<10 circuits/Dispatch/LA/hours)	Diagnostic		18.87	1					Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.2.1.2	P-5	Local Interoffice Transport(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.2.2.1	P-5	Local Interoffice Transport(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.2.2.2	P-5	Local Interoffice Transport(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.3.1.1	P-5	Loop + Port Combinations(<10 circuits/Dispatch/LA/hours)	Diagnostic		17.75	5					Diagnostic		57.38	4					Diagnostic		51.12	3					Diagnostic		12.80	1					Diagnostic
B.2.22.3.1.2	P-5	Loop + Port Combinations(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic		18.22	33					Diagnostic		58.33	9					Diagnostic		16.58	9					Diagnostic		16.00	12					Diagnostic
B.2.22.3.1.3	P-5	Loop + Port Combinations(<10 circuits/Switch Based Orders/LA/hours)	Diagnostic		14.00	18					Diagnostic		62.00	7					Diagnostic		Data Included in 8.2.22.3.1.2						Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.3.1.4	P-5	Loop + Port Combinations(<10 circuits/Dispatch Int/LA/hours)	Diagnostic		16.86	15					Diagnostic		50.00	2					Diagnostic		Data Included in 8.2.22.3.1.2						Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.3.2.1	P-5	Loop + Port Combinations(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.3.2.2	P-5	Loop + Port Combinations(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.3.2.3	P-5	Loop + Port Combinations(>=10 circuits/Switch Based Orders/LA/hours)	Diagnostic								Diagnostic								Diagnostic		Data Included in 8.2.22.3.2.2						Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.3.2.4	P-5	Loop + Port Combinations(>=10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic		Data Included in 8.2.22.3.2.2						Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.4.1.1	P-5	Combo Other(<10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.4.1.4	P-5	Combo Other(<10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.4.2.1	P-5	Combo Other(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.4.2.4	P-5	Combo Other(>=10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)(<10 circuits/Dispatch/LA/hours)	Diagnostic		40.99	89					Diagnostic		55.52	54					Diagnostic		37.25	80					Diagnostic		40.64	95					Diagnostic
B.2.22.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		17.25	1					Diagnostic
B.2.22.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		16.00	1					Diagnostic
B.2.22.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.6.1.1	P-5	UNE ISDN(<10 circuits/Dispatch/LA/hours)	Diagnostic		63.46	70					Diagnostic		64.14	46					Diagnostic		53.86	66					Diagnostic		42.09	77					Diagnostic
B.2.22.6.1.2	P-5	UNE ISDN(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.6.2.1	P-5	UNE ISDN(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.6.2.2	P-5	UNE ISDN(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.7.1.1	P-5	Line Sharing(<10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.7.1.2	P-5	Line Sharing(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic		14.84	36					Diagnostic		58.00	36					Diagnostic		21.54	28					Diagnostic								Diagnostic
B.2.22.7.2.1	P-5	Line Sharing(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.7.2.2	P-5	Line Sharing(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.8.1.1	P-5	AV Analog Loop Design(<10 circuits/Dispatch/LA/hours)	Diagnostic		44.86	51					Diagnostic		62.18	38					Diagnostic		37.50	167					Diagnostic								Diagnostic
B.2.22.8.1.2	P-5	AV Analog Loop Design(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.8.2.1	P-5	AV Analog Loop Design(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic		654.27	1					Diagnostic		8.96	4					Diagnostic								Diagnostic
B.2.22.8.2.2	P-5	AV Analog Loop Design(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.9.1.1	P-5	AV Analog Loop Non-Design(<10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic		14.23	1					Diagnostic								Diagnostic								Diagnostic
B.2.22.9.1.4	P-5	AV Analog Loop Non-Design(<10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.9.2.1	P-5	AV Analog Loop Non-Design(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.9.2.4	P-5	AV Analog Loop Non-Design(>=10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.10.1.1	P-5	AV Analog Loop w/INP Design(<10 circuits/Dispatch/LA/hours)	Diagnostic		58.52	4					Diagnostic								Diagnostic		47.46	9					Diagnostic		16.54	1					Diagnostic
B.2.22.10.1.2	P-5	AV Analog Loop w/INP Design(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.10.2.1	P-5	AV Analog Loop w/INP Design(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.10.2.2	P-5	AV Analog Loop w/INP Design(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.11.1.1	P-5	AV Analog Loop w/INP Non-Design(<10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.11.1.4	P-5	AV Analog Loop w/INP Non-Design(<10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.11.2.1	P-5	AV Analog Loop w/INP Non-Design(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.11.2.4	P-5	AV Analog Loop w/INP Non-Design(>=10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.12.1.1	P-5	AV Analog Loop w/LNP Design(<10 circuits/Dispatch/LA/hours)	Diagnostic		27.04	151					Diagnostic		54.98	64					Diagnostic		24.99	66					Diagnostic		32.11	48					Diagnostic
B.2.22.12.1.2	P-5	AV Analog Loop w/LNP Design(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.12.2.1	P-5	AV Analog Loop w/LNP Design(>=10 circuits/Dispatch/LA/hours)	Diagnostic		31.98	1					Diagnostic								Diagnostic		16.80	2					Diagnostic								Diagnostic
B.2.22.12.2.2	P-5	AV Analog Loop w/LNP Design(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.15.1.1	P-5	AV Analog Loop w/LNP Non-Design(<10 circuits/Dispatch/LA/hours)	Diagnostic		14.10	1					Diagnostic								Diagnostic								Diagnostic		13.06	1					Diagnostic
B.2.22.13.1.4	P-5	AV Analog Loop w/LNP Non-Design(<10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.15.2.1	P-5	AV Analog Loop w/LNP Non-Design(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.15.2.4	P-5	AV Analog Loop w/LNP Non-Design(>=10 circuits/Dispatch Int/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic		Alarm data unreliable with July Run						Diagnostic
B.2.22.14.1.1	P-5	Other Design(<10 circuits/Dispatch/LA/hours)	Diagnostic		38.53	25					Diagnostic		36.55	4					Diagnostic		33.46	5					Diagnostic								Diagnostic
B.2.22.14.1.2	P-5	Other Design(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.14.2.1	P-5	Other Design(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.14.2.2	P-5	Other Design(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.15.1.1	P-5	Other Non-Design(<10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic		14.00	1					Diagnostic								Diagnostic								Diagnostic
B.2.22.15.1.2	P-5	Other Non-Design(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.15.2.1	P-5	Other Non-Design(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.15.2.2	P-5	Other Non-Design(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.16.1.1	P-5	INP (Standalone)(<10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic		14.00	1					Diagnostic								Diagnostic								Diagnostic
B.2.22.16.1.2	P-5	INP (Standalone)(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.16.2.1	P-4	INP (Standalone)(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.16.2.2	P-5	INP (Standalone)(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.17.1.1	P-5	LNP (Standalone)(<10 circuits/Dispatch/LA/hours)	Diagnostic		9.18	10					Diagnostic		22.24	11					Diagnostic		9.18	6					Diagnostic		12.55	31					Diagnostic
B.2.22.17.1.2	P-5	LNP (Standalone)(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic		16.88	209					Diagnostic		29.81	267					Diagnostic		14.90	334					Diagnostic		15.81	358					Diagnostic
B.2.22.17.2.1	P-5	LNP (Standalone)(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.17.2.2	P-5	LNP (Standalone)(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic		8.00	3					Diagnostic		36.70	3					Diagnostic		10.40	1					Diagnostic								Diagnostic
B.2.22.18.1.1	P-5	Digital Loop < DS1(<10 circuits/Dispatch/LA/hours)	Diagnostic		42.28	131					Diagnostic		60.52	77					Diagnostic		53.85	86					Diagnostic		42.86	77					Diagnostic
B.2.22.18.1.2	P-5	Digital Loop < DS1(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.18.2.1	P-5	Digital Loop < DS1(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.18.2.2	P-5	Digital Loop < DS1(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.19.1.1	P-5	Digital Loop >= DS1(<10 circuits/Dispatch/LA/hours)	Diagnostic		42.11	88					Diagnostic		89.85	81					Diagnostic		35.50	108					Diagnostic		46.66	155					Diagnostic
B.2.22.19.1.2	P-5	Digital Loop >= DS1(<10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.19.2.1	P-5	Digital Loop >= DS1(>=10 circuits/Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.22.19.2.2	P-5	Digital Loop >= DS1(>=10 circuits/Non-Dispatch/LA/hours)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic

Total Service Order Cycle Time - Mechanized

B.2.24.1.1.1	P-10	Switch Ports(<10 circuits/Dispatch/LA/days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.1.1.2	P-10	Switch Ports(<10 circuits/Non-Dispatch/LA/days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.1.2.1	P-10	Switch Ports(>=10 circuits/Dispatch/LA/days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.1.2.2	P-10	Switch Ports(>=10 circuits/Non-Dispatch/LA/days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.2.1.1	P-10	Local Interoffice Transport(<10 circuits/Dispatch/LA/days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.2.1.2	P-10	Local Interoffice Transport(<10 circuits/Non-Dispatch/LA/days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.2.2.1	P-10	Local Interoffice Transport(>=10 circuits/Dispatch/LA/days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.2.2.2	P-10	Local Interoffice Transport(>=10 circuits/Non-Dispatch/LA/days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.3.1.1	P-10	Loop + Port Combinations(<10 circuits/Dispatch/LA/days)	Diagnostic		2.06	21					Diagnostic		3.71	24					Diagnostic		3.73	15					Diagnostic		3.26	12					Diagnostic
B.2.24.3.1.2	P-10	Loop + Port Combinations(<10 circuits/Non-Dispatch/LA/days)	Di

BellSouth Monthly Performance Summary

Louisiana, August 2001

		Benchmark / Analog	August Data							July Data							June Data							May Data						
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ul-01 Equ	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	un-01 Equ	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	ay-01 Equity
B.2.24.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.8.1.1	P-10	JW Analog Loop Design/<10 circuits/Dispatch/LA(days)			4.00	1				Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.8.1.2	P-10	JW Analog Loop Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.8.2.1	P-10	JW Analog Loop Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.8.2.2	P-10	JW Analog Loop Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.9.1.1	P-10	JW Analog Loop Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.9.1.2	P-10	JW Analog Loop Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.9.2.1	P-10	JW Analog Loop Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.9.2.2	P-10	JW Analog Loop Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.10.1.1	P-10	JW Analog Loop w/INP Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.10.1.2	P-10	JW Analog Loop w/INP Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.10.2.1	P-10	JW Analog Loop w/INP Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.10.2.2	P-10	JW Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.11.1.1	P-10	JW Analog Loop w/INP Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.11.1.2	P-10	JW Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.11.2.1	P-10	JW Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.11.2.2	P-10	JW Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.12.1.1	P-14	JW Analog Loop w/LNP Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic			8.00	1				Diagnostic
B.2.24.12.1.2	P-14	JW Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.12.2.1	P-14	JW Analog Loop w/LNP Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.12.2.2	P-14	JW Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.13.1.1	P-14	JW Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.13.1.2	P-14	JW Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.13.2.1	P-14	JW Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.13.2.2	P-14	JW Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.14.1.1	P-10	Other Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/LA(days)			2.21	36				Diagnostic			0.92	23				Diagnostic			22.09	1				Diagnostic			4.33	3				Diagnostic
B.2.24.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/LA(days)			8.44	18				Diagnostic			6.43	7				Diagnostic			8.00	2				Diagnostic			11.00	3				Diagnostic
B.2.24.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.24.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/LA(days								Diagnostic								Diagnostic								Diagnostic								Diagnostic
		Total Service Order Cycle Time - Partially Mechanized																																
B.2.25.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.3.1.1	P-10	Loop + Port Combin.s/<10 circuits/Dispatch/LA(days)			3.84	25				Diagnostic			4.57	48				Diagnostic			4.85	17				Diagnostic			5.07	16				Diagnostic
B.2.25.3.1.2	P-10	Loop + Port Combin.s/<10 circuits/Non-Dispatch/LA(days)			1.09	567				Diagnostic			3.58	482				Diagnostic			1.08	166				Diagnostic			3.94	147				Diagnostic
B.2.25.3.2.1	P-10	Loop + Port Combin.s/>=10 circuits/Dispatch/LA(days)			4.00	1				Diagnostic			3.00	1				Diagnostic			2.00	1				Diagnostic			6.00	1				Diagnostic
B.2.25.3.2.2	P-10	Loop + Port Combin.s/>=10 circuits/Non-Dispatch/LA(days)			1.08	4				Diagnostic								Diagnostic			0.20	1				Diagnostic								Diagnostic
B.2.25.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/LA(days)								Diagnostic			11.00	1				Diagnostic								Diagnostic								Diagnostic
B.2.25.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.8.1.1	P-10	JW Analog Loop Design/<10 circuits/Dispatch/LA(days)			5.00	2				Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.8.1.2	P-10	JW Analog Loop Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.8.2.1	P-10	JW Analog Loop Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.8.2.2	P-10	JW Analog Loop Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.9.1.1	P-10	JW Analog Loop Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.9.1.2	P-10	JW Analog Loop Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.9.2.1	P-10	JW Analog Loop Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.9.2.2	P-10	JW Analog Loop Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.10.1.1	P-10	JW Analog Loop w/INP Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.10.1.2	P-10	JW Analog Loop w/INP Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.10.2.1	P-10	JW Analog Loop w/INP Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.10.2.2	P-10	JW Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.11.1.1	P-10	JW Analog Loop w/INP Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.11.1.2	P-10	JW Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.11.2.1	P-10	JW Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.11.2.2	P-10	JW Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.12.1.1	P-14	JW Analog Loop w/LNP Design/<10 circuits/Dispatch/LA(days)			6.67	3				Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.12.1.2	P-14	JW Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.12.2.1	P-14	JW Analog Loop w/LNP Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.12.2.2	P-14	JW Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.13.1.1	P-14	JW Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.13.1.2	P-14	JW Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.13.2.1	P-14	JW Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.13.2.2	P-14	JW Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.14.1.1	P-10	Other Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic			2.00	1				Diagnostic			50.00	1				Diagnostic
B.2.25.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/LA(days)			7.80	40				Diagnostic			7.88	42				Diagnostic			23.00	11				Diagnostic			10.33	3				Diagnostic
B.2.25.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/LA(days)								Diagnostic			11.00	1				Diagnostic								Diagnostic								Diagnostic
B.2.25.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/LA(days)			6.43	7				Diagnostic			5.29	5				Diagnostic			12.50	2				Diagnostic			10.50	2				Diagnostic
B.2.25.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.25.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/LA(days								Diagnostic								Diagnostic								Diagnostic								Diagnostic
		Total Service Order Cycle Time - Non-Mechanized																																

BellSouth Monthly Performance Summary

Louisiana, August 2001

		Benchmark / Analog	August Data							July Data							June Data							May Data						
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jun-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	May-01 Equiv
B.2.26.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/LA(days)			28.00	1				Diagnostic								Diagnostic								Diagnostic			22.00	1				Diagnostic
B.2.26.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/LA(days)			6.25	4				Diagnostic			4.00	1				Diagnostic			5.00	1				Diagnostic			11.00	1				Diagnostic
B.2.26.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/LA(days)			2.15	20				Diagnostic			3.36	11				Diagnostic			3.56	9				Diagnostic			3.79	13				Diagnostic
B.2.26.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/LA(days)			7.79	34				Diagnostic			8.67	36				Diagnostic			7.87	30				Diagnostic			10.18	50				Diagnostic
B.2.26.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/LA(days)			12.98	46				Diagnostic			16.20	36				Diagnostic			12.97	49				Diagnostic			13.73	49				Diagnostic
B.2.26.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic			1.00					Diagnostic								Diagnostic
B.2.26.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/LA(days)			5.70	30				Diagnostic			7.24	41				Diagnostic			1.13	8				Diagnostic								Diagnostic
B.2.26.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/LA(days)			7.24	29				Diagnostic			11.56	18				Diagnostic			8.99	67				Diagnostic			11.67	76				Diagnostic
B.2.26.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/LA(days)			8.00	2				Diagnostic								Diagnostic			9.67	3				Diagnostic			22.00	1				Diagnostic
B.2.26.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/LA(days)			8.00	117				Diagnostic			10.13	70				Diagnostic			8.23	48				Diagnostic			9.16	62				Diagnostic
B.2.26.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.14.1.1	P-10	Other Design/<10 circuits/Dispatch/LA(days)			11.47	19				Diagnostic			12.25	4				Diagnostic			8.50	2				Diagnostic								Diagnostic
B.2.26.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/LA(days)			1.00	1				Diagnostic								Diagnostic			30.00	12				Diagnostic			17.71	34				Diagnostic
B.2.26.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/LA(days)			1.80	139				Diagnostic			2.19	145				Diagnostic			11.34	321				Diagnostic			12.95	478				Diagnostic
B.2.26.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)			5.00	1				Diagnostic			3.00	2				Diagnostic			3.00	1				Diagnostic			1.00	1				Diagnostic
B.2.26.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/LA(days)			11.88	74				Diagnostic			12.95	48				Diagnostic			12.37	49				Diagnostic			13.71	49				Diagnostic
B.2.26.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/LA(days)			8.87	45				Diagnostic			9.89	48				Diagnostic			8.55	57				Diagnostic			8.50	106				Diagnostic
B.2.26.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
		Total Service Order Cycle Time (altered) - Mechanized																																
B.2.26.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/LA(days)			1.86	20				Diagnostic			3.71	24				Diagnostic			3.57	14				Diagnostic			1.83	8				Diagnostic
B.2.26.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/LA(days)			0.79	481				Diagnostic			1.11	282				Diagnostic			0.43	267				Diagnostic			0.84	107				Diagnostic
B.2.26.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/LA(days)			4.00	1				Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic			6.00	1				Diagnostic
B.2.26.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.14.1.1	P-10	Other Design/<10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/LA(days)								Diagnostic								Diagnostic								Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark/ Analog	August Data							July Data							June Data							May Data						
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jun-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	May-01 Equiv
B.2.26.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/LA(days)	Diagnostic			2.27	30				Diagnostic			0.92	23				Diagnostic			22.00	1				Diagnostic			4.33	3				Diagnostic
B.2.26.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/LA(days)	Diagnostic			8.44	18				Diagnostic			6.43	7				Diagnostic			6.00	2				Diagnostic			11.00	3				Diagnostic
B.2.26.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.26.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/LA(days	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
		Total Service Order Cycle Time (w/Dispatch) - Partially Mechanized																																	
B.2.29.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.3.1.1	P-10	Loop + Port Combination/<10 circuits/Dispatch/LA(days)	Diagnostic			3.26	35				Diagnostic			4.38	44				Diagnostic			4.87	15				Diagnostic			5.10	14				Diagnostic
B.2.29.3.1.2	P-10	Loop + Port Combination/<10 circuits/Non-Dispatch/LA(days)	Diagnostic			1.58	523				Diagnostic			3.48	484				Diagnostic			0.99	155				Diagnostic			3.62	123				Diagnostic
B.2.29.3.2.1	P-10	Loop + Port Combination/>=10 circuits/Dispatch/LA(days)	Diagnostic			4.00	1				Diagnostic			3.00	1				Diagnostic			2.00	1				Diagnostic			6.00	1				Diagnostic
B.2.29.3.2.2	P-10	Loop + Port Combination/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic			1.08	4				Diagnostic								Diagnostic			0.33	1				Diagnostic								Diagnostic
B.2.29.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.4.1.2	P-10	Combo Others/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic			11.00	1				Diagnostic								Diagnostic								Diagnostic
B.2.29.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.8.1.1	P-10	UW Analog Loop Design/<10 circuits/Dispatch/LA(days)	Diagnostic			5.00	2				Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.8.1.2	P-10	UW Analog Loop Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.8.2.1	P-10	UW Analog Loop Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.8.2.2	P-10	UW Analog Loop Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.9.1.1	P-10	UW Analog Loop Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.9.1.2	P-10	UW Analog Loop Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.9.2.1	P-10	UW Analog Loop Non-Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.9.2.2	P-10	UW Analog Loop Non-Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.10.1.1	P-10	UW Analog Loop w/INP Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.10.1.2	P-10	UW Analog Loop w/INP Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.10.2.1	P-10	UW Analog Loop w/INP Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.10.2.2	P-10	UW Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.11.1.1	P-10	UW Analog Loop w/INP Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.11.1.2	P-10	UW Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.11.2.1	P-10	UW Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.11.2.2	P-10	UW Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.12.1.1	P-14	UW Analog Loop w/LNP Design/<10 circuits/Dispatch/LA(days)	Diagnostic			6.67	3				Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.12.1.2	P-14	UW Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.12.2.1	P-14	UW Analog Loop w/LNP Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.12.2.2	P-14	UW Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.13.1.1	P-14	UW Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.13.1.2	P-14	UW Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.13.2.1	P-14	UW Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.13.2.2	P-14	UW Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.14.1.1	P-10	Other Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/LA(days)	Diagnostic			7.80	40				Diagnostic			7.86	42				Diagnostic			6.50	6				Diagnostic			6.50	2				Diagnostic
B.2.29.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic			13.00	1				Diagnostic								Diagnostic								Diagnostic
B.2.29.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/LA(days)	Diagnostic			8.42	7				Diagnostic			6.80	5				Diagnostic			12.50	2				Diagnostic			10.50	2				Diagnostic
B.2.29.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.29.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/LA(days	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
		Total Service Order Cycle Time (w/Dispatch) - Non-Mechanized																																	
B.2.30.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/LA(days)	Diagnostic			25.00	1				Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.3.1.1	P-10	Loop + Port Combination/<10 circuits/Dispatch/LA(days)	Diagnostic			3.33	3				Diagnostic			4.00	1				Diagnostic			5.00	1				Diagnostic								Diagnostic
B.2.30.3.1.2	P-10	Loop + Port Combination/<10 circuits/Non-Dispatch/LA(days)	Diagnostic			2.15	20				Diagnostic			3.30	10				Diagnostic			3.56	9				Diagnostic			3.79	13				Diagnostic
B.2.30.3.2.1	P-10	Loop + Port Combination/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.3.2.2	P-10	Loop + Port Combination/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/LA(days)	Diagnostic			7.91	32				Diagnostic			9.03	57				Diagnostic			7.35	26				Diagnostic			10.17	48				Diagnostic
B.2.30.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/LA(days)	Diagnostic			14.16	65				Diagnostic			14.43	37				Diagnostic			12.52	48				Diagnostic			13.71	49				Diagnostic
B.2.30.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/LA(days)	Diagnostic			6.70	30				Diagnostic			7.24	41				Diagnostic			1.00	1				Diagnostic								Diagnostic
B.2.30.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.8.1.1	P-10	UW Analog Loop Design/<10 circuits/Dispatch/LA(days)	Diagnostic			7.44	25				Diagnostic			12.27	15				Diagnostic			9.73	84				Diagnostic			11.84	74				Diagnostic
B.2.30.8.1.2	P-10	UW Analog Loop Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.8.2.1	P-10	UW Analog Loop Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.8.2.2	P-10	UW Analog Loop Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.9.1.1	P-10	UW Analog Loop Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
B.2.30.9.1.2	P-10	UW Analog Loop Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark / Analog	August Data							July Data							June Data							May Data						
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Z Score	Aug-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Z Score	Jul-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Z Score	Jun-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Z Score	May-01 Equity
B 2.50.8.2.1	P-10	2W Analog Loop Non-Design>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.8.2.2	P-10	2W Analog Loop Non-Design>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.10.1.1	P-10	2W Analog Loop w/IMP Design/<10 circuits/Dispatch/LA(days)	Diagnostic			6.00	2				Diagnostic								Diagnostic			9.50	2				Diagnostic			29.00	1			Diagnostic
B 2.50.10.1.2	P-10	2W Analog Loop w/IMP Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.10.2.1	P-10	2W Analog Loop w/IMP Design>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.10.2.2	P-10	2W Analog Loop w/IMP Design>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.11.1.1	P-10	2W Analog Loop w/IMP Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.11.1.2	P-10	2W Analog Loop w/IMP Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.11.2.1	P-10	2W Analog Loop w/IMP Non-Design>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.11.2.2	P-10	2W Analog Loop w/IMP Non-Design>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/LA(days)	Diagnostic			6.00	113				Diagnostic			10.29	98				Diagnostic			8.19	47				Diagnostic			8.17	81			Diagnostic
B 2.50.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.12.2.1	P-14	2W Analog Loop w/LNP Design>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.12.2.2	P-14	2W Analog Loop w/LNP Design>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.13.2.1	P-14	2W Analog Loop w/LNP Non-Design>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.13.2.2	P-14	2W Analog Loop w/LNP Non-Design>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.14.1.1	P-10	Other Designs/<10 circuits/Dispatch/LA(days)	Diagnostic			12.07	14				Diagnostic			12.25	4				Diagnostic			8.50	2				Diagnostic							Diagnostic
B 2.50.14.1.2	P-10	Other Designs/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.14.2.1	P-10	Other Designs/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.14.2.2	P-10	Other Designs/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/LA(days)	Diagnostic			1.00	1				Diagnostic								Diagnostic			25.50	2				Diagnostic			14.85	17			Diagnostic
B 2.50.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/LA(days)	Diagnostic			1.80	137				Diagnostic			2.07	133				Diagnostic			8.41	199				Diagnostic			6.26	294			Diagnostic
B 2.50.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic			5.00	1				Diagnostic			3.00	2				Diagnostic			3.00	1				Diagnostic			1.00	1			Diagnostic
B 2.50.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/LA(days)	Diagnostic			11.85	72				Diagnostic			19.17	47				Diagnostic			12.52	46				Diagnostic			13.73	49			Diagnostic
B 2.50.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/LA(days)	Diagnostic			6.61	36				Diagnostic			8.88	40				Diagnostic			8.12	48				Diagnostic			9.56	68			Diagnostic
B 2.50.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
B 2.50.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/LA(days)	Diagnostic								Diagnostic								Diagnostic								Diagnostic							Diagnostic
		Disconnect Timeliness																																
B 2.31.1	P-13	LNP (LA%)	>= 95% w in 15 min			3.24%	1,700				NO			0.79%	1,498				NO			2.69%	1,192				NO			3.84%	1,276			NO
		% Cooperative Test Attempts for xDSL																																
B 2.33.1	P-8	xDSL (ADSL, HDSL and UCL)(LA%)	>= 95% of requests			100.00%	112				YES			96.58%	80				YES			87.79%	134				YES			99.26%	136			YES
B 2.33.2	P-8	xDSL Other(LA%)	>= 95% of requests																															
		Service Order Accuracy																																
B 2.34.1.1.1	P-11	Design (Specials)/<10 circuits/Dispatch/LA(%)	>= 95%			82.13%	207				NO			82.18%	37				NO			96.30%	27				YES			94.44%	36			NO
B 2.34.1.1.2	P-11	Design (Specials)/<10 circuits/Non-Dispatch/LA(%)	>= 95%			72.18%	151				NO			81.78%	34				NO			86.00%	25				NO			100.00%	20			YES
B 2.34.1.2.1	P-11	Design (Specials)/>=10 circuits/Dispatch/LA(%)	>= 95%											50.00%	2				NO															
B 2.34.1.2.2	P-11	Design (Specials)/>=10 circuits/Non-Dispatch/LA(%)	>= 95%			0.00%	2				NO			66.67%	3				NO			100.00%	2				NO			100.00%	2			YES
B 2.34.2.1.1	P-11	Loops Non-Design/<10 circuits/Dispatch/LA(%)	>= 95%			78.43%	51				NO			74.47%	47				NO			80.00%	5				NO			62.86%	35			NO
B 2.34.2.1.2	P-11	Loops Non-Design/<10 circuits/Non-Dispatch/LA(%)	>= 95%			72.99%	521				NO			74.47%	94				NO			81.54%	65				NO			81.94%	124			NO
B 2.34.2.2.1	P-11	Loops Non-Design/>=10 circuits/Dispatch/LA(%)	>= 95%			80.00%	5				NO			50.00%	2				NO			100.00%	2				YES			0.00%	1			NO
B 2.34.2.2.2	P-11	Loops Non-Design/>=10 circuits/Non-Dispatch/LA(%)	>= 95%			73.33%	15				NO			33.33%	3				NO			66.67%	9				NO			75.00%	4			NO
		Unbundled Network Elements - Maintenance and Repair																																
		Missed Repair Appointments																																
B 3.1.1.1	MAR-1	Switch Ports/Dispatch/LA(%)	RAB (POTS)	12.85%	51,228							8.65%	40,221							8.87%	66,802							6.76%	37,637						
B 3.1.1.2	MAR-1	Switch Ports/Non-Dispatch/LA(%)	RAB (POTS)	2.42%	31,290							3.00%	22,827							2.73%	34,164							2.76%	24,230						
B 3.1.2.1	MAR-1	Local Interoffice Transport/Dispatch/LA(%)	DS1/DS3	1.28%	324	100.00%	1		0.11069	8.9308	NO	0.87%	310							0.32%	316	0.00%	2		0.09864	0.0784	YES	0.00%	234						
B 3.1.2.2	MAR-1	Local Interoffice Transport/Non-Dispatch/LA(%)	DS1/DS3	1.28%	224							0.51%	196	0.00%	1					0.00%	151	100.00%	1		0.00000		NO	0.00%	131	0.00%	5		0.00000		
B 3.1.3.1	MAR-1	Loop + Port Combinations/Dispatch/LA(%)	RAB	12.82%	52,181	6.37%	377		0.01734	2.7792	YES	8.75%	40,905	6.61%	181		0.07107	0.0711	YES	0.02049	0.9490	YES	10.12%	66,918	9.08%	276		0.01819	0.5432	YES	6.89%	36,246	8.00%	150		0.02072	0.4305	YES
B 3.1.3.2	MAR-1	Loop + Port Combinations/Non-Dispatch/LA(%)	RAB	2.49%	31,053	3.17%	189		0.01126	0.8068	YES	3.04%	23,018	0.00%	167		0.01324	2.2804	YES	0.00284	0.8554	YES	2.76%	34,665	5.22%	153		0.01326	-1.9852	NO	2.41%	24,760	0.00%	106		0.01808	1.7486	YES
B 3.1.4.1	MAR-1	Combo Other/Dispatch/LA(%)	RABAD - Disp	12.81%	53,395	0.00%	3		0.19184	0.9578	YES	8.50%	42,106	0.00%	4		0.19841	0.9584	YES	0.9858	0.9858	YES	9.96%	66,317								6.75%	39,204						
B 3.1.4.2	MAR-1	Combo Other/Non-Dispatch/LA(%)	RABAD - Disp	12.81%	53,395	0.00%	7		0.12546	1.0048	YES	8.50%	42,106	0.00%	2		0.19715	0.4309	YES	0.9858	0.9858	YES	9.96%	66,317								6.75%	39,204						
B 3.1.5.1	MAR-1	xDSL (ADSL, HDSL and UCL)/Dispatch/LA(%)	ADSL to Retail	15.40%	409	7.14%	28		0.07062	1.1715	YES	17.54%	273	7.41%	27		0.07660	1.3249	YES	16.50%	276	0.00%	21		0.08362	1.9488	YES	19.19%	229	8.33%	24		0.07887	0.9908	YES
B 3.1.5.2	MAR-1	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/LA(%)	ADSL to Retail	3.85%	78	14.29%	14		0.06842	1.8709	NO	0.66%	118	0.00%	6		0.09870	0.2227	YES	1.58%	63	0.00%	12		0.08857	0.4032	YES	0.00%	54	0.00%	15		0.00000		YES
B 3.1.6.1	MAR-1	UNE ISDN/Dispatch/LA(%)	ISDN - BRI	4.17%	96	0.00%	42		0.09997	1.1271	YES	8.41%	107	7.41%	27		0.09678	0.1879	YES	5.19%	135	11.11%	9		0.07893	-0.7782	YES			0.00%	9				
B 3.1.6.2	MAR-1	UNE ISDN/Non-Dispatch/LA(%)	ISDN - BRI	2.50%	156	0.00%	12		0.04704	0.9342	YES	5.66%	123	9.38%	11		0.07281	-0.4863	YES	1.75%	173	0.00%	4		0.09802	0.2627	YES			0.00%	4				
B 3.1.7.1	MAR-1	Line Sharing/Dispatch/LA(%)	ADSL to Retail	15.40%	409	0.00%	1		0.34942	0.4862	YES	17.54%	273	0.00%	1		0.38137	0.4810	YES	16.30%	276							16.18%	229						
B 3.1.7.2	MAR-1	Line Sharing/Non-Dispatch/LA(%)	ADSL to Retail	3.85%	78	4.35%	23		0.04583	0.1069	YES	0.66%	118	16.67%	12		0.02803	-5.6078	NO	1.58%	63	14.29%	7		0.04879	2.5501	NO	0.00%	54						
B 3.1.8.1	MAR-1	2W Analog Loop Design/Dispatch/LA(%)	RAB - Disp	12.82%	52,181	6.48%	179		0.03818	1.7833	YES	8.75%	40,905	5.04%	119		0.02644	1.4288	YES	10.12%	66,918	5.63%	142		0.02533	1.7867	YES	6.89%	36,246	0.00%	111		0.02408	2.8825	YES
B 3.1.8.2	MAR-1	2W Analog Loop Design/Non-Dispatch/LA(%)	RAB - Disp	12.82%	52,181	0.00%	28		0.06250	2.0735	YES	8.75%	40,905	0.00%	20		0.06320	1.3646	YES	10.12%	66,918	37.50%	16		0.07540	-3.8319	NO	6.89%	36,246	7.89%	13		0.07527	-0.1139	YES
B 3.1.9.1	MAR-1	2W Analog Loop Non-Design/Dispatch/LA(%)	RAB (POTS) excl SB FT	12.79%	51,103							8.59%	40,134							8.81%	66,813							6.72%	37,556						
B 3.1.9.2	MAR-1	2W Analog Loop Non-Design/Non-Dispatch/LA(%)	RAB (POTS) excl SB FT	2.47%	31,133							2.93%	22,750	20.18%	1					2.69%	34,132							2.69%	20,784						
B 3.1.10.1	MAR-1	Other Design/Dispatch/LA(%)	Design	2.78%	1,360	0.00%	6		0.08743	0.4144	YES	2.28%	1,285				0.09855	0.2026	YES	2.64%	1,399	5.58%	143		0.01409	-2.0835	NO	0.94%	858	1.19%	81		0.01058	-0.1507	YES
B 3.1.10.2	MAR-1	Other Design/Non-Dispatch/LA(%)	Design	1.09%	1,420	0.00%	2		0.07224	0.1480	YES	1.34%	1,284	0.00%	3		0.09855	0.2026	YES	0.85%	1,481	2.17%	46		0.01449	-0.6481	YES	0.34%	1,197	6.67%	45		0.00879	7.2068	NO
B 3.1.11.1	MAR-1	Other Non-Design/Dispatch/LA(%)	RAB	12.64%	52,181	0.00%	3		0.19095	0.9871	YES	8.75%	40,905	20.00%	5		0.19855	0.9855	YES	10.12%	66,918	0.00%	6		0.12011	0.8800	YES	6.89%	36,246	14.29%	7		0.09578	-0.7721	YES
B 3.1.11.2	MAR-1	Other Non-Design/Non-Dispatch/LA(%)	RAB	2.49%	31,053	0.00%	7		0.05588	0.4224	YES	3.04%	23,018	0.00%	7		0.05481	0.4885	YES	2.76%	34,665	0.00%	5		0.07321	0.3783	YES	2.81%	24,760	5.66%	17		0.04039	-0.7665	YES
B 3.1.12.1	MAR-1	LNP (Standalone)/Dispatch/LA(%)	RAB (POTS)	12.85%	51,228							8.65%	40,221							8.87%	66,802							6.76%	37,637						
B 3.1.12.2	MAR-1	LNP (Standalone)/Non-Dispatch/LA(%)	RAB (POTS)	2.42%	31,290							3.00%	22,827							2.73%	34,164							2.76%	24,230						
		Customer Trouble Report Rate																																
B 3.2.1.1	MAR-2	Switch Ports/Dispatch/LA(%)	RAB (POTS)	2.53%	2,026,333							1.98%	2,027,790							3.24%	2,036,331							1.64%	2,040,662						
B 3.2.1.2	MAR-2	Switch Ports/Non-Dispatch/LA(%)	RAB (POTS)	1.54%	2,026,333							1.12%	2,027,790							1.99%	2,036,331							1.19%	2,040,662						
B 3.2.2.1	MAR-2	Local Interoffice Transport/Dispatch/LA(%)	DS1/DS3	2.80%	11,554	1.22%	82		0.01853	0.8535	YES	1.87%	11,827	0.00%	81		0.01806	1.4821	YES	2.73%	11,870	2.50%	80		0.01464	0.1247	YES	1.99%	11,786	0.00%	80		0.01561	1.3599	YES
B 3.2.2.2	MAR-2	Local Interoffice Transport/Non-Dispatch/LA(%)	DS1/DS3	2.00%	11,554	0.00%	62		0.01677	1.2639	YES	1.87%	11,827	1.29%	81		0.01443	0.3047	YES	1.31%	11,870	1.25%	80		0.01262	0.0430	YES	1.11%	11,786	6.25%	80		0.01183	-4.3452	NO
B 3.2.3.1	MAR-2	Loop + Port Combinations/Dispatch/LA(%)	RAB	2.38%	2,209,749	1.08%	18,012		0.00112	3.3737	YES	1.86%	2,209,747	1.20%	15,991		0.00106	0.1562	YES	3.08%	2,218,940	1.10%	13,958		0.00108	4.3620	YES	1.72%	2,224,404	1.25%	11,674		0.00122	3.5707	YES
B 3.2.3.2	MAR-2	Loop + Port Combinations/Non-Dispatch/LA(%)	RAB	1.54%	2,209,749	0.98%	18,012		0.00087	5.1158	YES	1.04%	2,209,747	1.05%	15,991		0.00081	0.0673	YES	1.58%	2,218,940	1.10%	13,958		0.00108	4.3620	YES	1.11%	2,224,404	0.91%	11,674		0.00088	2.1000	YES
B 3.2.4.1	MAR-2	Combo Other/Dispatch/LA(%)	RABAD - Disp	2.09%	2,553,910	4.76%	63		0.01822	-1.4853	YES	1.69%	2,541,656	6.15%	65		0.01598	-2.8170	NO	2.86%	2,544,305							1.54%	2,552,980						
B 3.2.4.2	MAR-2	Combo Other/Non-Dispatch/LA(%)	RABAD - Disp	2.09%	2,553,910	11.11%	63		0.01822	-4.9815	NO	1.69%	2,541,656	3.08%	65		0.01598	-0.4898	YES	2.86%	2,544,305							1.54%	2,552,980						
B 3.2.5.1	MAR-2	xDSL (ADSL, HDSL and UCL)/Dispatch/LA(%)	ADSL to Retail	0.73%	58,388	1.01%	2,776		0.00188	-1.7054	NO	0.54%	50,722	0.89%	2,716		0.00144	-3.1561	NO	0.68%	46,666	0.80%	2,631		0.00154	-1.3405	YES	0.57%	40,071	0.95%	2,522		0.00155	2.4561	NO
B 3.2.5.2	MAR-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/LA(%)	ADSL to Retail	0.14%	58,388	0.50%	2,776		0.00072	-5.0568	NO	0.23%	50,722	0.23%	2,716		0.00084	0.0526	YES	0.14%	46,666	0.48%	2,631		0.00074	-4.3804	NO	0.14%	40,071	0.59%	2,522		0.00077	5.6108	NO
B 3.2.6.1	MAR-2	UNE ISDN/Dispatch/LA(%)	ISDN - BRI	0.86%	10,276	0.67%	1,376		0.00277	-1.8838	NO	1.04%	10,315	2.04%	1,327		0.00287	-3.9577	NO	1.31%	10,909	0.98%	561		0.00545	1.8280	YES	0.00%	8,845	1.53%	549		0.00000		NO
B 3.2.6.2	MAR-2	UNE ISDN/Non-Dispatch/LA(%)	ISDN - BRI	1.54%	10,276	0.67%	1,376		0.00256	1.8885	YES	1.19%	10,315	0.63%	1,327		0.00318	1.1414	YES	1.66%	10,909	0.98%	561		0.00545	1.8280	YES	0.98%	8,845	0.98%	549				
B 3.2.7.1	MAR-2	Line Sharing/Dispatch/LA(%)	ADSL to Retail	0.73%	58,388	0.28%	383		0.00437	1.0626	YES	0.54%	50,722	0.39%	306		0.00462	0.5992	YES	0.56%	46,666	0.00%	284		0.00490	1.3147	YES	0.57%	40,071	0.00%	258		0.00471	1.2111	YES
B 3.2.7.2	MAR-2	Line Sharing/Non-Dispatch/LA(%)	ADSL to Retail	0.14%	58,388	0.19%	383		0.00181	-39.7612	NO	0.23%	50,722	3.57%	336		0.00262	-12.7705	NO	0.14%	46,666	2.38%	294		0.00215	-10.4498	NO	0.14%	40,071						
B 3.2.8.1	MAR-2	2W Analog Loop Design/Dispatch/LA(%)	RAB - Disp	2.38%	2,209,749	1.71%	10,411		0.00181	4.3117	YES	1.85%	2,209,747	1.29%	9,843		0.00137	4.7864	YES	3.08%	2,218,940	1.53%	9,484		0.00179	8.5107	YES	1.72%	2,224,404	1.22%	9,080		0.00138	3.6037	YES
B 3.2.8.2	MAR-2	2W Analog Loop Design/Non-Dispatch/LA(%)	RAB - Disp	2.38%	2,209,749	0.28%	10,411		0.00151	13.7941	YES	1.85%	2,209,747	0.29%	9,843		0.00137	12.0860	YES	3.08%	2,218,940	0.17%	9,484		0.00179	15.9413	YES	1.72%	2,224,404	0.14%	9,080		0.00138	11.4311	YES
B 3.2.9.1	MAR-2	2W Analog Loop Non-Design/Dispatch/LA(%)	RAB (POTS) excl SB FT	2.52%	2,026,333	0.00%	99		0.01953	1.5713	YES	1.94%	2,027,790	0.00%	82		0.01954	1.2729	YES	3.22%	2,036,331	0.00%	122		0.01528	1.3956	YES	1.64%	2,040,662	0.00%	110		0.01244	1.4796	YES
B 3.2.9.2	MAR-2	2W Analog Loop Non-Design/Non-Dispatch/LA(%)	RAB (POTS) excl SB FT	1.38%	2,026,333	0.00%	86		0.01190	1.1884	YES	0.89%	2,027,790	0.00%	62		0.01100	0.9021	YES	1.53%	2,036,331							1.06%	2,040,662						
B 3.2.10.1	MAR-2	Other Design/Dispatch/LA(%)	Design	0.40%	344,161	2.70%	222		0.00422	-5.4478	NO	0.39%	331,909	0.00%	206		0.00424	0.5628	YES	0.43%	328,266	4.98%	3,056		0.00119	-35.4570	NO	0.29%	329,578	3.13%	2,908		0.00101	-28.2452	NO
B 3.2.10.2	MAR-2	Other Design/Non-Dispatch/LA(%)	Design	0.41%	344,161	0.90%	222		0.00431	-1.1323	NO	0.39%	331,909	1.46%	206		0.00430	2.5008	NO	0.46%	328,266	1.81%	3,066		0.00123	-8.5858	NO	0.36%	329,578	1.56%	2,905		0.00112	-10.5819	NO
B 3.2.11.1	MAR-2	Other Non-Design/Dispatch/LA(%)	RAB	2.36%	2,209,749	0.37%	811		0.00540	3.9990	YES	1.85%	2,209,747	0.81%	625		0.00474	2.6281	YES	3.02%	2,218,940	0.72%	830		0.00803	3.8001	YES	1.72%	2,224,404	0.09%	10,813		0.00126	13.0900	YES
B 3.2.11.2	MAR-2	Other Non-Design/Non-Dispatch/LA(%)	RAB	1.44%	2,209,749	0.99%	811		0.00432	1.3718	YES	1.04%	2,209,747	0.95%	625		0.00355	0.5405	YES	1.56%	2,218,940	0.69%	830		0.00434	2.2115	YES	1.11%	2,224,404	0.18%	10,813		0.00102	9.4096	YES
B 3.2.12.1	MAR-2	LNP (Standalone)/Dispatch/LA(%)	RAB (POTS)	2.53%	2,026,333							1.98%	2,027,790							3.24%	2,036,331							1.64%	2,040,662						
B 3.2.12.2	MAR-2	LNP (Standalone)/Non-Dispatch/LA(%)	RAB (POTS)

BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark / Analog	August Data							July Data							June Data							May Data						
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Aug-01 Equiv.	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	o/-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	o/-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	o/-01 Equiv
B.3.3.11.2	M&R-3	Other Non-Design Non Dispatch (LA Hours)	R&B	14.79	31,853	1.25	7	23.529	8.89160	1.5218	YES	11.68	29,018	3.35	7	17.696	6.74292	1.2642	YES	20.10	34,089	0.22	5	31.748	14.19668	1.3999	YES	8.04	24,780	3.48	17	11.869	3.80743	1.8924	YES
B.3.3.12.1	M&R-3	LNP (Standalone) Dispatch (LA Hours)	R&B (POTS)	36.01	51,228			36.366				26.36	40,221			26.394				40.02	65,932							18.84	37,697			20.995			
B.3.3.12.2	M&R-3	LNP (Standalone) Non-Dispatch (LA Hours)	R&B (POTS)	14.92	31,290			23.651				12.00	20,827			17.826				20.27	34,184			31.885				8.11	24,230			14.934			
		% Repeat Troubles within 30 Days																																	
B.3.4.1.1	M&R-4	Switch Ports/Dispatch (LA%)	R&B (POTS)	21.91%	51,228							23.97%	40,221							30.31%	65,932							18.66%	37,697						
B.3.4.1.2	M&R-4	Switch Ports/Non-Dispatch (LA%)	R&B (POTS)	19.95%	31,290							20.57%	20,827							18.62%	34,184							16.50%	24,230						
B.3.4.2.1	M&R-4	Local Interoffice Transport/Dispatch (LA%)	DS1/DS3	41.06%	324	0.00%	1		0.46259	0.9332	YES	40.67%	310							40.51%	316	0.00%	2		0.34629	1.1652	YES	40.17%	234						
B.3.4.2.2	M&R-4	Local Interoffice Transport/Non-Dispatch (LA%)	DS1/DS3	33.33%	234							33.33%	186	0.00%	1		0.47254	0.7053	YES	37.09%	181	0.00%	1		0.48483	0.7652	YES	41.22%	131	40.00%	5		0.22430	0.0845	YES
B.3.4.3.1	M&R-4	Loop + Port Combinations/Dispatch (LA%)	R&B	21.77%	52,181	11.67%	377		0.08133	4.7326	YES	23.74%	40,908	17.80%	191		0.08366	1.9248	YES	20.28%	66,818	18.67%	278		0.06125	1.4887	YES	19.35%	36,246	18.67%	150		0.05244	0.2732	YES
B.3.4.3.2	M&R-4	Loop + Port Combinations/Non-Dispatch (LA%)	R&B	18.82%	31,853	8.52%	188		0.09867	3.3870	YES	20.54%	29,018	14.37%	167		0.09134	1.9712	YES	19.99%	34,089	15.89%	153		0.09234	1.9986	YES	16.46%	24,780	9.77%	108		0.09612	3.5804	YES
B.3.4.4.1	M&R-4	Combo Other/Dispatch (LA%)	R&BAD - Disp	22.22%	63,366	0.00%	3		0.24004	0.9254	YES	24.21%	42,106	50.00%	4		0.21420	-1.2039	YES	20.66%	66,317							20.07%	39,204						
B.3.4.4.2	M&R-4	Combo Other/Non-Dispatch (LA%)	R&BAD - Disp	22.22%	53,366	14.29%	7		0.15715	0.5052	YES	24.21%	42,106	0.00%	2		0.30081	0.7993	YES	20.66%	66,317							20.07%	39,204						
B.3.4.5.1	M&R-4	xDSL (ADSL, HDSL and UCL)/Dispatch (LA%)	ADSL to Retail	20.05%	409	14.29%	28		0.07921	0.7999	YES	20.51%	273	22.22%	27		0.08146	-0.2368	YES	18.12%	276	33.33%	21		0.08719	-1.7454	NO	17.47%	229	33.33%	24		0.08146	-1.8476	NO
B.3.4.5.2	M&R-4	xDSL (ADSL, HDSL and UCL)/Non-Dispatch (LA%)	ADSL to Retail	18.25%	79	21.43%	14		0.11438	-0.1921	YES	24.14%	116	18.67%	6		0.17915	0.4170	YES	22.22%	63	16.67%	12		0.13095	0.4243	YES	37.50%	64	13.33%	15		0.14075	1.7170	YES
B.3.4.6.1	M&R-4	LINE ISDN/Dispatch (LA%)	ISDN - BRI	54.17%	96	28.18%	42		0.09218	3.0850	YES	41.12%	107	28.57%	27		0.10567	1.0644	YES	37.04%	135	22.22%	9		0.16626	0.8811	YES			33.33%	9					
B.3.4.6.2	M&R-4	LINE ISDN/Non-Dispatch (LA%)	ISDN - BRI	36.08%	154	33.33%	12		0.14360	0.1907	YES	40.85%	123	36.36%	11		0.18458	0.2779	YES	37.21%	172	50.00%	4		0.29435	-0.6016	YES			0.00%	4					
B.3.4.7.1	M&R-4	Line Sharing/Dispatch (LA%)	ADSL to Retail	20.05%	409	0.00%	1		0.40266	0.5002	YES	20.51%	273	0.00%	1		0.40453	0.5071	YES	18.12%	276							17.47%	229						
B.3.4.7.2	M&R-4	Line Sharing/Non-Dispatch (LA%)	ADSL to Retail	19.23%	78	65.22%	23		0.08851	-1.8177	NO	24.14%	116	50.00%	12		0.12876	-1.9930	NO	42.42%	63	26.67%	7		0.10643	-0.3533	YES	37.50%	56							
B.3.4.8.1	M&R-4	2W Analog Loop Design/Dispatch (LA%)	R&B - Disp	21.77%	52,181	16.26%	178		0.09088	1.7898	YES	23.74%	40,908	18.49%	119		0.09806	1.3450	YES	20.28%	66,818	10.94%	142		0.09376	2.8758	YES	19.35%	36,246	14.41%	111		0.09770	1.3923	YES
B.3.4.8.2	M&R-4	2W Analog Loop Design/Non-Dispatch (LA%)	R&B - Disp	21.77%	52,181	13.79%	29		0.07995	1.0491	YES	23.74%	40,908	5.00%	20		0.09617	0.6993	YES	20.28%	66,818	6.25%	16		0.10083	1.3953	YES	19.35%	36,246	15.38%	13		0.11001	0.8786	YES
B.3.4.9.1	M&R-4	2W Analog Loop Non-Design/Dispatch (LA%)	R&B (POTS) excl SB FT	21.88%	51,102							23.75%	40,134							20.27%	65,813							19.62%	37,555						
B.3.4.9.2	M&R-4	2W Analog Loop Non-Design/Non-Dispatch (LA%)	R&B (POTS) excl SB FT	18.09%	29,133							20.98%	30,125							19.72%	31,121							16.20%	20,799						
B.3.4.10.1	M&R-4	Other Design/Dispatch (LA%)	Design	40.86%	1,360	18.67%	8		0.20114	1.2099	YES	40.78%	1,285							38.46%	1,299	35.88%	143		0.04271	0.8636	YES	40.81%	958	32.97%	81		0.05391	1.4555	YES
B.3.4.10.2	M&R-4	Other Design/Non-Dispatch (LA%)	Design	36.13%	1,420	50.00%	2		0.33991	-0.4081	YES	40.35%	1,264	33.33%	3		0.38358	0.2474	YES	37.81%	1,481	39.43%	48		0.07282	0.9893	YES	39.04%	1,191	36.67%	49		0.07406	1.8705	YES
B.3.4.11.1	M&R-4	Other Non-Design/Dispatch (LA%)	R&B	21.77%	52,181	0.00%	3		0.23525	0.9136	YES	23.74%	40,908	20.00%	5		0.19200	0.1956	YES	20.28%	66,818	16.67%	6		0.18415	0.2180	YES	19.35%	36,246	0.00%	7		0.14881	1.3041	YES
B.3.4.11.2	M&R-4	Other Non-Design/Non-Dispatch (LA%)	R&B	18.82%	31,853	0.00%	7		0.14804	1.2777	YES	20.56%	29,018	0.00%	7		0.15277	1.3467	YES	19.99%	34,089	5.00%	5		0.17951	1.1140	YES	16.46%	24,780	0.00%	17		0.09008	1.8315	YES
B.3.4.12.1	M&R-4	LNP (Standalone) Dispatch (LA%)	R&B (POTS)	21.91%	51,228							23.97%	40,221							30.31%	65,932							18.66%	37,697						
B.3.4.12.2	M&R-4	LNP (Standalone) Non-Dispatch (LA%)	R&B (POTS)	19.95%	31,290							20.57%	20,827							18.62%	34,184							16.50%	24,230						
		Out of Service > 24 hours																																	
B.3.5.1.1	M&R-5	Switch Ports/Dispatch (LA%)	R&B (POTS)	46.21%	34,014							38.31%	26,824							47.72%	45,277							18.62%	25,070						
B.3.5.1.2	M&R-5	Switch Ports/Non-Dispatch (LA%)	R&B (POTS)	24.79%	12,555							18.67%	8,408							34.99%	14,173							7.77%	6,820						
B.3.5.2.1	M&R-5	Local Interoffice Transport/Dispatch (LA%)	DS1/DS3	1.23%	324	100.00%	1		0.11059	-5.9305	NO	0.97%	310							0.32%	315	0.00%	2		0.09864	0.0764	YES	0.00%	234						
B.3.5.2.2	M&R-5	Local Interoffice Transport/Non-Dispatch (LA%)	DS1/DS3	1.28%	234							0.51%	196	0.00%	1		0.07107	0.0711	YES	0.00%	181	100.00%	1		0.00000		NO	0.00%	131	0.00%	5		0.00000			YES
B.3.5.3.1	M&R-5	Loop + Port Combinations/Dispatch (LA%)	R&B	45.92%	34,884	21.05%	247		0.09182	7.8156	YES	38.11%	27,398	17.54%	108		0.04581	3.8663	YES	47.48%	45,851	33.14%	166		0.03848	3.7938	YES	18.71%	25,522	5.84%	101		0.03868	3.2847	YES
B.3.5.3.2	M&R-5	Loop + Port Combinations/Non-Dispatch (LA%)	R&B	24.37%	12,539	7.14%	112		0.04074	4.2285	YES	16.47%	8,584	4.96%	82		0.04054	3.4851	YES	34.50%	14,407	13.43%	67		0.05421	3.0187	YES	7.84%	6,088	5.00%	40		0.04308	0.6383	YES	YES
B.3.5.4.1	M&R-5	Combo Other/Dispatch (LA%)	R&BAD - Disp	44.28%	36,006	0.00%	3		0.28880	1.3442	YES	34.58%	28,570	0.00%	4		0.23783	1.4540	YES	46.18%	47,348							18.07%	26,478						
B.3.5.4.2	M&R-5	Combo Other/Non-Dispatch (LA%)	R&BAD - Disp	44.28%	36,006	0.00%	7		0.18778	2.3587	YES	34.58%	28,570	0.00%	2		0.33833	1.0281	YES	46.18%	47,348							18.07%	26,478						
B.3.5.5.1	M&R-5	xDSL (ADSL, HDSL and UCL)/Dispatch (LA%)	ADSL to Retail			7.14%	28					100.00%	3	7.41%	27		0.00000		YES	100.00%	5	0.00%	21		0.00000		YES	0.00%	1	8.33%	24		0.00000		NO	
B.3.5.5.2	M&R-5	xDSL (ADSL, HDSL and UCL)/Non-Dispatch (LA%)	ADSL to Retail			14.29%	14					0.00%	1	0.00%	6		0.00000		YES			0.00%	12						0.00%	15					
B.3.5.6.1	M&R-5	LINE ISDN/Dispatch (LA%)	ISDN - BRI	4.17%	96	0.00%	42		0.09987	1.1271	YES	8.41%	107	7.41%	27		0.09676	0.1879	YES	5.19%	135	11.11%	9		0.07893	-0.7783	YES			0.00%	9					
B.3.5.6.2	M&R-5	LINE ISDN/Non-Dispatch (LA%)	ISDN - BRI	2.53%	158	0.00%	12		0.04704	0.5362	YES	5.66%	123	9.09%	11		0.07391	-0.4883	YES	1.73%	173	0.00%	4		0.06832	0.2827	YES			0.00%	4					
B.3.5.7.1	M&R-5	Line Sharing/Dispatch (LA%)	ADSL to Retail									100.00%	3							100.00%	5							0.00%	1						
B.3.5.7.2	M&R-5	Line Sharing/Non-Dispatch (LA%)	ADSL to Retail									0.00%	1	0.00%	1		0.00000		YES																
B.3.5.8.1	M&R-5	2W Analog Loop Design/Dispatch (LA%)	R&B - Disp	45.92%	34,884	8.43%	178		0.08745	10.0131	YES	38.11%	27,398	5.04%	119		0.04613	7.0404	YES	47.48%	45,851	5.63%	142		0.04187	9.9796	YES	18.71%	25,522	0.00%	111		0.03710	8.0441	YES
B.3.5.8.2	M&R-5	2W Analog Loop Design/Non-Dispatch (LA%)	R&B - Disp	45.92%	34,884	0.00%	29		0.06258	4.9808	YES	38.11%	27,398	0.00%	20		0.10744	3.3808	YES	47.48%	45,851	37.50%	16		0.12486	0.8004	YES	18.71%	25,522	7.89%	13		0.10820	1.0188	YES
B.3.5.9.1	M&R-5	2W Analog Loop Non-Design/Dispatch (LA%)	R&B (POTS) excl SB FT	46.20%	33,999							38.30%	26,911							47.71%	45,281							18.61%	25,063						
B.3.5.9.2	M&R-5	2W Analog Loop Non-Design/Non-Dispatch (LA%)	R&B (POTS) excl SB FT	24.80%	12,514							18.36%	8,261							34.88%	14,134							7.71%	6,777						
B.3.5.10.1	M&R-5	Other Design/Dispatch (LA%)	Design	2.90%	1,359	0.00%	8		0.08745	0.4148	YES	2.18%	1,285							2.79%	1,397	5.56%	143		0.01448	-1.8278	NO	0.84%	958	1.10%	91		0.01059	-0.1486	YES
B.3.5.10.2	M&R-5	Other Design/Non-Dispatch (LA%)	Design	1.08%	1,419	0.00%	2		0.07237	0.1481	YES	1.34%	1,264	0.00%	3		0.09888	0.2930	YES	0.95%	1,481	2.17%	46		0.01448	-0.8481	YES	0.34%	1,191	6.67%	45		0.00679	-7.2056	NO
B.3.5.11.1	M&R-5	Other Non-Design/Dispatch (LA%)	R&B	45.92%	34,884	0.00%	2		0.35239	1.3032	YES	38.11%	27,398	0.00%	4		0.24018	1.8024	YES	47.48%	45,851	40.00%	5		0.22934	0.3565	YES	18.71%	25,522	0.00%	4		0.19502	0.9586	YES
B.3.5.11.2	M&R-5	Other Non-Design/Non-Dispatch (LA%)	R&B	24.37%	12,539	0.00%	1		0.42934	0.5676	YES	16.43%	8,584	0.00%	1		0.38775	0.4753	YES	34.50%	14,407	0.00%	1		0.47534	0.7257	YES	7.84%	6,088	0.00%	2		0.19760	0.4088	YES
B.3.5.12.1	M&R-5	LNP (Standalone) Dispatch (LA%)	R&B (POTS)	46.21%	34,014							38.31%	26,824							47.72%	45,277							18.62%	25,070						
B.3.5.12.2	M&R-5	LNP (Standalone) Non-Dispatch (LA%)	R&B (POTS)	24.79%	12,555							18.67%	8,408							34.99%	14,173							7.77%	6,820						
		Unbundled Network Elements - Billing																																	
		Invoice Accuracy																																	
B.4.1	B-1	BAN(s)	BST - State	99.12%	$179,136,710	99.20%	$605,874		0.00016	-76.1595	YES	99.04%	$179,628,932	99.83%	$527,951		0.00013	-66.2127	YES	96.48%	########	99.90%	$471,956		0.00018	81.0277	YES	99.12%	########	99.72%	$346,311		0.00015	-42.8983	YES
		Mean Time to Deliver Invoices - CRIS																																	
B.4.2	B-2	Region/business days	BST - Region	3.98	1	3.54	1,208				YES	5.04	1	2.48	1,191				YES	3.72	1	3.21	1,248				YES	3.86	1	3.43	1,204				YES

BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark / Analog	August Data							July Data							June Data							May Data						
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jun-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	May-01 Equiv
	Local Interconnection Trunks - Ordering																																
C.1.1	*% Rejected Service Requests*	O-7	Diagnostic			69.23%	26				Diagnostic			35.48%	31				Diagnostic			58.70%	46				Diagnostic			71.88%	32				Diagnostic
C.1.2	*Reject Interval*	O-8	>= 95% in 4 days			94.44%	17				YES			100.00%	11				YES			95.65%	24				YES			91.30%	21				YES
C.1.3	*FOC Timeliness*	O-9	>= 95% in 10 days			92.60%	27				NO			95.65%	45				YES			100.00%	38				YES			96.49%	28				YES
C.1.4	*FOC & Reject Responses Completeness*	O-11	>= 95%			100.00%	14				YES			100.00%	29				YES			97.60%	42				YES			100.00%	28				YES
C.1.5	*FOC & Reject Responses Completeness (Multiple Responses)*	O-11	>= 95%																																
	Local Interconnection Trunks - Provisioning																																
C.2.1	*Order Completion Interval*	P-4	Parity w Retail	26.77	13	26.67	3	29.314	16.13580	0.0087	YES	28.54	26	27.11	9	16.947	6.26977	-0.0818	YES	22.76	25	21.40	5	19.471	8.53868	0.1426	YES	39.05	39	36.53	15	43.251	12.32432	0.2911	YES
C.2.2	*Held Orders*	P-1	Parity w Retail	*Not Applicable for Trunks*								*Not Applicable for Trunks*								*Not Applicable for Trunks*								*Not Applicable for Trunks*							
C.2.3	*% Jeopardies*	P-2	Parity w Retail	*Not Applicable for Trunks*								*Not Applicable for Trunks*								*Not Applicable for Trunks*								*Not Applicable for Trunks*							
C.2.4	*Average Jeopardy Notice Interval*	P-2	95% >= 48 hrs	*Not Applicable for Trunks*								*Not Applicable for Trunks*								*Not Applicable for Trunks*								*Not Applicable for Trunks*							
C.2.5	*% Missed Installation Appointments*	P-3	Parity w Retail	0.00%	13	0.00%	6		0.00000		YES	0.00%	26	0.00%	12		0.00000		YES	12.00%	25	0.00%	6		0.14773	0.8123	YES	5.13%	39	20.00%	20		0.08696	-2.4515	NO
C.2.6	*% Provisioning Troubles within 30 Days*	P-5	Parity w Retail	0.00%	851	0.00%	782		0.00000		YES	0.65%	1,836	0.45%	220		0.00575	0.3462	YES	0.62%	1,928	0.00%	813		0.00316	1.9686	YES	0.00%	2,443	0.00%	1,900		0.00000		YES
C.2.7	*Average Completion Notice Interval*	P-5	Parity w Retail	81.05	6	41.01	4	142.685	82.23361	0.4341	YES	155.06	8	40.27	8	364.164	172.09262	0.8414	YES	36.11	12	20.43	3	106.027	66.43681	0.2290	YES	*Under development*							
C.2.8	*Total Service Order Cycle Time*	P-10	Diagnostic	*Under development*								*Under development*								*Under development*								*Under development*							
C.2.9	*Total Service Order Cycle Time (altered)*	P-10	Diagnostic	*Under development*								*Under development*								*Under development*								*Under development*							
	Service Order Accuracy																																
C.2.11.1.1		P-11	>= 95%			100.00%	28				YES			85.71%	7				NO			75.00%	4				NO			100.00%	16				YES
C.2.11.1.2		P-11	>= 95%			100.00%	20				YES			100.00%	5				YES			100.00%	12				YES			100.00%	4				YES
C.2.11.2.1		P-11	>= 95%			94.21%	18				NO			94.12%	17				NO			83.33%	6				NO			94.12%	17				NO
C.2.11.2.2		P-11	>= 95%			91.89%	37				NO			90.91%	11				NO			92.31%	13				NO			90.00%	10				NO
	Local Interconnection Trunks - Maintenance and Repair																																
C.3.1.1	*Missed Repair Appointments*	M&R-1	Parity w Retail									0.00%	48															0.00%	4						
C.3.1.2		M&R-1	Parity w Retail	6.50%	123	0.00%	24		0.05503	1.1819	YES	0.00%	12	0.00%	1		0.00000		YES	1.71%	117	0.00%	3		0.07579	0.2255	YES	1.39%	150	0.00%	2		0.08164	0.1633	YES
C.3.2.1	*Customer Trouble Report Rate*	M&R-2	Parity w Retail	0.00%	124,045	0.00%	25,427		0.00000		YES	0.04%	122,805	0.00%	25,836		0.00014	2.8884	YES	0.00%	123,834	0.00%	26,507		0.00000		YES	0.00%	124,722	0.00%	26,479		0.00004	0.8370	YES
C.3.2.2		M&R-2	Parity w Retail	0.10%	124,045	0.08%	25,427		0.00022	0.2200	YES	0.01%	122,805	0.00%	25,836		0.00007	0.8722	YES	0.09%	123,834	0.01%	26,507		0.00021	3.8978	YES	0.12%	124,722	0.01%	26,479		0.00023	4.8054	YES
C.3.3.1	*Maintenance Average Duration*	M&R-3	Parity w Retail									0.08	48				0.058														2.284				
C.3.3.2		M&R-3	Parity w Retail	6.96	123	0.04	24	16.487	4.34845	1.5831	YES	1.18	12	3.87	1	1.108	1.15343	-2.4303	NO	1.79	117	0.14	3	10.521	6.15157	0.2670	YES	2.84	150	1.96	2	5.989	4.26272	0.2907	YES
C.3.4.1	*% Repeat Troubles within 30 Days*	M&R-4	Parity w Retail									2.08%	48				0.49095	0.6784	YES									50.00%	4						
C.3.4.2		M&R-4	Parity w Retail	12.20%	123	0.00%	24		0.07302	1.6701	YES	33.33%	12	0.00%	1					1.71%	117	0.00%	3		0.07579	0.2255	YES	21.33%	150	0.00%	2		0.28160	0.7516	YES
C.3.5.1	*Out of Service > 24 hours*	M&R-5	Parity w Retail									0.00%	48															0.00%	4						
C.3.5.2		M&R-5	Parity w Retail	6.50%	123	0.00%	24		0.05503	1.1819	YES	0.00%	12	0.00%	1		0.00000		YES	1.71%	117	0.00%	3		0.07579	0.2255	YES	1.39%	150	0.00%	2		0.08164	0.1633	YES
	Local Interconnection Trunks - Billing																																
C.4.1	*Invoice Accuracy*	B-1	LA (%)	BST State																													
				99.12%	$179,136,710	99.12%	$1,380,523		0.00008	0.1304	YES	99.04%	$179,825,938	98.98%	$1,545,784		0.00008	5.8699	NO	98.49%	$184,418,941	98.98%	$2,768,123		0.00007	-200.3947	YES	99.12%	########	98.98%	########		0.00006	87.2299	NO
C.4.2	*Mean Time to Deliver Invoices - CABS*	B-2	Region calendar days	BST Region																													
				4.89	1	4.67	3,304				YES	5.08	1	4.75	3,199				YES	4.29	1	3.73	3,213				YES	4.74	1	4.48	3,093				YES
	LOCAL INTERCONNECTION TRUNKS - TRUNK BLOCKING																																
C.5.1	*Trunk Group Performance - Aggregate*	TGP-1	LA	>0.5% dif 2 consec Hrs																													
						0					YES			0					YES			0					YES			0					YES

BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark / Analog	August Data							July Data							June Data							May Data						
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	jun-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	may-01 Equiv
	Operations Support Systems - Pre-Ordering																																
	% Interface Availability - CLEC																																
D.1.1.1	OSS-2	EDI/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			99.92%					YES
D.1.1.2	OSS-2	HAL/Region(%)	>= 99.5%			100.00%					YES			99.78%					YES			100.00%					YES			99.78%					YES
D.1.1.3	OSS-2	LENS/Region(%)	>= 99.5%			99.89%					YES			99.95%					YES			99.84%					YES			99.87%					YES
D.1.1.4	OSS-2	LEG MAINFRAME/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			99.92%					YES			100.00%					YES
D.1.1.5	OSS-2	LEG UNIX/Region(%)	>= 99.5%																														
D.1.1.6	OSS-2	LESOG/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			100.00%					YES
D.1.1.7	OSS-2	TAG/Region(%)	>= 99.5%			99.96%					YES			99.95%					YES			99.96%					YES			99.96%					YES
D.1.1.8	OSS-2	PGM/Region(%)	>= 99.5%			100.00%					YES			99.97%					YES			100.00%					YES			100.00%					YES
	% Interface Availability - BST & CLEC																																
D.1.2.1	OSS-2	ATLAS/COFF/Region(%)	>= 99.5%			99.96%					YES			99.97%					YES			99.96%					YES			99.96%					YES
D.1.2.2	OSS-2	BOCRS/Region(%)	>= 99.5%			99.96%					YES			99.97%					YES			99.96%					YES			99.99%					YES
D.1.2.3	OSS-2	DSAP/Region(%)	>= 99.5%			99.87%					YES			99.96%					YES			100.00%					YES			99.96%					YES
D.1.2.4	OSS-2	RSAG/Region(%)	>= 99.5%			99.96%					YES			99.91%					YES			99.96%					YES			99.96%					YES
D.1.2.5	OSS-2	SOCS/Region(%)	>= 99.5%			99.96%					YES			99.91%					YES			99.96%					YES			99.99%					YES
D.1.2.6	OSS-2	SONGS/Region(%)	>= 99.5%			99.96%					YES			99.93%					YES			99.96%					YES			99.96%					YES
D.1.2.7	OSS-2	EXCEL/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			100.00%					YES
D.1.2.8	OSS-2	LNP Gateway/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES															
D.1.2.9	OSS-2	COFI/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES															
D.1.2.10	OSS-2	DOM/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES															
D.1.2.11	OSS-2	SOG/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES															
	Average Response Interval - CLEC (LENS) (All Measure Includes Additional 2 Seconds)																																
D.1.3.1.1	OSS-1	RSAG_by_TN/Region (seconds)	RNS - RSAG_by TN + 2 Sec	2.85	3,427,277	1.68	360,527				YES	2.88	3,227,125	1.80	245,086				YES	2.92	1,212,504	1.66	241,323				YES	2.77	1,482,246	1.33	404,417				YES
D.1.3.1.2	OSS-1	RSAG_by TN/Region (seconds)	ROS - RSAG_by TN + 2 Sec	3.42	7,892	1.68	360,527				YES	3.26	7,286	1.80	245,086				YES	3.27	7,414	1.66	241,323				YES	3.23	8,212	1.33	404,417				YES
D.1.3.2.1	OSS-1	RSAG_by ADDR/Region (seconds)	RNS - RSAG_by ADDR + 2 Sec	3.08	6,824,556	1.50	226,720				YES	3.00	6,606,635	1.62	154,550				YES	3.04	4,284,855	1.45	169,204				YES	2.91	3,999,503	1.30	185,460				YES
D.1.3.2.2	OSS-1	RSAG_by ADDR/Region (seconds)	ROS - RSAG_by ADDR + 2 Sec	5.76	706,143	1.50	226,720				YES	5.57	810,414	1.62	154,550				YES	5.75	812,549	1.45	169,204				YES	5.98	835,777	1.30	185,460				YES
D.1.3.3.1	OSS-1	ATLAS/Region (seconds)	RNS - ATLAS + 2 Sec			1.08	88,848							1.07	58,082					5.12	349,803	1.06	84,840					3.47	396,477	1.05	69,479					YES
D.1.3.3.2	OSS-1	ATLAS/Region (seconds)	ROS - ATLAS + 2 Sec	2.86	304,812	1.08	88,848				YES	2.65	293,687	1.07	58,082				YES	2.54	283,422	1.06	84,840				YES	2.68	295,854	1.05	69,479				YES
D.1.3.4.1	OSS-1	DSAP/Region (seconds)	RNS - DSAP + 2 Sec			0.81	2,856							0.53	1,565					0.54	564,852	0.89	604					2.63	660,889	0.48	3,832					YES
D.1.3.4.2	OSS-1	DSAP/Region (seconds)	ROS - DSAP + 2 Sec	2.67	331,119	0.81	2,856				YES	2.67	284,671	0.53	1,565				YES	2.70	301,892	0.89	604				YES	2.69	318,632	0.48	3,832				YES
D.1.3.5.1	OSS-1	CRSECSRL/Region (seconds)	RNS - CRSACCTS + 2 Sec	3.55	5,356,212	1.41	1,226,056				YES	3.50	5,500,374	13.31	464,511				NO	3.66	2,461,808	13.09	563,242				NO	3.66	2,308,184	12.61	807,225				NO
D.1.3.5.2	OSS-1	CRSECSRL/Region (seconds)	ROS - CRSOCSR + 2 Sec	3.25	527,219	1.41	1,226,056				YES	3.19	461,218	13.31	464,511				NO	3.25	472,421	13.09	563,242				NO	3.17	497,186	12.61	807,225				NO
D.1.3.6.1	OSS-1	COFF/USOCS/Region (seconds)	RNS - OASISBIG + 2 Sec	4.13	11,488,784	1.39	47,828				YES	4.25	11,606,575	0.78	34,324				YES	4.09	1,625,182	0.84	35,889				YES	2.95	866,480	0.74	47,812				YES
D.1.3.6.2	OSS-1	COFF/USOCS/Region (seconds)	ROS - OASISBIG + 2 Sec	4.36	895,974	1.39	47,828				YES	4.41	905,022	0.78	34,324				YES	4.36	922,170	0.84	35,889				YES	4.39	841,716	0.74	47,812				YES
D.1.3.7.1	OSS-1	PSMS/Region (seconds)	RNS - OASISBIG + 2 Sec	4.13	11,488,784	0.08	103,421				YES	4.25	11,606,575	0.09	71,569				YES	4.09	1,625,182	0.11	89,519				YES	2.95	866,480	0.16	118,877				YES
D.1.3.7.2	OSS-1	PSMS/Region (seconds)	ROS - OASISBIG + 2 Sec	4.36	895,974	0.08	103,421				YES	4.41	905,022	0.09	71,569				YES	4.36	922,170	0.11	89,519				YES	4.39	841,716	0.16	118,877				YES
	Average Response Interval - CLEC (TAG) (All Measure Includes Additional 2 Seconds)																																
D.1.4.1.1	OSS-1	RSAG_by TN/Region (seconds)	RNS - RSAG_by TN + 2 Sec	2.85	3,427,277	1.67	242,528				YES	2.88	3,227,125	2.32	187,104				YES	2.92	1,212,504	1.66	132,711				YES	2.77	1,482,246	1.29	84,981				YES
D.1.4.1.2	OSS-1	RSAG_by TN/Region (seconds)	ROS - RSAG_by TN + 2 Sec	3.42	7,892	1.67	242,528				YES	3.26	7,286	2.32	187,104				YES	3.27	7,414	1.66	132,711				YES	3.23	8,212	1.29	84,981				YES
D.1.4.2.1	OSS-1	RSAG_by ADDR/Region (seconds)	RNS - RSAG_by ADDR + 2 Sec	3.08	6,824,556	2.07	50,446				YES	3.00	6,606,635	2.60	72,660				YES	3.04	4,284,855	1.83	438,474				YES	2.91	3,999,503	1.07	543,864				YES
D.1.4.2.2	OSS-1	RSAG_by ADDR/Region (seconds)	ROS - RSAG_by ADDR + 2 Sec	5.76	706,143	2.07	50,446				YES	5.57	810,414	2.60	72,660				YES	5.75	812,549	1.83	438,474				YES	5.98	835,777	1.07	543,864				YES
D.1.4.3.1	OSS-1	ATLAS - MLH/Region (seconds)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
D.1.4.3.2	OSS-1	ATLAS - MLH/Region (seconds)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
D.1.4.4.1	OSS-1	ATLAS - DIR/Region (seconds)	Diagnostic							1.61	4							0.59	7							1.06	19							Diagnostic
D.1.4.4.2	OSS-1	ATLAS - DIR/Region (seconds)	Diagnostic							1.61	4							0.59	7							1.06	19							Diagnostic
D.1.4.5.1	OSS-1	ATLAS - TN/Region (seconds)	RNS - ATLAS - TN + 2 Sec			2.21	9,202			1.73	10,074									3.12	349,803	1.30	4,670				YES	3.47	396,477	1.23	5,329				YES
D.1.4.5.2	OSS-1	ATLAS - TN/Region (seconds)	ROS - ATLAS - TN + 2 Sec	2.86	304,812	2.21	9,202			1.73	10,074	YES	2.65	293,687	1.73	10,074			YES	2.54	283,422	1.30	4,670				YES	2.68	295,854	1.23	5,329				YES
D.1.4.6.1	OSS-1	DSAP/Region (seconds)	RNS - DSAP + 2 Sec			2.34	80,006			2.28	66,095									2.59	564,852	2.19	362,656				YES	2.63	660,889	1.85	475,483				YES
D.1.4.6.2	OSS-1	DSAP/Region (seconds)	ROS - DSAP + 2 Sec	2.67	331,119	2.34	80,006			2.28	66,095	YES	2.67	284,671	2.28	66,095			YES	2.70	301,892	2.19	362,656				YES	2.69	318,632	1.85	475,483				YES
D.1.4.7.1	OSS-1	HALCRIS/Region (seconds)	RNS - CRSACCTS + 2 Sec	3.55	5,356,212	2.60	199,872			3.60	133,850	YES	3.50	5,500,374	3.60	133,850			NO	3.66	2,461,808	2.07	69,821				YES	3.66	2,308,184	0.70	70,000				YES
D.1.4.7.2	OSS-1	HALCRIS/Region (seconds)	ROS - CRSOCSR + 2 Sec	3.25	527,219	2.60	199,872			3.60	133,850	YES	3.19	461,218	3.60	133,850			NO	3.25	472,421	2.07	69,821				YES	3.17	497,186	0.70	70,000				YES
D.1.4.8.1	OSS-1	RNSCRSECSR1/Region(seconds)	RNS - CRSACCTS + 2 Sec	This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7							
D.1.4.8.2	OSS-1	ROSCRSECSR1/Region(seconds)	ROS - CRSOCSR + 2 Sec	This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7							
D.1.4.9.1	OSS-1	RNSCRSECSR1/Region(seconds)	RNS - CRSACCTS + 2 Sec	This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7							
D.1.4.9.2	OSS-1	ROSCRSECSR1/Region(seconds)	ROS - CRSOCSR + 2 Sec	This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7								This data not available after 8-31-2001, per D.1.4.7							
	Operations Support Systems - Maintenance and Repair																																
	% Interface Availability - BST																																
D.2.1.1	OSS-3	TAF/Region(%)	>= 99.5%	100.00%							YES	99.94%							YES	99.99%						YES	100.00%							YES
	% Interface Availability - CLEC																																
D.2.2.1	OSS-3	CLEC TAF/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			100.00%					YES
D.2.2.2	OSS-3	ECTA/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			100.00%					YES
	% Interface Availability - BST & CLEC																																
D.2.3.1	OSS-3	ORS/Region(%)	>= 99.5%			99.96%					YES			99.93%					YES			99.96%					YES			99.99%					YES
D.2.3.2	OSS-3	LMOS HOST/Region(%)	>= 99.5%			99.96%					YES			100.00%					YES			100.00%					YES			100.00%					YES
D.2.3.3	OSS-3	LNP/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			100.00%					YES
D.2.3.4	OSS-3	MARCH/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			100.00%					YES
D.2.3.5	OSS-3	OSPCM/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			100.00%					YES
D.2.3.6	OSS-3	Predictor/Region(%)	>= 99.5%			100.00%					YES			100.00%					YES			100.00%					YES			100.00%					YES
D.2.3.7	OSS-3	SOCS/Region(%)	>= 99.5%			99.96%					YES			99.91%					YES			99.96%					YES			99.96%					YES
	Average Response Interval																																
D.2.4.1.1	OSS-4	ORS/Region(%) <= 4 Seconds	Parity = Retail	95.89%	2,038,858	94.59%	102,056			0.00065	12.3862	NO	95.82%	1,848,985	85.04%	82,271			0.00067	11.5662	NO	95.81%	2,003,035	84.78%	91,414			0.00066	15.5566	NO	96.66%	1,718,874	94.25%	75,888			0.00076	18.4858	NO
D.2.4.1.2	OSS-4	ORS/Region(%) <= 10 Seconds		98.58%	2,038,858	99.50%	102,056			0.00034	12.1611	YES	98.61%	1,848,985	98.19%	82,271			0.00037	10.4334	YES	98.59%	2,003,035	99.12%	91,414			0.00035	-6.8796	YES	98.73%	1,718,874	98.84%	75,888			0.00042	-5.1472	YES
D.2.4.2.1	OSS-4	DLETH/Region(%) <= 4 Seconds		1.11%	54,859	11.80%	906			0.01016	-1.3332	YES	1.19%	47,554	11.48%	932			0.01022	-0.7748	YES	1.11%	45,000	7.86%	889			0.01018	1.2178	NO	0.98%	37,945	12.38%	779			0.01086	2.5707	YES
D.2.4.2.2	OSS-4	DLETH/Region(%) <= 10 Seconds		81.47%	54,859	89.17%	906			0.01302	-5.9125	YES	81.79%	47,554	89.58%	932			0.01278	5.9848	YES	82.56%	45,000	89.06%	889			0.01272	-8.6865	YES	78.55%	37,945	89.73%	779			0.01480	6.9754	YES
D.2.4.3.1	OSS-4	DLR/Region(%) <= 4 Seconds		18.84%	54,859	10.93%	906			0.01302	5.9125	YES	18.27%	47,554	10.52%	932			0.01278	5.9848	YES	19.44%	45,000	10.27%	889			0.01272	8.6865	YES	20.45%	37,945	10.27%	779			0.01480	6.9754	YES
D.2.4.3.2	OSS-4	DLR/Region(%) <= 4 Seconds		5.62%	37,312	19.87%	35,799			0.00170	-80.5815	YES	6.54%	35,487	22.13%	29,083			0.00196	-79.5474	YES	7.81%	35,412	19.86%	28,159			0.00214	-56.4186	YES	6.64%	36,135	22.41%	22,895			0.00210	-75.3110	YES
D.2.4.3.3	OSS-4	DLR/Region(%) <= 10 Seconds		58.70%	37,312	97.82%	35,799			0.00234	-38.9446	YES	58.73%	35,487	96.14%	29,083			0.00250	-37.8471	YES	59.78%	35,412	97.61%	28,159			0.00270	-40.7815	YES	57.55%	36,135	97.87%	22,895			0.00280	-36.8477	YES
D.2.4.3.4	OSS-4	DLR/Region(%) > 10 Seconds		13.30%	37,312	2.18%	35,799			0.00234	38.9446	YES	11.27%	35,487	1.86%	29,083			0.00250	37.8471	YES	13.22%	35,412	2.19%	28,159			0.00270	40.7815	YES	12.45%	36,135	2.13%	22,895			0.00280	36.8477	YES
D.2.4.4.1	OSS-4	LMOS/Region(%) <= 4 Seconds		99.66%	2,038,686	99.51%	102,157			0.00019	7.9892	NO	99.66%	1,848,930	99.85%	92,311			0.00012	2.3412	NO	99.84%	2,002,849	99.86%	91,415			0.00013	-1.3892	YES	99.87%	1,715,776	99.84%	75,870			0.00013	-1.3202	YES
D.2.4.4.2	OSS-4	LMOS/Region(%) <= 10 Seconds		99.78%	2,038,686	99.75%	102,157			0.00015	2.4160	NO	99.84%	1,848,930	99.93%	92,311			0.00008	2.1848	NO	99.96%	2,002,849	99.98%	91,415			0.00007	-2.8228	YES	99.97%	1,715,776	99.99%	75,870			0.00006	3.2704	YES
D.2.4.4.3	OSS-4	LMOS/Region(%) > 10 Seconds		0.22%	2,038,686	0.25%	102,157			0.00015	-2.4160	NO	0.06%	1,848,930	0.07%	92,311			0.00008	-2.1848	NO	0.04%	2,002,849	0.02%	91,415			0.00007	2.8228	YES	0.03%	1,715,776	0.01%	75,870			0.00006	3.2704	YES
D.2.4.5.1	OSS-4	LMOSdet/Region(%) <= 4 Seconds		87.81%	1,520,904	96.98%	61,825			0.00083	9.9834	NO	87.86%	1,463,674	97.31%	56,552			0.00082	9.1600	NO	87.01%	1,520,636	96.15%	57,750			0.00072	11.9445	NO	86.06%	1,286,089	97.75%	45,693			0.00067	5.6746	NO
D.2.4.5.2	OSS-4	LMOSdet/Region(%) <= 10 Seconds		99.79%	1,520,904	99.51%	61,825			0.00019	14.7625	NO	99.82%	1,463,674	99.67%	56,552			0.00018	8.3626	NO	99.58%	1,520,636	99.33%	57,750			0.00028	8.2120	NO	99.65%	1,286,089	99.58%	45,693			0.00028	2.9629	NO
D.2.4.5.3	OSS-4	LMOSdet/Region(%) > 10 Seconds		0.21%	1,520,904	0.49%	61,825			0.00019	-14.7625	NO	0.17%	1,463,674	0.33%	56,552			0.00018	-8.3626	NO	0.42%	1,520,636	0.67%	57,750			0.00026	-8.2120	NO	0.35%	1,286,089	0.42%	45,693			0.00028	-2.9629	NO
D.2.4.6.1	OSS-4	LNP/Region(%) <= 4 Seconds		94.78%	140,789	89.42%	6,218			0.00063	6.4206	NO	95.52%	134,867	89.43%	5,488			0.00060	3.2146	NO	89.35%	141,409	86.75%	5,427			0.00111	5.1200	NO	89.62%	119,042	89.28%	4,429			0.00095	3.5881	NO
D.2.4.6.2	OSS-4	LNP/Region(%) <= 10 Seconds		99.58%	140,789	99.84%	6,218			0.00044	1.0418	YES	99.80%	134,867	99.84%	5,488			0.00061	0.3469	YES	99.07%	141,409	99.83%	5,427			0.00078	0.0718	YES	99.84%	119,042	99.84%	4,429			0.00080	0.0474	YES
D.2.4.6.3	OSS-4	LNP/Region(%) > 10 Seconds		0.12%	140,789	0.16%	6,218			0.00044	-1.0418	YES	0.20%	134,867	0.16%	5,488			0.00061	0.3469	YES	0.33%	141,409	0.39%	5,427			0.00078	-0.0718	YES	0.16%	119,042	0.16%	4,429			0.00080	0.0474	YES
D.2.4.7.1	OSS-4	MARCH/Region(%) <= 4 Seconds		32.82%	9,345	26.78%	483			0.02238	2.7007	NO	28.87%	9,548	31.76%	403			0.02327	0.8148	YES	30.59%	9,777	52.22%	360			0.02472	-0.6643	YES	29.50%	8,487	28.38%	286			0.02667	0.4174	YES
D.2.4.7.2	OSS-4	MARCH/Region(%) <= 10 Seconds		32.82%	9,345	26.78%	483			0.02238	2.7007	NO	28.87%	9,548	31.76%	403			0.02327	0.8148	YES	30.59%	9,777	52.22%	360			0.02472	0.6643	YES	29.50%	8,487	28.38%	286			0.02667	0.4174	YES
D.2.4.7.3	OSS-4	MARCH/Region(%) > 10 Seconds		67.18%	9,345	73.22%	483			0.02296	-2.7007	NO	70.13%	9,548	68.24%	403			0.02327	0.8148	YES	69.47%	9,777	67.78%	360			0.02472	0.6643	YES	70.50%	8,487	71.62%	286			0.02667	-0.4174	YES
D.2.4.8.1	OSS-4	OSPCM/Region(%) <= 4 Seconds		43.74%	9,814	35.16%	128			0.04414	1.9444	NO	45.06%	9,366	34.75%	115			0.04806	2.2045	NO	42.22%	7,897	35.53%	76			0.05693	1.1756	YES	39.24%	7,494	43.96%	91			0.05150	-0.9149	YES
D.2.4.8.2	OSS-4	OSPCM/Region(%) <= 10 Seconds		97.36%	9,814	98.75%	128			0.01422	2.5538	NO	97.54%	9,366	96.81%	115			0.01434	0.9513	YES	96.32%	7,897	94.74%	76			0.02171	0.7266	YES	96.07%	7,494	95.60%	91			0.01819	0.7292	YES
D.2.4.8.3	OSS-4	OSPCM/Region(%) > 10 Seconds		2.62%	9,814	6.25%	128			0.01422	-2.5538	NO	2.46%	9,366	3.38%	115			0.01434	-0.9513	YES	3.68%	7,897	5.26%	76			0.02171	-0.7266	YES	3.93%	7,494	4.40%	91			0.01819	-0.7292	YES
D.2.4.9.1	OSS-4	Predictor/Region(%) <= 4 Seconds		20.81%	79,823	24.20%	4,045			0.00954	-5.1842	YES	16.89%	77,635	27.50%	3,866			0.00915	17.2457	YES	16.69%	76,539	24.91%	3,757			0.00922	13.3141	YES	19.08%	82,581	28.79%	3,435			0.00864	14.1803	YES
D.2.4.9.2	OSS-4	Predictor/Region(%) <= 10 Seconds		20.81%	79,823	24.20%	4,045			0.00954	-5.1842	YES	16.89%	77,635	27.50%	3,866			0.00915	17.2457	YES	16.69%	76,539	24.91%	3,757			0.00922	13.3141	YES	19.08%	82,581	28.79%	3,435			0.00864	14.1803	YES
D.2.4.9.3	OSS-4	Predictor/Region(%) > 10 Seconds		79.19%	79,823	75.80%	4,045			0.00954	5.1842	YES	83.11%	77,635	72.50%	3,866			0.00915	17.2457	YES	83.31%	76,539	75.09%	3,757			0.00922	13.3141	YES	80.91%	82,581	71.21%	3,435			0.00864	14.1803	YES
D.2.4.10.1	OSS-4	SOCS/Region(%) <= 4 Seconds		99.93%	291,650	99.90%	16,386			0.00033	-1.9864	YES	99.83%	250,355	99.81%	14,222			0.00056	0.5498	YES	99.80%	253,250	99.66%	13,980			0.00040	-2.2183	YES	99.84%	249,831	99.95%	13,091			0.00036	0.1152	YES
D.2.4.10.2	OSS-4	SOCS/Region(%) <= 10 Seconds		99.98%	291,650	99.90%	16,386			0.00010	-0.9053	YES	99.98%	250,355	99.98%	14,222			0.00013	-0.5397	YES	99.98%	253,250	99.98%	13,980			0.00017	-1.3456	YES	99.99%	249,831	99.99%	13,091			0.00010	-0.4356	YES
D.2.4.10.3	OSS-4	SOCS/Region(%) > 10 Seconds		0.02%	291,650	0.01%	16,386			0.00010	9.9353	YES	0.02%	250,355	0.04%	14,222			0.00013	-0.5397	YES	0.04%	253,250	0.01%	13,980			0.00017	1.3456	YES	0.01%	249,831	0.01%	13,091			0.00010	0.4356	YES
D.2.4.11.1	OSS-4	NIW/Region(%) <= 4 Seconds		79.66%	78,369	77.81%	4,124			0.00841	3.1726	NO	82.80%	77,529	82.24%	3,818			0.00625	0.6734	YES	82.70%	78,013	82.44%	3,515			0.00843	0.4080	YES	82.66%	72,414	83.85%	3,272			0.00877	-1.4726	YES
D.2.4.11.2	OSS-4	NIW/Region(%) <= 10 Seconds		99.53%	78,369	99.81%	4,124			0.00108	-0.7471	YES	99.58%	77,529	99.58%	3,818			0.00108	-0.3352	YES	99.56%	78,013	99.54%	3,515			0.00114	-0.8084	YES	99.49%	72,414	99.38%	3,272			0.00127	1.0857	YES
D.2.4.11.3	OSS-4	NIW/Region(%) > 10 Seconds		0.47%	78,369	0.38%	4,124			0.00108	0.7471	YES	0.42%	77,529	0.37%	3,818			0.00108	0.5352	YES	0.45%	78,013	0.36%	3,515			0.00114	0.8084	YES	0.51%	72,414	0.64%	3,272			0.00127	-1.0857	YES

BellSouth Monthly Performance Summary

Louisiana, August 2001

		Benchmark / Analog	August Data							July Data							June Data							May Data						
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jun-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	May-01 Equiv
	COLLOCATION - Collocation																																	
	Average Response Time																																	
E.1.1.1	C-1 Virtual-LA (calendar days)	<= 30 days			6	1				YES																								
E.1.1.2	C-1 Physical-Caged-LA (calendar days)	<= 30 days			4	1				YES			1	1				YES											8	2				YES
E.1.1.3	C-1 Physical-Cageless-LA (calendar days	<= 30 days			6	2				YES			6	2				YES			19	5				YES			18	1				YES
	Average Arrangement Time																																	
E.1.2.1	C-2 Virtual-Ordinary-LA (calendar days)	<= 50 days			1	1				YES																			41	1				YES
E.1.2.2	C-2 Physical Caged-Ordinary-LA (calendar days)	<= 120 days																																
E.1.2.3	C-2 Physical Caged-Extraordinary-LA (calendar days)	<= 180 days																																
E.1.2.4	C-2 Physical Caged-Augments - No Additional Space Req-LA (calendar days)	<= 90 days			57	1				YES			71	3				YES			56	1				YES			32	16				YES
E.1.2.5	C-2 Physical Cageless-Ordinary-LA (calendar days)	<= 120 days											57	1				YES											84	1				YES
E.1.2.6	C-2 Physical Cageless-Extraordinary-LA (calendar days)	<= 180 days																											171	2				YES
E.1.2.7	C-2 Physical Cageless-Augments - No Additional Space Req-LA (calendar days	<= 90 days																			12	22				YES			13	9				YES
	% Due Dates Missed																																	
E.1.3.1	C-3 Virtual-LA (%)	< 5% missed			0.00%	1				YES											-								0.00%	1				YES
E.1.3.2	C-3 Physical-LA (%)	< 5% missed			0.00%	1				YES			0.00%	4				YES			0.00%	23				YES			0.00%	28				YES

BellSouth Monthly Performance Summary

Louisiana, August 2001

		Benchmark / Analog	August Data								July Data								June Data								May Data							
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jul-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Jun-01 Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	May-01 Equity
	General - Flow Through																																	
	% Flow Through Service Requests																																	
F 1.1.1	O-3 Summary/Region(%)	Diagnostic			91.50%	291,814				Diagnostic			87.38%	282,827				Diagnostic			88.16%	280,255				Diagnostic			86.82%	273,079				Diagnostic
F 1.1.2	O-3 Aggregate/Region(%)	Diagnostic			91.50%	291,814				Diagnostic			87.38%	282,827				Diagnostic			88.16%	280,255				Diagnostic			86.82%	273,079				Diagnostic
F 1.1.3	O-3 Residence/Region(%)	>= 95%			81.21%	186,187				NO			87.06%	163,367				NO			82.21%	172,860				NO			80.15%	220,614				NO
F 1.1.4	O-3 Business/Region(%)	>= 90%			93.73%	7,813				NO			88.82%	6,480				NO			87.26%	8,307				NO			80.15%	7,518				NO
F 1.1.5	O-3 LINE/Region(%)	>= 85%			93.13%	88,104				YES			90.00%	63,080				YES			78.33%	80,788				NO			74.67%	44,841				NO
	% Flow Through Service Requests - Achieved																																	
F 1.2.1	O-3 Summary/Region(%)	Diagnostic			82.04%	325,582				Diagnostic			71.32%	309,818				Diagnostic			72.98%	276,518				Diagnostic			78.44%	302,268				Diagnostic
F 1.2.2	O-3 Aggregate/Region(%)	Diagnostic			82.04%	325,582				Diagnostic			71.32%	309,818				Diagnostic			72.98%	276,518				Diagnostic			78.44%	302,268				Diagnostic
F 1.2.3	O-3 Residence/Region(%)	Diagnostic			84.25%	214,589				Diagnostic			75.18%	212,428				Diagnostic			76.67%	200,170				Diagnostic			69.86%	227,784				Diagnostic
F 1.2.4	O-3 Business/Region(%)	Diagnostic			59.41%	10,343				Diagnostic			48.41%	8,120				Diagnostic			41.13%	9,058				Diagnostic			42.21%	10,713				Diagnostic
F 1.2.5	O-3 LINE/Region(%)	Diagnostic			79.84%	100,884				Diagnostic			64.34%	89,230				Diagnostic			57.41%	89,290				Diagnostic			62.58%	93,771				Diagnostic
	% Flow Through Service Requests - LNP																																	
F 1.3.1	O-3 Summary/Region(%)	>= 85%			84.40%	4,679				NO			86.36%	4,860				YES			91.83%	8,854				YES			90.85%	11,802				YES
F 1.3.2	O-3 Aggregate/Region(%)	>= 85%			84.40%	4,679				NO			86.36%	4,860				YES			91.83%	8,854				YES			90.85%	11,802				YES
F 1.3.3	O-3 Residence/Region(%)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
F 1.3.4	O-3 Business/Region(%)	Diagnostic								Diagnostic								Diagnostic								Diagnostic								Diagnostic
	General - Pre-Ordering																																	
	Loop Makeup Inquiry (Manual)																																	
F 2.1	PO-1 Loops/LA(%)	>= 95% w in 3 bus days																											0.00%	1				NO
	Loop Makeup Inquiry (Electronic)																																	
F 2.2	PO-2 Loops/LA(%)	>= 95% w in 1 min			100.00%	322				YES			100.00%	286				YES			100.00%	340				YES			100.00%	226				YES
	General - Ordering																																	
	Service Inquiry with Firm Order																																	
F 3.1.1	O-10 UCR, (MOE, HDS, and UCL)/LA(%)	>= 95% w in 5 bus days			95.88%	84				YES			100.00%	61				YES			97.00%	92				YES			100.00%	106				YES
F 3.1.2	O-10 Local Interoffice Transport/LA(%)	>= 95% w in 5 bus days											100.00%	1				YES																
	General - Ordering																																	
	Average Speed of Answer																																	
F 4.1	O-12 Region(seconds)	Parity w Retail	184.82	7,346,589	24.50	28,767				YES	199.35	8,834,484	58.15	44,282				YES	134.12	6,948,605	85.30	33,795				YES	121.54	7,152,810	49.77	43,526				YES
	General - Maintenance Center																																	
	Average Answer Time																																	
F 5.1	M&R-6 Region(seconds)	Parity w Retail	144.10	1,909,630	26.05	100,575				YES	144.73	1,777,813	27.37	96,407				YES	143.87	1,829,998	28.66	107,982				YES	85.92	1,853,272	25.70	92,840				YES
	General - Operator Services (Toll)																																	
	Average Speed to Answer																																	
F 6.1	OS-1 LA(seconds)	PBD			5.98					PBD			8.58					PBD			5.32					PBD			5.29					PBD
	% Answered in 10 seconds																																	
F 6.2	OS-2 LA(%)	PBD			95.90%					PBD			96.10%					PBD			96.40%					PBD			96.40%					PBD
	General - Directory Assistance																																	
	Average Speed to Answer																																	
F 7.1	DA-1 LA(seconds)	PBD			5.29					PBD			3.34					PBD			5.22					PBD			4.93					PBD
	% Answered in 10 seconds																																	
F 7.2	DA-2 LA(%)	PBD			95.10%					PBD			96.60%					PBD			94.80%					PBD			96.50%					PBD
	General - E911																																	
	Mean Interval																																	
F 8.1	E-3 LA(hours)	PBD			1.80	1,873				PBD			1.53	1,876				PBD			1.78	1,539				PBD			1.56	1,863				PBD
	% Accuracy																																	
F 8.2	E-2 LA(%)	PBD			96.56%	204,613				PBD			95.76%	208,629				PBD			84.34%	184,247				PBD			91.27%	208,983				PBD
	% Timeliness																																	
F 8.3	E-1 LA(%)	PBD			100.00%	1,873				PBD			100.00%	1,876				PBD			100.00%	1,539				PBD			100.00%	1,863				PBD
	General - Billing																																	
	Usage Data Delivery Accuracy																																	
F 9.1	B-3 Region(%)	Parity w Retail	99.98%	8,318	100.00%	16,583		0.00055	2.8401	YES	100.00%	5,950	100.00%	15,506		0.00000		YES	99.95%	6,064	100.00%	14,967		0.00060	3.8726	YES	100.00%	6,666	99.99%	14,287		0.00000		NO
	Usage Data Delivery Timeliness																																	
F 9.2	B-5 Region(%)	Parity w Retail	98.80%	34,467	96.30%	254,967,840		0.00059	8.3870	NO	96.95%	40,304	96.62%	########		0.00051	45.9981	NO	97.39%	36,844	96.21%	########		0.00062	9.8353	YES	97.40%	38,202	96.34%	########		0.00061	-7.9164	YES
F 9.3	***Usage Data Delivery Completeness***																																	
	B-4 Region(%)	Parity w Retail	99.75%	34,467	99.78%	254,967,840		0.00027	1.2047	YES	99.91%	40,304	99.87%	########		0.00015	-1.7954	YES	99.78%	36,844	99.64%	########		0.00024	6.6606	YES	99.94%	38,202	99.54%	########		0.00050	-9.9457	YES
F 9.4	***Mean Time to Deliver Usage***																																	
	B-6 Region(days)	Parity w Retail	3.97	34,467	3.80	254,967,840				NO	3.97	40,304	3.83	########				NO	3.76	36,844	3.55	########				YES	3.78	38,202	3.78	########				NO
	Recurring Charge Completeness																																	
F 9.5.1	B-7 Resale/LA(%)	Parity w Retail	77.58%	$7,834,810	98.92%	$344,187		0.00153	-139.2880	YES	81.34%	$7,309,206	98.22%	$324,147		0.00182	-104.8835	YES	77.87%	$7,662,479	98.14%	$254,815		0.00178	-113.5956	YES								
F 9.5.2	B-7 UNE/LA(%)	>= 90%			92.84%	$53,881				YES			97.53%	$52,482				YES			91.58%	$44,148				YES								
F 9.5.3	B-7 Interconnection/LA(%)	>= 90%			96.41%	$2,470				YES			96.84%	$2,479				YES			92.65%	$196				NO								
	Non-Recurring Charge Completeness																																	
F 9.6.1	B-8 Resale/LA(%)	Parity w Retail	85.85%	$6,286,832	96.56%	$508,995		0.00134	97.4734	YES	88.90%	$10,670,111	96.21%	$489,505		0.00138	-67.5040	YES	86.40%	$7,951,048	96.20%	$439,363		0.00141	-83.6870	YES								
F 9.6.2	B-8 UNE/LA(%)	>= 90%			94.08%	$288,800				YES			97.62%	$258,588				YES			97.11%	$270,729				YES								
F 9.6.3	B-8 Interconnection/LA(%)	>= 90%			95.97%	$33,380				YES			95.06%	$39,795				YES			94.10%	$36,104				NO								
	General - Change Management																																	
	% Software Release Notices Sent On Time																																	
F 10.1	CM-1 LA(%)	>= 95% w in 30 days			100.00%	2				YES									100.00%	1						YES	75.00%	4						NO
	Average Software Release Notice Delay Days																																	
F 10.2	CM-2 LA(average)	>= 22 days prior to release																									26	1						YES
	% Change Management Documentation Sent On Time																																	
F 10.3	CM-3A LA(%)	>= 95% w in 30 days			66.67%	3				NO			50.00%	4				NO									100.00%	5						YES
	% Change Management Documentation (Defects, Corrections, etc.) Sent On Time																																	
F 10.4	CM-3B LA(%)	>= 95% w in 5 days																	100.00%	1						YES								
	Average Documentation Release Delay Days																																	
F 10.5	CM-4 LA(average)	>= 22 days prior to release			0	1				NO			6	2				NO																
	% CLEC Interface Outages Sent within 15 Minutes																																	
F 10.6	CM-5 LA(%)	>= 97% w in 15 min			100.00%	29				YES			100.00%	32				YES			100.00%	28				YES			100.00%	32				YES
	General - New Business Requests																																	
	% New Business Requests Processed within 30 Business Days																																	
F 11.1	BFR-1 Region(%)	>= 90% w in 30 bus days			100.00%	9				YES			100.00%	5				YES																
	% Quotes Provided within X Business Days																																	
F 11.2.1	BFR-2A Region(%)	>= 90% w in 10 bus days			100.00%	1				YES			66.67%	3				NO																
F 11.2.2	BFR-2B Region(%)	>= 90% w in 30 bus days																																
F 11.2.3	BFR-2C Region(%)	>= 90% w in 60 bus days											100.00%	2				YES																
	General - Ordering																																	
	Acknowledgement Message Timeliness																																	
F 12.1.1	O-1 EDI/Region(%)	>= 95% w in 30 min			95.99%	86,217				NO			96.54%	78,683				YES			96.90%	58,137				YES			96.52%	96,483				NO
F 12.1.2	O-1 TAG/Region(%)	>= 95% w in 30 min			99.99%	198,629				NO			99.75%	184,073				YES			99.99%	127,399				YES			99.99%	183,984				YES
	Acknowledgement Message Completeness																																	
F 12.2.1	O-2 EDI/Region(%)	100%			99.85%	86,217				NO			99.85%	78,683				NO			97.14%	58,137				NO			99.38%	96,483				NO
F 12.2.2	O-2 TAG/Region(%)	100%			99.99%	198,629				NO			99.75%	184,073				NO			99.99%	127,399				NO			99.99%	183,984				NO

BellSouth Monthly Performance Summary

Louisiana, August 2001

			Benchmark / Analog	August Data							July Data							June Data							May Data						
				BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Aug-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	jul-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	jn-01 Equiv	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	my-01 Equiv
	General - Database Updates																																
	Average Database Update Interval																																
F.13.1.1	D-1 LIDB(Ahours)		PID	0.85	22	0.85	22				PID	0.70	22	0.70	22				PID	0.85	20	0.85	20				PID	0.61	28	0.51	28				PID
F.13.1.2	D-1 Directory Listings(LA hours)		PID	0.08	27	0.09	27				PID	0.08	26	0.09	26				PID	0.07	26	0.07	26				PID	0.07	27	0.07	27				PID
F.13.1.3	D-1 Directory Assistance(LA hours)		PID	4.25	27	4.11	27				PID	3.33	26	2.96	26				PID	2.80	25	2.72	25				PID	4.55	28	4.56	28				PID
	% Update Accuracy																																
F.13.2.1	D-2 LIDB(LA(%))		>= 95%			98.28%	57				YES			98.15%	65				NO			100.00%	54				YES			100.00%	54				YES
F.13.2.2	D-2 Directory Listings(LA(%))		>= 95%			96.74%	430				NO			100.00%	87				YES			100.00%	78				YES			100.00%	78				YES
F.13.2.3	D-2 Directory Assistance(LA(%))		>= 95%			100.00%	133				YES			100.00%	57				YES			100.00%	76				YES			100.00%	76				YES
	% NDOs / LRNs Loaded by LERG Effective Date																																
F.13.3	D-3 Region(%)		100%			95.63%	24				NO			99.35%	153				NO			100.00%	46				YES			84.00%	33				NO
	General - Network Outage Notification																																
	Mean Time to Notify CLEC of Major Network Outages																																
F.14.1	M&R-1 Region (minutes)		Parity w Retail	763	2	343	2				YES	4,624	4	4,582	4				YES	102	3	4,013	3				NO								Diagnostic