8

EXHIBIT 8

Verizon's Response to CTC's First Set of Requests, dated Nov. 8, 2001

Verizon New England Inc.
d/b/a Verizon Maine

State of Maine

Docket 2000-849

Respondent: Donald Albert
Title: Director–Network Engineering

REQUEST: CTC Communication Corporation., Set #1

DATED: November 8, 2001

ITEM CTC 1-69: Please describe fully Verizon's policy regarding its reservation of dark fiber maintenance spares. In particular, please explain in detail how Verizon determines the amount of dark fiber to reserve as maintenance spares for its own operations or the operations of other carriers versus how Verizon determines the amount of dark fiber available for requesting CLECs, as well as how this determination affects the amount of dark fiber available to other carriers.

REPLY: Please see Verizon ME's responses to CTC 1-64 and 1-66.

Verizon's ME's policy for maintenance spares is as follows:
For interoffice facility fiber optic cables, Verizon ME uses the following quantity of maintenance spares:

Terminated Cable Size	# Maintenance Spares
Up to 24 Fibers	4 Fibers
25 to 48 Fibers	6 Fibers
49 to 96 Fibers	8 Fibers
97 to 144 Fibers	10 Fibers
>144 Fibers	12 Fibers

For loop fiber optic cables, Verizon ME uses 4 maintenance fibers per terminated location. Four fiber strands are used to operate one fiber optic system.

9

EXHIBIT 9

Verizon's Response to the Requests of the Joint CLECs, Set #1, in New Hampshire Docket No. DT 01-206, dated Nov. 7, 2001

Verizon New England Inc.
d/b/a Verizon New Hampshire

State of New Hampshire

Docket No. DT 01-206

Respondent: Don Albert
Title: Director – Network Engineering
Respondent: Margaret Detch
Title: Product Manager - Dark Fiber

REQUEST: Joint CLECS, Set #1

DATED: November 7, 2001

ITEM: JC-VZ-5 Re SGAT Section 5.16.1.E,

a. Please explain how VZ-NH determines what is a "reasonable quantity of fibers in any cable, depending upon the total number of fibers in the cable, to be designated as maintenance spares."

b. Does VZ-NH, have a rule of thumb, formula, or chart based upon the number of fibers in the cable to determine what is a reasonable quantity of fibers to be designated as maintenance spares? If so, please provide it. If not, please state how many fibers would be designated as maintenance spares in a cable with the following numbers of fibers:

24
36
48
72
96
144
216
288
432

If VZ-NH does not employ cables with some or all of the foregoing numbers o fibers, please substitute the closest number of fibers that VZ-NH does employ.

ITEM: JC-VZ-5

c. Please compare the numbers of maintenance spares VZ-NH reserves for a given cable size with the number VZ-MA reserves for the same cable size.

d. Are any criteria other than the number of fibers in the cable used to determine what is a reasonable quantity of fibers to be designated as maintenance spares? If so, please list the criteria and explain how they are taken into account.

e. In what way does VZ-NH ensure that fibers designated as maintenance spares are limited to those "demonstrably necessary to meet its individual short-term needs"? How long is the "short-term"? Are the "short-term needs" limited to effecting emergency repairs or network rearrangements? If not, what other "short-term needs" does VZ-NH consider in designating fibers as maintenance spares?

f. Please state how many dark fiber maintenance spares VZ-NH has actually used since Jan. 1, 2000 to:

(i) Effect emergency repairs;

(ii) Effect network rearrangements

REPLY:

a. For interoffice facility fiber optic cables, VZ-NH uses the following quantity of maintenance spares:

Terminated Cable Size	# Maintenance Spares
Up to 24 Fibers	4 Fibers
25 to 48 Fibers	6 Fibers
49 to 96 Fibers	8 Fibers
97 to 144 Fibers	10 Fibers
>144 Fibers	12 Fibers

For loop fiber optic cables Verizon NH uses 4 maintenance fibers per terminated location. Four fiber strands are used to operate one fiber optic system.

b. See reply to subpart a above.

c. The number of spare fibers that Verizon MA is permitted to reserve for maintenance in Massachusetts was determined in an arbitration ruling issued prior to the FCC's UNE Remand Order. Additionally, Verizon MA's practice does not distinguish between IOFand loop facilities. In Massachusetts, an engineer can use up to five percent (5%) of each fiber cable

sheath as maintenance spares with a maximum of 2 fibers for cables with 24 or less fibers and a maximum of 12 fibers for cable sizes greater than 24 fibers. Verizon MA can deny a request for dark fiber because it is using maintenance spares in excess of these amounts, but it must inform the CLEC. A CLEC may submit a complaint through the dispute resolution procedures should it object to Verizon MA's use of maintenance spares in excess of the maximum amounts. Requiring Verizon to maintain fewer quantities of maintenance spares (than the reasonable levels set forth above) may negatively impact network reliability and result in a longer fiber optic failure out-of-service conditions, which affect all Verizon customers including end user customers, IXC customers and CLEC customers.

d. See reply to subpart a above.

e. Maintenance spares are used/required in each fiber cable for emergency service restoration and for network rearrangements. Depending on the unique circumstances of each network failure, "short term" use may be for a few days, a few months, or occasionally longer.

f. All of Verizon NH's fiber maintenance spares are used for fiber maintenance purposes. Verizon NH does not track the number of instances in which it has connected fiber optic electronics to fiber maintenance spares for emergency repairs or network rearrangements.

10

EXHIBIT 10

Verizon New Hampshire Section 271 Application, N.H. PUC Docket No. 01-151, Transcript of Hearing, Dec. 10, 2001

STATE OF NEW HAMPSHIRE

PUBLIC UTILITIES COMMISSION

December 10, 2001 - 9:05 a.m.
Concord, New Hampshire DAY IV

RE: DT 01-151
VERIZON NEW HAMPSHIRE:
Section 271 Application.

PRESENT: Paul M. Hartman
(Presiding as Facilitator)

Jonathan Osgood, Clerk

APPEARANCES: Reptg. Verizon New Hampshire:
Gregory M. Kennan, Esq.
Keefe B. Clemons, Esq.

Reptg. Network Plus, CTC Communications
and BayRing:
Eric J. Branfman, Esq.

Reptg. Residential Ratepayers:
Anne Ross, Esq.
Bill Homeyer
Office of Consumer Advocate

Reptg. PUC Staff:
Barclay Jackson, Esq.

Court Reporter: Steven E. Patnaude, CSR

1 of all services for all customers. And, so, trying to
2 come back and say "well, when you do that, do you do it
3 based on this little piece part?" I mean, we really
4 don't -- we don't do things based on any of the
5 individual piece parts. You know, the overall approach
6 to building the network and designing the network is
7 this much more macro deployment of capacity to serve
8 everything.
9 Q Have you ever terminated at the request of the CLEC?
10 A (Albert) I don't know if I've ever run into one where
11 they have asked us to.
12 Q So, the answer is "no"?
13 A (Albert) No.
14 Q To the best of your knowledge. And, my understanding
15 is that the facility isn't available as a dark fiber
16 facility unless it's terminated?
17 A (Albert) Right. In order for it to be in our inventory
18 systems, and for it to be able to be assigned, either
19 for a Verizon fiber optic system or for a CLEC fiber
20 optic system, it needs to be -- have the termination
21 points on both ends.
22 Q Have you ever made the final termination on a cable for
23 retail customer needs?
24 A (Albert) Give the same answer as before, you're asking

EXHIBIT 11

Reply to Vermont Dark Fiber Request

veri on

Dark Fiber Inquiry Form **Inquiry Number:** CTCCBURLWLST8-27-1ML

CLEC Section (E-mail form to une.dfi@verizon.com)

CLEC Name	CTC Communications	Date Sent	8/27/01
CLEC Contact	Craig Cucchiara	Tel Number	781.522.8667
Street	220 Bear Hill Rd	Fax Number	781.522.8798
Floor/Room			
City & State	Waltham MA 02451	E-Mail	ccucchiara@ctcnet.com

Location Information Section

Primary Location	VZ Central Office	POI CLLI	BURLVTMA
Street	266 Main Street		
City & State	Burlington VT 05401	LATA	124
Additional Information			
Secondary Location	CTC Central Office	XPOI CLLI	WLSTVT07
Street	1193 South Brownell Rd		
City & State	Williston VT 05495	NPA-NXX	802-652
Additional Information	this is a CTC POP with VZ fiber entrance facilities		

Number Of Fiber **Pairs** Required (Each Pair Equals 2 Strands) 2

Service Delivery Engineer (SDE) Information Section

Date Received	08/27/01	Date Forward to Engineering	08/28/01
SDE	Michelle Lawrence	Tel Number	617 743-6748
Street	125 High St., RM 1256	FAX Number	617 261-6461
City & State	Boston, MA 02110	E-Mail	michelle.b.lawrence@verizon.com
Date Reply To CLEC	09/05/01		

Engineering Information Section

Date Received	8/28/01	Reply To SDE By	09/13/01
Engineer	Harv Tasch	Reply Date	9/5/01
Street	140 West Street	Tel Number	
City & State	New York, NY, 10007	FAX Number	
Organization	IOF Planning	E-Mail	
Comments	NO DIRECT ROUTE BURLVTMA-WLSTVT07 NO FIBERS		

Fibers Available To Meet Request (Y/N) N If NO, Number Of Fiber **Pairs** ##

To Be Completed By Engineering:

Description	Miles	Work Activity (Hours)
Mileage for Available Dark Fiber		
Planning Engineer Hours – TM1DA (North Only)		0.5
Design Engineer Hours – TM1DB (North Only)		

NOTICE: This does not constitute an order for Dark Fiber. To order available Dark Fiber, the CLEC must follow-up with an ASR delivered to Verizon as soon as possible following notification of availability. Until an ASR is received by Verizon, Dark Fiber remains in inventory and available for Verizon use and/or to meet other CLEC requests. Verizon does not reserve Dark Fiber.

Information contained in this response is based solely upon a review of Verizon's cable records. Verizon makes no representation or warranty regarding the accuracy or completeness of such records. The CLEC has the option of requesting Verizon perform a field survey at the CLEC's expense to verify Dark Fiber availability. Should the CLEC decline the field survey and place an order for Dark Fiber based solely on the information contained in this response, the CLEC assumes all risks of relying on such records.

12

EXHIBIT 12

New Hampshire Dark Fiber Request

Dover-Manchester
Fiber Blockage



Legend

X no spare fibers

veri on

Dark Fiber Inquiry Form **Inquiry Number:** CTCCNHDOVRMNCH12-5-1SD

CLEC Section (E-mail form to une.dfi@verizzon.com

CLEC Name	CTC Communications Corp	Date Sent	12/5/01
CLEC Contact	Randy Schmid	Tel Number	781-522-8739
Street	220 Bear Hill Road	Fax Number	781-522-8798
Floor/Room			
City & State	Waltham, MA 02451	E-Mail	Rschmid@ctcNet.com

Location Information Section

Primary Location	Verizon Central Office	POI CLLI	DOVRNHTH
Street	57 Saint Thomas Street		
City & State	Dover, New Hampshire	LATA	122
Additional Information			
Secondary Location	Verizon Central Office	XPOI CLLI	MNCHNHCO
Street	25 Concord Street		
City & State	Manchester, New Hampshire	NPA-NXX	603-518
Additional Information			

Number Of Fiber **Pairs** Required (Each Pair Equals 2 Strands) 2

Service Delivery Engineer (SDE) Information Section

Date Received	12/5/01	Date Forward to Engineering	12/5/01
SDE	Sean Duggan	Tel Number	617-743-1936
Street	125 High St., Rm 1256	FAX Number	617-261-6461
City & State	Boston, MA 02110	E-Mail	Sean.m.duggan@verizon.com
Date Reply To CLEC			

Engineering Information Section

Date Received	12/8/01	Reply To SDE By	12/27/01
Engineer	Harv Tasch	Reply DDate	12/19/01
Street	240 East 38th Street	Tel Numhber	212-338-8698
City & State	New York, NY, 10016	FAX Numhber	212-370-2050
Organization	IOF Planning	E-MMail	Harvey.Tasch@Verizon.com
Comments	NO DIRECT ROUTE: DOVRNHTH-BNTONHPR-NWWDDNHYA-EDSMNHBH-CNCRNHSO-MNCHNHCO NO SPARE FIBERS AVAILABLE		

Fibers Available To Meet Request (Y/N) N If NO, Number Of Fiber **Pairs** ##

NOTICE: This does not constitute an order for Dark Fiber. To order available Dark Fiber, the CLEC must follow-up with an ASR delivered to Verizon as soon as possible following notificatition of availability. Until an ASR is received by Verizon, Dark Fibe remains in inventory and available for Verizon use and/or to meeet other CLEC requests. Verizon does not reserve Dark Fiber.

Information contained in this response is based solely upon a a review of Verizon's cable records. Verizon makes no representatio or warranty regarding the accuracy or completeness of such n records. The CLEC has the option of requesting Verizon perform field survey at the CLEC's expense to verify Dark Fiber availabibility. Should the CLEC decline the field survey and place an order fo Dark Fiber based solely on the information contained in this reresponse, the CLEC assumes all risks of relying on such records.

<sean.m.duggan@verizon.com>

01/17/02 03:32 PM

To: rschmid@CTCNet.com
cc:
Subject: Dover to Manchester NH Cable documentation

Randy,

As discussed here is the documentation for the NH inquiry.

(See attached file: dover-manchester.ppt)(See attached file Dove-Manchester fiber route.doc)(See attached file: CTCCNHDOVRMNCH12-5-1SD.doc)

Please call with any questions/concerns and I'll try to clarify

Thanks,
Sean

- dover-manchester.ppt
- Dove-Manchester fiber route.doc
- CTCCNHDOVRMNCH12-5-1SD.doc

The legend for the ASGT ACTIVITY columns are

W Working & in-effect
$ Spare
J Jumpered fiber is open, defective, or reserved for pending service requirement

COMMAND CABLE BULK ASSIGNMENT ANND SCAN (CBLS) /FOR
TERM A DOVRNHTH TERM Z BNTONHPR CAABLE 7760 SUBPATH CT0001
FROM UNIT 00001 LAST UNIT 00012 QTY SPARE 0000 TOT QTY 0012
CMPL DATE 12 16 91 INV STAT IE 2-W SPARES 0000 1-W SPARES 0000
FAC DETAIL LGS FAC USE G FAC GROUP COMP ID
NO OF SPRS NO OF WIRES SHLD/DIR CKKT/CLO SCAN N

ASGT DATA: ALT/PRI DR CLASS MISUSE MMW
TERMN: FRAMES SEQ NBR
SUBD ASGT ACTIVITY

UNIT	F	T	RSTN	CUR	PND	D	F	CKTID/CLO	DUE DATE
00001		W	W	Y	C	301	/T6X2P	/CNCRNHSO /MNCCHNHCO	03029:
00002		W	W	Y	C	301	/T6X2P	/CNCRNHSO /MNCCHNHCO	03029:
00003		W	W	Y	C	301	/T6X2P	/DOVRNHTH /MNCCHNHCO	02249
00004		W	W	Y	C	301	/T6X2P	/DOVRNHTH /MNCCHNHCO	02249
00005		W	W	Y	C	305	/T3X2P	/DOVRNHTH /ROCCHNHWE	12069:
00006		W	W	Y	C	305	/T3X2P	/DOVRNHTH /ROCCHNHWE	12069:
00007		W	W		C	1001	/OC12	/BNTONHPR /DOVRRNHTH	031196
00008		W	W		C	1001	/OC12	/BNTONHPR /DOVRRNHTH	031196
00009		W	W		C	1001	/OC12	/DOVRNHTH /NWODDNHYA	112197
00010		W	W		C	1001	/OC12	/DOVRNHTH /NWODDNHYA	112197
00011		W	W		S	83/LXFU/150020		/NE 02129'	
00012		W	W		S	83/LXFU/150020		/NE 02129'	
00013		W	W		C	1001	/OC48	/CNCRNHSO /DOVRRNHTH	021497
00014		W	W		C	1001	/OC48	/CNCRNHSO /DOVRRNHTH	021497
00015		W	W		C	1001A	/OC48	/DOVRNHTH /ROCCHNHWE	081999
00016		W	W		C	1001A	/OC48	/DOVRNHTH /ROCCHNHWE	081999
00017		W	W		C	1002	/OC12	/DOVRNHTH /NWODDNHYA	020100
00018		W	W		C	1002	/OC12	/DOVRNHTH /NWODDNHYA	020100
00019		J	J		PENDING DWDMNH01				
00020		J	J		PENDING DWDMNH01				
00021		$	$						
00022		J	J		MTCE SPARE				
00023		J	J		MTCE SPARE				
00024		J	J		PENDING NHNOKN				
00025		J	J		PENDING NHNOKN				
00026		W	W		C	3002	/OC48	/CNCRNHSO /DOVRRNHTH	020400
00027		W	W		C	3002	/OC48	/CNCRNHSO /DOVRRNHTH	020400
00028		W	W		C	101	/OMC	/CNCRNHSO /DOVRRNHTH	020501
00029		W	W		C	101	/OMC	/CNCRNHSO /DOVRRNHTH	020501
00030		J	J		MAINTENANCE SPARE				
00031		J	J		MAINTENANCE SPARE				
00032		$	$						
00033		$	$						
00034		$	$						
00037	JMP	J	J		OPEN FIBER				
00038	JMP	J	J		OPEN FIBER				
00039		W	W		S	74/LMDA/72578		[redacted] 021296	
00040		W	W		S	74/LMDA/72578		[redacted] 021296	

COMMAND CABLE BULK ASSIGNMENT AND SCAN (CBLS) /FOR
TERM A BNTONHPR TERM Z NWODNHYA CABLE 7639 SUBPATH CT000F
FROM UNIT 00001 LAST UNIT 00012 QTY SPARE 0000 TOT QTY 0012
CMPL DATE 12 31 91 INV STAT IE 2-W SPARES 0000 1-W SPARES 0000
FAC DETAIL LGS FAC USE G FAC GROUP COMP ID
NO OF SPRS NO OF WIRES SHLD/DIR CKT/CLO SCAN N

ASGT DATA: ALT/PRI DR CLASS MISUSE MMW
TERMN: FRAMES SEQ NBR

| SUBD ASGT ACTIVITY | | |

```
COMMAND          CABLE BULK ASSIGNMENT AND SCAN (CBLS)  /FOR
TERM A EPSMNHBH     TERM Z CNCRNHSO     CABLE 7748     SUBPATH CT0S0F
FROM UNIT 00001     LAST UNIT 00004     QTY SPARE 0000     TOT QTY 0004
CMPL DATE 03 20 96    INV STAT IE     2-W SPARES 0000   1-W SPARES 0000
FAC DETAIL    LGS     FAC USE G    FAC GROUP          COMP ID A
NO OF SPRS      NO OF WIRES     SHLD/DIR        CKT/CLO SCAN N

ASGT DATA: ALT/PRI      DR CLASS     MISUSE     MW
                TERMN: FRAMES          SEQ NBR
  SUBD ASGT ACTIVITY
UNIT  F T RSTN CUR PND D F            CKTID/CLO              DUE DATE
00001   DEF J  J    OPEN IN SHEATH
00002     J  J  C MTCE FIBER                        121500
00003     W  W  C 101  /OMC   /CNCRNHSO   /DOVRNHTH          020501
00004     W  W  C 101  /OMC   /CNCRNHSO   /DOVRNHTH          020501
00005     W  W Y C 301  /T6X2P /CNCRNHSO   /MNCHNHCO          030293
00006     W  W Y C 301  /T6X2P /CNCRNHSO   /MNCHNHCO          030293
00007     W  W Y C 301  /T6X2P /DOVRNHTH   /MNCHNHCO          022493
00008     W  W Y C 301  /T6X2P /DOVRNHTH   /MNCHNHCO          022493
00009   DEF $  $
00010     J  J    MTCE FIBER
00011     W  W  C 1001 /OC48  /CNCRNHSO   /DOVRNHTH          021497
00012     W  W  C 1001 /OC48  /CNCRNHSO   /DOVRNHTH          021497
00013     W  W  C 1001 /OC12  /CNCRNHSO   /NWODNHYA          072397
00014     W  W  C 1001 /OC12  /CNCRNHSO   /NWODNHYA          072397
00015      J  J   PENDING_DWDMNH01
00016      J  J   PENDING  DWDMNH01
00017     W  W  C 1002 /OC12  /CNCRNHSO   /NWODNHYA          112197
00018     W  W  C 1002 /OC12  /CNCRNHSO   /NWODNHYA          112197
00019      J  J    PENDING NHNOQD
00020      J  J    PENDING NHNOQD
00021     W  W  C 1005 /OC12  /CNCRNHSO   /NWODNHYA          090999
00022     W  W  C 1005 /OC12  /CNCRNHSO   /NWODNHYA          090999
00023     W  W  C 3001 /OC48  /CNCRNHSO   /ROCHNHWE          051701
00024     W  W  C 3001 /OC48  /CNCRNHSO   /ROCHNHWE          051701
00025     W  W  C 1001 /OC12  /CNCRNHSO   /EPSMNHBH          032200
00026     W  W  C 1001 /OC12  /CNCRNHSO   /EPSMNHBH          032200
00027     W  W  C 3002 /OC48  /CNCRNHSO   /DOVRNHTH          020400
00028     W  W  C 3002 /OC48  /CNCRNHSO   /DOVRNHTH          020400
```

COMMAND CABLE BULK ASSIGNMENT AND SCAN (CBLS) /FOR
TERM A CANDNHDE TERM Z MNCHNHCO CABLE 8076 SUBPATH CT000F
FROM UNIT 00003 LAST UNIT 00006 QTY SPARE 0001 TOT QTY 0004
CMPL DATE 11 24 95 INV STAT IE 2-W SPARES 0000 1-W SPARES 0000
FAC DETAIL LGS FAC USE G FAC GROUP COMP ID A
NO OF SPRS NO OF WIRES SHLD/DIR CKT/CLO SCAN N

ASGT DATA: ALT/PRI DR CLASS MISUSE MMW
TERMN: FRAMES SEQ NBR
SUBD ASGT ACTIVITY

UNIT	F	T	RSTN	CUR	PND	D	F	CKTID/CLO	DUE DATE
00003	W	W	C	1001	/OC12	/DRFDNHCC		/MNCHHNHCO	032200
00004	W	W	C	1001	/OC12	/DRFDNHCC		/MNCHHNHCO	032200
00005	$	A	SIS009366001					0122102	
00006	$	$	C	1001	/OC12P	/MNCHNHCO		/RYMNNNHFL	060597
00007	W	W	C	1002	/OC48	/EXTRNHCE		/MNCHHNHCO	021497
00008	W	W	C	1002	/OC48	/EXTRNHCE		/MNCHHNHCO	021497
00009	W	W	C	1001	/OC48	/EXTRNHCE		/MNCHHNHCO	060597
00010	W	W	C	1001	/OC48	/EXTRNHCE		/MNCHHNHCO	060597
00011	W	W	C	1001	/OC12	/MNCHNHCO		/RYMMNNHFL	060597
00012	W	W	C	1001	/OC12	/MNCHNHCO		/RYMMNNHFL	060597
00013	W	W	C	1001	/OC12P	/MNCHNHCO		/RYMMNNHFI	060597
00014	W	W	C	1001	/OC12P	/MNCHNHCO		/RYMMNNHFI	060597
00015	W	W	C	1001	/OC48	/MNCHNHCO		/RYMMNNHFL	020498
00016	W	W	C	1001	/OC48	/MNCHNHCO		/RYMMNNHFL	020498
00017	J	J	PENDING_NHNOJH						
00018	J	J	PENDING_NHNOJH						
00019	W	W	C	101	/OMC	/EXTRNHCE		/MNCHHNHCO	020501
00020	W	W	C	101	/OMC	/EXTRNHCE		/MNCHHNHCO	020501
00021	J	J	PENDING DWDMNH01						
00022	J	J	PENDING_DWDMNH01						
00023	W	W	S	74/LMDA/72578		/NE	/1	021296	
00024	W	W	S	74/LMDA/72578		/NE	/1	021296	

COMMAND CABLE BULK ASSIGNMENT ANND SCAN (CBLS) /FOR
TERM A CNCRNHSO TERM Z MNCHNHCO CABLE 7451 SUBPATH CT0S0
FROM UNIT 00001 LAST UNIT 00012 QTY SPARE 0000 TOT QTY 0012
CMPL DATE 11 28 89 INV STAT IE 2-W SPARESS 0000 1-W SPARES 0000
FAC DETAIL LGS FAC USE G FAC GROUP COMP ID A
NO OF SPRS NO OF WIRES SHLD/DIR CEKT/CLO SCAN N

ASGT DATA: ALT/PRI DR CLASS MISUSE MW
TERMN: FRAMES SEQ NBR
SUBD ASGT ACTIVITY

UNIT	F	T	RSTN	CUR	PND	D	F	CKTID/CLO	DUE DATE
00001	W	W	C	1001	/OC48	/CNCRNHSO	/MNCHNHCO		021497
00002	W	W	C	1001	/OC48	/CNCRNHSO	/MNCHNHCO		021497
00003	J	J	MTCE SPARE						
00004	J	J	MTCE SPARE						
00005	W	W	C	1001	/OC48	/LACNNHNM	/MNCHNHCO		100298
00006	W	W	C	1001	/OC48	/LACNNHNM	/MNCHNHCO		100298
00007	J	J	MTCE SPARE					092801	
00008	J	J	MTCE SPARE					092801	
00009	J	J	PENDING DWDMNH01						
00010	DEF	J	J	OPEN FIBER				091099	
00011	J	J	PENDING DWDMNH01						
00012	J	J	MTCE SPARE						
00019	W	W	Y	C	302	/T6X2	/CNCRNHSO	/MNCHNHCO	030293
00020	W	W	Y	C	302	/T6X2	/CNCRNHSO	/MNCHNHCO	030293
00021	W	W	Y	C	302	/T6X2	/LACNNHNM	/MNCHNHCO	041597
00022	W	W	Y	C	302	/T6X2	/LACNNHNM	/MNCHNHCO	041597
00023	W	W		C	102	/OMC	/CNCRNHSO	/MNCHNHCO	021501
00024	W	W		C	102	/OMC	/CNCRNHSO	/MNCHNHCO	021501
00031	W	W	Y	C	301	/T6X2P	/DOVRNHTH	/MNCHNHCO	022493
00032	W	W	Y	C	301	/T6X2P	/DOVRNHTH	/MNCHNHCO	022493
00033	W	W	Y	C	301	/T6X2P	/HNVRNHSC	/MNCHNHCO	081497
00034	W	W	Y	C	301	/T6X2P	/HNVRNHSC	/MNCHNHCO	081497
00035	W	W	Y	C	301	/T6X2P	/KEENNHWA	/MNCHNHCO	070201
00036	W	W	Y	C	301	/T6X2P	/KEENNHWA	/MNCHNHCO	070201
00037	W	W		C	1001	/OC12	/CNCRNHSO	/MNCHNHCO	072299
00038	W	W		C	1001	/OC12	/CNCRNHSO	/MNCHNHCO	072299
00039	$	$							
00040	$	$	S 83/TVGS/311249				/NE	110900	

COMMAND CABLE BULK ASSIGNMENT ANND SCAN (CBLS) /FOR
TERM A EXTRNHCE TERM Z RYMNNHFL CAABLE 7402 SUBPATH CT0001
FROM UNIT 00001 LAST UNIT 00002 QTY SPARRE 0000 TOT QTY 0002
CMPL DATE 02 24 89 INV STAT IE 2-W SPARESS 0000 1-W SPARES 0000
FAC DETAIL LGS FAC USE G FAC GROUP COMP ID A
NO OF SPRS NO OF WIRES SHLD/DIR CKKT/CLO SCAN N

ASGT DATA: ALT/PRI DR CLASS MISUSE MW
TERMN: FRAMES SEQ NBR
SUBD ASGT ACTIVITY

UNIT	F	T	RSTN	CUR	PND	D	F	CKTID/CLO	DUE DATE
00001	W	W	C	1002	/OC12	/EXTRNHCE	/RYMNNHFL		020100
00002	W	W	C	1002	/OC12	/EXTRNHCE	/RYMNNHFL		020100
00003	W	W	C	101	/OMC	/EXTRNHCE	/MNCHNHCO		020501
00004	W	W	C	101	/OMC	/EXTRNHCE	/MNCHNHCO		020501
00005	W	W	Y	C	301	/T4X7P	/EXTRNHCE	/MNCHNHCO	030191
00006	W	W	Y	C	301	/T4X7P	/EXTRNHCE	/MNCHNHCO	030191
00007	J	J		PENDING DWDMNH01					
00008	J	J		PENDING DWDMNH01					
00009	W	W	Y	C	301	/T6X2P	/CNCRNHSO	/MNCHNHCO	030293
00010	W	W	Y	C	301	/T6X2P	/CNCRNHSO	/MNCHNHCO	030293
00011	W	W	Y	C	302	/T6X2	/DOVRNHTH	/MNCHNHCO	022493
00012	W	W	Y	C	302	/T6X2	/DOVRNHTH	/MNCHNHCO	022493
00013	J	J		MTCE SPARE					
00014	J	J		MTCE SPARE					
00015	J	J		MTCE SPARE					
00016	J	J		MTCE SPARE					