BELLSOUTH

BellSouth Corporation
Suite 900
1133-21st Street, N.W.
Washington, DC 20036-3351

kathleen.levitz@bellsouth.com

Kathleen B. Levitz
Vice President-Federal Regulatory

202 463 4113
Fax 202 463 4198

July 3, 2002

WRITTEN EX PARTE

Ms Marlene H. Dortch
Secretary
Federal Communications Commission
The Portals
445 12th Street, S.W.
Washington, D.C. 20554

Re: CC Docket No. 02-150

Dear Ms Dortch:

BellSouth submits the attached Monthly State Summary of BellSouth's OSS performance for the month of March 2002 in Mississippi. The staff reviewing BellSouth's pending 271 application for this state had requested that BellSouth generate this summary using its new Performance Measurement Analysis Platform, PMAP 4.0 and then file the summary for staff review. We note that a corrupt file has prevented BellSouth from generating accurate data for the Mean Held Orders submetrics and the % Jeopardies submetrics. For this reason the entries appearing in the Mean Held Orders and the % Jeopardies segments of the MSS should be ignored. I have sent the attached MSS electronically to the following FCC staff: Aaron Goldberger; Heidi Kroll; Pam Slipakoff; and Gina Spade.

In accordance with Section 1.1206, I am filing two copies of this notice and the accompanying attachment and requesting that you please place them in the record of the proceeding identified above. Thank you.

Sincerely,

Kathleen B. Levitz

Attachment

cc: Aaron Goldberger (w/o attachment)
Heidi Kroll (w/o attachment)
Pam Slipakoff (w/o attachment)
Gina Spade (w/o attachment)
Susan Pié
James Davis-Smith

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Resale - Ordering										
	% Rejected Service Requests - Mechanized										
A.1.1.1	O-7	Residence/MS(%)	Diagnostic			8.43%	9,557				Diagnostic
A.1.1.2	O-7	Business/MS(%)	Diagnostic			20.15%	268				Diagnostic
A.1.1.3	O-7	Design (Specials)/MS(%)	Diagnostic								Diagnostic
A.1.1.4	O-7	PBX/MS(%)	Diagnostic								Diagnostic
A.1.1.5	O-7	Centrex/MS(%)	Diagnostic								Diagnostic
A.1.1.6	O-7	ISDN/MS(%)	Diagnostic								Diagnostic
	% Rejected Service Requests - Partially Mechanized										
A.1.2.1	O-7	Residence/MS(%)	Diagnostic			21.76%	1,374				Diagnostic
A.1.2.2	O-7	Business/MS(%)	Diagnostic			26.80%	250				Diagnostic
A.1.2.3	O-7	Design (Specials)/MS(%)	Diagnostic								Diagnostic
A.1.2.4	O-7	PBX/MS(%)	Diagnostic			0.00%	2				Diagnostic
A.1.2.5	O-7	Centrex/MS(%)	Diagnostic								Diagnostic
A.1.2.6	O-7	ISDN/MS(%)	Diagnostic								Diagnostic
	% Rejected Service Requests - Non-Mechanized										
A.1.3.1	O-7	Residence/MS(%)	Diagnostic			40.00%	65				Diagnostic
A.1.3.2	O-7	Business/MS(%)	Diagnostic			40.00%	100				Diagnostic
A.1.3.3	O-7	Design (Specials)/MS(%)	Diagnostic			35.71%	70				Diagnostic
A.1.3.4	O-7	PBX/MS(%)	Diagnostic			63.64%	22				Diagnostic
A.1.3.5	O-7	Centrex/MS(%)	Diagnostic								Diagnostic
A.1.3.6	O-7	ISDN/MS(%)	Diagnostic			50.00%	8				Diagnostic
	Reject Interval - Mechanized										
A.1.4.1	O-8	Residence/MS(%)	>= 97% w in 1 hr			89.96%	807				NO
A.1.4.2	O-8	Business/MS(%)	>= 97% w in 1 hr			96.30%	54				NO
A.1.4.3	O-8	Design (Specials)/MS(%)	>= 97% w in 1 hr								
A.1.4.4	O-8	PBX/MS(%)	>= 97% w in 1 hr								
A.1.4.5	O-8	Centrex/MS(%)	>= 97% w in 1 hr								
A.1.4.6	O-8	ISDN/MS(%)	>= 97% w in 1 hr								
	Reject Interval - Partially Mechanized - 10 hours										
A.1.7.1	O-8	Residence/MS(%)	>= 85% w in 10 hrs			94.08%	304				YES
A.1.7.2	O-8	Business/MS(%)	>= 85% w in 10 hrs			91.04%	67				YES
A.1.7.3	O-8	Design (Specials)/MS(%)	>= 85% w in 10 hrs								
A.1.7.4	O-8	PBX/MS(%)	>= 85% w in 10 hrs								
A.1.7.5	O-8	Centrex/MS(%)	>= 85% w in 10 hrs								
A.1.7.6	O-8	ISDN/MS(%)	>= 85% w in 10 hrs								
	Reject Interval - Non-Mechanized										
A.1.8.1	O-8	Residence/MS(%)	>= 85% w in 24 hrs			100.00%	29				YES
A.1.8.2	O-8	Business/MS(%)	>= 85% w in 24 hrs			100.00%	40				YES
A.1.8.3	O-8	Design (Specials)/MS(%)	>= 85% w in 24 hrs			100.00%	26				YES
A.1.8.4	O-8	PBX/MS(%)	>= 85% w in 24 hrs			85.71%	14				YES
A.1.8.5	O-8	Centrex/MS(%)	>= 85% w in 24 hrs								
A.1.8.6	O-8	ISDN/MS(%)	>= 85% w in 24 hrs			100.00%	4				YES
	FOC Timeliness - Mechanized										
A.1.9.1	O-9	Residence/MS(%)	>= 95% w in 3 hrs			99.60%	8,719				YES
A.1.9.2	O-9	Business/MS(%)	>= 95% w in 3 hrs			99.52%	210				YES
A.1.9.3	O-9	Design (Specials)/MS(%)	>= 95% w in 3 hrs								
A.1.9.4	O-9	PBX/MS(%)	>= 95% w in 3 hrs								
A.1.9.5	O-9	Centrex/MS(%)	>= 95% w in 3 hrs								

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.1.9.6	O-9	ISDN/MS(%)	>= 95% w in 3 hrs								
	FOC Timeliness - Partially Mechanized - 10 hours										
A.1.12.1	O-9	Residence/MS(%)	>= 85% w in 10 hrs			92.93%	1,131				YES
A.1.12.2	O-9	Business/MS(%)	>= 85% w in 10 hrs			93.68%	190				YES
A.1.12.3	O-9	Design (Specials)/MS(%)	>= 85% w in 10 hrs								
A.1.12.4	O-9	PBX/MS(%)	>= 85% w in 10 hrs			50.00%	2				NO
A.1.12.5	O-9	Centrex/MS(%)	>= 85% w in 10 hrs								
A.1.12.6	O-9	ISDN/MS(%)	>= 85% w in 10 hrs								
	FOC Timeliness - Non-Mechanized										
A.1.13.1	O-9	Residence/MS(%)	>= 85% w in 36 hrs			100.00%	35				YES
A.1.13.2	O-9	Business/MS(%)	>= 85% w in 36 hrs			100.00%	57				YES
A.1.13.3	O-9	Design (Specials)/MS(%)	>= 85% w in 36 hrs			100.00%	38				YES
A.1.13.4	O-9	PBX/MS(%)	>= 85% w in 36 hrs			100.00%	7				YES
A.1.13.5	O-9	Centrex/MS(%)	>= 85% w in 36 hrs								
A.1.13.6	O-9	ISDN/MS(%)	>= 85% w in 36 hrs			100.00%	4				YES
	FOC & Reject Response Completeness - Mechanized										
A.1.14.1.1	O-11	Residence/EDI/MS(%)	>= 95%			99.51%	610				YES
A.1.14.1.2	O-11	Residence/TAG/MS(%)	>= 95%			99.36%	8,947				YES
A.1.14.2.1	O-11	Business/EDI/MS(%)	>= 95%			100.00%	18				YES
A.1.14.2.2	O-11	Business/TAG/MS(%)	>= 95%			98.00%	250				YES
A.1.14.3.1	O-11	Design (Specials)/EDI/MS(%)	>= 95%								
A.1.14.3.2	O-11	Design (Specials)/TAG/MS(%)	>= 95%								
A.1.14.4.1	O-11	PBX/EDI/MS(%)	>= 95%								
A.1.14.4.2	O-11	PBX/TAG/MS(%)	>= 95%								
A.1.14.5.1	O-11	Centrex/EDI/MS(%)	>= 95%								
A.1.14.5.2	O-11	Centrex/TAG/MS(%)	>= 95%								
A.1.14.6.1	O-11	ISDN/EDI/MS(%)	>= 95%								
A.1.14.6.2	O-11	ISDN/TAG/MS(%)	>= 95%								
	FOC & Reject Response Completeness - Partially Mechanized										
A.1.15.1.1	O-11	Residence/EDI/MS(%)	>= 95%			100.00%	103				YES
A.1.15.1.2	O-11	Residence/TAG/MS(%)	>= 95%			99.84%	1,271				YES
A.1.15.2.1	O-11	Business/EDI/MS(%)	>= 95%			100.00%	17				YES
A.1.15.2.2	O-11	Business/TAG/MS(%)	>= 95%			100.00%	233				YES
A.1.15.3.1	O-11	Design (Specials)/EDI/MS(%)	>= 95%								
A.1.15.3.2	O-11	Design (Specials)/TAG/MS(%)	>= 95%								
A.1.15.4.1	O-11	PBX/EDI/MS(%)	>= 95%								
A.1.15.4.2	O-11	PBX/TAG/MS(%)	>= 95%			100.00%	2				YES
A.1.15.5.1	O-11	Centrex/EDI/MS(%)	>= 95%								
A.1.15.5.2	O-11	Centrex/TAG/MS(%)	>= 95%								
A.1.15.6.1	O-11	ISDN/EDI/MS(%)	>= 95%								
A.1.15.6.2	O-11	ISDN/TAG/MS(%)	>= 95%								
	FOC & Reject Response Completeness - Non-Mechanized										
A.1.16.1	O-11	Residence/MS(%)	>= 95%			95.38%	65				YES
A.1.16.2	O-11	Business/MS(%)	>= 95%			97.00%	100				YES
A.1.16.3	O-11	Design (Specials)/MS(%)	>= 95%			90.00%	70				NO
A.1.16.4	O-11	PBX/MS(%)	>= 95%			95.45%	22				YES
A.1.16.5	O-11	Centrex/MS(%)	>= 95%								
A.1.16.6	O-11	ISDN/MS(%)	>= 95%			100.00%	8				YES
	FOC & Reject Response Completeness (Multiple Responses) - Mechanized										
A.1.17.1.1	O-11	Residence/EDI/MS(%)	>= 95%			99.34%	607				YES
A.1.17.1.2	O-11	Residence/TAG/MS(%)	>= 95%			99.69%	8,890				YES
A.1.17.2.1	O-11	Business/EDI/MS(%)	>= 95%			100.00%	18				YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.1.17.2.2	O-11	Business/TAG/MS(%)	>= 95%			99.59%	245				YES
A.1.17.3.1	O-11	Design (Specials)/EDI/MS(%)	>= 95%								
A.1.17.3.2	O-11	Design (Specials)/TAG/MS(%)	>= 95%								
A.1.17.4.1	O-11	PBX/EDI/MS(%)	>= 95%								
A.1.17.4.2	O-11	PBX/TAG/MS(%)	>= 95%								
A.1.17.5.1	O-11	Centrex/EDI/MS(%)	>= 95%								
A.1.17.5.2	O-11	Centrex/TAG/MS(%)	>= 95%								
A.1.17.6.1	O-11	ISDN/EDI/MS(%)	>= 95%								
A.1.17.6.2	O-11	ISDN/TAG/MS(%)	>= 95%								
	FOC & Reject Response Completeness (Multiple Responses) - Partially Mechanized										
A.1.18.1.1	O-11	Residence/EDI/MS(%)	>= 95%			95.15%	103				YES
A.1.18.1.2	O-11	Residence/TAG/MS(%)	>= 95%			93.77%	1,269				NO
A.1.18.2.1	O-11	Business/EDI/MS(%)	>= 95%			100.00%	17				YES
A.1.18.2.2	O-11	Business/TAG/MS(%)	>= 95%			90.13%	233				NO
A.1.18.3.1	O-11	Design (Specials)/EDI/MS(%)	>= 95%								
A.1.18.3.2	O-11	Design (Specials)/TAG/MS(%)	>= 95%								
A.1.18.4.1	O-11	PBX/EDI/MS(%)	>= 95%								
A.1.18.4.2	O-11	PBX/TAG/MS(%)	>= 95%			100.00%	2				YES
A.1.18.5.1	O-11	Centrex/EDI/MS(%)	>= 95%								
A.1.18.5.2	O-11	Centrex/TAG/MS(%)	>= 95%								
A.1.18.6.1	O-11	ISDN/EDI/MS(%)	>= 95%								
A.1.18.6.2	O-11	ISDN/TAG/MS(%)	>= 95%								
	FOC & Reject Response Completeness (Multiple Responses) - Non-Mechanized										
A.1.19.1	O-11	Residence/MS(%)	>= 95%			90.32%	62				NO
A.1.19.2	O-11	Business/MS(%)	>= 95%			94.85%	97				NO
A.1.19.3	O-11	Design (Specials)/MS(%)	>= 95%			96.83%	63				YES
A.1.19.4	O-11	PBX/MS(%)	>= 95%			95.24%	21				YES
A.1.19.5	O-11	Centrex/MS(%)	>= 95%								
A.1.19.6	O-11	ISDN/MS(%)	>= 95%			100.00%	8				YES
	Resale - Provisioning										
	Order Completion Interval										
A.2.1.1.1.1	P-4	Residence/<10 circuits/Dispatch/MS(days)	Res	6.29	8,319	5.61	609	4.641	0.19484	3.5360	YES
A.2.1.1.1.2	P-4	Residence/<10 circuits/Non-Dispatch/MS(days)	Res	0.74	141,122	0.63	6,175	1.906	0.02477	4.5883	YES
A.2.1.1.2.1	P-4	Residence/>=10 circuits/Dispatch/MS(days)	Res	5.80	10			1.932			
A.2.1.1.2.2	P-4	Residence/>=10 circuits/Non-Dispatch/MS(days)	Res								
A.2.1.2.1.1	P-4	Business/<10 circuits/Dispatch/MS(days)	Bus	2.59	5,293	2.68	64	5.653	0.71087	-0.1340	YES
A.2.1.2.1.2	P-4	Business/<10 circuits/Non-Dispatch/MS(days)	Bus	1.12	7,168	0.68	243	3.210	0.20937	2.0611	YES
A.2.1.2.2.1	P-4	Business/>=10 circuits/Dispatch/MS(days)	Bus	9.33	24	1.00	1	8.977	9.16172	0.9096	YES
A.2.1.2.2.2	P-4	Business/>=10 circuits/Non-Dispatch/MS(days)	Bus	1.53	5			1.366			
A.2.1.3.1.1	P-4	Design (Specials)/<10 circuits/Dispatch/MS(days)	Design	24.58	505	9.00	9	27.800	9.34888	1.6670	YES
A.2.1.3.1.2	P-4	Design (Specials)/<10 circuits/Non-Dispatch/MS(days)	Design	6.11	236	2.76	7	10.333	3.96306	0.8456	YES
A.2.1.3.2.1	P-4	Design (Specials)/>=10 circuits/Dispatch/MS(days)	Design								
A.2.1.3.2.2	P-4	Design (Specials)/>=10 circuits/Non-Dispatch/MS(days)	Design	4.00	4			1.633			
A.2.1.4.1.1	P-4	PBX/<10 circuits/Dispatch/MS(days)	PBX	9.55	23			13.072			
A.2.1.4.1.2	P-4	PBX/<10 circuits/Non-Dispatch/MS(days)	PBX	4.96	92	3.54	8	10.192	3.75666	0.3776	YES
A.2.1.4.2.1	P-4	PBX/>=10 circuits/Dispatch/MS(days)	PBX								
A.2.1.4.2.2	P-4	PBX/>=10 circuits/Non-Dispatch/MS(days)	PBX	0.53	12	2.00	1	0.502	0.52217	-2.8195	NO
A.2.1.5.1.1	P-4	Centrex/<10 circuits/Dispatch/MS(days)	Centrex	4.29	127	3.00	1	3.232	3.24465	0.3988	YES
A.2.1.5.1.2	P-4	Centrex/<10 circuits/Non-Dispatch/MS(days)	Centrex	1.32	298	0.33	1	2.602	2.60643	0.3772	YES
A.2.1.5.2.1	P-4	Centrex/>=10 circuits/Dispatch/MS(days)	Centrex	11.00	8			7.635			
A.2.1.5.2.2	P-4	Centrex/>=10 circuits/Non-Dispatch/MS(days)	Centrex	1.21	26			1.939			
A.2.1.6.1.1	P-4	ISDN/<10 circuits/Dispatch/MS(days)	ISDN	19.41	144			14.264			

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.1.6.1.2	P-4	ISDN/<10 circuits/Non-Dispatch/MS(days)	ISDN	3.93	175	10.00	4	8.745	4.42198	-1.3737	YES
A.2.1.6.2.1	P-4	ISDN/>=10 circuits/Dispatch/MS(days)	ISDN								
A.2.1.6.2.2	P-4	ISDN/>=10 circuits/Non-Dispatch/MS(days)	ISDN	4.63	17			4.332			
	Held Orders										
A.2.2.1.1.1	P-1	Residence/<10 circuits/Facility/MS(days)	Res	62.88	8	17.00	1	97.508	103.42301	0.4436	YES
A.2.2.1.1.2	P-1	Residence/<10 circuits/Equipment/MS(days)	Res	0.00	0	0.00	0				YES
A.2.2.1.1.3	P-1	Residence/<10 circuits/Other/MS(days)	Res	15.25	4	0.00	0	8.995			YES
A.2.2.1.2.1	P-1	Residence/>=10 circuits/Facility/MS(days)	Res	0.00	0						
A.2.2.1.2.2	P-1	Residence/>=10 circuits/Equipment/MS(days)	Res	0.00	0						
A.2.2.1.2.3	P-1	Residence/>=10 circuits/Other/MS(days)	Res	0.00	0						
A.2.2.2.1.1	P-1	Business/<10 circuits/Facility/MS(days)	Bus	0.00	0	0.00	0				YES
A.2.2.2.1.2	P-1	Business/<10 circuits/Equipment/MS(days)	Bus	0.00	0	0.00	0				YES
A.2.2.2.1.3	P-1	Business/<10 circuits/Other/MS(days)	Bus	0.00	0	0.00	0				YES
A.2.2.2.2.1	P-1	Business/>=10 circuits/Facility/MS(days)	Bus	0.00	0	0.00	0				YES
A.2.2.2.2.2	P-1	Business/>=10 circuits/Equipment/MS(days)	Bus	0.00	0	0.00	0				YES
A.2.2.2.2.3	P-1	Business/>=10 circuits/Other/MS(days)	Bus	0.00	0	0.00	0				YES
A.2.2.3.1.1	P-1	Design (Specials)/<10 circuits/Facility/MS(days)	Design	0.00	0	0.00	0				YES
A.2.2.3.1.2	P-1	Design (Specials)/<10 circuits/Equipment/MS(days)	Design	0.00	0	0.00	0				YES
A.2.2.3.1.3	P-1	Design (Specials)/<10 circuits/Other/MS(days)	Design	0.00	0	0.00	0				YES
A.2.2.3.2.1	P-1	Design (Specials)/>=10 circuits/Facility/MS(days)	Design	0.00	0						
A.2.2.3.2.2	P-1	Design (Specials)/>=10 circuits/Equipment/MS(days)	Design	0.00	0						
A.2.2.3.2.3	P-1	Design (Specials)/>=10 circuits/Other/MS(days)	Design	0.00	0						
A.2.2.4.1.1	P-1	PBX/<10 circuits/Facility/MS(days)	PBX	0.00	0	0.00	0				YES
A.2.2.4.1.2	P-1	PBX/<10 circuits/Equipment/MS(days)	PBX	0.00	0	0.00	0				YES
A.2.2.4.1.3	P-1	PBX/<10 circuits/Other/MS(days)	PBX	0.00	0	0.00	0				YES
A.2.2.4.2.1	P-1	PBX/>=10 circuits/Facility/MS(days)	PBX	0.00	0	0.00	0				YES
A.2.2.4.2.2	P-1	PBX/>=10 circuits/Equipment/MS(days)	PBX	0.00	0	0.00	0				YES
A.2.2.4.2.3	P-1	PBX/>=10 circuits/Other/MS(days)	PBX	0.00	0	0.00	0				YES
A.2.2.5.1.1	P-1	Centrex/<10 circuits/Facility/MS(days)	Centrex	0.00	0	0.00	0				YES
A.2.2.5.1.2	P-1	Centrex/<10 circuits/Equipment/MS(days)	Centrex	0.00	0	0.00	0				YES
A.2.2.5.1.3	P-1	Centrex/<10 circuits/Other/MS(days)	Centrex	0.00	0	0.00	0				YES
A.2.2.5.2.1	P-1	Centrex/>=10 circuits/Facility/MS(days)	Centrex	0.00	0	0.00	0				YES
A.2.2.5.2.2	P-1	Centrex/>=10 circuits/Equipment/MS(days)	Centrex	0.00	0	0.00	0				YES
A.2.2.5.2.3	P-1	Centrex/>=10 circuits/Other/MS(days)	Centrex	0.00	0	0.00	0				YES
A.2.2.6.1.1	P-1	ISDN/<10 circuits/Facility/MS(days)	ISDN	0.00	0	0.00	0				YES
A.2.2.6.1.2	P-1	ISDN/<10 circuits/Equipment/MS(days)	ISDN	0.00	0	0.00	0				YES
A.2.2.6.1.3	P-1	ISDN/<10 circuits/Other/MS(days)	ISDN	0.00	0	0.00	0				YES
A.2.2.6.2.1	P-1	ISDN/>=10 circuits/Facility/MS(days)	ISDN	0.00	0						
A.2.2.6.2.2	P-1	ISDN/>=10 circuits/Equipment/MS(days)	ISDN	0.00	0						
A.2.2.6.2.3	P-1	ISDN/>=10 circuits/Other/MS(days)	ISDN	0.00	0						
	% Jeopardies - Mechanized										
A.2.4.1	P-2	Residence/MS(%)	Res	0.68%	156,512	1.22%	7,634		0.00096	-5.6088	NO
A.2.4.2	P-2	Business/MS(%)	Bus	1.59%	12,559	1.18%	340		0.00688	0.6046	YES
A.2.4.3	P-2	Design (Specials)/MS(%)	Design	13.41%	649						
A.2.4.4	P-2	PBX/MS(%)	PBX	3.31%	121	0.00%	2		0.12746	0.2594	YES
A.2.4.5	P-2	Centrex/MS(%)	Centrex	2.66%	451						
A.2.4.6	P-2	ISDN/MS(%)	ISDN	6.85%	292						
	% Jeopardies - Non-Mechanized										
A.2.5.1	P-2	Residence/MS(%)	Diagnostic			0.00%	101				Diagnostic
A.2.5.2	P-2	Business/MS(%)	Diagnostic			2.13%	47				Diagnostic
A.2.5.3	P-2	Design (Specials)/MS(%)	Diagnostic			20.83%	24				Diagnostic
A.2.5.4	P-2	PBX/MS(%)	Diagnostic			0.00%	10				Diagnostic
A.2.5.5	P-2	Centrex/MS(%)	Diagnostic			0.00%	25				Diagnostic
A.2.5.6	P-2	ISDN/MS(%)	Diagnostic			0.00%	31				Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Average Jeopardy Notice Interval - Mechanized										
A.2.7.1	P-2	Residence/MS(hours)	>= 48 hrs			170.14	84				YES
A.2.7.2	P-2	Business/MS(hours)	>= 48 hrs			103.89	4				YES
A.2.7.3	P-2	Design (Specials)/MS(hours)	>= 48 hrs								
A.2.7.4	P-2	PBX/MS(hours)	>= 48 hrs								
A.2.7.5	P-2	Centrex/MS(hours)	>= 48 hrs								
A.2.7.6	P-2	ISDN/MS(hours)	>= 48 hrs								
	Average Jeopardy Notice Interval - Non-Mechanized										
A.2.8.1	P-2	Residence/MS(hours)	Diagnostic								Diagnostic
A.2.8.2	P-2	Business/MS(hours)	Diagnostic			51.63	1				Diagnostic
A.2.8.3	P-2	Design (Specials)/MS(hours)	Diagnostic			427.19	5				Diagnostic
A.2.8.4	P-2	PBX/MS(hours)	Diagnostic								Diagnostic
A.2.8.5	P-2	Centrex/MS(hours)	Diagnostic								Diagnostic
A.2.8.6	P-2	ISDN/MS(hours)	Diagnostic								Diagnostic
	% Jeopardy Notice >= 48 hours - Mechanized										
A.2.9.1	P-2	Residence/MS(%)	95% >= 48 hrs			98.81%	84				YES
A.2.9.2	P-2	Business/MS(%)	95% >= 48 hrs			75.00%	4				NO
A.2.9.3	P-2	Design (Specials)/MS(%)	95% >= 48 hrs								
A.2.9.4	P-2	PBX/MS(%)	95% >= 48 hrs								
A.2.9.5	P-2	Centrex/MS(%)	95% >= 48 hrs								
A.2.9.6	P-2	ISDN/MS(%)	95% >= 48 hrs								
	% Jeopardy Notice >= 48 hours - Non-Mechanized										
A.2.10.1	P-2	Residence/MS(%)	Diagnostic								Diagnostic
A.2.10.2	P-2	Business/MS(%)	Diagnostic			100.00%	1				Diagnostic
A.2.10.3	P-2	Design (Specials)/MS(%)	Diagnostic			100.00%	5				Diagnostic
A.2.10.4	P-2	PBX/MS(%)	Diagnostic								Diagnostic
A.2.10.5	P-2	Centrex/MS(%)	Diagnostic								Diagnostic
A.2.10.6	P-2	ISDN/MS(%)	Diagnostic								Diagnostic
	% Missed Installation Appointments										
A.2.11.1.1.1	P-3	Residence/<10 circuits/Dispatch/MS(%)	Res	6.01%	9,203	2.08%	672		0.00950	4.1337	YES
A.2.11.1.1.2	P-3	Residence/<10 circuits/Non-Dispatch/MS(%)	Res	0.02%	147,727	0.01%	7,085		0.00016	0.1775	YES
A.2.11.1.2.1	P-3	Residence/>=10 circuits/Dispatch/MS(%)	Res	0.00%	10						
A.2.11.1.2.2	P-3	Residence/>=10 circuits/Non-Dispatch/MS(%)	Res								
A.2.11.2.1.1	P-3	Business/<10 circuits/Dispatch/MS(%)	Bus	1.98%	5,397	4.71%	85		0.01524	-1.7871	NO
A.2.11.2.1.2	P-3	Business/<10 circuits/Non-Dispatch/MS(%)	Bus	0.01%	7,220	0.00%	313		0.00068	0.2039	YES
A.2.11.2.2.1	P-3	Business/>=10 circuits/Dispatch/MS(%)	Bus	12.00%	25	0.00%	1		0.33140	0.3621	YES
A.2.11.2.2.2	P-3	Business/>=10 circuits/Non-Dispatch/MS(%)	Bus	0.00%	5						
A.2.11.3.1.1	P-3	Design (Specials)/<10 circuits/Dispatch/MS(%)	Design	2.91%	516	0.00%	15		0.04400	0.6606	YES
A.2.11.3.1.2	P-3	Design (Specials)/<10 circuits/Non-Dispatch/MS(%)	Design	1.23%	243	0.00%	11		0.03404	0.3627	YES
A.2.11.3.2.1	P-3	Design (Specials)/>=10 circuits/Dispatch/MS(%)	Design								
A.2.11.3.2.2	P-3	Design (Specials)/>=10 circuits/Non-Dispatch/MS(%)	Design	0.00%	4						
A.2.11.4.1.1	P-3	PBX/<10 circuits/Dispatch/MS(%)	PBX	8.33%	24						
A.2.11.4.1.2	P-3	PBX/<10 circuits/Non-Dispatch/MS(%)	PBX	3.26%	92	0.00%	11		0.05666	0.5755	YES
A.2.11.4.2.1	P-3	PBX/>=10 circuits/Dispatch/MS(%)	PBX								
A.2.11.4.2.2	P-3	PBX/>=10 circuits/Non-Dispatch/MS(%)	PBX	0.00%	12	0.00%	1		0.00000		YES
A.2.11.5.1.1	P-3	Centrex/<10 circuits/Dispatch/MS(%)	Centrex	3.10%	129	0.00%	1		0.17401	0.1782	YES
A.2.11.5.1.2	P-3	Centrex/<10 circuits/Non-Dispatch/MS(%)	Centrex	0.00%	298	0.00%	4		0.00000		YES
A.2.11.5.2.1	P-3	Centrex/>=10 circuits/Dispatch/MS(%)	Centrex	12.50%	8						
A.2.11.5.2.2	P-3	Centrex/>=10 circuits/Non-Dispatch/MS(%)	Centrex	0.00%	27	0.00%	20		0.00000		YES
A.2.11.6.1.1	P-3	ISDN/<10 circuits/Dispatch/MS(%)	ISDN	1.32%	152						
A.2.11.6.1.2	P-3	ISDN/<10 circuits/Non-Dispatch/MS(%)	ISDN	0.56%	178	0.00%	31		0.01455	0.3862	YES
A.2.11.6.2.1	P-3	ISDN/>=10 circuits/Dispatch/MS(%)	ISDN								
A.2.11.6.2.2	P-3	ISDN/>=10 circuits/Non-Dispatch/MS(%)	ISDN	0.00%	17						

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	% Provisioning Troubles within 30 Days										
A.2.12.1.1.1	P-9	Residence/<10 circuits/Dispatch/MS(%)	Res	10.62%	8,748	6.34%	978		0.01039	4.1204	YES
A.2.12.1.1.2	P-9	Residence/<10 circuits/Non-Dispatch/MS(%)	Res	3.06%	145,435	4.98%	9,058		0.00187	-10.2903	NO
A.2.12.1.2.1	P-9	Residence/>=10 circuits/Dispatch/MS(%)	Res	0.00%	2	0.00%	2		0.00000		YES
A.2.12.1.2.2	P-9	Residence/>=10 circuits/Non-Dispatch/MS(%)	Res								
A.2.12.2.1.1	P-9	Business/<10 circuits/Dispatch/MS(%)	Bus	9.40%	4,733	11.48%	61		0.03761	-0.5513	YES
A.2.12.2.1.2	P-9	Business/<10 circuits/Non-Dispatch/MS(%)	Bus	5.13%	6,313	3.54%	254		0.01412	1.1253	YES
A.2.12.2.2.1	P-9	Business/>=10 circuits/Dispatch/MS(%)	Bus	11.76%	17	0.00%	1		0.33153	0.3549	YES
A.2.12.2.2.2	P-9	Business/>=10 circuits/Non-Dispatch/MS(%)	Bus	0.00%	1						
A.2.12.3.1.1	P-9	Design (Specials)/<10 circuits/Dispatch/MS(%)	Design	8.04%	448	4.84%	62		0.03684	0.8679	YES
A.2.12.3.1.2	P-9	Design (Specials)/<10 circuits/Non-Dispatch/MS(%)	Design	2.60%	154	12.50%	24		0.03491	-2.8369	NO
A.2.12.3.2.1	P-9	Design (Specials)/>=10 circuits/Dispatch/MS(%)	Design								
A.2.12.3.2.2	P-9	Design (Specials)/>=10 circuits/Non-Dispatch/MS(%)	Design								
A.2.12.4.1.1	P-9	PBX/<10 circuits/Dispatch/MS(%)	PBX	6.25%	16						
A.2.12.4.1.2	P-9	PBX/<10 circuits/Non-Dispatch/MS(%)	PBX	2.78%	36	0.00%	8		0.06423	0.4324	YES
A.2.12.4.2.1	P-9	PBX/>=10 circuits/Dispatch/MS(%)	PBX								
A.2.12.4.2.2	P-9	PBX/>=10 circuits/Non-Dispatch/MS(%)	PBX	0.00%	7	0.00%	3		0.00000		YES
A.2.12.5.1.1	P-9	Centrex/<10 circuits/Dispatch/MS(%)	Centrex	3.68%	299						
A.2.12.5.1.2	P-9	Centrex/<10 circuits/Non-Dispatch/MS(%)	Centrex	1.62%	3,461	100.00%	1		0.12619	-7.7965	NO
A.2.12.5.2.1	P-9	Centrex/>=10 circuits/Dispatch/MS(%)	Centrex	15.38%	13						
A.2.12.5.2.2	P-9	Centrex/>=10 circuits/Non-Dispatch/MS(%)	Centrex	13.33%	30	50.00%	2		0.24825	-1.4770	YES
A.2.12.6.1.1	P-9	ISDN/<10 circuits/Dispatch/MS(%)	ISDN	1.90%	158	0.00%	1		0.13691	0.1387	YES
A.2.12.6.1.2	P-9	ISDN/<10 circuits/Non-Dispatch/MS(%)	ISDN	1.52%	132	8.33%	12		0.03683	-1.8512	NO
A.2.12.6.2.1	P-9	ISDN/>=10 circuits/Dispatch/MS(%)	ISDN	0.00%	2						
A.2.12.6.2.2	P-9	ISDN/>=10 circuits/Non-Dispatch/MS(%)	ISDN	0.00%	15						
	Average Completion Notice Interval - Mechanized										
A.2.14.1.1.1	P-5	Residence/<10 circuits/Dispatch/MS(hours)	Res	1.38	9,162	0.17	652	12.062	0.48889	2.4707	YES
A.2.14.1.1.2	P-5	Residence/<10 circuits/Non-Dispatch/MS(hours)	Res	0.66	147,317	0.35	7,002	105.099	1.28550	0.2393	YES
A.2.14.1.2.1	P-5	Residence/>=10 circuits/Dispatch/MS(hours)	Res	0.02	10			0.000			
A.2.14.1.2.2	P-5	Residence/>=10 circuits/Non-Dispatch/MS(hours)	Res								
A.2.14.2.1.1	P-5	Business/<10 circuits/Dispatch/MS(hours)	Bus	1.62	5,350	1.42	79	14.397	1.63173	0.1247	YES
A.2.14.2.1.2	P-5	Business/<10 circuits/Non-Dispatch/MS(hours)	Bus	1.43	7,140	0.28	268	14.937	0.92939	1.2386	YES
A.2.14.2.2.1	P-5	Business/>=10 circuits/Dispatch/MS(hours)	Bus	1.53	25	0.02	1	4.892	4.98851	0.3030	YES
A.2.14.2.2.2	P-5	Business/>=10 circuits/Non-Dispatch/MS(hours)	Bus	0.39	5			0.049			
A.2.14.3.1.1	P-5	Design (Specials)/<10 circuits/Dispatch/MS(hours)	Design	215.77	491			635.268			
A.2.14.3.1.2	P-5	Design (Specials)/<10 circuits/Non-Dispatch/MS(hours)	Design	22.95	243	275.05	1	160.639	160.96941	-1.5661	YES
A.2.14.3.2.1	P-5	Design (Specials)/>=10 circuits/Dispatch/MS(hours)	Design								
A.2.14.3.2.2	P-5	Design (Specials)/>=10 circuits/Non-Dispatch/MS(hours)	Design	0.24	4			0.111			
A.2.14.4.1.1	P-5	PBX/<10 circuits/Dispatch/MS(hours)	PBX	124.74	23			320.188			
A.2.14.4.1.2	P-5	PBX/<10 circuits/Non-Dispatch/MS(hours)	PBX	49.81	91	0.16	2	193.773	138.51571	0.3584	YES
A.2.14.4.2.1	P-5	PBX/>=10 circuits/Dispatch/MS(hours)	PBX								
A.2.14.4.2.2	P-5	PBX/>=10 circuits/Non-Dispatch/MS(hours)	PBX	0.29	12			0.143			
A.2.14.5.1.1	P-5	Centrex/<10 circuits/Dispatch/MS(hours)	Centrex	3.44	127			15.795			
A.2.14.5.1.2	P-5	Centrex/<10 circuits/Non-Dispatch/MS(hours)	Centrex	0.57	296			2.879			
A.2.14.5.2.1	P-5	Centrex/>=10 circuits/Dispatch/MS(hours)	Centrex	13.70	8			23.166			
A.2.14.5.2.2	P-5	Centrex/>=10 circuits/Non-Dispatch/MS(hours)	Centrex	0.24	27			0.160			
A.2.14.6.1.1	P-5	ISDN/<10 circuits/Dispatch/MS(hours)	ISDN	172.20	143			225.357			
A.2.14.6.1.2	P-5	ISDN/<10 circuits/Non-Dispatch/MS(hours)	ISDN	5.32	176			51.726			
A.2.14.6.2.1	P-5	ISDN/>=10 circuits/Dispatch/MS(hours)	ISDN								
A.2.14.6.2.2	P-5	ISDN/>=10 circuits/Non-Dispatch/MS(hours)	ISDN	0.34	17			0.119			
	Average Completion Notice Interval - Non-Mechanized										
A.2.15.1.1.1	P-5	Residence/<10 circuits/Dispatch/MS(hours)	Diagnostic			18.55	19				Diagnostic
A.2.15.1.1.2	P-5	Residence/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic			6.84	84				Diagnostic
A.2.15.1.2.1	P-5	Residence/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.15.1.2.2	P-5	Residence/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.2.1.1	P-5	Business/<10 circuits/Dispatch/MS(hours)	Diagnostic			26.39	5				Diagnostic
A.2.15.2.1.2	P-5	Business/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic			10.87	45				Diagnostic
A.2.15.2.2.1	P-5	Business/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.2.2.2	P-5	Business/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.3.1.1	P-5	Design (Specials)/<10 circuits/Dispatch/MS(hours)	Diagnostic			68.34	14				Diagnostic
A.2.15.3.1.2	P-5	Design (Specials)/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic			45.19	10				Diagnostic
A.2.15.3.2.1	P-5	Design (Specials)/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.3.2.2	P-5	Design (Specials)/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.4.1.1	P-5	PBX/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.4.1.2	P-5	PBX/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic			26.96	9				Diagnostic
A.2.15.4.2.1	P-5	PBX/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.4.2.2	P-5	PBX/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic			38.00	1				Diagnostic
A.2.15.5.1.1	P-5	Centrex/<10 circuits/Dispatch/MS(hours)	Diagnostic			16.75	1				Diagnostic
A.2.15.5.1.2	P-5	Centrex/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic			22.00	3				Diagnostic
A.2.15.5.2.1	P-5	Centrex/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.5.2.2	P-5	Centrex/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic			37.38	20				Diagnostic
A.2.15.6.1.1	P-5	ISDN/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.6.1.2	P-5	ISDN/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic			29.26	30				Diagnostic
A.2.15.6.2.1	P-5	ISDN/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
A.2.15.6.2.2	P-5	ISDN/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Mechanized										
A.2.17.1.1.1	P-10	Residence/<10 circuits/Dispatch/MS(days)	Diagnostic			5.80	534				Diagnostic
A.2.17.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.64	5,242				Diagnostic
A.2.17.1.2.1	P-10	Residence/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.2.1.1	P-10	Business/<10 circuits/Dispatch/MS(days)	Diagnostic			2.06	21				Diagnostic
A.2.17.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.70	87				Diagnostic
A.2.17.2.2.1	P-10	Business/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.4.1.1	P-10	PBX/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.4.2.1	P-10	PBX/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.5.1.1	P-10	Centrex/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.6.1.1	P-10	ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.17.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Partially Mechanized										
A.2.18.1.1.1	P-10	Residence/<10 circuits/Dispatch/MS(days)	Diagnostic			4.40	32				Diagnostic
A.2.18.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			1.00	738				Diagnostic
A.2.18.1.2.1	P-10	Residence/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.2.1.1	P-10	Business/<10 circuits/Dispatch/MS(days)	Diagnostic			2.25	31				Diagnostic
A.2.18.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			1.07	104				Diagnostic
A.2.18.2.2.1	P-10	Business/>=10 circuits/Dispatch/MS(days)	Diagnostic			6.01	1				Diagnostic

BellSouth Monthly State Summary

Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.18.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.4.1.1	P-10	PBX/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			4.17	1				Diagnostic
A.2.18.4.2.1	P-10	PBX/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.5.1.1	P-10	Centrex/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.6.1.1	P-10	ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.18.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Non-Mechanized										
A.2.19.1.1.1	P-10	Residence/<10 circuits/Dispatch/MS(days)	Diagnostic			2.41	11				Diagnostic
A.2.19.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			1.38	7				Diagnostic
A.2.19.1.2.1	P-10	Residence/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.2.1.1	P-10	Business/<10 circuits/Dispatch/MS(days)	Diagnostic			3.22	4				Diagnostic
A.2.19.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			1.48	20				Diagnostic
A.2.19.2.2.1	P-10	Business/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/MS(days)	Diagnostic			9.97	5				Diagnostic
A.2.19.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			3.76	4				Diagnostic
A.2.19.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.4.1.1	P-10	PBX/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			8.84	4				Diagnostic
A.2.19.4.2.1	P-10	PBX/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic			3.07	1				Diagnostic
A.2.19.5.1.1	P-10	Centrex/<10 circuits/Dispatch/MS(days)	Diagnostic			4.12	1				Diagnostic
A.2.19.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			32.33	1				Diagnostic
A.2.19.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.6.1.1	P-10	ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			2.67	2				Diagnostic
A.2.19.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.19.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Mechanized										
A.2.21.1.1.1	P-10	Residence/<10 circuits/Dispatch/MS(days)	Diagnostic			5.81	524				Diagnostic
A.2.21.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.93	2,332				Diagnostic
A.2.21.1.2.1	P-10	Residence/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.2.1.1	P-10	Business/<10 circuits/Dispatch/MS(days)	Diagnostic			2.06	21				Diagnostic
A.2.21.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.72	80				Diagnostic
A.2.21.2.2.1	P-10	Business/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.21.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.4.1.1	P-10	PBX/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.4.2.1	P-10	PBX/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.5.1.1	P-10	Centrex/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.6.1.1	P-10	ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.21.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Partially Mechanized										
A.2.22.1.1.1	P-10	Residence/<10 circuits/Dispatch/MS(days)	Diagnostic			4.40	32				Diagnostic
A.2.22.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			1.04	583				Diagnostic
A.2.22.1.2.1	P-10	Residence/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.2.1.1	P-10	Business/<10 circuits/Dispatch/MS(days)	Diagnostic			2.25	31				Diagnostic
A.2.22.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			1.06	101				Diagnostic
A.2.22.2.2.1	P-10	Business/>=10 circuits/Dispatch/MS(days)	Diagnostic			6.01	1				Diagnostic
A.2.22.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.4.1.1	P-10	PBX/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			4.17	1				Diagnostic
A.2.22.4.2.1	P-10	PBX/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.5.1.1	P-10	Centrex/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.6.1.1	P-10	ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.22.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Non-Mechanized										
A.2.23.1.1.1	P-10	Residence/<10 circuits/Dispatch/MS(days)	Diagnostic			2.41	11				Diagnostic
A.2.23.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			1.38	7				Diagnostic
A.2.23.1.2.1	P-10	Residence/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.2.1.1	P-10	Business/<10 circuits/Dispatch/MS(days)	Diagnostic			3.22	4				Diagnostic
A.2.23.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			1.51	18				Diagnostic
A.2.23.2.2.1	P-10	Business/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/MS(days)	Diagnostic			9.97	5				Diagnostic
A.2.23.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			3.88	2				Diagnostic
A.2.23.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.4.1.1	P-10	PBX/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			3.15	1				Diagnostic
A.2.23.4.2.1	P-10	PBX/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.23.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic			3.07	1				Diagnostic
A.2.23.5.1.1	P-10	Centrex/<10 circuits/Dispatch/MS(days)	Diagnostic			4.12	1				Diagnostic
A.2.23.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			32.33	1				Diagnostic
A.2.23.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.6.1.1	P-10	ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			2.67	2				Diagnostic
A.2.23.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
A.2.23.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	% Completions w/o Notice or < 24 hours										
A.2.24.1.1	P-6	Residence/Dispatch/MS(%)	Diagnostic			5.43%	626				Diagnostic
A.2.24.1.2	P-6	Residence/Non-Dispatch/MS(%)	Diagnostic			5.31%	6,200				Diagnostic
A.2.24.2.1	P-6	Business/Dispatch/MS(%)	Diagnostic			10.61%	66				Diagnostic
A.2.24.2.2	P-6	Business/Non-Dispatch/MS(%)	Diagnostic			9.56%	251				Diagnostic
A.2.24.3.1	P-6	Design (Specials)/Dispatch/MS(%)	Diagnostic			22.22%	9				Diagnostic
A.2.24.3.2	P-6	Design (Specials)/Non-Dispatch/MS(%)	Diagnostic			0.00%	7				Diagnostic
A.2.24.4.1	P-6	PBX/Dispatch/MS(%)	Diagnostic								Diagnostic
A.2.24.4.2	P-6	PBX/Non-Dispatch/MS(%)	Diagnostic			0.00%	9				Diagnostic
A.2.24.5.1	P-6	Centrex/Dispatch/MS(%)	Diagnostic			0.00%	1				Diagnostic
A.2.24.5.2	P-6	Centrex/Non-Dispatch/MS(%)	Diagnostic			0.00%	1				Diagnostic
A.2.24.6.1	P-6	ISDN/Dispatch/MS(%)	Diagnostic								Diagnostic
A.2.24.6.2	P-6	ISDN/Non-Dispatch/MS(%)	Diagnostic			0.00%	4				Diagnostic
	Service Order Accuracy										
A.2.25.1.1.1	P-11	Residence/<10 circuits/Dispatch/MS(%)	>= 95%			92.14%	140				NO
A.2.25.1.1.2	P-11	Residence/<10 circuits/Non-Dispatch/MS(%)	>= 95%			95.38%	130				YES
A.2.25.1.2.1	P-11	Residence/>=10 circuits/Dispatch/MS(%)	>= 95%			100.00%	19				YES
A.2.25.1.2.2	P-11	Residence/>=10 circuits/Non-Dispatch/MS(%)	>= 95%								
A.2.25.2.1.1	P-11	Business/<10 circuits/Dispatch/MS(%)	>= 95%			91.33%	150				NO
A.2.25.2.1.2	P-11	Business/<10 circuits/Non-Dispatch/MS(%)	>= 95%			93.85%	130				NO
A.2.25.2.2.1	P-11	Business/>=10 circuits/Dispatch/MS(%)	>= 95%			100.00%	10				YES
A.2.25.2.2.2	P-11	Business/>=10 circuits/Non-Dispatch/MS(%)	>= 95%			84.62%	13				NO
A.2.25.3.1.1	P-11	Design (Specials)/<10 circuits/Dispatch/MS(%)	>= 95%			81.08%	37				NO
A.2.25.3.1.2	P-11	Design (Specials)/<10 circuits/Non-Dispatch/MS(%)	>= 95%			91.84%	98				NO
A.2.25.3.2.1	P-11	Design (Specials)/>=10 circuits/Dispatch/MS(%)	>= 95%			100.00%	1				YES
A.2.25.3.2.2	P-11	Design (Specials)/>=10 circuits/Non-Dispatch/MS(%)	>= 95%			100.00%	6				YES
	Resale - Maintenance and Repair										
	Missed Repair Appointments										
A.3.1.1.1	M&R-1	Residence/Dispatch/MS(%)	Res	4.45%	21,377	0.96%	837		0.00726	4.8081	YES
A.3.1.1.2	M&R-1	Residence/Non-Dispatch/MS(%)	Res	0.80%	10,715	0.00%	174		0.00682	1.1770	YES
A.3.1.2.1	M&R-1	Business/Dispatch/MS(%)	Bus	4.13%	2,811	1.67%	120		0.01854	1.3268	YES
A.3.1.2.2	M&R-1	Business/Non-Dispatch/MS(%)	Bus	1.38%	1,453	0.00%	33		0.02051	0.6711	YES
A.3.1.3.1	M&R-1	Design (Specials)/Dispatch/MS(%)	Design	0.58%	516	0.00%	56		0.01070	0.5435	YES
A.3.1.3.2	M&R-1	Design (Specials)/Non-Dispatch/MS(%)	Design	0.19%	537	0.00%	29		0.00822	0.2266	YES
A.3.1.4.1	M&R-1	PBX/Dispatch/MS(%)	PBX	0.00%	52	0.00%	3		0.00000		YES
A.3.1.4.2	M&R-1	PBX/Non-Dispatch/MS(%)	PBX	10.71%	56	0.00%	4		0.16008	0.6693	YES
A.3.1.5.1	M&R-1	Centrex/Dispatch/MS(%)	Centrex	5.18%	367	0.00%	1		0.22187	0.2333	YES
A.3.1.5.2	M&R-1	Centrex/Non-Dispatch/MS(%)	Centrex	0.98%	204	0.00%	0				YES
A.3.1.6.1	M&R-1	ISDN/Dispatch/MS(%)	ISDN	0.00%	23	0.00%	1		0.00000		YES
A.3.1.6.2	M&R-1	ISDN/Non-Dispatch/MS(%)	ISDN	5.56%	54	0.00%	3		0.13587	0.4089	YES
	Customer Trouble Report Rate										
A.3.2.1.1	M&R-2	Residence/Dispatch/MS(%)	Res	2.39%	895,908	2.09%	40,028		0.00079	3.7387	YES
A.3.2.1.2	M&R-2	Residence/Non-Dispatch/MS(%)	Res	1.20%	895,908	0.43%	40,028		0.00056	13.6264	YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.3.2.2.1	M&R-2	Business/Dispatch/MS(%)	Bus	1.25%	224,111	1.27%	9,468		0.00118	-0.1118	YES
A.3.2.2.2	M&R-2	Business/Non-Dispatch/MS(%)	Bus	0.65%	224,111	0.35%	9,468		0.00084	3.5487	YES
A.3.2.3.1	M&R-2	Design (Specials)/Dispatch/MS(%)	Design	1.45%	35,583	2.70%	2,071		0.00272	-4.6064	NO
A.3.2.3.2	M&R-2	Design (Specials)/Non-Dispatch/MS(%)	Design	1.51%	35,583	1.40%	2,071		0.00278	0.3920	YES
A.3.2.4.1	M&R-2	PBX/Dispatch/MS(%)	PBX	0.12%	43,354	0.48%	631		0.00139	-2.5599	NO
A.3.2.4.2	M&R-2	PBX/Non-Dispatch/MS(%)	PBX	0.13%	43,354	0.63%	631		0.00144	-3.5024	NO
A.3.2.5.1	M&R-2	Centrex/Dispatch/MS(%)	Centrex	0.51%	72,237	0.12%	816		0.00251	1.5363	YES
A.3.2.5.2	M&R-2	Centrex/Non-Dispatch/MS(%)	Centrex	0.28%	72,237	0.00%	816		0.00187	1.5095	YES
A.3.2.6.1	M&R-2	ISDN/Dispatch/MS(%)	ISDN	0.03%	86,707	0.05%	2,166		0.00035	-0.5544	YES
A.3.2.6.2	M&R-2	ISDN/Non-Dispatch/MS(%)	ISDN	0.06%	86,707	0.14%	2,166		0.00054	-1.4041	YES
	Maintenance Average Duration										
A.3.3.1.1	M&R-3	Residence/Dispatch/MS(hours)	Res	21.00	21,377	16.16	837	19.744	0.69567	6.9690	YES
A.3.3.1.2	M&R-3	Residence/Non-Dispatch/MS(hours)	Res	8.26	10,715	3.52	174	13.909	1.06293	4.4571	YES
A.3.3.2.1	M&R-3	Business/Dispatch/MS(hours)	Bus	8.76	2,811	7.89	120	11.901	1.10933	0.7834	YES
A.3.3.2.2	M&R-3	Business/Non-Dispatch/MS(hours)	Bus	3.78	1,453	3.04	33	22.889	4.02944	0.1844	YES
A.3.3.3.1	M&R-3	Design (Specials)/Dispatch/MS(hours)	Design	4.77	516	4.49	56	3.632	0.51106	0.5484	YES
A.3.3.3.2	M&R-3	Design (Specials)/Non-Dispatch/MS(hours)	Design	2.37	537	2.17	29	3.243	0.61830	0.3257	YES
A.3.3.4.1	M&R-3	PBX/Dispatch/MS(hours)	PBX	6.53	52	13.52	3	5.619	3.33644	-2.0936	NO
A.3.3.4.2	M&R-3	PBX/Non-Dispatch/MS(hours)	PBX	13.16	56	0.00	4	22.010	11.39108	1.1550	YES
A.3.3.5.1	M&R-3	Centrex/Dispatch/MS(hours)	Centrex	10.35	367	21.10	1	13.494	13.51274	-0.7952	YES
A.3.3.5.2	M&R-3	Centrex/Non-Dispatch/MS(hours)	Centrex	1.89	204	0.00	0	3.914			YES
A.3.3.6.1	M&R-3	ISDN/Dispatch/MS(hours)	ISDN	4.97	23	4.20	1	3.114	3.18094	0.2417	YES
A.3.3.6.2	M&R-3	ISDN/Non-Dispatch/MS(hours)	ISDN	5.79	54	0.56	3	9.047	5.36653	0.9747	YES
	% Repeat Troubles within 30 Days										
A.3.4.1.1	M&R-4	Residence/Dispatch/MS(%)	Res	17.53%	21,377	9.80%	837		0.01340	5.7710	YES
A.3.4.1.2	M&R-4	Residence/Non-Dispatch/MS(%)	Res	14.91%	10,715	12.07%	174		0.02722	1.0449	YES
A.3.4.2.1	M&R-4	Business/Dispatch/MS(%)	Bus	12.02%	2,811	19.17%	120		0.03032	-2.3559	NO
A.3.4.2.2	M&R-4	Business/Non-Dispatch/MS(%)	Bus	13.08%	1,453	15.15%	33		0.05935	-0.3496	YES
A.3.4.3.1	M&R-4	Design (Specials)/Dispatch/MS(%)	Design	18.99%	516	39.29%	56		0.05519	-3.6773	NO
A.3.4.3.2	M&R-4	Design (Specials)/Non-Dispatch/MS(%)	Design	19.74%	537	31.03%	29		0.07588	-1.4885	YES
A.3.4.4.1	M&R-4	PBX/Dispatch/MS(%)	PBX	7.69%	52	0.00%	3		0.15822	0.4862	YES
A.3.4.4.2	M&R-4	PBX/Non-Dispatch/MS(%)	PBX	5.36%	56	0.00%	4		0.11654	0.4597	YES
A.3.4.5.1	M&R-4	Centrex/Dispatch/MS(%)	Centrex	12.26%	367	0.00%	1		0.32844	0.3733	YES
A.3.4.5.2	M&R-4	Centrex/Non-Dispatch/MS(%)	Centrex	8.82%	204	0.00%	0				YES
A.3.4.6.1	M&R-4	ISDN/Dispatch/MS(%)	ISDN	0.00%	23	0.00%	1		0.00000		YES
A.3.4.6.2	M&R-4	ISDN/Non-Dispatch/MS(%)	ISDN	9.26%	54	33.33%	3		0.17194	-1.4002	YES
	Out of Service > 24 hours										
A.3.5.1.1	M&R-5	Residence/Dispatch/MS(%)	Res	29.13%	13,726	22.68%	657		0.01815	3.5575	YES
A.3.5.1.2	M&R-5	Residence/Non-Dispatch/MS(%)	Res	14.96%	3,556	3.85%	78		0.04083	2.7223	YES
A.3.5.2.1	M&R-5	Business/Dispatch/MS(%)	Bus	4.56%	1,645	0.00%	66		0.02619	1.7410	YES
A.3.5.2.2	M&R-5	Business/Non-Dispatch/MS(%)	Bus	1.51%	529	0.00%	10		0.03896	0.3882	YES
A.3.5.3.1	M&R-5	Design (Specials)/Dispatch/MS(%)	Design	0.58%	516	0.00%	56		0.01070	0.5435	YES
A.3.5.3.2	M&R-5	Design (Specials)/Non-Dispatch/MS(%)	Design	0.19%	537	0.00%	29		0.00822	0.2266	YES
A.3.5.4.1	M&R-5	PBX/Dispatch/MS(%)	PBX	0.00%	42	0.00%	2		0.00000		YES
A.3.5.4.2	M&R-5	PBX/Non-Dispatch/MS(%)	PBX	11.32%	53	0.00%	0				YES
A.3.5.5.1	M&R-5	Centrex/Dispatch/MS(%)	Centrex	5.77%	208	0.00%	0				YES
A.3.5.5.2	M&R-5	Centrex/Non-Dispatch/MS(%)	Centrex	1.33%	75	0.00%	0				YES
A.3.5.6.1	M&R-5	ISDN/Dispatch/MS(%)	ISDN	0.00%	23	0.00%	1		0.00000		YES
A.3.5.6.2	M&R-5	ISDN/Non-Dispatch/MS(%)	ISDN	5.56%	54	0.00%	3		0.13587	0.4089	YES
	Resale - Billing										
	Invoice Accuracy										
A.4.1	B-1	MS(%)	BST - State	98.86%	$114,131,850	99.34%	$2,959,718		0.00006	-76.6809	YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Mean Time to Deliver Invoices - CRIS										
A.4.2	B-2	Region(business days)	BST - Region	3.68	1	3.56	1,845				YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Unbundled Network Elements - Ordering										
	% Rejected Service Requests - Mechanized										
B.1.1.1	O-7	Switch Ports/MS(%)	Diagnostic								Diagnostic
B.1.1.2	O-7	Local Interoffice Transport/MS(%)	Diagnostic								Diagnostic
B.1.1.3	O-7	Loop + Port Combinations/MS(%)	Diagnostic			11.27%	8,224				Diagnostic
B.1.1.4	O-7	Combo Other/MS(%)	Diagnostic								Diagnostic
B.1.1.5	O-7	xDSL (ADSL, HDSL and UCL)/MS(%)	Diagnostic			13.33%	45				Diagnostic
B.1.1.6	O-7	ISDN Loop (UDN, UDC)/MS(%)	Diagnostic			66.67%	3				Diagnostic
B.1.1.7	O-7	Line Sharing/MS(%)	Diagnostic								Diagnostic
B.1.1.8	O-7	2W Analog Loop Design/MS(%)	Diagnostic			35.71%	14				Diagnostic
B.1.1.9	O-7	2W Analog Loop Non-Design/MS(%)	Diagnostic			0.00%	10				Diagnostic
B.1.1.10	O-7	2W Analog Loop w/INP Design/MS(%)	Diagnostic								Diagnostic
B.1.1.11	O-7	2W Analog Loop w/INP Non-Design/MS(%)	Diagnostic								Diagnostic
B.1.1.12	O-13	2W Analog Loop w/LNP Design/MS(%)	Diagnostic								Diagnostic
B.1.1.13	O-13	2W Analog Loop w/LNP Non-Design/MS(%)	Diagnostic								Diagnostic
B.1.1.14	O-7	Other Design/MS(%)	Diagnostic			9.00%	100				Diagnostic
B.1.1.15	O-7	Other Non-Design/MS(%)	Diagnostic			20.00%	85				Diagnostic
B.1.1.16	O-7	INP Standalone/MS(%)	Diagnostic								Diagnostic
B.1.1.17	O-13	LNP Standalone/MS(%)	Diagnostic			7.69%	52				Diagnostic
	% Rejected Service Requests - Partially Mechanized										
B.1.2.1	O-7	Switch Ports/MS(%)	Diagnostic								Diagnostic
B.1.2.2	O-7	Local Interoffice Transport/MS(%)	Diagnostic								Diagnostic
B.1.2.3	O-7	Loop + Port Combinations/MS(%)	Diagnostic			33.16%	1,894				Diagnostic
B.1.2.4	O-7	Combo Other/MS(%)	Diagnostic								Diagnostic
B.1.2.5	O-7	xDSL (ADSL, HDSL and UCL)/MS(%)	Diagnostic			0.00%	8				Diagnostic
B.1.2.6	O-7	ISDN Loop (UDN, UDC)/MS(%)	Diagnostic			33.33%	72				Diagnostic
B.1.2.7	O-7	Line Sharing/MS(%)	Diagnostic								Diagnostic
B.1.2.8	O-7	2W Analog Loop Design/MS(%)	Diagnostic			21.43%	14				Diagnostic
B.1.2.9	O-7	2W Analog Loop Non-Design/MS(%)	Diagnostic			0.00%	7				Diagnostic
B.1.2.10	O-7	2W Analog Loop w/INP Design/MS(%)	Diagnostic								Diagnostic
B.1.2.11	O-7	2W Analog Loop w/INP Non-Design/MS(%)	Diagnostic								Diagnostic
B.1.2.12	O-13	2W Analog Loop w/LNP Design/MS(%)	Diagnostic			0.00%	6				Diagnostic
B.1.2.13	O-13	2W Analog Loop w/LNP Non-Design/MS(%)	Diagnostic								Diagnostic
B.1.2.14	O-7	Other Design/MS(%)	Diagnostic			35.71%	28				Diagnostic
B.1.2.15	O-7	Other Non-Design/MS(%)	Diagnostic			24.44%	45				Diagnostic
B.1.2.16	O-7	INP Standalone/MS(%)	Diagnostic								Diagnostic
B.1.2.17	O-13	LNP Standalone/MS(%)	Diagnostic			12.00%	25				Diagnostic
	% Rejected Service Requests - Non-Mechanized										
B.1.3.1	O-7	Switch Ports/MS(%)	Diagnostic								Diagnostic
B.1.3.2	O-7	Local Interoffice Transport/MS(%)	Diagnostic			0.00%	1				Diagnostic
B.1.3.3	O-7	Loop + Port Combinations/MS(%)	Diagnostic			43.88%	98				Diagnostic
B.1.3.4	O-7	Combo Other/MS(%)	Diagnostic								Diagnostic
B.1.3.5	O-7	xDSL (ADSL, HDSL and UCL)/MS(%)	Diagnostic			10.00%	10				Diagnostic
B.1.3.6	O-7	ISDN Loop (UDN, UDC)/MS(%)	Diagnostic			60.00%	15				Diagnostic
B.1.3.7	O-7	Line Sharing/MS(%)	Diagnostic								Diagnostic
B.1.3.8	O-7	2W Analog Loop Design/MS(%)	Diagnostic			30.77%	26				Diagnostic
B.1.3.9	O-7	2W Analog Loop Non-Design/MS(%)	Diagnostic			0.00%	2				Diagnostic
B.1.3.10	O-7	2W Analog Loop w/INP Design/MS(%)	Diagnostic								Diagnostic
B.1.3.11	O-7	2W Analog Loop w/INP Non-Design/MS(%)	Diagnostic								Diagnostic
B.1.3.12	O-13	2W Analog Loop w/LNP Design/MS(%)	Diagnostic			75.00%	12				Diagnostic
B.1.3.13	O-13	2W Analog Loop w/LNP Non-Design/MS(%)	Diagnostic			44.19%	43				Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.1.3.14	O-7	Other Design/MS(%)	Diagnostic			37.84%	37				Diagnostic
B.1.3.15	O-7	Other Non-Design/MS(%)	Diagnostic			42.70%	178				Diagnostic
B.1.3.16	O-7	INP Standalone/MS(%)	Diagnostic			33.33%	6				Diagnostic
B.1.3.17	O-13	LNP Standalone/MS(%)	Diagnostic			31.17%	77				Diagnostic
	Reject Interval - Mechanized										
B.1.4.1	O-8	Switch Ports/MS(%)	>= 97% w in 1 hr								
B.1.4.2	O-8	Local Interoffice Transport/MS(%)	>= 97% w in 1 hr								
B.1.4.3	O-8	Loop + Port Combinations/MS(%)	>= 97% w in 1 hr			90.44%	931				NO
B.1.4.4	O-8	Combo Other/MS(%)	>= 97% w in 1 hr								
B.1.4.5	O-8	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 97% w in 1 hr			100.00%	6				YES
B.1.4.6	O-8	ISDN Loop (UDN, UDC)/MS(%)	>= 97% w in 1 hr			0.00%	2				NO
B.1.4.7	O-8	Line Sharing/MS(%)	>= 97% w in 1 hr								
B.1.4.8	O-8	2W Analog Loop Design/MS(%)	>= 97% w in 1 hr			100.00%	5				YES
B.1.4.9	O-8	2W Analog Loop Non-Design/MS(%)	>= 97% w in 1 hr								
B.1.4.10	O-8	2W Analog Loop w/INP Design/MS(%)	>= 97% w in 1 hr								
B.1.4.11	O-8	2W Analog Loop w/INP Non-Design/MS(%)	>= 97% w in 1 hr								
B.1.4.12	O-14	2W Analog Loop w/LNP Design/MS(%)	>= 97% w in 1 hr								
B.1.4.13	O-14	2W Analog Loop w/LNP Non-Design/MS(%)	>= 97% w in 1 hr								
B.1.4.14	O-8	Other Design/MS(%)	>= 97% w in 1 hr			77.78%	9				NO
B.1.4.15	O-8	Other Non-Design/MS(%)	>= 97% w in 1 hr			70.59%	17				NO
B.1.4.16	O-8	INP Standalone/MS(%)	>= 97% w in 1 hr								
B.1.4.17	O-14	LNP Standalone/MS(%)	>= 97% w in 1 hr			100.00%	4				YES
	Reject Interval - Partially Mechanized - 10 hours										
B.1.7.1	O-8	Switch Ports/MS(%)	>= 85% w in 10 hrs								
B.1.7.2	O-8	Local Interoffice Transport/MS(%)	>= 85% w in 10 hrs								
B.1.7.3	O-8	Loop + Port Combinations/MS(%)	>= 85% w in 10 hrs			97.01%	636				YES
B.1.7.4	O-8	Combo Other/MS(%)	>= 85% w in 10 hrs								
B.1.7.5	O-8	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 85% w in 10 hrs								
B.1.7.6	O-8	ISDN Loop (UDN, UDC)/MS(%)	>= 85% w in 10 hrs			77.78%	27				NO
B.1.7.7	O-8	Line Sharing/MS(%)	>= 85% w in 10 hrs								
B.1.7.8	O-8	2W Analog Loop Design/MS(%)	>= 85% w in 10 hrs			100.00%	3				YES
B.1.7.9	O-8	2W Analog Loop Non-Design/MS(%)	>= 85% w in 10 hrs								
B.1.7.10	O-8	2W Analog Loop w/INP Design/MS(%)	>= 85% w in 10 hrs								
B.1.7.11	O-8	2W Analog Loop w/INP Non-Design/MS(%)	>= 85% w in 10 hrs								
B.1.7.12	O-14	2W Analog Loop w/LNP Design/MS(%)	>= 85% w in 10 hrs								
B.1.7.13	O-14	2W Analog Loop w/LNP Non-Design/MS(%)	>= 85% w in 10 hrs								
B.1.7.14	O-8	Other Design/MS(%)	>= 85% w in 10 hrs			100.00%	11				YES
B.1.7.15	O-8	Other Non-Design/MS(%)	>= 85% w in 10 hrs			90.91%	11				YES
B.1.7.16	O-8	INP Standalone/MS(%)	>= 85% w in 10 hrs								
B.1.7.17	O-14	LNP Standalone/MS(%)	>= 85% w in 10 hrs			25.00%	4				NO
	Reject Interval - Non-Mechanized										
B.1.8.1	O-8	Switch Ports/MS(%)	>= 85% w in 24 hrs								
B.1.8.2	O-8	Local Interoffice Transport/MS(%)	>= 85% w in 24 hrs								
B.1.8.3	O-8	Loop + Port Combinations/MS(%)	>= 85% w in 24 hrs			100.00%	44				YES
B.1.8.4	O-8	Combo Other/MS(%)	>= 85% w in 24 hrs								
B.1.8.5	O-8	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 85% w in 24 hrs			100.00%	1				YES
B.1.8.6	O-8	ISDN Loop (UDN, UDC)/MS(%)	>= 85% w in 24 hrs			88.89%	9				YES
B.1.8.7	O-8	Line Sharing/MS(%)	>= 85% w in 24 hrs								
B.1.8.8	O-8	2W Analog Loop Design/MS(%)	>= 85% w in 24 hrs			100.00%	8				YES
B.1.8.9	O-8	2W Analog Loop Non-Design/MS(%)	>= 85% w in 24 hrs								
B.1.8.10	O-8	2W Analog Loop w/INP Design/MS(%)	>= 85% w in 24 hrs								
B.1.8.11	O-8	2W Analog Loop w/INP Non-Design/MS(%)	>= 85% w in 24 hrs								
B.1.8.12	O-14	2W Analog Loop w/LNP Design/MS(%)	>= 85% w in 24 hrs			100.00%	9				YES
B.1.8.13	O-14	2W Analog Loop w/LNP Non-Design/MS(%)	>= 85% w in 24 hrs			100.00%	20				YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.1.8.14	O-8	Other Design/MS(%)	>= 85% w in 24 hrs			100.00%	14				YES
B.1.8.15	O-8	Other Non-Design/MS(%)	>= 85% w in 24 hrs			97.44%	78				YES
B.1.8.16	O-8	INP Standalone/MS(%)	>= 85% w in 24 hrs			100.00%	2				YES
B.1.8.17	O-14	LNP Standalone/MS(%)	>= 85% w in 24 hrs			100.00%	24				YES
	FOC Timeliness - Mechanized										
B.1.9.1	O-9	Switch Ports/MS(%)	>= 95% w in 3 hrs								
B.1.9.2	O-9	Local Interoffice Transport/MS(%)	>= 95% w in 3 hrs								
B.1.9.3	O-9	Loop + Port Combinations/MS(%)	>= 95% w in 3 hrs			99.41%	7,309				YES
B.1.9.4	O-9	Combo Other/MS(%)	>= 95% w in 3 hrs								
B.1.9.5	O-9	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 95% w in 3 hrs			100.00%	38				YES
B.1.9.6	O-9	ISDN Loop (UDN, UDC)/MS(%)	>= 95% w in 3 hrs			100.00%	1				YES
B.1.9.7	O-9	Line Sharing/MS(%)	>= 95% w in 3 hrs								
B.1.9.8	O-9	2W Analog Loop Design/MS(%)	>= 95% w in 3 hrs			100.00%	9				YES
B.1.9.9	O-9	2W Analog Loop Non-Design/MS(%)	>= 95% w in 3 hrs			100.00%	10				YES
B.1.9.10	O-9	2W Analog Loop w/INP Design/MS(%)	>= 95% w in 3 hrs								
B.1.9.11	O-9	2W Analog Loop w/INP Non-Design/MS(%)	>= 95% w in 3 hrs								
B.1.9.12	O-15	2W Analog Loop w/LNP Design/MS(%)	>= 95% w in 3 hrs								
B.1.9.13	O-15	2W Analog Loop w/LNP Non-Design/MS(%)	>= 95% w in 3 hrs								
B.1.9.14	O-9	Other Design/MS(%)	>= 95% w in 3 hrs			100.00%	91				YES
B.1.9.15	O-9	Other Non-Design/MS(%)	>= 95% w in 3 hrs			52.11%	71				NO
B.1.9.16	O-9	INP Standalone/MS(%)	>= 95% w in 3 hrs								
B.1.9.17	O-15	LNP Standalone/MS(%)	>= 95% w in 3 hrs			100.00%	47				YES
	FOC Timeliness - Partially Mechanized - 10 hours										
B.1.12.1	O-9	Switch Ports/MS(%)	>= 85% w in 10 hrs								
B.1.12.2	O-9	Local Interoffice Transport/MS(%)	>= 85% w in 10 hrs								
B.1.12.3	O-9	Loop + Port Combinations/MS(%)	>= 85% w in 10 hrs			94.65%	1,384				YES
B.1.12.4	O-9	Combo Other/MS(%)	>= 85% w in 10 hrs								
B.1.12.5	O-9	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 85% w in 10 hrs			57.14%	7				NO
B.1.12.6	O-9	ISDN Loop (UDN, UDC)/MS(%)	>= 85% w in 10 hrs			89.58%	48				YES
B.1.12.7	O-9	Line Sharing/MS(%)	>= 85% w in 10 hrs								
B.1.12.8	O-9	2W Analog Loop Design/MS(%)	>= 85% w in 10 hrs			90.91%	11				YES
B.1.12.9	O-9	2W Analog Loop Non-Design/MS(%)	>= 85% w in 10 hrs			100.00%	8				YES
B.1.12.10	O-9	2W Analog Loop w/INP Design/MS(%)	>= 85% w in 10 hrs								
B.1.12.11	O-9	2W Analog Loop w/INP Non-Design/MS(%)	>= 85% w in 10 hrs								
B.1.12.12	O-15	2W Analog Loop w/LNP Design/MS(%)	>= 85% w in 10 hrs			100.00%	7				YES
B.1.12.13	O-15	2W Analog Loop w/LNP Non-Design/MS(%)	>= 85% w in 10 hrs								
B.1.12.14	O-9	Other Design/MS(%)	>= 85% w in 10 hrs			100.00%	16				YES
B.1.12.15	O-9	Other Non-Design/MS(%)	>= 85% w in 10 hrs			25.00%	32				NO
B.1.12.16	O-9	INP Standalone/MS(%)	>= 85% w in 10 hrs								
B.1.12.17	O-15	LNP Standalone/MS(%)	>= 85% w in 10 hrs			95.45%	22				YES
	FOC Timeliness - Non-Mechanized										
B.1.13.1	O-9	Switch Ports/MS(%)	>= 85% w in 36 hrs								
B.1.13.2	O-9	Local Interoffice Transport/MS(%)	>= 85% w in 36 hrs			100.00%	1				YES
B.1.13.3	O-9	Loop + Port Combinations/MS(%)	>= 85% w in 36 hrs			100.00%	54				YES
B.1.13.4	O-9	Combo Other/MS(%)	>= 85% w in 36 hrs								
B.1.13.5	O-9	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 85% w in 36 hrs			100.00%	10				YES
B.1.13.6	O-9	ISDN Loop (UDN, UDC)/MS(%)	>= 85% w in 36 hrs			100.00%	6				YES
B.1.13.7	O-9	Line Sharing/MS(%)	>= 85% w in 36 hrs								
B.1.13.8	O-9	2W Analog Loop Design/MS(%)	>= 85% w in 36 hrs			100.00%	16				YES
B.1.13.9	O-9	2W Analog Loop Non-Design/MS(%)	>= 85% w in 36 hrs			100.00%	2				YES
B.1.13.10	O-9	2W Analog Loop w/INP Design/MS(%)	>= 85% w in 36 hrs								
B.1.13.11	O-9	2W Analog Loop w/INP Non-Design/MS(%)	>= 85% w in 36 hrs								
B.1.13.12	O-15	2W Analog Loop w/LNP Design/MS(%)	>= 85% w in 36 hrs			100.00%	3				YES
B.1.13.13	O-15	2W Analog Loop w/LNP Non-Design/MS(%)	>= 85% w in 36 hrs			100.00%	25				YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.1.13.14	O-9	Other Design/MS(%)	>= 85% w in 36 hrs			100.00%	19				YES
B.1.13.15	O-9	Other Non-Design/MS(%)	>= 85% w in 36 hrs			100.00%	104				YES
B.1.13.16	O-9	INP Standalone/MS(%)	>= 85% w in 36 hrs			100.00%	2				YES
B.1.13.17	O-15	LNP Standalone/MS(%)	>= 85% w in 36 hrs			100.00%	43				YES
	FOC & Reject Response Completeness - Mechanized										
B.1.14.1.1	O-11	Switch Ports/EDI/MS(%)	>= 95%								
B.1.14.1.2	O-11	Switch Ports/TAG/MS(%)	>= 95%								
B.1.14.2.1	O-11	Local Interoffice Transport/EDI/MS(%)	>= 95%								
B.1.14.2.2	O-11	Local Interoffice Transport/TAG/MS(%)	>= 95%								
B.1.14.3.1	O-11	Loop + Port Combinations/EDI/MS(%)	>= 95%			100.00%	330				YES
B.1.14.3.2	O-11	Loop + Port Combinations/TAG/MS(%)	>= 95%			99.62%	7,894				YES
B.1.14.4.1	O-11	Combo Other/EDI/MS(%)	>= 95%								
B.1.14.4.2	O-11	Combo Other/TAG/MS(%)	>= 95%								
B.1.14.5.1	O-11	xDSL (ADSL, HDSL and UCL)/EDI/MS(%)	>= 95%			97.78%	45				YES
B.1.14.5.2	O-11	xDSL (ADSL, HDSL and UCL)/TAG/MS(%)	>= 95%								
B.1.14.6.1	O-11	ISDN Loop (UDN, UDC)/EDI/MS(%)	>= 95%			100.00%	3				YES
B.1.14.6.2	O-11	ISDN Loop (UDN, UDC)/TAG/MS(%)	>= 95%								
B.1.14.7.1	O-11	Line Sharing/EDI/MS(%)	>= 95%								
B.1.14.7.2	O-11	Line Sharing/TAG/MS(%)	>= 95%								
B.1.14.8.1	O-11	2W Analog Loop Design/EDI/MS(%)	>= 95%								
B.1.14.8.2	O-11	2W Analog Loop Design/TAG/MS(%)	>= 95%			100.00%	14				YES
B.1.14.9.1	O-11	2W Analog Loop Non-Design/EDI/MS(%)	>= 95%								
B.1.14.9.2	O-11	2W Analog Loop Non-Design/TAG/MS(%)	>= 95%			100.00%	10				YES
B.1.14.10.1	O-11	2W Analog Loop w/INP Design/EDI/MS(%)	>= 95%								
B.1.14.10.2	O-11	2W Analog Loop w/INP Design/TAG/MS(%)	>= 95%								
B.1.14.11.1	O-11	2W Analog Loop w/INP Non-Design/EDI/MS(%)	>= 95%								
B.1.14.11.2	O-11	2W Analog Loop w/INP Non-Design/TAG/MS(%)	>= 95%								
B.1.14.12.1	O-11	2W Analog Loop w/LNP Design/EDI/MS(%)	>= 95%								
B.1.14.12.2	O-11	2W Analog Loop w/LNP Design/TAG/MS(%)	>= 95%								
B.1.14.13.1	O-11	2W Analog Loop w/LNP Non-Design/EDI/MS(%)	>= 95%								
B.1.14.13.2	O-11	2W Analog Loop w/LNP Non-Design/TAG/MS(%)	>= 95%								
B.1.14.14.1	O-11	Other Design/EDI/MS(%)	>= 95%			98.95%	95				YES
B.1.14.14.2	O-11	Other Design/TAG/MS(%)	>= 95%			100.00%	5				YES
B.1.14.15.1	O-11	Other Non-Design/EDI/MS(%)	>= 95%								
B.1.14.15.2	O-11	Other Non-Design/TAG/MS(%)	>= 95%			90.59%	85				NO
B.1.14.16.1	O-11	INP Standalone/EDI/MS(%)	>= 95%								
B.1.14.16.2	O-11	INP Standalone/TAG/MS(%)	>= 95%								
B.1.14.17.1	O-11	LNP Standalone/EDI/MS(%)	>= 95%			100.00%	49				YES
B.1.14.17.2	O-11	LNP Standalone/TAG/MS(%)	>= 95%			66.67%	3				NO
	FOC & Reject Response Completeness - Partially Mechanized										
B.1.15.1.1	O-11	Switch Ports/EDI/MS(%)	>= 95%								
B.1.15.1.2	O-11	Switch Ports/TAG/MS(%)	>= 95%								
B.1.15.2.1	O-11	Local Interoffice Transport/EDI/MS(%)	>= 95%								
B.1.15.2.2	O-11	Local Interoffice Transport/TAG/MS(%)	>= 95%								
B.1.15.3.1	O-11	Loop + Port Combinations/EDI/MS(%)	>= 95%			100.00%	233				YES
B.1.15.3.2	O-11	Loop + Port Combinations/TAG/MS(%)	>= 95%			99.40%	1,661				YES
B.1.15.4.1	O-11	Combo Other/EDI/MS(%)	>= 95%								
B.1.15.4.2	O-11	Combo Other/TAG/MS(%)	>= 95%								
B.1.15.5.1	O-11	xDSL (ADSL, HDSL and UCL)/EDI/MS(%)	>= 95%			87.50%	8				NO
B.1.15.5.2	O-11	xDSL (ADSL, HDSL and UCL)/TAG/MS(%)	>= 95%								
B.1.15.6.1	O-11	ISDN Loop (UDN, UDC)/EDI/MS(%)	>= 95%			100.00%	49				YES
B.1.15.6.2	O-11	ISDN Loop (UDN, UDC)/TAG/MS(%)	>= 95%			95.65%	23				YES
B.1.15.7.1	O-11	Line Sharing/EDI/MS(%)	>= 95%								
B.1.15.7.2	O-11	Line Sharing/TAG/MS(%)	>= 95%								

BellSouth Monthly State Summary

Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.1.15.8.1	O-11	2W Analog Loop Design/EDI/MS(%)	>= 95%								
B.1.15.8.2	O-11	2W Analog Loop Design/TAG/MS(%)	>= 95%			100.00%	14				YES
B.1.15.9.1	O-11	2W Analog Loop Non-Design/EDI/MS(%)	>= 95%								
B.1.15.9.2	O-11	2W Analog Loop Non-Design/TAG/MS(%)	>= 95%			100.00%	7				YES
B.1.15.10.1	O-11	2W Analog Loop w/INP Design/EDI/MS(%)	>= 95%								
B.1.15.10.2	O-11	2W Analog Loop w/INP Design/TAG/MS(%)	>= 95%								
B.1.15.11.1	O-11	2W Analog Loop w/INP Non-Design/EDI/MS(%)	>= 95%								
B.1.15.11.2	O-11	2W Analog Loop w/INP Non-Design/TAG/MS(%)	>= 95%								
B.1.15.12.1	O-11	2W Analog Loop w/LNP Design/EDI/MS(%)	>= 95%								
B.1.15.12.2	O-11	2W Analog Loop w/LNP Design/TAG/MS(%)	>= 95%			100.00%	6				YES
B.1.15.13.1	O-11	2W Analog Loop w/LNP Non-Design/EDI/MS(%)	>= 95%								
B.1.15.13.2	O-11	2W Analog Loop w/LNP Non-Design/TAG/MS(%)	>= 95%								
B.1.15.14.1	O-11	Other Design/EDI/MS(%)	>= 95%			100.00%	23				YES
B.1.15.14.2	O-11	Other Design/TAG/MS(%)	>= 95%			100.00%	5				YES
B.1.15.15.1	O-11	Other Non-Design/EDI/MS(%)	>= 95%								
B.1.15.15.2	O-11	Other Non-Design/TAG/MS(%)	>= 95%			86.67%	45				NO
B.1.15.16.1	O-11	INP Standalone/EDI/MS(%)	>= 95%								
B.1.15.16.2	O-11	INP Standalone/TAG/MS(%)	>= 95%								
B.1.15.17.1	O-11	LNP Standalone/EDI/MS(%)	>= 95%			100.00%	21				YES
B.1.15.17.2	O-11	LNP Standalone/TAG/MS(%)	>= 95%			100.00%	4				YES
	FOC & Reject Response Completeness - Non-Mechanized										
B.1.16.1	O-11	Switch Ports/MS(%)	>= 95%								
B.1.16.2	O-11	Local Interoffice Transport/MS(%)	>= 95%			100.00%	1				YES
B.1.16.3	O-11	Loop + Port Combinations/MS(%)	>= 95%			96.94%	98				YES
B.1.16.4	O-11	Combo Other/MS(%)	>= 95%								
B.1.16.5	O-11	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 95%			100.00%	10				YES
B.1.16.6	O-11	ISDN Loop (UDN, UDC)/MS(%)	>= 95%			100.00%	15				YES
B.1.16.7	O-11	Line Sharing/MS(%)	>= 95%								
B.1.16.8	O-11	2W Analog Loop Design/MS(%)	>= 95%			96.15%	26				YES
B.1.16.9	O-11	2W Analog Loop Non-Design/MS(%)	>= 95%			100.00%	2				YES
B.1.16.10	O-11	2W Analog Loop w/INP Design/MS(%)	>= 95%								
B.1.16.11	O-11	2W Analog Loop w/INP Non-Design/MS(%)	>= 95%								
B.1.16.12	O-11	2W Analog Loop w/LNP Design/MS(%)	>= 95%			100.00%	12				YES
B.1.16.13	O-11	2W Analog Loop w/LNP Non-Design/MS(%)	>= 95%			100.00%	43				YES
B.1.16.14	O-11	Other Design/MS(%)	>= 95%			100.00%	37				YES
B.1.16.15	O-11	Other Non-Design/MS(%)	>= 95%			97.19%	178				YES
B.1.16.16	O-11	INP Standalone/MS(%)	>= 95%			100.00%	6				YES
B.1.16.17	O-11	LNP Standalone/MS(%)	>= 95%			100.00%	77				YES
	FOC & Reject Response Completeness (Multiple Responses) - Mechanized										
B.1.17.1.1	O-11	Switch Ports/EDI/MS(%)	>= 95%								
B.1.17.1.2	O-11	Switch Ports/TAG/MS(%)	>= 95%								
B.1.17.2.1	O-11	Local Interoffice Transport/EDI/MS(%)	>= 95%								
B.1.17.2.2	O-11	Local Interoffice Transport/TAG/MS(%)	>= 95%								
B.1.17.3.1	O-11	Loop + Port Combinations/EDI/MS(%)	>= 95%			99.09%	330				YES
B.1.17.3.2	O-11	Loop + Port Combinations/TAG/MS(%)	>= 95%			99.40%	7,864				YES
B.1.17.4.1	O-11	Combo Other/EDI/MS(%)	>= 95%								
B.1.17.4.2	O-11	Combo Other/TAG/MS(%)	>= 95%								
B.1.17.5.1	O-11	xDSL (ADSL, HDSL and UCL)/EDI/MS(%)	>= 95%			100.00%	44				YES
B.1.17.5.2	O-11	xDSL (ADSL, HDSL and UCL)/TAG/MS(%)	>= 95%								
B.1.17.6.1	O-11	ISDN Loop (UDN, UDC)/EDI/MS(%)	>= 95%			100.00%	3				YES
B.1.17.6.2	O-11	ISDN Loop (UDN, UDC)/TAG/MS(%)	>= 95%								
B.1.17.7.1	O-11	Line Sharing/EDI/MS(%)	>= 95%								
B.1.17.7.2	O-11	Line Sharing/TAG/MS(%)	>= 95%								
B.1.17.8.1	O-11	2W Analog Loop Design/EDI/MS(%)	>= 95%								

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.1.17.8.2	O-11	2W Analog Loop Design/TAG/MS(%)	>= 95%			100.00%	14				YES
B.1.17.9.1	O-11	2W Analog Loop Non-Design/EDI/MS(%)	>= 95%								
B.1.17.9.2	O-11	2W Analog Loop Non-Design/TAG/MS(%)	>= 95%			100.00%	10				YES
B.1.17.10.1	O-11	2W Analog Loop w/INP Design/EDI/MS(%)	>= 95%								
B.1.17.10.2	O-11	2W Analog Loop w/INP Design/TAG/MS(%)	>= 95%								
B.1.17.11.1	O-11	2W Analog Loop w/INP Non-Design/EDI/MS(%)	>= 95%								
B.1.17.11.2	O-11	2W Analog Loop w/INP Non-Design/TAG/MS(%)	>= 95%								
B.1.17.12.1	O-11	2W Analog Loop w/LNP Design/EDI/MS(%)	>= 95%								
B.1.17.12.2	O-11	2W Analog Loop w/LNP Design/TAG/MS(%)	>= 95%								
B.1.17.13.1	O-11	2W Analog Loop w/LNP Non-Design/EDI/MS(%)	>= 95%								
B.1.17.13.2	O-11	2W Analog Loop w/LNP Non-Design/TAG/MS(%)	>= 95%								
B.1.17.14.1	O-11	Other Design/EDI/MS(%)	>= 95%			98.94%	94				YES
B.1.17.14.2	O-11	Other Design/TAG/MS(%)	>= 95%			100.00%	5				YES
B.1.17.15.1	O-11	Other Non-Design/EDI/MS(%)	>= 95%								
B.1.17.15.2	O-11	Other Non-Design/TAG/MS(%)	>= 95%			94.81%	77				NO
B.1.17.16.1	O-11	INP Standalone/EDI/MS(%)	>= 95%								
B.1.17.16.2	O-11	INP Standalone/TAG/MS(%)	>= 95%								
B.1.17.17.1	O-11	LNP Standalone/EDI/MS(%)	>= 95%			100.00%	49				YES
B.1.17.17.2	O-11	LNP Standalone/TAG/MS(%)	>= 95%			100.00%	2				YES
	FOC & Reject Response Completeness (Multiple Responses) - Partially Mechanized										
B.1.18.1.1	O-11	Switch Ports/EDI/MS(%)	>= 95%								
B.1.18.1.2	O-11	Switch Ports/TAG/MS(%)	>= 95%								
B.1.18.2.1	O-11	Local Interoffice Transport/EDI/MS(%)	>= 95%								
B.1.18.2.2	O-11	Local Interoffice Transport/TAG/MS(%)	>= 95%								
B.1.18.3.1	O-11	Loop + Port Combinations/EDI/MS(%)	>= 95%			93.56%	233				NO
B.1.18.3.2	O-11	Loop + Port Combinations/TAG/MS(%)	>= 95%			89.40%	1,651				NO
B.1.18.4.1	O-11	Combo Other/EDI/MS(%)	>= 95%								
B.1.18.4.2	O-11	Combo Other/TAG/MS(%)	>= 95%								
B.1.18.5.1	O-11	xDSL (ADSL, HDSL and UCL)/EDI/MS(%)	>= 95%			100.00%	7				YES
B.1.18.5.2	O-11	xDSL (ADSL, HDSL and UCL)/TAG/MS(%)	>= 95%								
B.1.18.6.1	O-11	ISDN Loop (UDN, UDC)/EDI/MS(%)	>= 95%			97.96%	49				YES
B.1.18.6.2	O-11	ISDN Loop (UDN, UDC)/TAG/MS(%)	>= 95%			68.18%	22				NO
B.1.18.7.1	O-11	Line Sharing/EDI/MS(%)	>= 95%								
B.1.18.7.2	O-11	Line Sharing/TAG/MS(%)	>= 95%								
B.1.18.8.1	O-11	2W Analog Loop Design/EDI/MS(%)	>= 95%								
B.1.18.8.2	O-11	2W Analog Loop Design/TAG/MS(%)	>= 95%			92.86%	14				NO
B.1.18.9.1	O-11	2W Analog Loop Non-Design/EDI/MS(%)	>= 95%								
B.1.18.9.2	O-11	2W Analog Loop Non-Design/TAG/MS(%)	>= 95%			100.00%	7				YES
B.1.18.10.1	O-11	2W Analog Loop w/INP Design/EDI/MS(%)	>= 95%								
B.1.18.10.2	O-11	2W Analog Loop w/INP Design/TAG/MS(%)	>= 95%								
B.1.18.11.1	O-11	2W Analog Loop w/INP Non-Design/EDI/MS(%)	>= 95%								
B.1.18.11.2	O-11	2W Analog Loop w/INP Non-Design/TAG/MS(%)	>= 95%								
B.1.18.12.1	O-11	2W Analog Loop w/LNP Design/EDI/MS(%)	>= 95%								
B.1.18.12.2	O-11	2W Analog Loop w/LNP Design/TAG/MS(%)	>= 95%			33.33%	6				NO
B.1.18.13.1	O-11	2W Analog Loop w/LNP Non-Design/EDI/MS(%)	>= 95%								
B.1.18.13.2	O-11	2W Analog Loop w/LNP Non-Design/TAG/MS(%)	>= 95%								
B.1.18.14.1	O-11	Other Design/EDI/MS(%)	>= 95%			100.00%	23				YES
B.1.18.14.2	O-11	Other Design/TAG/MS(%)	>= 95%			100.00%	5				YES
B.1.18.15.1	O-11	Other Non-Design/EDI/MS(%)	>= 95%								
B.1.18.15.2	O-11	Other Non-Design/TAG/MS(%)	>= 95%			87.18%	39				NO
B.1.18.16.1	O-11	INP Standalone/EDI/MS(%)	>= 95%								
B.1.18.16.2	O-11	INP Standalone/TAG/MS(%)	>= 95%								
B.1.18.17.1	O-11	LNP Standalone/EDI/MS(%)	>= 95%			33.33%	21				NO
B.1.18.17.2	O-11	LNP Standalone/TAG/MS(%)	>= 95%			100.00%	4				YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	FOC & Reject Response Completeness (Multiple Responses) - Non-Mechanized										
B.1.19.1	O-11	Switch Ports/MS(%)	>= 95%								
B.1.19.2	O-11	Local Interoffice Transport/MS(%)	>= 95%			100.00%	1				YES
B.1.19.3	O-11	Loop + Port Combinations/MS(%)	>= 95%			90.53%	95				NO
B.1.19.4	O-11	Combo Other/MS(%)	>= 95%								
B.1.19.5	O-11	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 95%			100.00%	10				YES
B.1.19.6	O-11	ISDN Loop (UDN, UDC)/MS(%)	>= 95%			100.00%	15				YES
B.1.19.7	O-11	Line Sharing/MS(%)	>= 95%								
B.1.19.8	O-11	2W Analog Loop Design/MS(%)	>= 95%			88.00%	25				NO
B.1.19.9	O-11	2W Analog Loop Non-Design/MS(%)	>= 95%			100.00%	2				YES
B.1.19.10	O-11	2W Analog Loop w/INP Design/MS(%)	>= 95%								
B.1.19.11	O-11	2W Analog Loop w/INP Non-Design/MS(%)	>= 95%								
B.1.19.12	O-11	2W Analog Loop w/LNP Design/MS(%)	>= 95%			83.33%	12				NO
B.1.19.13	O-11	2W Analog Loop w/LNP Non-Design/MS(%)	>= 95%			88.37%	43				NO
B.1.19.14	O-11	Other Design/MS(%)	>= 95%			97.30%	37				YES
B.1.19.15	O-11	Other Non-Design/MS(%)	>= 95%			95.95%	173				YES
B.1.19.16	O-11	INP Standalone/MS(%)	>= 95%			83.33%	6				NO
B.1.19.17	O-11	LNP Standalone/MS(%)	>= 95%			90.91%	77				NO
	Unbundled Network Elements - Provisioning										
	Order Completion Interval										
B.2.1.1.1.1	P-4	Switch Ports/<10 circuits/Dispatch/MS(days)	R&B (POTS)	4.85	13,612			5.372			
B.2.1.1.1.2	P-4	Switch Ports/<10 circuits/Non-Dispatch/MS(days)	R&B (POTS)	0.76	148,290			1.990			
B.2.1.1.2.1	P-4	Switch Ports/>=10 circuits/Dispatch/MS(days)	R&B (POTS)	8.29	34			7.736			
B.2.1.1.2.2	P-4	Switch Ports/>=10 circuits/Non-Dispatch/MS(days)	R&B (POTS)	1.53	5			1.366			
B.2.1.2.1.1	P-4	Local Interoffice Transport/<10 circuits/Dispatch/MS(days)	DS1/DS3	12.07	164			10.893			
B.2.1.2.1.2	P-4	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(days)	DS1/DS3								
B.2.1.2.2.1	P-4	Local Interoffice Transport/>=10 circuits/Dispatch/MS(days)	DS1/DS3								
B.2.1.2.2.2	P-4	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(days)	DS1/DS3								
B.2.1.3.1.1	P-4	Loop + Port Combinations/<10 circuits/Dispatch/MS(days)	R&B	4.85	13,755	5.00	296	5.357	0.31470	-0.4789	YES
B.2.1.3.1.2	P-4	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(days)	R&B	0.77	148,831	0.55	6,675	2.012	0.02517	8.6187	YES
B.2.1.3.1.3	P-4	Loop + Port Combinations/<10 circuits/Switch Based Orders/MS(days)	R&B	0.33	95,521	0.33	5,092	0.000	0.00000		YES
B.2.1.3.1.4	P-4	Loop + Port Combinations/<10 circuits/Dispatch In/MS(days)	R&B	1.54	53,310	1.24	1,583	3.220	0.08211	3.6441	YES
B.2.1.3.2.1	P-4	Loop + Port Combinations/>=10 circuits/Dispatch/MS(days)	R&B	8.81	42	1.17	2	7.699	5.57238	1.3716	YES
B.2.1.3.2.2	P-4	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(days)	R&B	2.07	60			3.095			
B.2.1.3.2.3	P-4	Loop + Port Combinations/>=10 circuits/Switch Based Orders/MS(days)	R&B	0.33	30			0.000			
B.2.1.3.2.4	P-4	Loop + Port Combinations/>=10 circuits/Dispatch In/MS(days)	R&B	3.80	30			3.643			
B.2.1.4.1.1	P-4	Combo Other/<10 circuits/Dispatch/MS(days)	R&B&D - Disp	5.69	14,411			8.471			
B.2.1.4.1.4	P-4	Combo Other/<10 circuits/Dispatch In/MS(days)	R&B&D - Disp	5.69	14,411			8.471			
B.2.1.4.2.1	P-4	Combo Other/>=10 circuits/Dispatch/MS(days)	R&B&D - Disp	8.81	42			7.699			
B.2.1.4.2.4	P-4	Combo Other/>=10 circuits/Dispatch In/MS(days)	R&B&D - Disp	8.81	42			7.699			
B.2.1.6.3.1	P-4	UNE ISDN/<6 circuits/Dispatch/MS(days)	ISDN - BRI	13.74	49	10.69	26	13.539	3.28496	0.9282	YES
B.2.1.6.3.2	P-4	UNE ISDN/<6 circuits/Non-Dispatch/MS(days)	ISDN - BRI	1.18	38			2.510			
B.2.1.6.4.1	P-4	UNE ISDN/6-13 circuits/Dispatch/MS(days)	ISDN - BRI								
B.2.1.6.4.2	P-4	UNE ISDN/6-13 circuits/Non-Dispatch/MS(days)	ISDN - BRI	0.67	2			0.471			
B.2.1.6.5.1	P-4	UNE ISDN/>=14 circuits/Dispatch/MS(days)	ISDN - BRI								
B.2.1.6.5.2	P-4	UNE ISDN/>=14 circuits/Non-Dispatch/MS(days)	ISDN - BRI								
B.2.1.7.3.1	P-4	Line Sharing/<6 circuits/Dispatch/MS(days)	ADSL to Retail	4.47	412			5.784			
B.2.1.7.3.2	P-4	Line Sharing/<6 circuits/Non-Dispatch/MS(days)	ADSL to Retail	3.76	986			1.037			
B.2.1.7.4.1	P-4	Line Sharing/6-13 circuits/Dispatch/MS(days)	ADSL to Retail	5.00	1			0.000			
B.2.1.7.4.2	P-4	Line Sharing/6-13 circuits/Non-Dispatch/MS(days)	ADSL to Retail								
B.2.1.7.5.1	P-4	Line Sharing/>=14 circuits/Dispatch/MS(days)	ADSL to Retail								
B.2.1.7.5.2	P-4	Line Sharing/>=14 circuits/Non-Dispatch/MS(days)	ADSL to Retail								
B.2.1.8.1.1	P-4	2W Analog Loop Design/<10 circuits/Dispatch/MS(days)	R&B - Disp	4.85	13,755	5.56	9	5.357	1.78622	-0.3973	YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.1.8.1.2	P-4	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(days)	R&B - Disp	4.85	13,755			5.357			
B.2.1.8.2.1	P-4	2W Analog Loop Design/>=10 circuits/Dispatch/MS(days)	R&B - Disp	8.81	42			7.699			
B.2.1.8.2.2	P-4	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(days)	R&B - Disp	8.81	42			7.699			
B.2.1.9.1.1	P-4	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(days)	R&B (POTS) excl SB Or	4.85	13,612	3.80	5	5.372	2.40282	0.4383	YES
B.2.1.9.1.4	P-4	2W Analog Loop Non-Design/<10 circuits/Dispatch In/MS(days)	R&B (POTS) excl SB Or	1.53	53,067			3.186			
B.2.1.9.2.1	P-4	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(days)	R&B (POTS) excl SB Or	8.29	34			7.736			
B.2.1.9.2.4	P-4	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/MS(days)	R&B (POTS) excl SB Or	2.33	3			1.155			
B.2.1.10.1.1	P-4	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(days)	R&B - Disp	4.85	13,755			5.357			
B.2.1.10.1.2	P-4	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(days)	R&B - Disp	4.85	13,755			5.357			
B.2.1.10.2.1	P-4	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(days)	R&B - Disp	8.81	42			7.699			
B.2.1.10.2.2	P-4	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(days)	R&B - Disp	8.81	42			7.699			
B.2.1.11.1.1	P-4	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(days)	R&B (POTS) excl SB Or	4.85	13,612			5.372			
B.2.1.11.1.4	P-4	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/MS(days)	R&B (POTS) excl SB Or	1.53	53,067			3.186			
B.2.1.11.2.1	P-4	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(days)	R&B (POTS) excl SB Or	8.29	34			7.736			
B.2.1.11.2.4	P-4	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/MS(days)	R&B (POTS) excl SB Or	2.33	3			1.155			
B.2.1.12.1.1	P-4	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(days)	R&B - Disp	4.85	13,755	6.00	3	5.357	3.09316	-0.3731	YES
B.2.1.12.1.2	P-4	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(days)	R&B - Disp	4.85	13,755			5.357			
B.2.1.12.2.1	P-4	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(days)	R&B - Disp	8.81	42			7.699			
B.2.1.12.2.2	P-4	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(days)	R&B - Disp	8.81	42			7.699			
B.2.1.13.1.1	P-4	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(days)	R&B (POTS) excl SB Or	4.85	13,612	4.86	14	5.372	1.43643	-0.0028	YES
B.2.1.13.1.4	P-4	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/MS(days)	R&B (POTS) excl SB Or	1.53	53,067			3.186			
B.2.1.13.2.1	P-4	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(days)	R&B (POTS) excl SB Or	8.29	34	3.00	1	7.736	7.84924	0.6745	YES
B.2.1.13.2.4	P-4	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/MS(days)	R&B (POTS) excl SB Or	2.33	3			1.155			
B.2.1.14.1.1	P-4	Other Design/<10 circuits/Dispatch/MS(days)	Design	23.44	656			25.403			
B.2.1.14.1.2	P-4	Other Design/<10 circuits/Non-Dispatch/MS(days)	Design	7.07	260			11.564			
B.2.1.14.2.1	P-4	Other Design/>=10 circuits/Dispatch/MS(days)	Design								
B.2.1.14.2.2	P-4	Other Design/>=10 circuits/Non-Dispatch/MS(days)	Design	4.00	4			1.633			
B.2.1.15.1.1	P-4	Other Non-Design/<10 circuits/Dispatch/MS(days)	R&B	4.85	13,755	5.74	22	5.357	1.14301	-0.7844	YES
B.2.1.15.1.2	P-4	Other Non-Design/<10 circuits/Non-Dispatch/MS(days)	R&B	0.77	148,831			2.012			
B.2.1.15.2.1	P-4	Other Non-Design/>=10 circuits/Dispatch/MS(days)	R&B	8.81	42			7.699			
B.2.1.15.2.2	P-4	Other Non-Design/>=10 circuits/Non-Dispatch/MS(days)	R&B	2.07	60			3.095			
B.2.1.16.1.1	P-4	INP (Standalone)/<10 circuits/Dispatch/MS(days)	R&B (POTS)	4.85	13,612			5.372			
B.2.1.16.1.2	P-4	INP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	R&B (POTS)	0.76	148,290			1.990			
B.2.1.16.2.1	P-4	INP (Standalone)/>=10 circuits/Dispatch/MS(days)	R&B (POTS)	8.29	34			7.736			
B.2.1.16.2.2	P-4	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	R&B (POTS)	1.53	5			1.366			
B.2.1.17.1.1	P-4	LNP (Standalone)/<10 circuits/Dispatch/MS(days)	R&B (POTS)	4.85	13,612			5.372			
B.2.1.17.1.2	P-4	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	R&B (POTS)	0.76	148,290	0.45	92	1.990	0.20754	1.4817	YES
B.2.1.17.2.1	P-4	LNP (Standalone)/>=10 circuits/Dispatch/MS(days)	R&B (POTS)	8.29	34			7.736			
B.2.1.17.2.2	P-4	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	R&B (POTS)	1.53	5			1.366			
B.2.1.18.1.1	P-4	Digital Loop < DS1/<10 circuits/Dispatch/MS(days)	Digital Loop < DS1	9.17	593	7.44	54	19.518	2.77433	0.6205	YES
B.2.1.18.1.2	P-4	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(days)	Digital Loop < DS1	3.94	1,217			3.341			
B.2.1.18.2.1	P-4	Digital Loop < DS1/>=10 circuits/Dispatch/MS(days)	Digital Loop < DS1	5.00	1			0.000			
B.2.1.18.2.2	P-4	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(days)	Digital Loop < DS1	4.00	4			1.633			
B.2.1.19.1.1	P-4	Digital Loop >= DS1/<10 circuits/Dispatch/MS(days)	Digital Loop >= DS1	23.39	119	5.69	84	15.308	2.18154	8.1117	YES
B.2.1.19.1.2	P-4	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(days)	Digital Loop >= DS1	4.21	170			9.137			
B.2.1.19.2.1	P-4	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(days)	Digital Loop >= DS1								
B.2.1.19.2.2	P-4	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(days)	Digital Loop >= DS1	4.63	17			4.332			
	Order Completion Interval within X days										
B.2.2.1	P-4	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<6 circuits/Dispatch/MS(days)	14 days								
B.2.2.2	P-4	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<6 circuits/Dispatch/MS(days)	7 days			4.43	28				YES
	Held Orders										
B.2.3.1.1.1	P-1	Switch Ports/<10 circuits/Facility/MS(days)	R&B (POTS)	62.88	8			97.508			
B.2.3.1.1.2	P-1	Switch Ports/<10 circuits/Equipment/MS(days)	R&B (POTS)	0.00	0						
B.2.3.1.1.3	P-1	Switch Ports/<10 circuits/Other/MS(days)	R&B (POTS)	15.25	4			8.995			

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.3.1.2.1	P-1	Switch Ports/>=10 circuits/Facility/MS(days)	R&B (POTS)	0.00	0						
B.2.3.1.2.2	P-1	Switch Ports/>=10 circuits/Equipment/MS(days)	R&B (POTS)	0.00	0						
B.2.3.1.2.3	P-1	Switch Ports/>=10 circuits/Other/MS(days)	R&B (POTS)	0.00	0						
B.2.3.2.1.1	P-1	Local Interoffice Transport/<10 circuits/Facility/MS(days)	DS1/ DS3 - Interoffice	0.00	0						
B.2.3.2.1.2	P-1	Local Interoffice Transport/<10 circuits/Equipment/MS(days)	DS1/ DS3 - Interoffice	0.00	0						
B.2.3.2.1.3	P-1	Local Interoffice Transport/<10 circuits/Other/MS(days)	DS1/ DS3 - Interoffice	0.00	0						
B.2.3.2.2.1	P-1	Local Interoffice Transport/>=10 circuits/Facility/MS(days)	DS1/ DS3 - Interoffice								
B.2.3.2.2.2	P-1	Local Interoffice Transport/>=10 circuits/Equipment/MS(days)	DS1/ DS3 - Interoffice								
B.2.3.2.2.3	P-1	Local Interoffice Transport/>=10 circuits/Other/MS(days)	DS1/ DS3 - Interoffice								
B.2.3.3.1.1	P-1	Loop + Port Combinations/<10 circuits/Facility/MS(days)	R&B	62.88	8	0.00	0	97.508			YES
B.2.3.3.1.2	P-1	Loop + Port Combinations/<10 circuits/Equipment/MS(days)	R&B	0.00	0	0.00	0				YES
B.2.3.3.1.3	P-1	Loop + Port Combinations/<10 circuits/Other/MS(days)	R&B	15.25	4	0.00	0	8.995			YES
B.2.3.3.2.1	P-1	Loop + Port Combinations/>=10 circuits/Facility/MS(days)	R&B	0.00	0	0.00	0				YES
B.2.3.3.2.2	P-1	Loop + Port Combinations/>=10 circuits/Equipment/MS(days)	R&B	0.00	0	0.00	0				YES
B.2.3.3.2.3	P-1	Loop + Port Combinations/>=10 circuits/Other/MS(days)	R&B	0.00	0	0.00	0				YES
B.2.3.4.1.1	P-1	Combo Other/<10 circuits/Facility/MS(days)	R&B&D - Disp	62.88	8			97.508			
B.2.3.4.1.2	P-1	Combo Other/<10 circuits/Equipment/MS(days)	R&B&D - Disp	0.00	0						
B.2.3.4.1.3	P-1	Combo Other/<10 circuits/Other/MS(days)	R&B&D - Disp	15.25	4			8.995			
B.2.3.4.2.1	P-1	Combo Other/>=10 circuits/Facility/MS(days)	R&B&D - Disp	0.00	0						
B.2.3.4.2.2	P-1	Combo Other/>=10 circuits/Equipment/MS(days)	R&B&D - Disp	0.00	0						
B.2.3.4.2.3	P-1	Combo Other/>=10 circuits/Other/MS(days)	R&B&D - Disp	0.00	0						
B.2.3.5.1.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Facility/MS(days)	ADSL to Retail	57.00	6	47.00	1	24.868	26.86013	0.3723	YES
B.2.3.5.1.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Equipment/MS(days)	ADSL to Retail	0.00	0	0.00	0				YES
B.2.3.5.1.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Other/MS(days)	ADSL to Retail	0.00	0	0.00	0				YES
B.2.3.5.2.1	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Facility/MS(days)	ADSL to Retail	0.00	0						
B.2.3.5.2.2	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Equipment/MS(days)	ADSL to Retail	0.00	0						
B.2.3.5.2.3	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Other/MS(days)	ADSL to Retail	0.00	0						
B.2.3.6.1.1	P-1	UNE ISDN/<10 circuits/Facility/MS(days)	ISDN - BRI	0.00	0	0.00	0				YES
B.2.3.6.1.2	P-1	UNE ISDN/<10 circuits/Equipment/MS(days)	ISDN - BRI	0.00	0	0.00	0				YES
B.2.3.6.1.3	P-1	UNE ISDN/<10 circuits/Other/MS(days)	ISDN - BRI	0.00	0	0.00	0				YES
B.2.3.6.2.1	P-1	UNE ISDN/>=10 circuits/Facility/MS(days)	ISDN - BRI								
B.2.3.6.2.2	P-1	UNE ISDN/>=10 circuits/Equipment/MS(days)	ISDN - BRI								
B.2.3.6.2.3	P-1	UNE ISDN/>=10 circuits/Other/MS(days)	ISDN - BRI								
B.2.3.7.1.1	P-1	Line Sharing/<10 circuits/Facility/MS(days)	ADSL to Retail	57.00	6			24.868			
B.2.3.7.1.2	P-1	Line Sharing/<10 circuits/Equipment/MS(days)	ADSL to Retail	0.00	0						
B.2.3.7.1.3	P-1	Line Sharing/<10 circuits/Other/MS(days)	ADSL to Retail	0.00	0						
B.2.3.7.2.1	P-1	Line Sharing/>=10 circuits/Facility/MS(days)	ADSL to Retail	0.00	0						
B.2.3.7.2.2	P-1	Line Sharing/>=10 circuits/Equipment/MS(days)	ADSL to Retail	0.00	0						
B.2.3.7.2.3	P-1	Line Sharing/>=10 circuits/Other/MS(days)	ADSL to Retail	0.00	0						
B.2.3.8.1.1	P-1	2W Analog Loop Design/<10 circuits/Facility/MS(days)	R&B - Disp	62.88	8	0.00	0	97.508			YES
B.2.3.8.1.2	P-1	2W Analog Loop Design/<10 circuits/Equipment/MS(days)	R&B - Disp	0.00	0	0.00	0				YES
B.2.3.8.1.3	P-1	2W Analog Loop Design/<10 circuits/Other/MS(days)	R&B - Disp	15.25	4	0.00	0	8.995			YES
B.2.3.8.2.1	P-1	2W Analog Loop Design/>=10 circuits/Facility/MS(days)	R&B - Disp	0.00	0						
B.2.3.8.2.2	P-1	2W Analog Loop Design/>=10 circuits/Equipment/MS(days)	R&B - Disp	0.00	0						
B.2.3.8.2.3	P-1	2W Analog Loop Design/>=10 circuits/Other/MS(days)	R&B - Disp	0.00	0						
B.2.3.9.1.1	P-1	2W Analog Loop Non-Design/<10 circuits/Facility/MS(days)	R&B (POTS) excl SB Or	62.88	8	0.00	0	97.508			YES
B.2.3.9.1.2	P-1	2W Analog Loop Non-Design/<10 circuits/Equipment/MS(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.9.1.3	P-1	2W Analog Loop Non-Design/<10 circuits/Other/MS(days)	R&B (POTS) excl SB Or	15.25	4	0.00	0	8.995			YES
B.2.3.9.2.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Facility/MS(days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.9.2.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Equipment/MS(days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.9.2.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Other/MS(days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.10.1.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Facility/MS(days)	R&B - Disp	62.88	8			97.508			
B.2.3.10.1.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Equipment/MS(days)	R&B - Disp	0.00	0						
B.2.3.10.1.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Other/MS(days)	R&B - Disp	15.25	4			8.995			
B.2.3.10.2.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Facility/MS(days)	R&B - Disp	0.00	0						

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.3.10.2.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Equipment/MS(days)	R&B - Disp	0.00	0						
B.2.3.10.2.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Other/MS(days)	R&B - Disp	0.00	0						
B.2.3.11.1.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Facility/MS(days)	R&B (POTS) excl SB Or	62.88	8	0.00	0	97.508			YES
B.2.3.11.1.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Equipment/MS(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.11.1.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Other/MS(days)	R&B (POTS) excl SB Or	15.25	4	0.00	0	8.995			YES
B.2.3.11.2.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Facility/MS(days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.11.2.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Equipment/MS(days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.11.2.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Other/MS(days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.12.1.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Facility/MS(days)	R&B - Disp	62.88	8	0.00	0	97.508			YES
B.2.3.12.1.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Equipment/MS(days)	R&B - Disp	0.00	0	0.00	0				YES
B.2.3.12.1.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Other/MS(days)	R&B - Disp	15.25	4	0.00	0	8.995			YES
B.2.3.12.2.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Facility/MS(days)	R&B - Disp	0.00	0						
B.2.3.12.2.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Equipment/MS(days)	R&B - Disp	0.00	0						
B.2.3.12.2.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Other/MS(days)	R&B - Disp	0.00	0						
B.2.3.13.1.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Facility/MS(days)	R&B (POTS) excl SB Or	62.88	8	0.00	0	97.508			YES
B.2.3.13.1.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Equipment/MS(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.13.1.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Other/MS(days)	R&B (POTS) excl SB Or	15.25	4	0.00	0	8.995			YES
B.2.3.13.2.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Facility/MS(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.13.2.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Equipment/MS(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.13.2.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Other/MS(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.14.1.1	P-1	Other Design/<10 circuits/Facility/MS(days)	Design	0.00	0						
B.2.3.14.1.2	P-1	Other Design/<10 circuits/Equipment/MS(days)	Design	0.00	0						
B.2.3.14.1.3	P-1	Other Design/<10 circuits/Other/MS(days)	Design	0.00	0						
B.2.3.14.2.1	P-1	Other Design/>=10 circuits/Facility/MS(days)	Design	0.00	0						
B.2.3.14.2.2	P-1	Other Design/>=10 circuits/Equipment/MS(days)	Design	0.00	0						
B.2.3.14.2.3	P-1	Other Design/>=10 circuits/Other/MS(days)	Design	0.00	0						
B.2.3.15.1.1	P-1	Other Non-Design/<10 circuits/Facility/MS(days)	R&B	62.88	8	0.00	0	97.508			YES
B.2.3.15.1.2	P-1	Other Non-Design/<10 circuits/Equipment/MS(days)	R&B	0.00	0	0.00	0				YES
B.2.3.15.1.3	P-1	Other Non-Design/<10 circuits/Other/MS(days)	R&B	15.25	4	0.00	0	8.995			YES
B.2.3.15.2.1	P-1	Other Non-Design/>=10 circuits/Facility/MS(days)	R&B	0.00	0						
B.2.3.15.2.2	P-1	Other Non-Design/>=10 circuits/Equipment/MS(days)	R&B	0.00	0						
B.2.3.15.2.3	P-1	Other Non-Design/>=10 circuits/Other/MS(days)	R&B	0.00	0						
B.2.3.16.1.1	P-1	INP (Standalone)/<10 circuits/Facility/MS(days)	R&B (POTS)	62.88	8			97.508			
B.2.3.16.1.2	P-1	INP (Standalone)/<10 circuits/Equipment/MS(days)	R&B (POTS)	0.00	0						
B.2.3.16.1.3	P-1	INP (Standalone)/<10 circuits/Other/MS(days)	R&B (POTS)	15.25	4			8.995			
B.2.3.16.2.1	P-1	INP (Standalone)/>=10 circuits/Facility/MS(days)	R&B (POTS)	0.00	0						
B.2.3.16.2.2	P-1	INP (Standalone)/>=10 circuits/Equipment/MS(days)	R&B (POTS)	0.00	0						
B.2.3.16.2.3	P-1	INP (Standalone)/>=10 circuits/Other/MS(days)	R&B (POTS)	0.00	0						
B.2.3.17.1.1	P-1	LNP (Standalone)/<10 circuits/Facility/MS(days)	R&B (POTS)	62.88	8	0.00	0	97.508			YES
B.2.3.17.1.2	P-1	LNP (Standalone)/<10 circuits/Equipment/MS(days)	R&B (POTS)	0.00	0	0.00	0				YES
B.2.3.17.1.3	P-1	LNP (Standalone)/<10 circuits/Other/MS(days)	R&B (POTS)	15.25	4	0.00	0	8.995			YES
B.2.3.17.2.1	P-1	LNP (Standalone)/>=10 circuits/Facility/MS(days)	R&B (POTS)	0.00	0						
B.2.3.17.2.2	P-1	LNP (Standalone)/>=10 circuits/Equipment/MS(days)	R&B (POTS)	0.00	0						
B.2.3.17.2.3	P-1	LNP (Standalone)/>=10 circuits/Other/MS(days)	R&B (POTS)	0.00	0						
B.2.3.18.1.1	P-1	Digital Loop < DS1/<10 circuits/Facility/MS(days)	Digital Loop < DS1	57.00	6	47.00	1	24.868	26.86013	0.3723	YES
B.2.3.18.1.2	P-1	Digital Loop < DS1/<10 circuits/Equipment/MS(days)	Digital Loop < DS1	0.00	0	0.00	0				YES
B.2.3.18.1.3	P-1	Digital Loop < DS1/<10 circuits/Other/MS(days)	Digital Loop < DS1	0.00	0	0.00	0				YES
B.2.3.18.2.1	P-1	Digital Loop < DS1/>=10 circuits/Facility/MS(days)	Digital Loop < DS1	0.00	0						
B.2.3.18.2.2	P-1	Digital Loop < DS1/>=10 circuits/Equipment/MS(days)	Digital Loop < DS1	0.00	0						
B.2.3.18.2.3	P-1	Digital Loop < DS1/>=10 circuits/Other/MS(days)	Digital Loop < DS1	0.00	0						
B.2.3.19.1.1	P-1	Digital Loop >= DS1/<10 circuits/Facility/MS(days)	Digital Loop >= DS1	0.00	0	0.00	0				YES
B.2.3.19.1.2	P-1	Digital Loop >= DS1/<10 circuits/Equipment/MS(days)	Digital Loop >= DS1	0.00	0	0.00	0				YES
B.2.3.19.1.3	P-1	Digital Loop >= DS1/<10 circuits/Other/MS(days)	Digital Loop >= DS1	0.00	0	0.00	0				YES
B.2.3.19.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Facility/MS(days)	Digital Loop >= DS1	0.00	0						
B.2.3.19.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Equipment/MS(days)	Digital Loop >= DS1	0.00	0						

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.3.19.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Other/MS(days)	Digital Loop >= DS1	0.00	0						
		% Jeopardies - Mechanized									
B.2.5.1	P-2	Switch Ports/MS(%)	R&B (POTS)	0.75%	169,071						
B.2.5.2	P-2	Local Interoffice Transport/MS(%)	DS1/ DS3 - Interoffice	51.81%	166						
B.2.5.3	P-2	Loop + Port Combinations/MS(%)	R&B	0.75%	169,796	0.64%	7,500		0.00102	1.0834	YES
B.2.5.4	P-2	Combo Other/MS(%)	R&B&D - Disp	9.19%	14,971						
B.2.5.5	P-2	xDSL (ADSL, HDSL and UCL)/MS(%)	ADSL to Retail	14.97%	2,004						
B.2.5.6	P-2	UNE ISDN/MS(%)	ISDN - BRI	8.11%	111	43.48%	23		0.06254	-5.6560	NO
B.2.5.7	P-2	Line Sharing/MS(%)	ADSL to Retail	14.97%	2,004						
B.2.5.8	P-2	2W Analog Loop Design/MS(%)	R&B - Disp	0.75%	169,796	0.00%	7		0.03262	0.2300	YES
B.2.5.9	P-2	2W Analog Loop Non-Design/MS(%)	R&B (POTS) excl SB Or	1.71%	73,831	16.67%	12		0.03742	-3.9971	NO
B.2.5.10	P-2	2W Analog Loop w/INP Design/MS(%)	R&B - Disp	0.75%	169,796						
B.2.5.11	P-2	2W Analog Loop w/INP Non-Design/MS(%)	R&B (POTS) excl SB Or	1.71%	73,831						
B.2.5.12	P-2	2W Analog Loop w/LNP Design/MS(%)	R&B - Disp	0.75%	169,796	0.00%	5		0.03859	0.1944	YES
B.2.5.13	P-2	2W Analog Loop w/LNP Non-Design/MS(%)	R&B (POTS) excl SB Or	1.71%	73,831						
B.2.5.14	P-2	Other Design/MS(%)	Design	14.09%	788						
B.2.5.15	P-2	Other Non-Design/MS(%)	R&B	0.75%	169,796						
B.2.5.16	P-2	INP (Standalone)/MS(%)	R&B (POTS)	0.75%	169,071						
B.2.5.17	P-2	LNP (Standalone)/MS(%)	R&B (POTS)	0.75%	169,071	0.00%	66		0.01060	0.7044	YES
B.2.5.18	P-2	Digital Loop < DS1/MS(%)	Digital Loop < DS1	14.57%	2,403	43.48%	23		0.07391	-3.9122	NO
B.2.5.19	P-2	Digital Loop >= DS1/MS(%)	Digital Loop >= DS1	11.37%	255	91.03%	78		0.04108	-19.3903	NO
		% Jeopardies - Non-Mechanized									
B.2.6.1	P-2	Switch Ports/MS(%)	Diagnostic								Diagnostic
B.2.6.2	P-2	Local Interoffice Transport/MS(%)	Diagnostic								Diagnostic
B.2.6.3	P-2	Loop + Port Combinations/MS(%)	Diagnostic			1.45%	138				Diagnostic
B.2.6.4	P-2	Combo Other/MS(%)	Diagnostic								Diagnostic
B.2.6.5	P-2	xDSL (ADSL, HDSL and UCL)/MS(%)	Diagnostic			4.17%	48				Diagnostic
B.2.6.6	P-2	UNE ISDN/MS(%)	Diagnostic			20.00%	5				Diagnostic
B.2.6.7	P-2	Line Sharing/MS(%)	Diagnostic								Diagnostic
B.2.6.8	P-2	2W Analog Loop Design/MS(%)	Diagnostic			14.29%	7				Diagnostic
B.2.6.9	P-2	2W Analog Loop Non-Design/MS(%)	Diagnostic			0.00%	2				Diagnostic
B.2.6.10	P-2	2W Analog Loop w/INP Design/MS(%)	Diagnostic								Diagnostic
B.2.6.11	P-2	2W Analog Loop w/INP Non-Design/MS(%)	Diagnostic			0.00%	1				Diagnostic
B.2.6.12	P-2	2W Analog Loop w/LNP Design/MS(%)	Diagnostic			0.00%	2				Diagnostic
B.2.6.13	P-2	2W Analog Loop w/LNP Non-Design/MS(%)	Diagnostic			4.55%	22				Diagnostic
B.2.6.14	P-2	Other Design/MS(%)	Diagnostic								Diagnostic
B.2.6.15	P-2	Other Non-Design/MS(%)	Diagnostic			9.09%	22				Diagnostic
B.2.6.16	P-2	INP (Standalone)/MS(%)	Diagnostic								Diagnostic
B.2.6.17	P-2	LNP (Standalone)/MS(%)	Diagnostic			0.00%	26				Diagnostic
B.2.6.18	P-2	Digital Loop < DS1/MS(%)	Diagnostic			5.66%	53				Diagnostic
B.2.6.19	P-2	Digital Loop >= DS1/MS(%)	Diagnostic			90.00%	10				Diagnostic
		Average Jeopardy Notice Interval - Mechanized									
B.2.8.1	P-2	Switch Ports/MS(hours)	>= 48 hrs								
B.2.8.2	P-2	Local Interoffice Transport/MS(hours)	>= 48 hrs								
B.2.8.3	P-2	Loop + Port Combinations/MS(hours)	>= 48 hrs			183.35	45				YES
B.2.8.4	P-2	Combo Other/MS(hours)	>= 48 hrs								
B.2.8.5	P-2	xDSL (ADSL, HDSL and UCL)/MS(hours)	>= 48 hrs								
B.2.8.6	P-2	UNE ISDN/MS(hours)	>= 48 hrs			334.05	10				YES
B.2.8.7	P-2	Line Sharing/MS(hours)	>= 48 hrs								
B.2.8.8	P-2	2W Analog Loop Design/MS(hours)	>= 48 hrs								
B.2.8.9	P-2	2W Analog Loop Non-Design/MS(hours)	>= 48 hrs			31.00	2				NO
B.2.8.10	P-2	2W Analog Loop w/INP Design/MS(hours)	>= 48 hrs								
B.2.8.11	P-2	2W Analog Loop w/INP Non-Design/MS(hours)	>= 48 hrs								
B.2.8.12	P-2	2W Analog Loop w/LNP Design/MS(hours)	>= 48 hrs								

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.8.13	P-2	2W Analog Loop w/LNP Non-Design/MS(hours)	>= 48 hrs								
B.2.8.14	P-2	Other Design/MS(hours)	>= 48 hrs								
B.2.8.15	P-2	Other Non-Design/MS(hours)	>= 48 hrs								
B.2.8.16	P-2	INP (Standalone)/MS(hours)	>= 48 hrs								
B.2.8.17	P-2	LNP (Standalone)/MS(hours)	>= 48 hrs								
B.2.8.18	P-2	Digital Loop < DS1/MS(hours)	>= 48 hrs			334.05	10				YES
B.2.8.19	P-2	Digital Loop >= DS1/MS(hours)	>= 48 hrs			178.34	71				YES
	Average Jeopardy Notice Interval - Non-Mechanized										
B.2.9.1	P-2	Switch Ports/MS(hours)	Diagnostic								Diagnostic
B.2.9.2	P-2	Local Interoffice Transport/MS(hours)	Diagnostic								Diagnostic
B.2.9.3	P-2	Loop + Port Combinations/MS(hours)	Diagnostic			280.97	2				Diagnostic
B.2.9.4	P-2	Combo Other/MS(hours)	Diagnostic								Diagnostic
B.2.9.5	P-2	xDSL (ADSL, HDSL and UCL)/MS(hours)	Diagnostic			135.85	1				Diagnostic
B.2.9.6	P-2	UNE ISDN/MS(hours)	Diagnostic			326.52	1				Diagnostic
B.2.9.7	P-2	Line Sharing/MS(hours)	Diagnostic								Diagnostic
B.2.9.8	P-2	2W Analog Loop Design/MS(hours)	Diagnostic			206.20	1				Diagnostic
B.2.9.9	P-2	2W Analog Loop Non-Design/MS(hours)	Diagnostic								Diagnostic
B.2.9.10	P-2	2W Analog Loop w/INP Design/MS(hours)	Diagnostic								Diagnostic
B.2.9.11	P-2	2W Analog Loop w/INP Non-Design/MS(hours)	Diagnostic								Diagnostic
B.2.9.12	P-2	2W Analog Loop w/LNP Design/MS(hours)	Diagnostic								Diagnostic
B.2.9.13	P-2	2W Analog Loop w/LNP Non-Design/MS(hours)	Diagnostic			111.72	1				Diagnostic
B.2.9.14	P-2	Other Design/MS(hours)	Diagnostic								Diagnostic
B.2.9.15	P-2	Other Non-Design/MS(hours)	Diagnostic			99.76	2				Diagnostic
B.2.9.16	P-2	INP (Standalone)/MS(hours)	Diagnostic								Diagnostic
B.2.9.17	P-2	LNP (Standalone)/MS(hours)	Diagnostic								Diagnostic
B.2.9.18	P-2	Digital Loop < DS1/MS(hours)	Diagnostic			231.18	2				Diagnostic
B.2.9.19	P-2	Digital Loop >= DS1/MS(hours)	Diagnostic			170.58	9				Diagnostic
	% Jeopardy Notice >= 48 hours - Mechanized										
B.2.10.1	P-2	Switch Ports/MS(%)	95% >= 48 hrs								
B.2.10.2	P-2	Local Interoffice Transport/MS(%)	95% >= 48 hrs								
B.2.10.3	P-2	Loop + Port Combinations/MS(%)	95% >= 48 hrs			100.00%	45				YES
B.2.10.4	P-2	Combo Other/MS(%)	95% >= 48 hrs								
B.2.10.5	P-2	xDSL (ADSL, HDSL and UCL)/MS(%)	95% >= 48 hrs								
B.2.10.6	P-2	UNE ISDN/MS(%)	95% >= 48 hrs			100.00%	10				YES
B.2.10.7	P-2	Line Sharing/MS(%)	95% >= 48 hrs								
B.2.10.8	P-2	2W Analog Loop Design/MS(%)	95% >= 48 hrs								
B.2.10.9	P-2	2W Analog Loop Non-Design/MS(%)	95% >= 48 hrs			0.00%	2				NO
B.2.10.10	P-2	2W Analog Loop w/INP Design/MS(%)	95% >= 48 hrs								
B.2.10.11	P-2	2W Analog Loop w/INP Non-Design/MS(%)	95% >= 48 hrs								
B.2.10.12	P-2	2W Analog Loop w/LNP Design/MS(%)	95% >= 48 hrs								
B.2.10.13	P-2	2W Analog Loop w/LNP Non-Design/MS(%)	95% >= 48 hrs								
B.2.10.14	P-2	Other Design/MS(%)	95% >= 48 hrs								
B.2.10.15	P-2	Other Non-Design/MS(%)	95% >= 48 hrs								
B.2.10.16	P-2	INP (Standalone)/MS(%)	95% >= 48 hrs								
B.2.10.17	P-2	LNP (Standalone)/MS(%)	95% >= 48 hrs								
B.2.10.18	P-2	Digital Loop < DS1/MS(%)	95% >= 48 hrs			100.00%	10				YES
B.2.10.19	P-2	Digital Loop >= DS1/MS(%)	95% >= 48 hrs			100.00%	71				YES
	% Jeopardy Notice >= 48 hours - Non-Mechanized										
B.2.11.1	P-2	Switch Ports/MS(%)	Diagnostic								Diagnostic
B.2.11.2	P-2	Local Interoffice Transport/MS(%)	Diagnostic								Diagnostic
B.2.11.3	P-2	Loop + Port Combinations/MS(%)	Diagnostic			100.00%	2				Diagnostic
B.2.11.4	P-2	Combo Other/MS(%)	Diagnostic								Diagnostic
B.2.11.5	P-2	xDSL (ADSL, HDSL and UCL)/MS(%)	Diagnostic			100.00%	1				Diagnostic
B.2.11.6	P-2	UNE ISDN/MS(%)	Diagnostic			100.00%	1				Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.11.7	P-2	Line Sharing/MS(%)	Diagnostic								Diagnostic
B.2.11.8	P-2	2W Analog Loop Design/MS(%)	Diagnostic			100.00%	1				Diagnostic
B.2.11.9	P-2	2W Analog Loop Non-Design/MS(%)	Diagnostic								Diagnostic
B.2.11.10	P-2	2W Analog Loop w/INP Design/MS(%)	Diagnostic								Diagnostic
B.2.11.11	P-2	2W Analog Loop w/INP Non-Design/MS(%)	Diagnostic								Diagnostic
B.2.11.12	P-2	2W Analog Loop w/LNP Design/MS(%)	Diagnostic								Diagnostic
B.2.11.13	P-2	2W Analog Loop w/LNP Non-Design/MS(%)	Diagnostic			100.00%	1				Diagnostic
B.2.11.14	P-2	Other Design/MS(%)	Diagnostic								Diagnostic
B.2.11.15	P-2	Other Non-Design/MS(%)	Diagnostic			50.00%	2				Diagnostic
B.2.11.16	P-2	INP (Standalone)/MS(%)	Diagnostic								Diagnostic
B.2.11.17	P-2	LNP (Standalone)/MS(%)	Diagnostic								Diagnostic
B.2.11.18	P-2	Digital Loop < DS1/MS(%)	Diagnostic			100.00%	2				Diagnostic
B.2.11.19	P-2	Digital Loop >= DS1/MS(%)	Diagnostic			100.00%	9				Diagnostic
		Coordinated Customers Conversions									
B.2.12.1	P-7	Loops with INP/MS(%)	>= 95% w in 15 min								
B.2.12.2	P-7	Loops with LNP/MS(%)	>= 95% w in 15 min			100.00%	15				YES
		% Hot Cuts > 15 minutes Early									
B.2.13.1	P-7A	Time-Specific SL1/MS(%)	<= 5%								
B.2.13.2	P-7A	Time-Specific SL2/MS(%)	<= 5%								
B.2.13.3	P-7A	Non-Time Specific SL1/MS(%)	<= 5%								
B.2.13.4	P-7A	Non-Time Specific SL2/MS(%)	<= 5%			0.00%	6				YES
		Hot Cut Timeliness									
B.2.14.1	P-7A	Time-Specific SL1/MS(%)	>= 95% w in 15 min								
B.2.14.2	P-7A	Time-Specific SL2/MS(%)	>= 95% w in 15 min								
B.2.14.3	P-7A	Non-Time Specific SL1/MS(%)	>= 95% w in 15 min								
B.2.14.4	P-7A	Non-Time Specific SL2/MS(%)	>= 95% w in 15 min			100.00%	6				YES
		% Hot Cuts > 15 minutes Late									
B.2.15.1	P-7A	Time-Specific SL1/MS(%)	<= 5%								
B.2.15.2	P-7A	Time-Specific SL2/MS(%)	<= 5%								
B.2.15.3	P-7A	Non-Time Specific SL1/MS(%)	<= 5%								
B.2.15.4	P-7A	Non-Time Specific SL2/MS(%)	<= 5%			0.00%	6				YES
		Average Recovery Time - CCC									
B.2.16.1	P-7B	Loops with INP/MS(minutes)	Diagnostic								Diagnostic
B.2.16.2	P-7B	Loops with LNP/MS(minutes)	Diagnostic								Diagnostic
		% Provisioning Troubles within 7 Days - Hot Cuts									
B.2.17.1.1	P-7C	UNE Loop Design/Dispatch/MS(%)	<= 5%			0.00%	16				YES
B.2.17.1.2	P-7C	UNE Loop Design/Non-Dispatch/MS(%)	<= 5%								
B.2.17.2.1	P-7C	UNE Loop Non-Design/Dispatch/MS(%)	<= 5%								
B.2.17.2.2	P-7C	UNE Loop Non-Design/Non-Dispatch/MS(%)	<= 5%								
		% Missed Installation Appointments									
B.2.18.1.1.1	P-3	Switch Ports/<10 circuits/Dispatch/MS(%)	R&B (POTS)	4.52%	14,600						
B.2.18.1.1.2	P-3	Switch Ports/<10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.02%	154,947						
B.2.18.1.2.1	P-3	Switch Ports/>=10 circuits/Dispatch/MS(%)	R&B (POTS)	8.57%	35						
B.2.18.1.2.2	P-3	Switch Ports/>=10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.00%	5						
B.2.18.2.1.1	P-3	Local Interoffice Transport/<10 circuits/Dispatch/MS(%)	DS1/DS3	1.22%	164						
B.2.18.2.1.2	P-3	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(%)	DS1/DS3								
B.2.18.2.2.1	P-3	Local Interoffice Transport/>=10 circuits/Dispatch/MS(%)	DS1/DS3								
B.2.18.2.2.2	P-3	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(%)	DS1/DS3								
B.2.18.3.1.1	P-3	Loop + Port Combinations/<10 circuits/Dispatch/MS(%)	R&B	4.50%	14,745	1.72%	407		0.01042	2.6711	YES
B.2.18.3.1.2	P-3	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(%)	R&B	0.02%	155,489	0.03%	7,248		0.00016	-0.6460	YES
B.2.18.3.1.3	P-3	Loop + Port Combinations/<10 circuits/Switch Based Orders/MS(%)	R&B	0.00%	95,569	0.00%	5,095		0.00000		YES
B.2.18.3.1.4	P-3	Loop + Port Combinations/<10 circuits/Dispatch In/MS(%)	R&B	0.05%	59,920	0.09%	2,153		0.00047	-1.0275	YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.18.3.2.1	P-3	Loop + Port Combinations/>=10 circuits/Dispatch/MS(%)	R&B	9.30%	43	0.00%	4		0.15184	0.6127	YES
B.2.18.3.2.2	P-3	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(%)	R&B	0.00%	61						
B.2.18.3.2.3	P-3	Loop + Port Combinations/>=10 circuits/Switch Based Orders/MS(%)	R&B	0.00%	30						
B.2.18.3.2.4	P-3	Loop + Port Combinations/>=10 circuits/Dispatch In/MS(%)	R&B	0.00%	31						
B.2.18.4.1.1	P-3	Combo Other/<10 circuits/Dispatch/MS(%)	R&B&D - Disp	4.43%	15,421						
B.2.18.4.1.4	P-3	Combo Other/<10 circuits/Dispatch In/MS(%)	R&B&D - Disp	4.43%	15,421						
B.2.18.4.2.1	P-3	Combo Other/>=10 circuits/Dispatch/MS(%)	R&B&D - Disp	9.30%	43						
B.2.18.4.2.4	P-3	Combo Other/>=10 circuits/Dispatch In/MS(%)	R&B&D - Disp	9.30%	43						
B.2.18.5.1.1	P-3	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(%)	ADSL to Retail	3.06%	849	0.00%	49		0.02531	1.2098	YES
B.2.18.5.1.2	P-3	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(%)	ADSL to Retail	0.08%	1,177						
B.2.18.5.2.1	P-3	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(%)	ADSL to Retail	0.00%	1						
B.2.18.5.2.2	P-3	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(%)	ADSL to Retail								
B.2.18.6.1.1	P-3	UNE ISDN/<10 circuits/Dispatch/MS(%)	ISDN - BRI	3.92%	51	3.45%	29		0.04514	0.1048	YES
B.2.18.6.1.2	P-3	UNE ISDN/<10 circuits/Non-Dispatch/MS(%)	ISDN - BRI	1.64%	61						
B.2.18.6.2.1	P-3	UNE ISDN/>=10 circuits/Dispatch/MS(%)	ISDN - BRI								
B.2.18.6.2.2	P-3	UNE ISDN/>=10 circuits/Non-Dispatch/MS(%)	ISDN - BRI								
B.2.18.7.1.1	P-3	Line Sharing/<10 circuits/Dispatch/MS(%)	ADSL to Retail	3.06%	849						
B.2.18.7.1.2	P-3	Line Sharing/<10 circuits/Non-Dispatch/MS(%)	ADSL to Retail	0.08%	1,177						
B.2.18.7.2.1	P-3	Line Sharing/>=10 circuits/Dispatch/MS(%)	ADSL to Retail	0.00%	1						
B.2.18.7.2.2	P-3	Line Sharing/>=10 circuits/Non-Dispatch/MS(%)	ADSL to Retail								
B.2.18.8.1.1	P-3	2W Analog Loop Design/<10 circuits/Dispatch/MS(%)	R&B - Disp	4.50%	14,745	0.00%	15		0.05357	0.8406	YES
B.2.18.8.1.2	P-3	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(%)	R&B - Disp	4.50%	14,745						
B.2.18.8.2.1	P-3	2W Analog Loop Design/>=10 circuits/Dispatch/MS(%)	R&B - Disp	9.30%	43						
B.2.18.8.2.2	P-3	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(%)	R&B - Disp	9.30%	43						
B.2.18.9.1.1	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	4.52%	14,600	0.00%	14		0.05555	0.8138	YES
B.2.18.9.1.4	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	0.04%	59,676						
B.2.18.9.2.1	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	8.57%	35						
B.2.18.9.2.4	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	0.00%	3						
B.2.18.10.1.1	P-3	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(%)	R&B - Disp	4.50%	14,745						
B.2.18.10.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(%)	R&B - Disp	4.50%	14,745						
B.2.18.10.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(%)	R&B - Disp	9.30%	43						
B.2.18.10.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(%)	R&B - Disp	9.30%	43						
B.2.18.11.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	4.52%	14,600	0.00%	1		0.20776	0.2176	YES
B.2.18.11.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	0.04%	59,676						
B.2.18.11.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	8.57%	35						
B.2.18.11.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	0.00%	3						
B.2.18.12.1.1	P-12	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(%)	R&B - Disp	4.50%	14,745	0.00%	7		0.07840	0.5744	YES
B.2.18.12.1.2	P-12	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(%)	R&B - Disp	4.50%	14,745						
B.2.18.12.2.1	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(%)	R&B - Disp	9.30%	43						
B.2.18.12.2.2	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(%)	R&B - Disp	9.30%	43						
B.2.18.13.1.1	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	4.52%	14,600	0.00%	22		0.04433	1.0198	YES
B.2.18.13.1.4	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	0.04%	59,676						
B.2.18.13.2.1	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	8.57%	35	0.00%	1		0.28391	0.3019	YES
B.2.18.13.2.4	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	0.00%	3						
B.2.18.14.1.1	P-3	Other Design/<10 circuits/Dispatch/MS(%)	Design	2.81%	676						
B.2.18.14.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/MS(%)	Design	2.23%	269						
B.2.18.14.2.1	P-3	Other Design/>=10 circuits/Dispatch/MS(%)	Design								
B.2.18.14.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/MS(%)	Design	0.00%	4						
B.2.18.15.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/MS(%)	R&B	4.50%	14,745	0.00%	22		0.04425	1.0178	YES
B.2.18.15.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/MS(%)	R&B	0.02%	155,489						
B.2.18.15.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/MS(%)	R&B	9.30%	43						
B.2.18.15.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/MS(%)	R&B	0.00%	61						
B.2.18.16.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/MS(%)	R&B (POTS)	4.52%	14,600						
B.2.18.16.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.02%	154,947						
B.2.18.16.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/MS(%)	R&B (POTS)	8.57%	35						

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.18.16.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.00%	5						
B.2.18.17.1.1	P-12	LNP (Standalone)/<10 circuits/Dispatch/MS(%)	R&B (POTS)	4.52%	14,600						
B.2.18.17.1.2	P-12	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.02%	154,947	0.00%	92		0.00135	0.1242	YES
B.2.18.17.2.1	P-12	LNP (Standalone)/>=10 circuits/Dispatch/MS(%)	R&B (POTS)	8.57%	35						
B.2.18.17.2.2	P-12	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.00%	5						
B.2.18.18.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/MS(%)	Digital Loop < DS1	3.39%	1,033	1.28%	78		0.02125	0.9914	YES
B.2.18.18.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(%)	Digital Loop < DS1	0.14%	1,413						
B.2.18.18.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/MS(%)	Digital Loop < DS1	0.00%	1						
B.2.18.18.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(%)	Digital Loop < DS1	0.00%	4						
B.2.18.19.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/MS(%)	Digital Loop >= DS1	3.94%	127	1.05%	95		0.02638	1.0934	YES
B.2.18.19.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(%)	Digital Loop >= DS1	0.00%	173						
B.2.18.19.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(%)	Digital Loop >= DS1								
B.2.18.19.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(%)	Digital Loop >= DS1	0.00%	17						
	% Provisioning Troubles within 30 Days										
B.2.19.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/MS(%)	R&B (POTS)	10.19%	13,481						
B.2.19.1.1.2	P-9	Switch Ports/<10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	3.15%	151,748						
B.2.19.1.2.1	P-9	Switch Ports/>=10 circuits/Dispatch/MS(%)	R&B (POTS)	10.53%	19						
B.2.19.1.2.2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.00%	1						
B.2.19.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/MS(%)	DS1/DS3	8.06%	186	0.00%	2		0.19357	0.4166	YES
B.2.19.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(%)	DS1/DS3								
B.2.19.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/MS(%)	DS1/DS3								
B.2.19.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(%)	DS1/DS3								
B.2.19.3.1.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/MS(%)	R&B	10.04%	13,800	8.04%	485		0.01388	1.4371	YES
B.2.19.3.1.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(%)	R&B	3.11%	155,334	2.65%	11,914		0.00165	2.7774	YES
B.2.19.3.1.3	P-9	Loop + Port Combinations/<10 circuits/Switch Based Orders/MS(%)	R&B	3.44%	92,834	2.05%	7,311		0.00222	6.2886	YES
B.2.19.3.1.4	P-9	Loop + Port Combinations/<10 circuits/Dispatch In/MS(%)	R&B	2.61%	62,500	3.61%	4,603		0.00244	-4.0705	NO
B.2.19.3.2.1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/MS(%)	R&B	11.76%	34	50.00%	2		0.23443	-1.6310	YES
B.2.19.3.2.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(%)	R&B	7.55%	53						
B.2.19.3.2.3	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/MS(%)	R&B	10.53%	19						
B.2.19.3.2.4	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/MS(%)	R&B	5.88%	34						
B.2.19.4.1.1	P-9	Combo Other/<10 circuits/Dispatch/MS(%)	R&B&D - Disp	9.89%	14,402						
B.2.19.4.1.4	P-9	Combo Other/<10 circuits/Dispatch In/MS(%)	R&B&D - Disp	9.89%	14,402						
B.2.19.4.2.1	P-9	Combo Other/>=10 circuits/Dispatch/MS(%)	R&B&D - Disp	11.76%	34						
B.2.19.4.2.4	P-9	Combo Other/>=10 circuits/Dispatch In/MS(%)	R&B&D - Disp	11.76%	34						
B.2.19.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(%)	ADSL to Retail	3.18%	535	3.13%	32		0.03192	0.0165	YES
B.2.19.5.1.2	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(%)	ADSL to Retail	1.60%	1,062						
B.2.19.5.2.1	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(%)	ADSL to Retail	50.00%	2						
B.2.19.5.2.2	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(%)	ADSL to Retail	100.00%	1						
B.2.19.6.1.1	P-9	UNE ISDN/<10 circuits/Dispatch/MS(%)	ISDN - BRI	1.96%	51	0.00%	17		0.03883	0.5050	YES
B.2.19.6.1.2	P-9	UNE ISDN/<10 circuits/Non-Dispatch/MS(%)	ISDN - BRI	2.63%	38						
B.2.19.6.2.1	P-9	UNE ISDN/>=10 circuits/Dispatch/MS(%)	ISDN - BRI								
B.2.19.6.2.2	P-9	UNE ISDN/>=10 circuits/Non-Dispatch/MS(%)	ISDN - BRI								
B.2.19.7.1.1	P-9	Line Sharing/<10 circuits/Dispatch/MS(%)	ADSL to Retail	3.18%	535						
B.2.19.7.1.2	P-9	Line Sharing/<10 circuits/Non-Dispatch/MS(%)	ADSL to Retail	1.60%	1,062						
B.2.19.7.2.1	P-9	Line Sharing/>=10 circuits/Dispatch/MS(%)	ADSL to Retail	50.00%	2						
B.2.19.7.2.2	P-9	Line Sharing/>=10 circuits/Non-Dispatch/MS(%)	ADSL to Retail	100.00%	1						
B.2.19.8.1.1	P-9	2W Analog Loop Design/<10 circuits/Dispatch/MS(%)	R&B - Disp	10.04%	13,800	0.00%	16		0.07516	1.3352	YES
B.2.19.8.1.2	P-9	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(%)	R&B - Disp	10.04%	13,800						
B.2.19.8.2.1	P-9	2W Analog Loop Design/>=10 circuits/Dispatch/MS(%)	R&B - Disp	11.76%	34						
B.2.19.8.2.2	P-9	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(%)	R&B - Disp	11.76%	34						
B.2.19.9.1.1	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	10.19%	13,481	0.00%	13		0.08395	1.2141	YES
B.2.19.9.1.4	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	2.69%	59,180						
B.2.19.9.2.1	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	10.53%	19						
B.2.19.9.2.4	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or								
B.2.19.10.1.1	P-9	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(%)	R&B - Disp	10.04%	13,800						

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.19.10.1.2	P-9	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(%)	R&B - Disp	10.04%	13,800						
B.2.19.10.2.1	P-9	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(%)	R&B - Disp	11.76%	34						
B.2.19.10.2.2	P-9	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(%)	R&B - Disp	11.76%	34						
B.2.19.11.1.1	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	10.19%	13,481						
B.2.19.11.1.4	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	2.69%	59,180						
B.2.19.11.2.1	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	10.53%	19						
B.2.19.11.2.4	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or								
B.2.19.12.1.1	P-9	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(%)	R&B - Disp	10.04%	13,800	0.00%	6		0.12270	0.8180	YES
B.2.19.12.1.2	P-9	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(%)	R&B - Disp	10.04%	13,800						
B.2.19.12.2.1	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(%)	R&B - Disp	11.76%	34						
B.2.19.12.2.2	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(%)	R&B - Disp	11.76%	34						
B.2.19.13.1.1	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	10.19%	13,481	6.67%	15		0.07816	0.4511	YES
B.2.19.13.1.4	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or	2.69%	59,180						
B.2.19.13.2.1	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(%)	R&B (POTS) excl SB Or	10.53%	19						
B.2.19.13.2.4	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/MS(%)	R&B (POTS) excl SB Or								
B.2.19.14.1.1	P-9	Other Design/<10 circuits/Dispatch/MS(%)	Design	6.64%	602	100.00%	2		0.17640	-5.2922	NO
B.2.19.14.1.2	P-9	Other Design/<10 circuits/Non-Dispatch/MS(%)	Design	2.54%	197						
B.2.19.14.2.1	P-9	Other Design/>=10 circuits/Dispatch/MS(%)	Design								
B.2.19.14.2.2	P-9	Other Design/>=10 circuits/Non-Dispatch/MS(%)	Design								
B.2.19.15.1.1	P-9	Other Non-Design/<10 circuits/Dispatch/MS(%)	R&B	10.04%	13,800	0.00%	13		0.08338	1.2037	YES
B.2.19.15.1.2	P-9	Other Non-Design/<10 circuits/Non-Dispatch/MS(%)	R&B	3.11%	155,334						
B.2.19.15.2.1	P-9	Other Non-Design/>=10 circuits/Dispatch/MS(%)	R&B	11.76%	34						
B.2.19.15.2.2	P-9	Other Non-Design/>=10 circuits/Non-Dispatch/MS(%)	R&B	7.55%	53						
B.2.19.16.1.1	P-9	INP (Standalone)/<10 circuits/Dispatch/MS(%)	R&B (POTS)	10.19%	13,481						
B.2.19.16.1.2	P-9	INP (Standalone)/<10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	3.15%	151,748	0.00%	2		0.12343	0.2549	YES
B.2.19.16.2.1	P-9	INP (Standalone)/>=10 circuits/Dispatch/MS(%)	R&B (POTS)	10.53%	19						
B.2.19.16.2.2	P-9	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.00%	1						
B.2.19.17.1.1	P-9	LNP (Standalone)/<10 circuits/Dispatch/MS(%)	R&B (POTS)	10.19%	13,481						
B.2.19.17.1.2	P-9	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	3.15%	151,748	0.00%	32		0.03086	1.0194	YES
B.2.19.17.2.1	P-9	LNP (Standalone)/>=10 circuits/Dispatch/MS(%)	R&B (POTS)	10.53%	19						
B.2.19.17.2.2	P-9	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(%)	R&B (POTS)	0.00%	1	0.00%	3		0.00000		YES
B.2.19.18.1.1	P-9	Digital Loop < DS1/<10 circuits/Dispatch/MS(%)	Digital Loop < DS1	3.99%	803	2.17%	46		0.02966	0.6107	YES
B.2.19.18.1.2	P-9	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(%)	Digital Loop < DS1	1.69%	1,244						
B.2.19.18.2.1	P-9	Digital Loop < DS1/>=10 circuits/Dispatch/MS(%)	Digital Loop < DS1	50.00%	2						
B.2.19.18.2.2	P-9	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(%)	Digital Loop < DS1	100.00%	1						
B.2.19.19.1.1	P-9	Digital Loop >= DS1/<10 circuits/Dispatch/MS(%)	Digital Loop >= DS1	4.69%	128	13.95%	43		0.03726	-2.4871	NO
B.2.19.19.1.2	P-9	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(%)	Digital Loop >= DS1	1.98%	101						
B.2.19.19.2.1	P-9	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(%)	Digital Loop >= DS1	0.00%	2						
B.2.19.19.2.2	P-9	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(%)	Digital Loop >= DS1	0.00%	15						
	Average Completion Notice Interval - Mechanized										
B.2.21.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/MS(hours)	R&B (POTS)	1.47	14,512			12.972			
B.2.21.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/MS(hours)	R&B (POTS)	0.69	154,457			102.692			
B.2.21.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/MS(hours)	R&B (POTS)	1.10	35			4.168			
B.2.21.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/MS(hours)	R&B (POTS)	0.39	5			0.049			
B.2.21.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/MS(hours)	DS1/ DS3 - Interoffice	61.88	156			134.349			
B.2.21.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(hours)	DS1/ DS3 - Interoffice								
B.2.21.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/MS(hours)	DS1/ DS3 - Interoffice								
B.2.21.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(hours)	DS1/ DS3 - Interoffice								
B.2.21.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/MS(hours)	R&B	1.49	14,655	0.45	388	13.034	0.67043	1.5443	YES
B.2.21.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(hours)	R&B	0.69	154,995	0.35	7,126	102.514	1.24199	0.2787	YES
B.2.21.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/MS(hours)	R&B	0.48	95,289	0.34	5,016	4.314	0.06249	2.2617	YES
B.2.21.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/MS(hours)	R&B	1.04	59,706	0.37	2,110	165.081	3.65676	0.1819	YES
B.2.21.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/MS(hours)	R&B	3.44	43	0.02	3	11.320	6.75972	0.5066	YES
B.2.21.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(hours)	R&B	0.29	61			0.147			
B.2.21.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/MS(hours)	R&B	0.28	30			0.148			

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.21.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/MS(hours)	R&B	0.30	31			0.148			
B.2.21.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/MS(hours)	R&B&D - Disp	10.14	15,296			124.113			
B.2.21.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/MS(hours)	R&B&D - Disp								
B.2.21.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/MS(hours)	R&B&D - Disp	3.44	43			11.320			
B.2.21.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/MS(hours)	R&B&D - Disp								
B.2.21.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(hours)	ADSL to Retail	6.29	841			18.573			
B.2.21.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(hours)	ADSL to Retail	0.62	1,177			8.472			
B.2.21.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(hours)	ADSL to Retail	0.02	1			0.000			
B.2.21.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(hours)	ADSL to Retail								
B.2.21.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/MS(hours)	ISDN - BRI	55.61	47	29.74	24	70.818	17.76709	1.4560	YES
B.2.21.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/MS(hours)	ISDN - BRI	1.52	61			9.271			
B.2.21.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/MS(hours)	ISDN - BRI								
B.2.21.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/MS(hours)	ISDN - BRI								
B.2.21.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/MS(hours)	ADSL to Retail	6.29	841			18.573			
B.2.21.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/MS(hours)	ADSL to Retail	0.62	1,177			8.472			
B.2.21.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/MS(hours)	ADSL to Retail	0.02	1			0.000			
B.2.21.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/MS(hours)	ADSL to Retail								
B.2.21.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/MS(hours)	R&B - Disp	1.49	14,655	26.62	9	26.628	8.87857	-2.8301	NO
B.2.21.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(hours)	R&B - Disp	1.49	14,655			13.034			
B.2.21.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/MS(hours)	R&B - Disp	3.44	43			11.320			
B.2.21.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(hours)	R&B - Disp	3.44	43			11.320			
B.2.21.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(hours)	R&B (POTS) excl SB Or	1.47	14,512	0.02	12	12.972	3.74617	0.3871	YES
B.2.21.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/MS(hours)	R&B (POTS) excl SB Or	1.04	59,463			165.417			
B.2.21.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(hours)	R&B (POTS) excl SB Or	1.10	35			4.168			
B.2.21.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/MS(hours)	R&B (POTS) excl SB Or	0.37	3			0.033			
B.2.21.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(hours)	R&B - Disp	1.49	14,655			13.034			
B.2.21.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(hours)	R&B - Disp	1.49	14,655			13.034			
B.2.21.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(hours)	R&B - Disp	3.44	43			11.320			
B.2.21.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(hours)	R&B - Disp	3.44	43			11.320			
B.2.21.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(hours)	R&B (POTS) excl SB Or	1.47	14,512			12.972			
B.2.21.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/MS(hours)	R&B (POTS) excl SB Or	1.04	59,463			165.417			
B.2.21.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(hours)	R&B (POTS) excl SB Or	1.10	35			4.168			
B.2.21.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/MS(hours)	R&B (POTS) excl SB Or	0.37	3			0.033			
B.2.21.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(hours)	R&B - Disp	1.49	14,655	14.88	5	32.930	14.72941	-0.9089	YES
B.2.21.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(hours)	R&B - Disp	1.49	14,655			13.034			
B.2.21.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(hours)	R&B - Disp	3.44	43			11.320			
B.2.21.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(hours)	R&B - Disp	3.44	43			11.320			
B.2.21.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(hours)	R&B (POTS) excl SB Or	1.47	14,512			12.972			
B.2.21.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/MS(hours)	R&B (POTS) excl SB Or	1.04	59,463			165.417			
B.2.21.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(hours)	R&B (POTS) excl SB Or	1.10	35			4.168			
B.2.21.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/MS(hours)	R&B (POTS) excl SB Or	0.37	3			0.033			
B.2.21.14.1.1	P-5	Other Design/<10 circuits/Dispatch/MS(hours)	Design	208.02	641			568.605			
B.2.21.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/MS(hours)	Design	40.45	268			193.558			
B.2.21.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/MS(hours)	Design								
B.2.21.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/MS(hours)	Design	0.24	4			0.111			
B.2.21.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/MS(hours)	R&B	1.49	14,655			13.034			
B.2.21.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/MS(hours)	R&B	0.69	154,995			102.514			
B.2.21.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/MS(hours)	R&B	3.44	43			11.320			
B.2.21.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/MS(hours)	R&B	0.29	61			0.147			
B.2.21.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/MS(hours)	R&B (POTS)	1.47	14,512			12.972			
B.2.21.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/MS(hours)	R&B (POTS)	0.69	154,457			102.692			
B.2.21.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/MS(hours)	R&B (POTS)	1.10	35			4.168			
B.2.21.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(hours)	R&B (POTS)	0.39	5			0.049			
B.2.21.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/MS(hours)	R&B (POTS)	1.47	14,512			12.972			
B.2.21.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(hours)	R&B (POTS)	0.69	154,457	0.32	66	102.692	12.64317	0.0299	YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.21.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/MS(hours)	R&B (POTS)	1.10	35			4.168			
B.2.21.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(hours)	R&B (POTS)	0.39	5			0.049			
B.2.21.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/MS(hours)	Digital Loop < DS1	42.32	1,019	29.74	24	380.984	78.67860	0.1599	YES
B.2.21.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(hours)	Digital Loop < DS1	0.83	1,413			9.341			
B.2.21.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/MS(hours)	Digital Loop < DS1	0.02	1			0.000			
B.2.21.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(hours)	Digital Loop < DS1	0.24	4			0.111			
B.2.21.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/MS(hours)	Digital Loop >= DS1	218.93	122	20.00	79	255.604	36.91246	5.3892	YES
B.2.21.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(hours)	Digital Loop >= DS1	11.07	171			72.948			
B.2.21.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(hours)	Digital Loop >= DS1								
B.2.21.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(hours)	Digital Loop >= DS1	0.34	17			0.119			
		Average Completion Notice Interval - Non-Mechanized									
B.2.22.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/MS(hours)	Diagnostic			12.71	19				Diagnostic
B.2.22.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic			6.27	120				Diagnostic
B.2.22.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/MS(hours)	Diagnostic			2.87	78				Diagnostic
B.2.22.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/MS(hours)	Diagnostic			12.60	42				Diagnostic
B.2.22.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/MS(hours)	Diagnostic			0.02	1				Diagnostic
B.2.22.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/MS(hours)	Diagnostic								Diagnostic
B.2.22.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(hours)	Diagnostic			19.87	49				Diagnostic
B.2.22.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/MS(hours)	Diagnostic			27.17	5				Diagnostic
B.2.22.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/MS(hours)	Diagnostic			55.33	6				Diagnostic
B.2.22.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(hours)	Diagnostic			36.18	2				Diagnostic
B.2.22.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.22.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(hours)	Diagnostic			15.42	1				Diagnostic
B.2.22.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(hours)	Diagnostic			52.87	2				Diagnostic
B.2.22.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(hours)	Diagnostic			23.64	22				Diagnostic
B.2.22.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(hours)	Diagnostic			37.32	1				Diagnostic
B.2.22.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/MS(hours)	Diagnostic								Diagnostic
B.2.22.14.1.1	P-5	Other Design/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/MS(hours)	Diagnostic			24.04	22				Diagnostic
B.2.22.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic			3.83	26				Diagnostic
B.2.22.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/MS(hours)	Diagnostic			20.55	54				Diagnostic
B.2.22.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/MS(hours)	Diagnostic			39.73	11				Diagnostic
B.2.22.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(hours)	Diagnostic								Diagnostic
B.2.22.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(hours)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Mechanized										
B.2.24.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/MS(days)	Diagnostic			5.51	227				Diagnostic
B.2.24.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.57	5,600				Diagnostic
B.2.24.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.24.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic			4.15	3				Diagnostic
B.2.24.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.14.1.1	P-10	Other Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.57	48				Diagnostic
B.2.24.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			6.08	59				Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.24.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.24.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time - Partially Mechanized									
B.2.25.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/MS(days)	Diagnostic			3.31	50				Diagnostic
B.2.25.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.91	922				Diagnostic
B.2.25.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/MS(days)	Diagnostic			2.47	2				Diagnostic
B.2.25.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic			10.22	19				Diagnostic
B.2.25.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/MS(days)	Diagnostic			7.42	4				Diagnostic
B.2.25.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic			3.06	2				Diagnostic
B.2.25.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(days)	Diagnostic			4.94	1				Diagnostic
B.2.25.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.25.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.14.1.1	P-10	Other Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.47	18				Diagnostic
B.2.25.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			10.22	19				Diagnostic
B.2.25.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			7.25	11				Diagnostic
B.2.25.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.25.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Non-Mechanized										
B.2.26.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/MS(days)	Diagnostic			6.06	1				Diagnostic
B.2.26.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			3.55	23				Diagnostic
B.2.26.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(days)	Diagnostic			5.38	10				Diagnostic
B.2.26.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic			12.15	5				Diagnostic
B.2.26.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/MS(days)	Diagnostic			5.23	4				Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.26.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(days)	Diagnostic			7.59	2				Diagnostic
B.2.26.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic			5.83	14				Diagnostic
B.2.26.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic			5.20	1				Diagnostic
B.2.26.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.14.1.1	P-10	Other Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic			6.55	20				Diagnostic
B.2.26.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.78	24				Diagnostic
B.2.26.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			7.64	15				Diagnostic
B.2.26.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			8.92	7				Diagnostic
B.2.26.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.26.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Mechanized										
B.2.28.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.28.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/MS(days)	Diagnostic			5.55	222				Diagnostic
B.2.28.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.83	2,138				Diagnostic
B.2.28.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic			4.15	3				Diagnostic
B.2.28.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.14.1.1	P-10	Other Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.28.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.57	48				Diagnostic
B.2.28.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			6.44	44				Diagnostic
B.2.28.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.28.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Partially Mechanized									
B.2.29.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/MS(days)	Diagnostic			3.40	46				Diagnostic
B.2.29.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.96	711				Diagnostic
B.2.29.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/MS(days)	Diagnostic			2.47	2				Diagnostic
B.2.29.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic			10.49	14				Diagnostic
B.2.29.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/MS(days)	Diagnostic			7.42	4				Diagnostic
B.2.29.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic			2.85	1				Diagnostic
B.2.29.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.29.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(days)	Diagnostic			4.94	1				Diagnostic
B.2.29.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.14.1.1	P-10	Other Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.47	18				Diagnostic
B.2.29.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			10.49	14				Diagnostic
B.2.29.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			7.25	11				Diagnostic
B.2.29.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.29.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Non-Mechanized										
B.2.30.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/MS(days)	Diagnostic			6.06	1				Diagnostic
B.2.30.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			3.02	20				Diagnostic
B.2.30.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/MS(days)	Diagnostic			5.48	8				Diagnostic
B.2.30.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.30.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/MS(days)	Diagnostic			12.43	4				Diagnostic
B.2.30.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/MS(days)	Diagnostic			5.23	4				Diagnostic
B.2.30.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/MS(days)	Diagnostic			7.59	2				Diagnostic
B.2.30.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic			6.03	12				Diagnostic
B.2.30.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.14.1.1	P-10	Other Design/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/MS(days)	Diagnostic			6.74	17				Diagnostic
B.2.30.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/MS(days)	Diagnostic			0.78	24				Diagnostic
B.2.30.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			7.79	12				Diagnostic
B.2.30.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/MS(days)	Diagnostic			9.54	6				Diagnostic

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.30.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/MS(days)	Diagnostic								Diagnostic
B.2.30.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/MS(days)	Diagnostic								Diagnostic
	Disconnect Timeliness										
B.2.31	P-13	LNP/MS(%)	>= 95% w in 15 min								
	% Completions w/o Notice or < 24 hours										
B.2.32.1.1	P-6	Switch Ports/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.1.2	P-6	Switch Ports/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.2.1	P-6	Local Interoffice Transport/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.2.2	P-6	Local Interoffice Transport/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.3.1	P-6	Loop + Port Combinations/Dispatch/MS(%)	Diagnostic			9.94%	312				Diagnostic
B.2.32.3.2	P-6	Loop + Port Combinations/Non-Dispatch/MS(%)	Diagnostic			9.65%	6,722				Diagnostic
B.2.32.4.1	P-6	Combo Other/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.4.2	P-6	Combo Other/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.5.1	P-6	xDSL (ADSL, HDSL and UCL)/Dispatch/MS(%)	Diagnostic			0.00%	28				Diagnostic
B.2.32.5.2	P-6	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.6.1	P-6	UNE ISDN/Dispatch/MS(%)	Diagnostic			11.11%	27				Diagnostic
B.2.32.6.2	P-6	UNE ISDN/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.7.1	P-6	Line Sharing/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.7.2	P-6	Line Sharing/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.8.1	P-6	2W Analog Loop Design/Dispatch/MS(%)	Diagnostic			0.00%	8				Diagnostic
B.2.32.8.2	P-6	2W Analog Loop Design/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.9.1	P-6	2W Analog Loop Non-Design/Dispatch/MS(%)	Diagnostic			0.00%	5				Diagnostic
B.2.32.9.2	P-6	2W Analog Loop Non-Design/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.10.1	P-6	2W Analog Loop w/INP Design/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.10.2	P-6	2W Analog Loop w/INP Design/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.11.1	P-6	2W Analog Loop w/INP Non-Design/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.11.2	P-6	2W Analog Loop w/INP Non-Design/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.12.1	P-6	2W Analog Loop w/LNP Design/Dispatch/MS(%)	Diagnostic			0.00%	3				Diagnostic
B.2.32.12.2	P-6	2W Analog Loop w/LNP Design/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.13.1	P-6	2W Analog Loop w/LNP Non-Design/Dispatch/MS(%)	Diagnostic			0.00%	15				Diagnostic
B.2.32.13.2	P-6	2W Analog Loop w/LNP Non-Design/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.14.1	P-6	Other Design/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.14.2	P-6	Other Design/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.15.1	P-6	Other Non-Design/Dispatch/MS(%)	Diagnostic			4.76%	21				Diagnostic
B.2.32.15.2	P-6	Other Non-Design/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.16.1	P-6	INP (Standalone)/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.16.2	P-6	INP (Standalone)/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.17.1	P-6	LNP (Standalone)/Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.17.2	P-6	LNP (Standalone)/Non-Dispatch/MS(%)	Diagnostic			0.00%	92				Diagnostic
B.2.32.18.1	P-6	Digital Loop < DS1/Dispatch/MS(%)	Diagnostic			5.45%	55				Diagnostic
B.2.32.18.2	P-6	Digital Loop < DS1/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
B.2.32.19.1	P-6	Digital Loop >= DS1/Dispatch/MS(%)	Diagnostic			1.18%	85				Diagnostic
B.2.32.19.2	P-6	Digital Loop >= DS1/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
	% Cooperative Test Attempts for xDSL										
B.2.33.1	P-8	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 95% of requests			100.00%	46				YES
B.2.33.2	P-8	xDSL Other/MS(%)	>= 95% of requests								
	Service Order Accuracy										
B.2.34.1.1.1	P-11	Design (Specials)/<10 circuits/Dispatch/MS(%)	>= 95%			100.00%	110				YES
B.2.34.1.1.2	P-11	Design (Specials)/<10 circuits/Non-Dispatch/MS(%)	>= 95%								
B.2.34.1.2.1	P-11	Design (Specials)/>=10 circuits/Dispatch/MS(%)	>= 95%			100.00%	23				YES
B.2.34.1.2.2	P-11	Design (Specials)/>=10 circuits/Non-Dispatch/MS(%)	>= 95%								
B.2.34.2.1.1	P-11	Loops Non-Design/<10 circuits/Dispatch/MS(%)	>= 95%			98.18%	110				YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.34.2.1.2	P-11	Loops Non-Design/<10 circuits/Non-Dispatch/MS(%)	>= 95%			99.09%	110				YES
B.2.34.2.2.1	P-11	Loops Non-Design/>=10 circuits/Non-Dispatch/MS(%)	>= 95%			97.75%	89				YES
B.2.34.2.2.2	P-11	Loops Non-Design/>=10 circuits/Non-Dispatch/MS(%)	>= 95%			97.20%	143				YES
	Unbundled Network Elements - Maintenance and Repair										
	Missed Repair Appointments										
B.3.1.1.1	M&R-1	Switch Ports/Dispatch/MS(%)	R&B (POTS)	4.41%	24,188						
B.3.1.1.2	M&R-1	Switch Ports/Non-Dispatch/MS(%)	R&B (POTS)	0.87%	12,168						
B.3.1.2.1	M&R-1	Local Interoffice Transport/Dispatch/MS(%)	DS1/DS3	0.00%	142	0.00%	0				YES
B.3.1.2.2	M&R-1	Local Interoffice Transport/Non-Dispatch/MS(%)	DS1/DS3	0.00%	76	0.00%	0				YES
B.3.1.3.1	M&R-1	Loop + Port Combinations/Dispatch/MS(%)	R&B	4.42%	24,570	1.77%	735		0.00769	3.4459	YES
B.3.1.3.2	M&R-1	Loop + Port Combinations/Non-Dispatch/MS(%)	R&B	0.91%	12,375	0.97%	206		0.00668	-0.0864	YES
B.3.1.4.1	M&R-1	Combo Other/Dispatch/MS(%)	R&B&D - Disp	4.33%	25,146	0.00%	0				YES
B.3.1.4.2	M&R-1	Combo Other/Non-Dispatch/MS(%)	R&B&D - Disp	4.33%	25,146	0.00%	0				YES
B.3.1.5.1	M&R-1	xDSL (ADSL, HDSL and UCL)/Dispatch/MS(%)	ADSL to Retail	44.44%	180	0.00%	12		0.14815	3.0000	YES
B.3.1.5.2	M&R-1	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/MS(%)	ADSL to Retail	2.23%	224	0.00%	1		0.14806	0.1508	YES
B.3.1.6.1	M&R-1	UNE ISDN/Dispatch/MS(%)	ISDN - BRI	0.00%	15	0.00%	7		0.00000		YES
B.3.1.6.2	M&R-1	UNE ISDN/Non-Dispatch/MS(%)	ISDN - BRI	5.56%	36	0.00%	1		0.23222	0.2392	YES
B.3.1.7.1	M&R-1	Line Sharing/Dispatch/MS(%)	ADSL to Retail	44.44%	180						
B.3.1.7.2	M&R-1	Line Sharing/Non-Dispatch/MS(%)	ADSL to Retail	2.23%	224						
B.3.1.8.1	M&R-1	2W Analog Loop Design/Dispatch/MS(%)	R&B - Disp	4.42%	24,570	0.00%	22		0.04384	1.0082	YES
B.3.1.8.2	M&R-1	2W Analog Loop Design/Non-Dispatch/MS(%)	R&B - Disp	4.42%	24,570	0.00%	9		0.06853	0.6450	YES
B.3.1.9.1	M&R-1	2W Analog Loop Non-Design/Dispatch/MS(%)	R&B (POTS) excl SB FT	4.36%	24,126	0.00%	0				YES
B.3.1.9.2	M&R-1	2W Analog Loop Non-Design/Non-Dispatch/MS(%)	R&B (POTS) excl SB FT	0.76%	11,001	0.00%	0				YES
B.3.1.10.1	M&R-1	Other Design/Dispatch/MS(%)	Design	0.52%	576	0.00%	0				YES
B.3.1.10.2	M&R-1	Other Design/Non-Dispatch/MS(%)	Design	0.78%	644	0.00%	0				YES
B.3.1.11.1	M&R-1	Other Non-Design/Dispatch/MS(%)	R&B	4.42%	24,570	25.00%	4		0.10278	-2.0024	NO
B.3.1.11.2	M&R-1	Other Non-Design/Non-Dispatch/MS(%)	R&B	0.91%	12,375	0.00%	1		0.09512	0.0960	YES
B.3.1.12.1	M&R-1	LNP (Standalone)/Dispatch/MS(%)	R&B (POTS)	4.41%	24,188						
B.3.1.12.2	M&R-1	LNP (Standalone)/Non-Dispatch/MS(%)	R&B (POTS)	0.87%	12,168						
	Customer Trouble Report Rate										
B.3.2.1.1	M&R-2	Switch Ports/Dispatch/MS(%)	R&B (POTS)	2.16%	1,120,019						
B.3.2.1.2	M&R-2	Switch Ports/Non-Dispatch/MS(%)	R&B (POTS)	1.09%	1,120,019						
B.3.2.2.1	M&R-2	Local Interoffice Transport/Dispatch/MS(%)	DS1/DS3	2.53%	5,609	0.00%	23		0.03324	0.7615	YES
B.3.2.2.2	M&R-2	Local Interoffice Transport/Non-Dispatch/MS(%)	DS1/DS3	1.35%	5,609	0.00%	23		0.02432	0.5571	YES
B.3.2.3.1	M&R-2	Loop + Port Combinations/Dispatch/MS(%)	R&B	2.02%	1,215,924	1.37%	53,655		0.00063	10.3787	YES
B.3.2.3.2	M&R-2	Loop + Port Combinations/Non-Dispatch/MS(%)	R&B	1.02%	1,215,924	0.38%	53,655		0.00045	14.2419	YES
B.3.2.4.1	M&R-2	Combo Other/Dispatch/MS(%)	R&B&D - Disp	1.77%	1,419,757	0.00%	25		0.02662	0.6654	YES
B.3.2.4.2	M&R-2	Combo Other/Non-Dispatch/MS(%)	R&B&D - Disp	1.77%	1,419,757	0.00%	25		0.02662	0.6654	YES
B.3.2.5.1	M&R-2	xDSL (ADSL, HDSL and UCL)/Dispatch/MS(%)	ADSL to Retail	1.07%	16,794	1.36%	881		0.00358	-0.8112	YES
B.3.2.5.2	M&R-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/MS(%)	ADSL to Retail	1.33%	16,794	0.11%	881		0.00399	3.0571	YES
B.3.2.6.1	M&R-2	UNE ISDN/Dispatch/MS(%)	ISDN - BRI	0.50%	3,020	1.18%	595		0.00316	-2.1505	NO
B.3.2.6.2	M&R-2	UNE ISDN/Non-Dispatch/MS(%)	ISDN - BRI	1.19%	3,020	0.17%	595		0.00490	2.0910	YES
B.3.2.7.1	M&R-2	Line Sharing/Dispatch/MS(%)	ADSL to Retail	1.07%	16,794						
B.3.2.7.2	M&R-2	Line Sharing/Non-Dispatch/MS(%)	ADSL to Retail	1.33%	16,794						
B.3.2.8.1	M&R-2	2W Analog Loop Design/Dispatch/MS(%)	R&B - Disp	2.02%	1,215,924	0.66%	3,324		0.00247	5.5037	YES
B.3.2.8.2	M&R-2	2W Analog Loop Design/Non-Dispatch/MS(%)	R&B - Disp	2.02%	1,215,924	0.27%	3,324		0.00247	7.0877	YES
B.3.2.9.1	M&R-2	2W Analog Loop Non-Design/Dispatch/MS(%)	R&B (POTS) excl SB FT	2.15%	1,120,019	0.00%	179		0.01097	1.9635	YES
B.3.2.9.2	M&R-2	2W Analog Loop Non-Design/Non-Dispatch/MS(%)	R&B (POTS) excl SB FT	0.98%	1,120,019	0.00%	179		0.00741	1.3259	YES
B.3.2.10.1	M&R-2	Other Design/Dispatch/MS(%)	Design	0.28%	203,833	0.00%	6		0.02170	0.1302	YES
B.3.2.10.2	M&R-2	Other Design/Non-Dispatch/MS(%)	Design	0.32%	203,833	0.00%	6		0.02295	0.1377	YES
B.3.2.11.1	M&R-2	Other Non-Design/Dispatch/MS(%)	R&B	2.02%	1,215,924	3.74%	107		0.01374	-1.2498	YES
B.3.2.11.2	M&R-2	Other Non-Design/Non-Dispatch/MS(%)	R&B	1.02%	1,215,924	0.93%	107		0.00975	0.0853	YES
B.3.2.12.1	M&R-2	LNP (Standalone)/Dispatch/MS(%)	R&B (POTS)	2.16%	1,120,019						

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.3.2.12.2	M&R-2	LNP (Standalone)/Non-Dispatch/MS(%)	R&B (POTS)	1.09%	1,120,019						
	Maintenance Average Duration										
B.3.3.1.1	M&R-3	Switch Ports/Dispatch/MS(hours)	R&B (POTS)	19.58	24,188			19.400			
B.3.3.1.2	M&R-3	Switch Ports/Non-Dispatch/MS(hours)	R&B (POTS)	7.73	12,168			15.329			
B.3.3.2.1	M&R-3	Local Interoffice Transport/Dispatch/MS(hours)	DS1/DS3	3.72	142	0.00	0	2.575			YES
B.3.3.2.2	M&R-3	Local Interoffice Transport/Non-Dispatch/MS(hours)	DS1/DS3	2.00	76	0.00	0	2.980			YES
B.3.3.3.1	M&R-3	Loop + Port Combinations/Dispatch/MS(hours)	R&B	19.44	24,570	14.32	735	19.354	0.72449	7.0575	YES
B.3.3.3.2	M&R-3	Loop + Port Combinations/Non-Dispatch/MS(hours)	R&B	7.66	12,375	3.96	206	15.297	1.07462	3.4499	YES
B.3.3.4.1	M&R-3	Combo Other/Dispatch/MS(hours)	R&B&D - Disp	19.10	25,146	0.00	0	19.263			YES
B.3.3.4.2	M&R-3	Combo Other/Non-Dispatch/MS(hours)	R&B&D - Disp	19.10	25,146	0.00	0	19.263			YES
B.3.3.5.1	M&R-3	xDSL (ADSL, HDSL and UCL)/Dispatch/MS(hours)	ADSL to Retail	50.88	180	5.49	12	137.384	40.95999	1.1083	YES
B.3.3.5.2	M&R-3	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/MS(hours)	ADSL to Retail	3.73	224	3.35	1	24.209	24.26318	0.0157	YES
B.3.3.6.1	M&R-3	UNE ISDN/Dispatch/MS(hours)	ISDN - BRI	4.98	15	6.26	7	3.618	1.65595	-0.7728	YES
B.3.3.6.2	M&R-3	UNE ISDN/Non-Dispatch/MS(hours)	ISDN - BRI	6.11	36	1.47	1	9.193	9.32026	0.4987	YES
B.3.3.7.1	M&R-3	Line Sharing/Dispatch/MS(hours)	ADSL to Retail	50.88	180			137.384			
B.3.3.7.2	M&R-3	Line Sharing/Non-Dispatch/MS(hours)	ADSL to Retail	3.73	224			24.209			
B.3.3.8.1	M&R-3	2W Analog Loop Design/Dispatch/MS(hours)	R&B - Disp	19.44	24,570	4.87	22	19.354	4.12816	3.5289	YES
B.3.3.8.2	M&R-3	2W Analog Loop Design/Non-Dispatch/MS(hours)	R&B - Disp	19.44	24,570	2.36	9	19.354	6.45256	2.6460	YES
B.3.3.9.1	M&R-3	2W Analog Loop Non-Design/Dispatch/MS(hours)	R&B (POTS) excl SB FT	19.57	24,126	0.00	0	19.399			YES
B.3.3.9.2	M&R-3	2W Analog Loop Non-Design/Non-Dispatch/MS(hours)	R&B (POTS) excl SB FT	8.19	11,001	0.00	0	15.840			YES
B.3.3.10.1	M&R-3	Other Design/Dispatch/MS(hours)	Design	4.84	576	0.00	0	3.650			YES
B.3.3.10.2	M&R-3	Other Design/Non-Dispatch/MS(hours)	Design	2.95	644	0.00	0	4.454			YES
B.3.3.11.1	M&R-3	Other Non-Design/Dispatch/MS(hours)	R&B	19.44	24,570	7.78	4	19.354	9.67785	1.2050	YES
B.3.3.11.2	M&R-3	Other Non-Design/Non-Dispatch/MS(hours)	R&B	7.66	12,375	2.73	1	15.297	15.29746	0.3223	YES
B.3.3.12.1	M&R-3	LNP (Standalone)/Dispatch/MS(hours)	R&B (POTS)	19.58	24,188			19.400			
B.3.3.12.2	M&R-3	LNP (Standalone)/Non-Dispatch/MS(hours)	R&B (POTS)	7.73	12,168			15.329			
	% Repeat Troubles within 30 Days										
B.3.4.1.1	M&R-4	Switch Ports/Dispatch/MS(%)	R&B (POTS)	16.89%	24,188						
B.3.4.1.2	M&R-4	Switch Ports/Non-Dispatch/MS(%)	R&B (POTS)	14.69%	12,168						
B.3.4.2.1	M&R-4	Local Interoffice Transport/Dispatch/MS(%)	DS1/DS3	28.17%	142	0.00%	0				YES
B.3.4.2.2	M&R-4	Local Interoffice Transport/Non-Dispatch/MS(%)	DS1/DS3	27.63%	76	0.00%	0				YES
B.3.4.3.1	M&R-4	Loop + Port Combinations/Dispatch/MS(%)	R&B	16.81%	24,570	12.11%	735		0.01400	3.3578	YES
B.3.4.3.2	M&R-4	Loop + Port Combinations/Non-Dispatch/MS(%)	R&B	14.59%	12,375	16.02%	206		0.02480	-0.5747	YES
B.3.4.4.1	M&R-4	Combo Other/Dispatch/MS(%)	R&B&D - Disp	16.83%	25,146	0.00%	0				YES
B.3.4.4.2	M&R-4	Combo Other/Non-Dispatch/MS(%)	R&B&D - Disp	16.83%	25,146	0.00%	0				YES
B.3.4.5.1	M&R-4	xDSL (ADSL, HDSL and UCL)/Dispatch/MS(%)	ADSL to Retail	11.67%	180	0.00%	12		0.09571	1.2190	YES
B.3.4.5.2	M&R-4	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/MS(%)	ADSL to Retail	16.52%	224	0.00%	1		0.37217	0.4438	YES
B.3.4.6.1	M&R-4	UNE ISDN/Dispatch/MS(%)	ISDN - BRI	0.00%	15	0.00%	7		0.00000		YES
B.3.4.6.2	M&R-4	UNE ISDN/Non-Dispatch/MS(%)	ISDN - BRI	13.89%	36	0.00%	1		0.35060	0.3961	YES
B.3.4.7.1	M&R-4	Line Sharing/Dispatch/MS(%)	ADSL to Retail	11.67%	180						
B.3.4.7.2	M&R-4	Line Sharing/Non-Dispatch/MS(%)	ADSL to Retail	16.52%	224						
B.3.4.8.1	M&R-4	2W Analog Loop Design/Dispatch/MS(%)	R&B - Disp	16.81%	24,570	13.64%	22		0.07976	0.3978	YES
B.3.4.8.2	M&R-4	2W Analog Loop Design/Non-Dispatch/MS(%)	R&B - Disp	16.81%	24,570	0.00%	9		0.12467	1.3483	YES
B.3.4.9.1	M&R-4	2W Analog Loop Non-Design/Dispatch/MS(%)	R&B (POTS) excl SB FT	16.88%	24,126	0.00%	0				YES
B.3.4.9.2	M&R-4	2W Analog Loop Non-Design/Non-Dispatch/MS(%)	R&B (POTS) excl SB FT	14.51%	11,001	0.00%	0				YES
B.3.4.10.1	M&R-4	Other Design/Dispatch/MS(%)	Design	17.71%	576	0.00%	0				YES
B.3.4.10.2	M&R-4	Other Design/Non-Dispatch/MS(%)	Design	17.70%	644	0.00%	0				YES
B.3.4.11.1	M&R-4	Other Non-Design/Dispatch/MS(%)	R&B	16.81%	24,570	25.00%	4		0.18699	-0.4380	YES
B.3.4.11.2	M&R-4	Other Non-Design/Non-Dispatch/MS(%)	R&B	14.59%	12,375	0.00%	1		0.35306	0.4134	YES
B.3.4.12.1	M&R-4	LNP (Standalone)/Dispatch/MS(%)	R&B (POTS)	16.89%	24,188						
B.3.4.12.2	M&R-4	LNP (Standalone)/Non-Dispatch/MS(%)	R&B (POTS)	14.69%	12,168						
	Out of Service > 24 hours										
B.3.5.1.1	M&R-5	Switch Ports/Dispatch/MS(%)	R&B (POTS)	26.50%	15,371						
B.3.5.1.2	M&R-5	Switch Ports/Non-Dispatch/MS(%)	R&B (POTS)	13.22%	4,085						

BellSouth Monthly State Summary

Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.3.5.2.1	M&R-5	Local Interoffice Transport/Dispatch/MS(%)	DS1/DS3	0.00%	142	0.00%	0				YES
B.3.5.2.2	M&R-5	Local Interoffice Transport/Non-Dispatch/MS(%)	DS1/DS3	0.00%	76	0.00%	0				YES
B.3.5.3.1	M&R-5	Loop + Port Combinations/Dispatch/MS(%)	R&B	26.22%	15,584	18.44%	499		0.02000	3.8908	YES
B.3.5.3.2	M&R-5	Loop + Port Combinations/Non-Dispatch/MS(%)	R&B	13.13%	4,160	3.06%	98		0.03451	2.9162	YES
B.3.5.4.1	M&R-5	Combo Other/Dispatch/MS(%)	R&B&D - Disp	25.30%	16,160	0.00%	0				YES
B.3.5.4.2	M&R-5	Combo Other/Non-Dispatch/MS(%)	R&B&D - Disp	25.30%	16,160	0.00%	0				YES
B.3.5.5.1	M&R-5	xDSL (ADSL, HDSL and UCL)/Dispatch/MS(%)	ADSL to Retail	44.44%	180	0.00%	12		0.14815	3.0000	YES
B.3.5.5.2	M&R-5	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/MS(%)	ADSL to Retail	2.23%	224	0.00%	1		0.14806	0.1508	YES
B.3.5.6.1	M&R-5	UNE ISDN/Dispatch/MS(%)	ISDN - BRI	0.00%	15	0.00%	7		0.00000		YES
B.3.5.6.2	M&R-5	UNE ISDN/Non-Dispatch/MS(%)	ISDN - BRI	5.56%	36	0.00%	1		0.23222	0.2392	YES
B.3.5.7.1	M&R-5	Line Sharing/Dispatch/MS(%)	ADSL to Retail	44.44%	180						
B.3.5.7.2	M&R-5	Line Sharing/Non-Dispatch/MS(%)	ADSL to Retail	2.23%	224						
B.3.5.8.1	M&R-5	2W Analog Loop Design/Dispatch/MS(%)	R&B - Disp	26.22%	15,584	0.00%	22		0.09384	2.7941	YES
B.3.5.8.2	M&R-5	2W Analog Loop Design/Non-Dispatch/MS(%)	R&B - Disp	26.22%	15,584	0.00%	9		0.14665	1.7879	YES
B.3.5.9.1	M&R-5	2W Analog Loop Non-Design/Dispatch/MS(%)	R&B (POTS) excl SB FT	26.51%	15,370	0.00%	0				YES
B.3.5.9.2	M&R-5	2W Analog Loop Non-Design/Non-Dispatch/MS(%)	R&B (POTS) excl SB FT	13.25%	4,074	0.00%	0				YES
B.3.5.10.1	M&R-5	Other Design/Dispatch/MS(%)	Design	0.52%	576	0.00%	0				YES
B.3.5.10.2	M&R-5	Other Design/Non-Dispatch/MS(%)	Design	0.78%	644	0.00%	0				YES
B.3.5.11.1	M&R-5	Other Non-Design/Dispatch/MS(%)	R&B	26.22%	15,584	0.00%	3		0.25396	1.0324	YES
B.3.5.11.2	M&R-5	Other Non-Design/Non-Dispatch/MS(%)	R&B	13.13%	4,160	0.00%	1		0.33771	0.3886	YES
B.3.5.12.1	M&R-5	LNP (Standalone)/Dispatch/MS(%)	R&B (POTS)	26.50%	15,371						
B.3.5.12.2	M&R-5	LNP (Standalone)/Non-Dispatch/MS(%)	R&B (POTS)	13.22%	4,085						
	Unbundled Network Elements - Billing										
	Invoice Accuracy										
B.4.1	B-1	MS(%)	BST - State	98.86%	$114,131,850	96.50%	$1,866,596		0.00008	302.1429	NO
	Mean Time to Deliver Invoices - CRIS										
B.4.2	B-2	Region(business days)	BST - Region	3.68	1	7.29	1,492				NO

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Local Interconnection Trunks - Ordering										
	% Rejected Service Requests										
C.1.1	O-7	Local Interconnection Trunks/MS(%)	Diagnostic			40.00%	15				Diagnostic
	Reject Interval										
C.1.2	O-8	Local Interconnection Trunks/MS(%)	>= 85% w in 4 days			100.00%	6				YES
	FOC Timeliness										
C.1.3	O-9	Local Interconnection Trunks/MS(%)	>= 95% w in 10 days			100.00%	12				YES
	FOC & Reject Response Completeness										
C.1.4	O-11	Local Interconnection Trunks/MS(%)	>= 95%			100.00%	13				YES
	FOC & Reject Response Completeness (Multiple Responses)										
C.1.5	O-11	Local Interconnection Trunks/MS(%)	>= 95%								
	Local Interconnection Trunks - Provisioning										
	Order Completion Interval										
C.2.1	P-4	Local Interconnection Trunks/MS(days)	Parity w Retail	23.12	57	6.00	7	10.795	4.32352	3.9604	YES
	Held Orders										
C.2.2	P-1	Local Interconnection Trunks/MS(days)	Parity w Retail	0.00	0	0.00	0				YES
	% Jeopardies										
C.2.3	P-2	Local Interconnection Trunks/MS(%)	Parity w Retail	0.00%	46	0.00%	6		0.00000		YES
	Average Jeopardy Notice Interval										
C.2.4	P-2	Local Interconnection Trunks/MS(hours)	95% >= 48 hrs								
	% Missed Installation Appointments										
C.2.5	P-3	Local Interconnection Trunks/MS(%)	Parity w Retail	0.00%	58	0.00%	8		0.00000		YES
	% Provisioning Troubles within 30 Days										
C.2.6	P-9	Local Interconnection Trunks/MS(%)	Parity w Retail	0.00%	2,808	0.00%	152		0.00000		YES
	Average Completion Notice Interval										
C.2.7	P-5	Local Interconnection Trunks/MS(hours)	Parity w Retail	24.64	52	18.24	8	63.431	24.08959	0.2654	YES
	Total Service Order Cycle Time										
C.2.8	P-10	Local Interconnection Trunks/MS(days)	Diagnostic			8.47	7				Diagnostic
	% Completions w/o Notice or < 24 hours										
C.2.10.1	P-6	Local Interconnection Trunks/Dispatch/MS(%)	Diagnostic			0.00%	7				Diagnostic
C.2.10.2	P-6	Local Interconnection Trunks/Non-Dispatch/MS(%)	Diagnostic								Diagnostic
	Service Order Accuracy										
C.2.11.1.1	P-11	Local Interconnection Trunks/<10 circuits/Dispatch/MS(%)	>= 95%			100.00%	60				YES
C.2.11.1.2	P-11	Local Interconnection Trunks/<10 circuits/Non-Dispatch/MS(%)	>= 95%			100.00%	33				YES
C.2.11.2.1	P-11	Local Interconnection Trunks/>=10 circuits/Dispatch/MS(%)	>= 95%			100.00%	4				YES
C.2.11.2.2	P-11	Local Interconnection Trunks/>=10 circuits/Non-Dispatch/MS(%)	>= 95%			100.00%	11				YES
	Local Interconnection Trunks - Maintenance and Repair										
	Missed Repair Appointments										
C.3.1.1	M&R-1	Local Interconnection Trunks/Dispatch/MS(%)	Parity w Retail	0.00%	0	0.00%	0				YES
C.3.1.2	M&R-1	Local Interconnection Trunks/Non-Dispatch/MS(%)	Parity w Retail	0.00%	25	0.00%	0				YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Customer Trouble Report Rate										
C.3.2.1	M&R-2	Local Interconnection Trunks/Dispatch/MS(%)	Parity w Retail	0.00%	83,347	0.00%	8,907		0.00000		YES
C.3.2.2	M&R-2	Local Interconnection Trunks/Non-Dispatch/MS(%)	Parity w Retail	0.03%	83,347	0.00%	8,907		0.00019	1.5536	YES
	Maintenance Average Duration										
C.3.3.1	M&R-3	Local Interconnection Trunks/Dispatch/MS(hours)	Parity w Retail	0.00	0	0.00	0				YES
C.3.3.2	M&R-3	Local Interconnection Trunks/Non-Dispatch/MS(hours)	Parity w Retail	0.46	25	0.00	0	1.162			YES
	% Repeat Troubles within 30 Days										
C.3.4.1	M&R-4	Local Interconnection Trunks/Dispatch/MS(%)	Parity w Retail	0.00%	0	0.00%	0				YES
C.3.4.2	M&R-4	Local Interconnection Trunks/Non-Dispatch/MS(%)	Parity w Retail	0.00%	25	0.00%	0				YES
	Out of Service > 24 hours										
C.3.5.1	M&R-5	Local Interconnection Trunks/Dispatch/MS(%)	Parity w Retail	0.00%	0	0.00%	0				YES
C.3.5.2	M&R-5	Local Interconnection Trunks/Non-Dispatch/MS(%)	Parity w Retail	0.00%	25	0.00%	0				YES
	Local Interconnection Trunks - Billing										
	Invoice Accuracy										
C.4.1	B-1	MS(%)	BST - State	98.86%	$114,131,850	98.47%	$474,957		0.00015	25.8485	NO
	Mean Time to Deliver Invoices - CABS										
C.4.2	B-2	Region(calendar days)	BST - Region	4.84	1	4.54	5,911				YES
	LOCAL INTERCONNECTION TRUNKS - TRUNK BLOCKING										
	Trunk Group Performance - Aggregate										
C.5.1	TGP-1	MS	>0.5% dif 2 consec. Hrs			0					YES

BellSouth Monthly State Summary

Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Operations Support Systems - Pre-Ordering										
	% Interface Availability - CLEC										
D.1.1.1	OSS-2	EDI/Region(%)	>= 99.5%			99.71%					YES
D.1.1.2	OSS-2	HAL/Region(%)	>= 99.5%			100.00%					YES
D.1.1.3	OSS-2	LENS/Region(%)	>= 99.5%			99.99%					YES
D.1.1.4	OSS-2	LEO MAINFRAME/Region(%)	>= 99.5%			100.00%					YES
D.1.1.5	OSS-2	LEO UNIX/Region(%)	>= 99.5%								
D.1.1.6	OSS-2	LESOG/Region(%)	>= 99.5%			100.00%					YES
D.1.1.7	OSS-2	TAG/Region(%)	>= 99.5%			100.00%					YES
D.1.1.8	OSS-2	PSIMS/Region(%)	>= 99.5%			100.00%					YES
	% Interface Availability - BST & CLEC										
D.1.2.1	OSS-2	ATLAS/COFFI/Region(%)	>= 99.5%			100.00%					YES
D.1.2.2	OSS-2	BOCRIS/Region(%)	>= 99.5%			100.00%					YES
D.1.2.3	OSS-2	DSAP/Region(%)	>= 99.5%			100.00%					YES
D.1.2.4	OSS-2	RSAG/Region(%)	>= 99.5%			100.00%					YES
D.1.2.5	OSS-2	SOCS/Region(%)	>= 99.5%			100.00%					YES
D.1.2.6	OSS-2	SONGS/Region(%)	>= 99.5%			100.00%					YES
D.1.2.7	OSS-2	DOE/Region(%)	>= 99.5%			99.99%					YES
D.1.2.8	OSS-2	LNP Gateway/Region(%)	>= 99.5%			100.00%					YES
D.1.2.9	OSS-2	COG/Region(%)	>= 99.5%			100.00%					YES
D.1.2.10	OSS-2	DOM/Region(%)	>= 99.5%			100.00%					YES
D.1.2.11	OSS-2	SOG/Region(%)	>= 99.5%			100.00%					YES
	Average Response Interval - CLEC (LENS) *(BST Measure Includes Additional 2 Seconds)*										
D.1.3.1.1	OSS-1	RSAG, by TN/Region(seconds)	RNS - RSAG, by TN + 2 sec	1440.12	1,286,294	0.91	504,236				YES
D.1.3.1.2	OSS-1	RSAG, by TN/Region(seconds)	ROS - RSAG, by TN + 2 sec	2.96	8,618	0.91	504,236				YES
D.1.3.2.1	OSS-1	RSAG, by ADDR/Region(seconds)	RNS - RSAG, by ADDR + 2 sec	712.69	4,751,494	0.91	245,558				YES
D.1.3.2.2	OSS-1	RSAG, by ADDR/Region(seconds)	ROS - RSAG, by ADDR + 2 sec	4.82	794,471	0.91	245,558				YES
D.1.3.3.1	OSS-1	ATLAS/Region(seconds)	RNS - ATLAS + 2 sec	1330.23	846,836	0.88	80,157				YES
D.1.3.3.2	OSS-1	ATLAS/Region(seconds)	ROS - ATLAS + 2 sec	2.61	284,720	0.88	80,157				YES
D.1.3.4.1	OSS-1	DSAP/Region(seconds)	RNS - DSAP + 2 sec	2.68	1,602,171	0.53	814				YES
D.1.3.4.2	OSS-1	DSAP/Region(seconds)	ROS - DSAP + 2 sec	2.58	304,794	0.53	814				YES
D.1.3.5.1	OSS-1	CRSECSRL/Region(seconds)	RNS - CRSACCTS + 2 sec	3.20	5,573,366	1.08	1,411,250				YES
D.1.3.5.2	OSS-1	CRSECSRL/Region(seconds)	ROS - CRSOCSR + 2 sec	2.95	560,141	1.08	1,411,250				YES
D.1.3.6.1	OSS-1	COFFI/Region(seconds)	RNS - OASISBIG + 2 sec	4.46	10,710,889	0.63	61,284				YES
D.1.3.6.2	OSS-1	COFFI/Region(seconds)	ROS - OASISBIG + 2 sec	3.81	18,303	0.63	61,284				YES
D.1.3.7.1	OSS-1	PSIMS/ORB/Region(seconds)	RNS - OASISBIG + 2 sec	4.46	10,710,889	0.03	135,245				YES
D.1.3.7.2	OSS-1	PSIMS/ORB/Region(seconds)	ROS - OASISBIG + 2 sec	3.81	18,303	0.03	135,245				YES
	Average Response Interval - CLEC (TAG) *(BST Measure Includes Additional 2 Seconds)*										
D.1.4.1.1	OSS-1	RSAG, by TN/Region(seconds)	RNS - RSAG, by TN + 2 sec	1440.12	1,286,294	1.10	320,617				YES
D.1.4.1.2	OSS-1	RSAG, by TN/Region(seconds)	ROS - RSAG, by TN + 2 sec	2.96	8,618	1.10	320,617				YES
D.1.4.2.1	OSS-1	RSAG, by ADDR/Region(seconds)	RNS - RSAG, by ADDR + 2 sec	712.69	4,751,494	1.62	100,047				YES
D.1.4.2.2	OSS-1	RSAG, by ADDR/Region(seconds)	ROS - RSAG, by ADDR + 2 sec	4.82	794,471	1.62	100,047				YES
D.1.4.3.1	OSS-1	ATLAS - MLH/Region(seconds)	Diagnostic								Diagnostic
D.1.4.3.2	OSS-1	ATLAS - MLH/Region(seconds)	Diagnostic								Diagnostic
D.1.4.4.1	OSS-1	ATLAS - DID/Region(seconds)	Diagnostic			1.48	1,576				Diagnostic
D.1.4.4.2	OSS-1	ATLAS - DID/Region(seconds)	Diagnostic			1.48	1,576				Diagnostic
D.1.4.5.1	OSS-1	ATLAS - TN/Region(seconds)	RNS - ATLAS - TN + 2 sec	1330.23	846,836	1.35	28,397				YES
D.1.4.5.2	OSS-1	ATLAS - TN/Region(seconds)	ROS - ATLAS - TN + 2 sec	2.61	284,720	1.35	28,397				YES
D.1.4.6.1	OSS-1	DSAP/Region(seconds)	RNS - DSAP + 2 sec	2.68	1,602,171	1.58	296,206				YES
D.1.4.6.2	OSS-1	DSAP/Region(seconds)	ROS - DSAP + 2 sec	2.58	304,794	1.58	296,206				YES
D.1.4.7.1	OSS-1	TAG/Region(seconds)	RNS - CRSACCTS + 2 sec	3.20	5,573,366	1.75	303,005				YES

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
D.1.4.7.2	OSS-1	TAG/Region(seconds)	ROS - CRSOCSR + 2 sec	2.95	560,141	1.75	303,005				YES
D.1.4.8.1	OSS-1	CRSEINT/Region(seconds)	RNS - CRSACCTS + 2 sec	This data not applicable after 8-1-2001, see D.1.4.7.1							
D.1.4.8.2	OSS-1	CRSEINT/Region(seconds)	ROS - CRSOCSR + 2 sec	This data not applicable after 8-1-2001, see D.1.4.7.2							
D.1.4.9.1	OSS-1	CRSECSRL/Region(seconds)	RNS - CRSACCTS + 2 sec	This data not applicable after 7-1-2001, see D.1.4.7.1							
D.1.4.9.2	OSS-1	CRSECSRL/Region(seconds)	ROS - CRSOCSR + 2 sec	This data not applicable after 7-1-2001, see D.1.4.7.2							
	Operations Support Systems - Maintenance and Repair										
	% Interface Availability - BST										
D.2.1	OSS-3	TAFI/Region(%)	>= 99.5%	100.00%							YES
	% Interface Availability - CLEC										
D.2.2.1	OSS-3	CLEC TAFI/Region(%)	>= 99.5%			100.00%					YES
D.2.2.2	OSS-3	ECTA/Region(%)	>= 99.5%			100.00%					YES
	% Interface Availability - BST & CLEC										
D.2.3.1	OSS-3	CRIS/Region(%)	>= 99.5%			100.00%					YES
D.2.3.2	OSS-3	LMOS HOST/Region(%)	>= 99.5%			100.00%					YES
D.2.3.3	OSS-3	LNP/Region(%)	>= 99.5%			100.00%					YES
D.2.3.4	OSS-3	MARCH/Region(%)	>= 99.5%			100.00%					YES
D.2.3.5	OSS-3	OSPCM/Region(%)	>= 99.5%			100.00%					YES
D.2.3.6	OSS-3	Predictor/Region(%)	>= 99.5%			100.00%					YES
D.2.3.7	OSS-3	SOCS/Region(%)	>= 99.5%			100.00%					YES
	Average Response Interval <= 4 Seconds										
D.2.4.1	OSS-4	CRIS/Region(%)	Parity w Retail	94.91%	1,461,548	94.17%	103,950		0.00071	10.4715	NO
D.2.4.2	OSS-4	DLETH/Region(%)	Parity w Retail	3.07%	42,058	3.22%	932		0.00572	-0.2529	YES
D.2.4.3	OSS-4	DLR/Region(%)	Parity w Retail	4.30%	31,712	2.41%	45,761		0.00148	12.7534	NO
D.2.4.4	OSS-4	LMOS/Region(%)	Parity w Retail	99.67%	1,461,528	99.69%	107,247		0.00018	-1.1412	YES
D.2.4.5	OSS-4	LMOSupd/Region(%)	Parity w Retail	78.95%	1,077,972	70.39%	62,560		0.00168	51.0968	NO
D.2.4.6	OSS-4	LNP/Region(%)	Parity w Retail	99.78%	100,510	99.37%	5,419		0.00065	6.3576	NO
D.2.4.7	OSS-4	MARCH/Region(%)	Parity w Retail	28.35%	6,754	33.16%	594		0.01929	-2.4944	YES
D.2.4.8	OSS-4	OSPCM/Region(%)	Parity w Retail	23.94%	5,309	13.59%	103		0.04245	2.4376	NO
D.2.4.9	OSS-4	Predictor/Region(%)	Parity w Retail	15.78%	73,801	19.48%	7,083		0.00453	-8.1625	YES
D.2.4.10	OSS-4	SOCS/Region(%)	Parity w Retail	99.84%	216,010	99.91%	17,183		0.00031	-2.1734	YES
D.2.4.11	OSS-4	NIW/Region(%)	Parity w Retail	82.97%	59,426	81.81%	3,860		0.00624	1.8585	NO
	Average Response Interval <= 10 Seconds										
D.2.5.1	OSS-4	CRIS/Region(%)	Parity w Retail	98.99%	1,461,548	99.34%	103,950		0.00032	-10.9212	YES
D.2.5.2	OSS-4	DLETH/Region(%)	Parity w Retail	78.81%	42,058	86.16%	932		0.01353	-5.4284	YES
D.2.5.3	OSS-4	DLR/Region(%)	Parity w Retail	77.94%	31,712	92.02%	45,761		0.00303	-46.4821	YES
D.2.5.4	OSS-4	LMOS/Region(%)	Parity w Retail	99.81%	1,461,528	99.86%	107,247		0.00014	-3.7332	YES
D.2.5.5	OSS-4	LMOSupd/Region(%)	Parity w Retail	90.95%	1,077,972	83.33%	62,560		0.00118	64.5270	NO
D.2.5.6	OSS-4	LNP/Region(%)	Parity w Retail	99.93%	100,510	99.87%	5,419		0.00036	1.7778	NO
D.2.5.7	OSS-4	MARCH/Region(%)	Parity w Retail	28.35%	6,754	33.16%	594		0.01929	-2.4944	YES
D.2.5.8	OSS-4	OSPCM/Region(%)	Parity w Retail	96.89%	5,309	96.12%	103		0.01726	0.4492	YES
D.2.5.9	OSS-4	Predictor/Region(%)	Parity w Retail	15.78%	73,801	19.48%	7,083		0.00453	-8.1625	YES
D.2.5.10	OSS-4	SOCS/Region(%)	Parity w Retail	99.99%	216,010	99.99%	17,183		0.00009	-0.0457	YES
D.2.5.11	OSS-4	NIW/Region(%)	Parity w Retail	99.17%	59,426	98.96%	3,860		0.00151	1.3717	YES
	Average Response Interval > 10 Seconds										
D.2.6.1	OSS-4	CRIS/Region(%)	Parity w Retail	1.01%	1,461,548	0.66%	103,950		0.00032	10.9212	YES
D.2.6.2	OSS-4	DLETH/Region(%)	Parity w Retail	21.19%	42,058	13.84%	932		0.01353	5.4284	YES
D.2.6.3	OSS-4	DLR/Region(%)	Parity w Retail	22.06%	31,712	7.98%	45,761		0.00303	46.4821	YES
D.2.6.4	OSS-4	LMOS/Region(%)	Parity w Retail	0.19%	1,461,528	0.14%	107,247		0.00014	3.7332	YES
D.2.6.5	OSS-4	LMOSupd/Region(%)	Parity w Retail	9.05%	1,077,972	16.67%	62,560		0.00118	-64.5270	NO
D.2.6.6	OSS-4	LNP/Region(%)	Parity w Retail	0.07%	100,510	0.13%	5,419		0.00036	-1.7778	NO

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
D.2.6.7	OSS-4	MARCH/Region(%)	Parity w Retail	71.65%	6,754	66.84%	594		0.01929	2.4944	YES
D.2.6.8	OSS-4	OSPCM/Region(%)	Parity w Retail	3.11%	5,309	3.88%	103		0.01726	-0.4492	YES
D.2.6.9	OSS-4	Predictor/Region(%)	Parity w Retail	84.22%	73,801	80.52%	7,083		0.00453	8.1625	YES
D.2.6.10	OSS-4	SOCS/Region(%)	Parity w Retail	0.01%	216,010	0.01%	17,183		0.00009	0.0457	YES
D.2.6.11	OSS-4	NIW/Region(%)	Parity w Retail	0.83%	59,426	1.04%	3,860		0.00151	-1.3717	YES

BellSouth Monthly State Summary

Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Collocation - Collocation										
	Average Response Time										
E.1.1.1	C-1	Virtual/MS(calendar days)	<= 20 days								
E.1.1.2	C-1	Physical Caged/MS(calendar days)	<= 30 days								
E.1.1.3	C-1	Physical Cageless/MS(calendar days)	<= 30 days			4	3				YES
	Average Arrangement Time										
E.1.2.1	C-2	Virtual-Ordinary/MS(calendar days)	<= 50 days								
E.1.2.2	C-2	Virtual-Extraordinary/MS(calendar days)	<= 75 days								
E.1.2.3	C-2	Physical Caged/MS(calendar days)	<= 90 days								
E.1.2.4	C-2	Physical Cageless/MS(calendar days)	<= 60 days			50	3				YES
E.1.2.5	C-2	Physical Cageless-Extraordinary/MS(calendar days)	<= 90 days								
	% Due Dates Missed										
E.1.3.1	C-3	Virtual/MS(%)	< 5% missed								
E.1.3.2	C-3	Physical/MS(%)	< 5% missed			0.00%	3				YES

BellSouth Monthly State Summary

Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	General - Flow Through										
	% Flow Through Service Requests										
F.1.1.1	O-3	Summary/Region(%)	Diagnostic			85.28%	292,144				Diagnostic
F.1.1.2	O-3	Aggregate/Region(%)	Diagnostic			85.28%	292,144				Diagnostic
F.1.1.3	O-3	Residence/Region(%)	>= 95%			86.49%	179,724				NO
F.1.1.4	O-3	Business/Region(%)	>= 90%			73.55%	5,829				NO
F.1.1.5	O-3	UNE/Region(%)	>= 85%			83.88%	106,591				NO
	% Flow Through Service Requests - Achieved										
F.1.2.1	O-3	Summary/Region(%)	Diagnostic			75.79%	328,722				Diagnostic
F.1.2.2	O-3	Aggregate/Region(%)	Diagnostic			75.79%	328,722				Diagnostic
F.1.2.3	O-3	Residence/Region(%)	Diagnostic			79.16%	196,368				Diagnostic
F.1.2.4	O-3	Business/Region(%)	Diagnostic			50.63%	8,468				Diagnostic
F.1.2.5	O-3	UNE/Region(%)	Diagnostic			72.17%	123,886				Diagnostic
	% Flow Through Service Requests - LNP										
F.1.3.1	O-3	Summary/Region(%)	>= 85%			92.25%	9,334				YES
F.1.3.2	O-3	Aggregate/Region(%)	>= 85%			92.25%	9,334				YES
F.1.3.3	O-3	Residence/Region(%)	Diagnostic								Diagnostic
F.1.3.4	O-3	Business/Region(%)	Diagnostic								Diagnostic
	General - Pre-Ordering										
	Loop Makeup Inquiry (Manual)										
F.2.1	PO-1	Loops/MS(%)	>= 95% w in 3 bus days								
	Loop Makeup Inquiry (Electronic)										
F.2.2	PO-2	Loops/MS(%)	>= 95% w in 1 min			99.23%	392				YES
	General - Ordering										
	Service Inquiry with Firm Order										
F.3.1.1	O-10	xDSL (ADSL, HDSL and UCL)/MS(%)	>= 95% w in 5 bus days			100.00%	7				YES
F.3.1.2	O-10	Local Interoffice Transport/MS(%)	>= 95% w in 5 bus days			0.00%	1				NO
	General - Ordering										
	Average Speed of Answer										
F.4.1	O-12	Region(seconds)	Parity w Retail	141.64	6,349,116	30.33	33,199				YES
	General - Maintenance Center										
	Average Answer Time										
F.5.1	M&R-6	Region(seconds)	Parity w Retail	43.10	1,464,337	26.35	82,571				YES
	General - Operator Services (Toll)										
	Average Speed to Answer										
F.6.1	OS-1	MS(seconds)	PBD			6.08					PBD
	% Answered in 10 seconds										
F.6.2	OS-2	MS(%)	PBD			76.40%					PBD

BellSouth Monthly State Summary
Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	General - Directory Assistance										
	Average Speed to Answer										
F.7.1	DA-1	MS(seconds)	PBD			4.26					PBD
	% Answered in 12 seconds										
F.7.2	DA-2	MS(%)	PBD			90.90%					PBD
	General - E911										
	Mean Interval										
F.8.1	E-3	MS(hours)	PBD			1.28	2,012				PBD
	% Accuracy										
F.8.2	E-2	MS(%)	PBD			93.59%	114,920				PBD
	% Timeliness										
F.8.3	E-1	MS(%)	PBD			100.00%	2,012				PBD
	General - Billing										
	Usage Data Delivery Accuracy										
F.9.1	B-3	Region(%)	Parity w Retail	100.00%	4,716	100.00%	21,207		0.00000		YES
	Usage Data Delivery Timeliness										
F.9.2	B-5	Region(%)	Parity w Retail	98.37%	26,457	93.14%	383,659,492		0.00078	67.1352	NO
	Usage Data Delivery Completeness										
F.9.3	B-4	Region(%)	Parity w Retail	99.38%	26,457	99.89%	383,659,492		0.00048	-10.5259	YES
	Mean Time to Deliver Usage										
F.9.4	B-6	Region(days)	Parity w Retail	3.49	26,457	3.05	383,659,492				YES
	Recurring Charge Completeness										
F.9.5.1	B-7	Resale/MS(%)	Parity w Retail	81.34%	$3,648,099	98.45%	$254,391		0.00185	-92.4893	YES
F.9.5.2	B-7	UNE/MS(%)	>= 90%			99.43%	$157,597				YES
F.9.5.3	B-7	Interconnection/MS(%)	>= 90%			93.57%	$117				YES
	Non-Recurring Charge Completeness										
F.9.6.1	B-8	Resale/MS(%)	Parity w Retail	93.31%	$5,488,959	95.16%	$273,219		0.00189	-9.7575	YES
F.9.6.2	B-8	UNE/MS(%)	>= 90%			98.99%	$264,224				YES
F.9.6.3	B-8	Interconnection/MS(%)	>= 90%			70.18%	$3,013				NO
	General - Change Management										
	% Software Release Notices Sent On Time										
F.10.1	CM-1	MS(%)	>= 95% w in 30 days								
	Average Software Release Notice Delay Days										
F.10.2	CM-2	MS(average)	>= 22 days prior to release								
	% Change Management Documentation Sent On Time										
F.10.3	CM-3A	MS(%)	>= 95% w in 30 days			100.00%	2				YES
	% Change Management Documentation (Defects, Corrections, etc.) Sent On Time										
F.10.4	CM-3B	MS(%)	>= 95% w in 5 days								
	Average Documentation Release Delay Days										
F.10.5	CM-4	MS(average)	>= 22 days prior to release								
	% CLEC Interface Outages Sent within 15 Minutes										

BellSouth Monthly State Summary

Mississippi, March 2002

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
F.10.6	CM-5	MS(%)	>= 97% w in 15 min			100.00%	10				YES
	General - New Business Requests										
	% New Business Requests Processed within 30 Business Days										
F.11.1	BFR-1	Region(%)	>= 90% w in 30 bus days			100.00%	1				YES
	% Quotes Provided within X Business Days										
F.11.2.1	BFR-2A	Region(%)	>= 90% w in 10 bus days			100.00%	1				YES
F.11.2.2	BFR-2B	Region(%)	>= 90% w in 30 bus days								
F.11.2.3	BFR-2C	Region(%)	>= 90% w in 60 bus days								
	General - Ordering										
	Acknowledgement Message Timeliness										
F.12.1.1	O-1	EDI/Region(%)	>= 95% w in 30 min			99.97%	93,889				YES
F.12.1.2	O-1	TAG/Region(%)	>= 95% w in 30 min			100.00%	373,465				YES
	Acknowledgement Message Completeness										
F.12.2.1	O-2	EDI/Region(%)	100%			100.00%	93,889				YES
F.12.2.2	O-2	TAG/Region(%)	100%			100.00%	373,465				NO
	General - Database Updates										
	Average Database Update Interval										
F.13.1.1	D-1	LIDB/MS(hours)	PBD	1.12	20	1.12	20				PBD
F.13.1.2	D-1	Directory Listings/MS(hours)	PBD	0.10	26	0.10	26				PBD
F.13.1.3	D-1	Directory Assistance/MS(hours)	PBD	3.47	26	3.46	26				PBD
	% Update Accuracy										
F.13.2.1	D-2	LIDB/MS(%)	>= 95%			100.00%	537				YES
F.13.2.2	D-2	Directory Listings/MS(%)	>= 95%			99.38%	324				YES
F.13.2.3	D-2	Directory Assistance/MS(%)	>= 95%			100.00%	176				YES
	% NXXs / LRNs Loaded by LERG Effective Date										
F.13.3	D-3	Region(%)	100%			96.77%	31				NO
	General - Network Outage Notification										
	Mean Time to Notify CLEC of Major Network Outages										
F.14.1	M&R-7	Region(minutes)	Parity w Retail	739	2	218	2				YES