

Table 4: 10.0 IMA BPL Errors	
Error Code	Error Message
*<F>CFA 002	Invalid CFA - LOCZ must be < 12 characters"
*<F>MANUALIN003	MANUALIND must be Y or N"
*<F>MANUALIN900	MANUALIND - REMARKS must be populated when MANUALIND is Y"
*<F>TCID 003	TCID must be numeric"
*<F>TCID 900	TCID required when ACT is V, Z, C, T or L and TCOPT is T"
*<F>TCID 900	TCID required when ACT is V, Z, C or T and TCOPT is T"
*<F>TCID 900	TCID required when ACT is V and TCOPT is T"
*<F>TCID 900	TCID required when ACT is V or Z and TCOPT is T"
*<F>TCID 900	TCID required when ACT is V, Z or C and TCOPT is T"
*<F>TCID 900	TCID required when ACT is V or C and TCOPT is T"
*<F>TCID 900	TCID required when ACT is V, Z or C and TCOPT is T"
*<F>TCNAME 900	TCNAME required when ACT is V, Z, C, T or L and TCOPT is T"
*<F>TCNAME 900	TCNAME required when ACT is V, Z, C or T and TCOPT is T"
*<F>TCNAME 900	TCNAME required when ACT is V and TCOPT is T"
*<F>TCNAME 900	TCNAME required when ACT is V or Z and TCOPT is T"
*<F>TCNAME 900	TCNAME required when ACT is V or C and TCOPT is T"
*<F>TCNAME 900	TCNAME required when ACT is V, Z or C and TCOPT is T"
*<F>TCSEC 900	TCTOSEC prohibited for ported number ranges"
*<F>TCSEC 900	TCNAME(Sec) prohibited for ported number ranges"
*<F>TCTOSEC 002	TCTOSEC invalid format"
*<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z, T or L and TCOPT is T"
*<F>TCTOSEC 900	OTN required when ACT is Change and TCOPT is T"
*<F>TCTOSEC 900	TCTOSEC required when ACT is T or L and TCOPT is T"
*<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z or T and TCOPT is T"
*<F>TCTOSEC 900	TCTOSEC required when ACT is V and TCOPT is T"
*<F>TCTOSEC 900	TCTOSEC required when ACT is V or Z and TCOPT is T"
*<F>TCTOSEC 900	TCTOSEC required when ACT is V or C and TCOPT is T"
*<F>TCTOSEC 900	TCTOSEC required when ACT is V, Z or C and TCOPT is T"
*<F>TN 999	This line (<TN>) on the account is frozen. Ask the end user to contact the owning company and unfreeze the line(s)."
*AA 999	Database not connected"
*AA 999	LSR has been CANCELED or COMPLETED"
*AA 999	No Available Appointment"
*AA 999	Can't delete EXPIRED appointments"
*AAQAPPRD 002	APPRD invalid format"
*AAQAPPRD 002	Requested appointment must occur within a one year timeframe"
*AAQAPPTACT 003	APPTACT must be N"
*AAQCC 001	CC required for PSP"
*AAQCCNA 001	CCNA required"
*AAQD/TSENT 001	D/TSENT required"
*AAQJACKNUM 003	JACKNUM must be between 1 and 99"
*AAQNC 002	NC required when TXTYP is U"
*AAQNC 999	NC prohibited when TXTYP is <C->TXTYP[0]>"
*AAQPON 001	PON required"
*AAQProduct 003	NC is not valid for product"
*AAQProduct 999	NC Lookup failed (<ERRORMESSAGE>)"
*AAQREQNUM 003	REQNUM must be between 1 and 99"
*AAQTOS 002	TOS must be 1, 2, or 3"
*AAQTOS 002	First digit of TOS must be 1, 2, 3, or 4"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
*AAQTOS 002	First digit of TOS must be 4 when PSP"
*AAQTXACT 003	TXACT must be A"
*AAQTXNUM 001	TXNUM required"
*AAQXTYYP 003	TYTYP must be D or U"
*AAQUSOCNUM 003	USOCs not allowed when TYTYP is U"
*AAQUSOCNUM 003	USOCNUM must be between 1 and 99"
*AAQWTN 001	WTN required"
*AAQWTN 002	WTN invalid format"
*AI 999	No Appointment found"
*AIQCC 001	CC required for PSP"
*AIQCCNA 001	CCNA required"
*AIQD/TSENT 001	D/TSENT required"
*AIQPON 001	PON required"
*AIQTXACT 003	TXACT must be I"
*AIQTXNUM 001	TXNUM required"
*AIQTYTYP 003	TYTYP must be D"
*APP 999	Unable to reserve appointment"
*AS 999	Database not connected"
*AS 999	LSR has been CANCELED or COMPLETED"
*AS 999	Cannot select a new appointment. An availability query is required first"
*ASQABTIME 002	ABTIME invalid format"
*ASQAPPRD 002	APPTDATE invalid format"
*ASQAPPRD 002	APPRD invalid format"
*ASQCC 001	CC required for PSP"
*ASQCCNA 001	CCNA required"
*ASQCOMPTIME002	COMPTIME invalid format"
*ASQD/TSENT 001	D/TSENT required"
*ASQPON 001	PON required"
*ASQTXACT 003	TXACT must be E"
*ASQTXNUM 001	TXNUM required"
*ASQTYTYP 003	TYTYP must be D or U"
*AV 999	Unable to validate address"
*AV 999	Unable to locate specified Address"
*AV 999	Unable to validate address"
*AV 999	Unknown response <RESULT>"
*AV 999	Unable to locate specified Address"
*AVQAFT 001	Invalid Value for AFT"
*AVQAHN 900	AHN can only be populated if SASN begins with '@' "
*AVQBOX 900	BOX can only be populated if ROUTE populated"
*AVQCALA 003	Invalid entry in CALA"
*AVQCC 001	CC required for PSP"
*AVQCCNA 001	CCNA required"
*AVQCITY 900	CITY required when SEARCHTYYP is A"
*AVQD/TSENT 001	D/TSENT required"
*AVQD/TSENT 001	D/TSENT invalid format"
*AVQLD1 001	Invalid Value for LD1"
*AVQLD2 001	Invalid Value for LD2"
*AVQLD3 001	Invalid Value for LD3"
*AVQSANO 900	SANO is required when SAPR or SASF is populated"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"AVQSASD 001	Invalid Value for SASD"
"AVQSASF 002	ROUTE can't be populated if SANO populated"
"AVQSASN 900	SASN is required when SASD, SATH, or SASF is populated"
"AVQSASS 001	Invalid Value for SASS"
"AVQSEARCHTY003	SEARCHTYP must be A or T"
"AVQSTATE 900	STATE required when SEARCHTYP is A"
"AVQTXACT 003	TXACT must be A"
"AVQTXNUM 001	TXNUM required"
"AVQTXTYP 003	TXTYP must be A"
"AVQWTN 002	WTN invalid format"
"AVQWTN 900	WTN required when SEARCHTYP is T"
"AVQZIP/CALA001	ZIP or CALA required"
"BAN 999	Bill Account List not found"
"CAL 999	Can't fetch CALA list"
"CAL 999	Empty CALA list"
"CFA 999	PSP not allowed to request CFA Validation"
"CFA 999	Invalid user data"
"CFAACNA 001	ACNA required"
"CFACABNM 900	CABNM required when FIRSTUNIT or LASTUNIT is populated"
"CFACCNA 001	CCNA required"
"CFAD/TSENT 001	D/TSENT required"
"CFAFIRSTUNI900	FIRSTUNIT required when CABNM or LASTUNIT is populated"
"CFALASTUNI900	LASTUNIT required when CABNM or FIRSTUNIT is populated"
"CFALOCA 001	LOCA required"
"CFALOCZ 900	LOCZ required"
"CFASEARCHTY001	SEARCHTYPE required"
"CFASEARCHTY003	SEARCHTYPE must be G or U"
"CFATXACT 003	TXACT must be A"
"CFATXNUM 001	TXNUM required"
"CFATXTYP 003	TXTYP must be C"
"CMD 999	Error opening socket"
"CMD 999	Error writing to socket"
"CMD 999	Error reading from socket"
"CMDXML 999	Error parsing outbound message"
"CP 999	Co-carrier Profile not found"
"CRS 001	CRS form required"
"CRSBA 003	BA must be A, D or Z"
"CRSBLOCK 003	BLOCK must be A, B, C, or H"
"CRSBLOCK 003	A combination of blocking values has been selected that cannot be used together"
"CRSBLOCK 003	A blocking value has been selected that must be used in combination with other blocking values"
"CRSBLOCK 900	BLOCK required when BA is populated and ACT is V or C"
"CRSBLOCK 900	BLOCK required when BA is populated and ACT is <CTX->ACT>"
"CRSCB 001	CB required for ACT of V or C"
"CRSCB 001	CB required for ACT of N, V, Z, C, or T"
"CRSCOS 900	COS required"
"CRSDEPT 900	DEPT required in Western Region when LOC is populated"
"CRSDEPT 900	DEPT must be 4 to 6 alphanumeric characters in length"
"CRSDPA 002	DPA must be numeric"

Table 4: TD D IMA BPL Errors

Error Code	Error Message
*CRSDPA 003	DPA too long – <STRLEN(CBD->DPA)> vs 3"
*CRSDPA 003	DPA must be greater than 0"
*CRSDPA 900	DPA required in Eastern Region when XLI is populated"
*CRSFA 900	FA - At least one feature section required when LNA is V"
*CRSFA 900	FA must be D, N, C or T when LNA is C"
*CRSFA 900	FA must exist and be V, N or D when LNA is V"
*CRSFA 900	FA must be N when LNA is N"
*CRSFA 900	FA must be D or N when LNA is D"
*CRSFA 900	FA can be N when LNA is D only when TCOPT is S or T"
*CRSFA 900	FA must be N or D when LNA is T"
*CRSFEATURE 003	FEATURE DETAIL must have a / in the first character"
*CRSFEATURE 900	FEATURE required when FA is populated"
*CRSIWJQ 003	IWJQ must be numeric"
*CRSIWJQ 003	IWJQ must be between 1 and 99"
*CRSIWJQ 900	IWJQ required when IWJK is populated and ACT is V"
*CRSLNA 003	LNA must be N, C, D, V, T, X or P"
*CRSLNA 900	LNA must be V, N or D when ACT is V"
*CRSLNA 900	LNA must be N, C, D, T, X or P when ACT is C"
*CRSLNA 900	LNA must be N when ACT is N"
*CRSLNA 900	LNA must be D when ACT is D"
*CRSLNA 900	LNA is not applicable when ACT is Y"
*CRSLNA 900	LNA is not applicable when ACT is W"
*CRSLNA 900	LNA must be V, N or D when ACT is Z"
*CRSLNA 900	LNA must be V, N or D when ACT is V"
*CRSLNA 900	LNA must be N, C, D, X, or P when ACT is C"
*CRSLNA 900	LNA must be T, N or D when ACT is T"
*CRSLNA 900	LNA must be L when ACT is L"
*CRSLNA 900	LNA must be L when ACT is B"
*CRSLNUM 003	LNUM must be numeric"
*CRSLNUM 003	LNUM not in sequence"
*CRSLNUM 900	LNUM required when ACT is V or C"
*CRSLNUM 900	LNUM required when ACT is <CTX->ACT>"
*CRSLOC 002	LOC must be a 4-digit numeric"
*CRSLOC 003	LOC must be greater than 0"
*CRSLOC 900	LOC required in Western Region when DEPT is populated"
*CRSLOCNUM 003	LOCNUM must be 2 when ACT is T"
*CRSLOCNUM 900	LOCNUM required when ACT is T"
*CRSLPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or "None", or "DFLT"
*CRSLPIC 900	LPIC required when ACT is V"
*CRSLPIC 900	LPIC required when LNA is V, N, or T and ACT is C"
*CRSLPIC 900	LPIC required when LNA is V, N, or T and ACT is <CTX->ACT>"
*CRSLSCP 003	LSCP must be A or B"
*CRSLSCP 900	LSCP is not allowed when ACT is <CTX->ACT>"
*CRSLTC 003	LTC must be numeric"
*CRSLTC 900	LTC required when ACT is V"
*CRSLTC 900	LTC required when ACT is N, V, or Z"
*CRSLTC 900	LTC required when LNA is T and ACT is C or T"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
*CRSMANUALIN900	MANUALIND must be Y when NPI is populated"
*CRSMIL 002	MIL must be a 3-digit numeric"
*CRSMIL 003	MIL must be greater than 0"
*CRSNIDR 003	NIDR must be Y or blank"
*CRSNPI 003	NPI must be C, D, or Z"
*CRSOTN 002	OTN invalid format"
*CRSOTN 900	OTN required when LNA is X"
*CRSPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
*CRSPIC 900	PIC required when ACT is V"
*CRSPIC 900	PIC required when LNA is V, N or T and ACT is C"
*CRSPIC 900	PIC required when LNA is V, N or T and ACT is <CTX->ACT>"
*CRSPIC/LPIC900	PIC or LPIC required when LNA is P and ACT is V or C"
*CRSPIC/LPIC900	PIC or LPIC required when LNA is P and ACT is <CTX->ACT>"
*CRSREMARKS 900	REMARKS is required when NPI is populated"
*CRSRSQTY 003	RSQTY must be greater than 0 for ACT of V or C"
*CRSRSQTY 003	RSQTY must be greater than 0 for ACT of N, D, V, Z, C, T, L, or B"
*CRSSAN 900	SAN required when first character of TOS is 3 and ACT is W, V or C"
*CRSSAN 900	SAN required when first character of TOS is 3 and ACT is <CTX->ACT>"
*CRSSGNL 003	SGNL must be LS or GS"
*CRSTCID 002	TCID invalid format"
*CRSTCID 900	TCID required when TCOPT is S or T and ACT is <CTX->ACT>"
*CRSTCNAME 900	TCNAME required when TCOPT is T and ACT is <CTX->ACT>"
*CRSTCOPT 003	TCOPT must be N, S or T"
*CRSTCPER 002	TCPER invalid format"
*CRSTCPER 900	TCPER required when TCOPT is S or T and ACT is <CTX->ACT>"
*CRSTCTOPRI 002	TCTOPRI invalid format"
*CRSTCTOPRI 900	TCTOPRI required when TCOPT is S or T and ACT is V or C"
*CRSTCTOPRI 900	TCTOPRI required when TCOPT is S or T and ACT is <CTX->ACT>"
*CRSTERS 900	TERS required when TLI is populated"
*CRSTLI 900	RESALE TLI must match a TLI on the LSR"
*CRSTLI 900	RESALE TLI required when TERS is populated"
*CRSTNS 900	TNS required when ACT is V or C"
*CRSTNS 900	TNS required when LNA is populated and TLI is not populated"
*CRSTNS 900	TNS required when ACT is <CTX->ACT>"
*CRSTNS 900	TNS required when LNA is populated"
*CRSTNS 900	TNS cannot be a placeholder when LNA is not N or X"
*CRSXLI 002	XLI must be numeric"
*CRSXLI 003	XLI must be greater than 0"
*CRSXLI 900	XLI required in Eastern Region when DPA is populated"
*CSR 999	Request denied - not authorized to see account"
*CSR 999	Could not retrieve CSR size and/or timeout parameters"
*CSR 999	Can't retrieve Centrex COS list"
*CSR 999	No CSR data returned"
*CSR 999	No active account found"
*CSR 999	CSR Incomplete - More CSR data available"
*CSR 999	Partial CSR incomplete - More Partial CSR pages available"
*CSR 999	<F->GETCSRRETRIEVEDPAGECOUNT()> pages of <F->

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
	>GETCSRTPAGECOUNT()> pages returned"
"CSR 999	Multiple CSR records returned"
"CSR 999	Request denied - not authorized to see account"
"CSR 999	No live accounts exist for the search criteria"
"CSR 999	Multiple CSR records returned"
"CSR 999	No Files Found"
"CSR 999	Could not retrieve CSR size and/or timeout parameters"
"CSR 999	Can't retrieve Centrex COS list"
"CSR 999	Request has been submitted"
"CSR 999	No CSR data returned"
"CSR 999	No CSR found"
"CSR 999	CSR Incomplete - More CSR data available"
"CSR 999	Partial CSR incomplete - More Partial CSR pages available"
"CSR 999	<F->GETCSRRETRIEVEDPAGECOUNT()> pages of <F-> >GETCSRTPAGECOUNT()> pages returned"
"CSR 999	No live accounts exist for the search criteria"
"CSRAFT 001	Invalid Value for AFT"
"CSRAGAUTH 003	AGAUTH must be Y or N"
"CSRCCNA 001	CCNA required"
"CSRCITY 900	CITY required<ERRMSG>"
"CSRCUSTNAME900	CUSTNAME required when TXACT is A or B"
"CSRCUSTNAME900	CUSTNAME required when partial section WTN is populated"
"CSRCUSTNAME900	CUSTNAME required when TXACT = C or D, SERVIND = N, and account-level WTN not populated"
"CSRDTSENT 001	DTSENT required"
"CSRDATED 900	DATED required when AGAUTH is Y"
"CSRECKT 900	ECKT required when SERVIND is N and TXACT is A or B"
"CSRECKT 900	ECKT required when TXACT = C or D and SERVIND = N"
"CSRECKT 900	Partial ECKT cannot be populated when qnr > 0"
"CSREMAILADD900	EMAILADDR required if RTNMETH is L"
"CSRQNR 003	QNR must be greater than or equal to 0 and less than or equal to 30 when TXACT is C or D"
"CSRRTNMETH 001	RTNMETH required"
"CSRRTNMETH 003	RTNMETH must be L, F, or N"
"CSRRTNMETH 900	RTNMETH must be N when TXACT is A"
"CSRSANO 900	SANO is required when SAPR or SASF is populated"
"CSRSASD 001	Invalid Value for SASD"
"CSRSASN 900	SASN is required when SASD, SATH, or SASS is populated"
"CSRSASS 001	Invalid Value for SASS"
"CSRSERVIND 001	SERVIND required"
"CSRSERVIND 003	SERVIND must be T or N"
"CSRSTATE 900	STATE required<ERRMSG>"
"CSRTXACT 003	TXACT must be A, B, C, or D"
"CSRTXNUM 001	TXNUM required"
"CSRTXTYP 003	TXTYP must be L"
"CSRTXTYP 003	TXTYP must be E"
"CSRUSOCDESC003	USOCDESCIND must be Y"
"CSRWTN 002	WTN invalid format"
"CSRWTN 900	WTN required when SERVIND is T and TXACT is A or B"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"CSRWTN 900	WTN required when TXACT = C or D and SERVIND = T"
"CT 999	Appointment not found (<REQ->INQRESNBR>)"
"CT 999	Appointment cannot be canceled (<APPTLIST[I]>)"
"CT 999	Database not connected"
"CT 999	LSR has been CANCELED or COMPLETED"
"CT 999	No Available Appointment"
"CT 999	Can't delete EXPIRED appointments"
"CT 999	Database not connected"
"CT 999	LSR has been CANCELED or COMPLETED"
"CT 999	Cannot select a new appointment. An availability query is required first"
"CT 999	More than one previous appointment found for this PON."
"CTQ 999	Telephone number not found (<TN>)"
"CTQ 999	Error returning Telephone Number (<TN>)"
"CTQ 999	Error canceling Telephone Number (<TN>)"
"CTQ 999	Telephone Number already canceled (<TN>)"
"CTQCCNA 001	CCNA required"
"CTQD/TSENT 001	D/TSENT required"
"CTQINQRESNB900	INQRESNBR required when TXTYP is D"
"CTQPON 001	PON required"
"CTQSELNUM 900	SELNUM invalid when TXTYP is B"
"CTQTNRES 001	TNRES[<I>] required"
"CTQTNRES 002	TNRES[<I>] invalid format"
"CTQTXACT 003	TXACT must be K"
"CTQTXNUM 001	TXNUM required"
"CTQXTYP 003	TXTYP must be B or D"
"CU 999	CPS Communication Error"
"CU 999	<CPSRSP->CPSERRORINFO.ERRMSG>"
"CU CCNA 001	CCNA required"
"CU SERVICET001	SERVICETYPE required"
"CU STATE 001	STATE required"
"CU WPL 001	WPL required"
"DL 001	DL form is required when ACT is V"
"DL 001	DL form is required when ACT is V"
"DL 999	Complex Listings not allowed"
"DL ADI 003	ADI must be O"
"DL ADI 900	ADI required when RTY is LXL, LCR, LEM, LUL, FXL, FCR, FEM, or FUL"
"DL ADI 900	ADI required when RTY is FXL, FEM, FUL, FCR, LXL, LCR, LEM, LUL, or LTEXT starts with 'See' or 'Call'"
"DL AGAUTH 900	DSR.AGAUTH required when ACT is W and LACT is Z"
"DL AHN 900	AHN prohibited when ADI is "O"
"DL ALI 900	ALI required when RTY is not LML"
"DL ALI 900	Duplicate ALI's are prohibited when LACT is D, N, or Z"
"DL BLDG 002	First character of BLDG must be capitalized"
"DL BLDG 002	There can only be one space following the first piece of data in BLDG"
"DL BLDG 002	The value following the space in BLDG must be at least one and up to 10 characters in length"
"DL BLDG 002	The first piece of data in BLDG must be followed by one space and then at least one and up to 10 additional valid characters"
"DL BLDG 003	The first piece of data in BLDG must be BLDG, WNG, or PIER"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"DL BLDG 003	Invalid characters in BLDG: Valid values are A through Z, a through z, 0 through 9, parenthesis, and space"
"DL BLDG 900	BLDG prohibited when ADI is "O"
"DL BOX 900	BOX prohibited when ADI is "O"
"DL BRO 003	BRO must be B or R"
"DL BRO 900	BRO not allowed when TOS is residential"
"DL CITY 900	CITY required when DDASN is populated"
"DL DACT 900	DACT required"
"DL DACT 900	DACT must be N, D or Z when DDQTY is <DDIQT>"
"DL DACT 900	DACT must be I or O when DDQTY is <DDIQT>"
"DL DACT 900	DACT must be N, D, I, O, or Z"
"DL DACT 900	DACT must be N when LACT is N and DDQTY is 1"
"DL DACT 900	DACT must be D when LACT is D and DDQTY is 1"
"DL DACT 900	DACT must be I or Z when LACT is I and DDQTY is 1"
"DL DACT 900	DACT must be O or Z when LACT is O and DDQTY is 1"
"DL DACT 900	DACT must be D, I, or Z when LACT is Z and DDQTY is 1"
"DL DDALO 900	DDALO prohibited when DDASN is not populated"
"DL DDANO 900	DDANO prohibited when DDASN is not populated"
"DL DDANO 900	DDANO required when DDAPR or DDASF is populated"
"DL DDASD 001	Invalid Value for DDASD"
"DL DDASF 900	DDASF prohibited when DDANO is not populated"
"DL DDASN 900	DDASN required when DDASD, DDATH, or DDASS is populated"
"DL DDASS 001	Invalid Value for DDASS"
"DL DDQTY 003	DDQTY must be 0, 1, or 2"
"DL DDQTY 003	DDQTY must be 0 or 1"
"DL DDQTY 003	DDQTY must match the number of occurrences of Delivery Address sections"
"DL DDQTY/DE003	The number of occurrences of DELNUM must match DDQTY on DL"
"DL DIRNAME 900	DIRNAME required when RTY first char is F"
"DL DIRNAME 900	DIRNAME required when NSTN is populated"
"DL DIRQTYA 003	DIRQTYA must be zero"
"DL DIRQTYNC900	DIRQTYNC must be zero when DIRQTYA is zero"
"DL DLNUM 001	DLNUM required"
"DL DML 003	DML must be O"
"DL DOI 001	DOI required"
"DL DOI 900	Caption/SLU Indent section prohibited when DOI is 0, 1, or blank"
"DL DOI 900	DOI required when ACT is N"
"DL DOI 900	DOI required when LACT is not Z or D"
"DL DOI 900	DOI required when LACT is not Z"
"DL DOI 900	DOI must be 0 when STYC is SH, SL, or CH"
"DL DOI 900	DOI must be 1 or 2 when STYC is SI"
"DL DOI 900	DOI must be 1 thru 7 when STYC is CI"
"DL DOI 900	DOI must be 1 thru 6 when STYC is CS"
"DL ETYC 001	STYC required"
"DL FAINFO 900	FAINFO required when SO is A"
"DL FANSTN 900	FANSTN prohibited when FATN is populated"
"DL FATN 002	FATN invalid format"
"DL FLOOR 900	FLOOR prohibited when ADI is "O"
"DL HADDR 900	HADDR required when STYC is SI and HTN is populated"
"DL HNSTN 900	HNSTN prohibited when HTN is populated"



Table 4: 10.0 INA BPL Errors

Error Code	Error Message
"DL HNSTN 900	HNSTN required when STYC is SI and HTN is not populated"
"DL HS 001	HS required when doi is greater than zero"
"DL HS 003	HS must be E or N"
"DL HS 003	HS must be E when STYC is SI"
"DL HTN 002	HTN invalid format"
"DL HTN 900	HTN required when STYC is SI and HNSTN is not populated"
"DL IQTY 999	0 more Caption/SLU Indent section(s) must be submitted, number required is 0 (DL.DOI - 1) , no further validation performed"
"DL IQTY 999	0 too many Caption/SLU Indent section(s) submitted, maximum number permitted is 0 (DL.DOI - 1) , No further validation performed"
"DL LACT 001	LACT required"
"DL LACT 003	LACT must be N, D, I, O or Z"
"DL LACT 900	Caption/SLU Indent section prohibited when LACT is D or Z"
"DL LACT 900	LACT cannot be N when RTY is LML unless LSR.ACT is N or T"
"DL LACT 900	LACT cannot be D when RTY is LML"
"DL LACT 900	LACT must be N when LSR.ACT is N"
"DL LACT 900	If LSR.ACT = T, LACT should equal N or Z"
"DL LACT 900	LACT cannot be N when LSR.ACT is V and RTY is LML"
"DL LACT 900	LACT cannot be Z when LSR.ACT is C"
"DL LACT 900	LACT must be N when LSR.ACT is N or V"
"DL LACT 900	LACT must be N, D, I or O when LSR.ACT is C"
"DL LACT 900	LACT must be N, D, I, Z or O when LSR.ACT is T"
"DL LACT 900	LACT must be N when DSR.ACT is N"
"DL LACT 900	LACT must be D when DSR.ACT is D"
"DL LACT 900	LACT must be Z when DSR.ACT is W"
"DL LACT 900	LACT must be I, O or Z when DSR.ACT is C or T and RTY is LML"
"DL LACT 999	LACT I or O has no corresponding DL form"
"DL LALOC 900	LALOC prohibited when ADI is "O"
"DL LALOC 900	LALOC required when ADI is blank"
"DL LALOC 900	LALOC required when LASN is populated"
"DL LANO 900	LANO prohibited when ADI is "O"
"DL LANO 900	LANO prohibited when LASN is not populated"
"DL LANO 900	LANO is required when LAPR or LASF is populated"
"DL LANO 900	LANO prohibited when LASN is not populated"
"DL LANO 900	LANO is required when LAPR or LASF is populated"
"DL LAPR 900	LAPR prohibited when ADI is "O"
"DL LASD 001	Invalid Value for LASD"
"DL LASD 900	LASD prohibited when ADI is "O"
"DL LASD 900	LASD prohibited when LASN is not populated"
"DL LASD 900	LASN prohibited when ADI is "O"
"DL LASF 900	LASF prohibited when ADI is "O"
"DL LASF 900	LASF prohibited when LANO is not populated"
"DL LASN 900	LASN is required when LASD, LATH, LASS, or LANO is populated"
"DL LASN 900	LASN is required when LASD, LATH, or LASS is populated"
"DL LASS 001	Invalid Value for LASS"
"DL LASS 900	LASS prohibited when ADI is "O"
"DL LASS 900	LASS prohibited when LASN is not populated"
"DL LAST 900	LAST prohibited when ADI is "O"
"DL LAST 900	LAST prohibited when RTY first char is not F"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"DL LATH 900	LATH prohibited when ADI is "O"
"DL LATH 900	LATH prohibited when LASN is not populated"
"DL LD1 001	Invalid Value for LD1"
"DL LD2 001	Invalid Value for LD2"
"DL LD3 001	Invalid Value for LD3"
"DL LNFN 003	LNFN invalid - "*" must be followed by an alpha character"
"DL LNFN 003	LNFN may not contain a ";"
"DL LNFN 003	LNFN may not contain a ','
"DL LNFN 003	LNFN may not contain a "="
"DL LNFN 003	LNFN may not contain consecutive hyphens"
"DL LNLN 001	LNLN required"
"DL LNLN 003	LNLN may not start with a %, . or /"
"DL LNLN 003	LNLN invalid - "*" must be followed by an alpha character"
"DL LNLN 003	LNLN may not contain a ";"
"DL LNLN 003	LNLN may not contain a ','
"DL LNLN 003	LNLN may not contain a "="
"DL LNLN 003	LNLN may not contain a "#"
"DL LNLN 003	LNLN may not contain a '
"DL LNLN 003	LNLN may not contain a "\$"
"DL LNLN 003	LNLN may not contain a '&'"
"DL LNLN 003	LNLN may not contain consecutive hyphens"
"DL LNPL 003	LNPL must be L"
"DL LTEXT 900	LTEXT required when DOI greater than zero and LALOC not populated"
"DL LTN 002	LTN invalid format"
"DL LTN 003	The LTN on the DL form must match CKR on the LS form"
"DL LTN 003	The LTN on the DL form must match CKR on the LSNP form"
"DL LTN 003	LTN (<P->LTN) cannot equal OTN on Resale form when LACT is !"
"DL LTN 003	LTN (<P->LTN) cannot equal OTN on Port Service form when LACT is !"
"DL LTN 003	LTN must match DSR.EAN when RTY = LML and LACT is O and DSR.EAN is populated"
"DL LTN 003	LTN must match DSR.AN when RTY = LML and LACT is I or Z"
"DL LTN 003	LTN must match DSR.AN when RTY = LML and DSR.ACT is N, D or W"
"DL LTN 900	LTN required for Unbundled Loop or LSNP LSRs when Directory Listings are present"
"DL LTN 900	LTN required when RTY is LAL and NSTN is not populated"
"DL LTN 900	LTN with RTY of LAM and LACT of <PDL->LISTINGCONTROL.LACT[0] cannot match LTN with RTY of LML and LACT of <ADL[NDXLTN].LISTINGCONTROL.LACT[0]>"
"DL LTN 900	LTN prohibited when NSTN is populated"
"DL LTXTY 003	LTXTY must be ADR, CR, EM, XL, TNL, URL, ITX, or TNR"
"DL LTXTY 900	LTXTY required when LTEXT is populated"
"DL LTXTY 900	RTY must be LCR or FCR when LTXTY is CR"
"DL LTXTY 900	RTY must be LEM or FEM when LTXTY is EM"
"DL LTXTY 900	RTY must be LXL or FXL when LTXTY is XL"
"DL LTXTY 900	RTY must be LUL or FUL when LTXTY is URL"
"DL LTXTY 900	DOI must not be 0 when LTXTY is ITX or ADR"
"DL LTXTY 900	STYC must be SI or CI when LTXTY is ITX or ADR"
"DL LTY 001	LTXTY required"
"DL LTY 003	LTXTY must be 1, 2 or 3"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"DL LTY 900	LTY must not be 3 when RTY is LAC, LAM, LAU, LCM, LCR, LEM, LUL, LXL, or when first char of RTY is F"
"DL LTY 900	LTY required when ACT is N"
"DL LTY 900	LTY required when LACT is not Z"
"DL LTY 900	LTY must not be 3 when RTY is LAC, LCR, LAS, LAU, LXL or when first char of RTY is F"
"DL LVL 003	LVL must be 1 thru 6"
"DL LVL 003	LVL out of sequence"
"DL LVL 900	LVL required when DL.DOI is greater than 1"
"DL LVL 999	LVL exceeded number defined in DOI"
"DL NOSL 003	NOSL must be Y"
"DL NSTN 003	NSTN cannot contain Z, z, Q or q"
"DL NSTN 900	NSTN prohibited when DIRNAME is not populated"
"DL NSTN 900	NSTN required when LTN is blank"
"DL OMTN 003	OMTN must be O"
"DL OMTN 900	OMTN prohibited when RTY is LML"
"DL OMTN 900	OMTN required when RTY is LXL, LEM, LUL, LCR, XL, CR, FXL, FCR, FEM, FUL, EM, or UL"
"DL OMTN 900	OMTN required when RTY is LCR and LTEXT starts with 'See '"
"DL PLINFO 900	PLINFO required when PLS is populated"
"DL PLNSTN 900	PLNSTN prohibited when PLS and PLTN are populated"
"DL PLS 003	PLS must be E or N"
"DL PLS 900	PLS required when LVL is populated"
"DL PLTN 002	PLTN invalid format"
"DL PROF 003	PROF must be Y"
"DL ROOMMAIL002	First character of ROOMMAILSTOP must be capitalized"
"DL ROOMMAIL002	There can only be one space following the first piece of data in ROOMMAILSTOP"
"DL ROOMMAIL002	The value following the space in ROOMMAILSTOP must be at least one and up to 10 characters in length"
"DL ROOMMAIL002	The first piece of data in ROOMMAILSTOP must be followed by one space and then at least one and up to 10 additional valid characters"
"DL ROOMMAIL003	The first piece of data in ROOMMAILSTOP must be APT, LOT, RM, SLIP, UNIT, or SUIT"
"DL ROOMMAIL003	Invalid characters in ROOMMAILSTOP: Valid values are A through Z, a through z, 0 through 9, hyphen, parenthesis, space, and virgule (/)"
"DL ROOMMAIL900	ROOMMAILSTOP prohibited when ADI is "O"
"DL ROUTE 900	ROUTE prohibited when ADI is "O"
"DL RTY 001	RTY required"
"DL RTY 003	RTY first char must be L or F"
"DL RTY 003	RTY invalid - requires chars 2 & 3"
"DL RTY 003	RTY invalid - requires char 3"
"DL RTY 003	RTY must be LML"
"DL RTY 003	RTY invalid"
"DL RTY 003	Only one RTY value of LML allowed on the DL Forms when LACT is N, D, or Z"
"DL RTY 003	Only two RTY values of LML allowed on the DL Forms when LACTs of l and O are present"
"DL SO 003	SO must be A or F"
"DL STATE 900	STATE required when DDASN is populated"
"DL STYC 001	STYC is required when ACT is N"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"DL STYC 003	STYC must be SL, SH, SI, or CI"
"DL STYC 900	Caption/SLU Indent section required when STYC is CI or SI"
"DL STYC 900	STYC is required when LACT is not D or Z"
"DL TMKT 003	TMKT must be O"
"DL TOA 001	TOA required when ACT is N or product is SAL"
"DL TOA 001	TOA required when LACT is not D or Z"
"DL TOA 900	TOA required when TOS first char is 1 or 3"
"DL TOA 900	TOA must be B or BP when TOS first char is 1"
"DL TOA 900	TOA must be R or RP when TOS first char is 2"
"DL TOA 900	TOA must be C, F, L, S, PO, RE, SD, TR or TW when TOS first char is 3"
"DL ZIP 900	ZIP required when DDASN is populated"
"DLR 999	PSP not allowed to request DLR Return"
"DLRACNA 001	ACNA required"
"DLRCARFACCK003	CARFACCKT required when CKTFORMAT is C"
"DLRCARFACCK003	CARFACCKT Z Location CLLI must be 8 or 11 characters"
"DLRCARFACCK003	CARFACCKT A Location CLLI must be 8 or 11 characters"
"DLRCARFACRC003	MSGTRKCKT A Location CLLI must be 8 or 11 characters"
"DLRCCNA 001	CCNA required"
"DLRCKTFORMA003	CKTFORMAT must be S, T, C or M"
"DLRD/SENT 001	D/SENT required"
"DLRMSGTRKCK003	MSGTRKCKT required when CKTFORMAT is M"
"DLRMSGTRKCK003	MSGTRKCKT Z Location CLLI must be 8 or 11 characters"
"DLRSCATEG 003	SCATEG must be L"
"DLRSERNUMCK003	SERNUMCKT required when CKTFORMAT is S"
"DLRTELNUMCK003	TELNUMCKT required when CKTFORMAT is T"
"DLRTXACT 003	TXACT must be A"
"DLRTXNUM 001	TXNUM required"
"DLRTXTYP 003	TXTYP must be L"
"DRS 999	DRS form is required when ACT is N, C, T, V or Z"
"DRSDGOUT 900	DGOUT required when DTKACT is N and ACT is N, V, Z, C or T"
"DRSDIDNUM 900	DIDNUM must be numeric"
"DRSDIDNUM 900	DIDNUM not in sequence"
"DRSDIDNUM 900	DIDNUM required when ACT is N, V, Z, C or T"
"DRSDPULSE 900	DPULSE required when DTKACT is N and ACT is N, V, Z, C or T"
"DRSDSGNL 900	DSGNL required when DTKACT is N and ACT is N, V, Z, C or T"
"DRSDSTN 900	DSTN required when DSTNQ is populated and ACT is N, V, Z, C or T"
"DRSDSTNACT 900	DSTNACT required when DSTNQ is populated and ACT is N, V, Z, C or T"
"DRSDSTNQ 003	DSTNQ must equal the number of DSTN Sections"
"DRSDSTNQ 900	DSTNQ required when DSTNACT is populated and ACT is N, V, Z, C or T"
"DRSDTK 900	DTK required when ACT is N, V or Z"
"DRSDTKACT 900	DTKACT required when DTK is populated and ACT is N, V, Z, C or T"
"DRSDTKID 900	DTKID required when DTKACT is populated and ACT is N, V, Z, C or T"
"DRSDTNR 900	DTNR required when DTNRACT is populated and ACT is N, V, Z, C or T"
"DRSDTNR 900	DTNR must have 10 or 14 digits"
"DRSDTNRACT 900	DTNRACT required when DTNRQ is populated and ACT is N, V, Z, C or T"
"DRSDTNRQ 900	DTNRQ required when ACT is N, V or Z"
"DSR 001	DL form required"
"DSR 001	DSR form required"
"DSR 001	Listing forms required when ACT is N, T, or V"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"DSR 900	DL form prohibited when ACT is W, D, B, L, Y or Z"
"DSR 900	DL form prohibited for this product when ACT is M or D"
"DSR 900	DL form prohibited for this product when ACT is Z"
"DSR 900	DL form prohibited when ACT is W, D, L or Z"
"DSR 900	DL form are required when ACT is N or T"
"DSR 900	DL form prohibited when ACT is W, D, B, Z, L, or Y"
"DSR 900	Listing forms required when ACT is N"
"DSR 900	DL form prohibited when ACT is W, D, B, L or Z"
"DSR 900	DL form prohibited when ACT is W, D, B, L, Y or Z"
"DSR 900	DL form prohibited when ACT is D, M, Z, W, or L"
"DSR 900	DL form required when ACT is V"
"DSR 900	DL form required when ACT is N, V, C, or T"
"DSR 999	DL form prohibited for this product"
"DSR 999	DL form prohibited for this product"
"DSR 999	DL form not allowed for this product"
"DSR 999	DL form required when ACT is V"
"DSR 999	DL form not allowed for this product and activity"
"DSR 999	DL form is required for this product and activity"
"DSR 999	DL form not allowed for this product"
"DSR 999	DL form required for this product and activity"
"DSR 999	DL form not allowed for this product and activity"
"DSR 999	DL form required for this product and activity"
"DSR 999	DL form required when ACT is N or V"
"DSRAACT 001	AACT is required"
"DSRAACT 003	AACT must be N, D, I, O, or Z"
"DSRAACT 003	AACT must be N when ACT is N"
"DSRAACT 003	AACT Must be D when ACT is D"
"DSRAACT 003	AACT must be Z when ACT is W"
"DSRAACT 003	AACT must be I or O when ACT = T"
"DSRAACT 003	AACT must be I, O or Z when ACT = C"
"DSRAACT 999	One Service Address must have AACT=O and one Service Address must have AACT=I when SQTY is 2"
"DSRAACT 999	AACT I or O has no corresponding DSR form"
"DSRACT 001	ACT is required"
"DSRAFT 001	Invalid Value for AFT"
"DSRAGAUTH 001	AGAUTH must be Y when ACT is W"
"DSRAN 001	AN is required when ACT is N, W, D, C, or T"
"DSRAN 002	AN invalid format"
"DSRCC 001	CC is required"
"DSRCCNA 001	CCNA is required"
"DSRCITY 001	CITY is required"
"DSRDATED 001	DATED is required when AGAUTH is populated"
"DSRDATED 002	DATED invalid format"
"DSRDFAXNO 001	DFAXNO is required"
"DSRDINIT 001	DINIT is required"
"DSRDTLNO 001	DTLNO is required"
"DSRDTSENT 001	D/TSENT required"
"DSRDTSENT 002	D/TSENT invalid format"
"DSREAN 002	EAN invalid format"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"DSREAN 003	EAN and AN cannot be the same"
"DSREAN 900	EAN prohibited when ACT is <CTX->ACT>"
"DSRLD1 001	Invalid Value for LD1"
"DSRLD2 001	Invalid Value for LD2"
"DSRLD3 001	Invalid Value for LD3"
"DSRLOCNUM 001	LOCNUM required"
"DSRLOCNUM 002	LOCNUM must be numeric"
"DSRLQTY 003	LQTY must be greater than or equal to zero"
"DSRLQTY 900	DL section required when ACT is N or V"
"DSRLQTY 900	DL section required"
"DSRLQTY 900	DL section required when ACT is N, V or T"
"DSRREQTYP 001	REQTYP is required"
"DSRSA 900	One and only one Service Addr (SA) Section is allowed when ACT is N, D, or W"
"DSRSA 900	The Service Addr (SA) Section repeats up to two times when ACT is C or T"
"DSRSANO 900	SANO not allowed when SASN is not populated"
"DSRSANO 900	SANO is required when SAPR or SASF is populated"
"DSRSASD 001	Invalid Value for SASD"
"DSRSASN 001	SASN is required"
"DSRSASS 001	Invalid Value for SASS"
"DSRSAST 001	SAST is required"
"DSRSCD 001	SCD required"
"DSRSCD 002	SCD invalid format"
"DSRSCD 003	SCD must not be greater than DTSENT"
"DSRTOS 001	TOS is required for SAL"
"DSRTOS 003	TOS must be 1, 2, or 3 only for SAL"
"EDI 999	Co-provider data file did not pass ISA06/CCNA security validation"
"EMA 999	Error sending EMail"
"EU 001	LOCATION ACCESS SECTION required (<LQTYREQUIRED> section)"
"EU 001	Only <LQTYREQUIRED> LOCATION ACCESS SECTION allowed"
"EU 003	EU form required"
"EU 999	EU form not allowed for this product"
"EU AAI 001	AAI required when ACT is <CTX->ACT>"
"EU ACC 900	ACC required when ACT is <CTX->ACT>"
"EU ACC 900	ACC required for service details with Meet Me USOC (VT6NC)"
"EU ACC 900	ACC required for service details with IWJKs"
"EU ACC 900	ACC required for service details with NIDR"
"EU AFT 900	Invalid Value for AFT"
"EU AHN 001	AHN required for unnumbered address"
"EU ANV 003	ANV must be Y or N for CENTREX when LOCNUM is 2"
"EU ANV 003	ANV must be Y or N when LOCNUM is 2"
"EU ANV 003	ANV must be Y or N"
"EU ANV 900	ANV not allowed for this product and activity combination"
"EU BILLCON 900	BILLCON required when no summary bill exists and ACT is <CTX->ACT>"
"EU CALA 001	CALA required when ACT is N, V, C, T or M"
"EU CALA 003	Invalid entry in CALA"
"EU CALA 900	CALA required when ZIP is blank"
"EU CITY 001	CITY required"
"EU CITY 001	CITY required when ACT is N, V, C, T or M"
"EU CITY 900	CITY required when BILLNM is populated and ACT is <CTX->ACT>"



Table A: TO.D IMA BPL Errors

Error Code	Error Message
*EU CPEMFR 900	CPEMFR required when ACT is <CTX->ACT>"
*EU CPEMOD 900	CPEMOD required when ACT is <CTX->ACT>"
*EU CPEMOD 900	CPEMOD required when ACT is <CTX->ACT> and CPEMFR is populated"
*EU DISCNBR 002	DISCNBR invalid format"
*EU DISCNBR 900	DISCNBR required when REFNUM is populated"
*EU DNUM 003	DNUM must be numeric"
*EU DNUM 003	DNUM not in sequence for initial order"
*EU DNUM 003	DNUM must start at 0001"
*EU DNUM 900	DNUM prohibited when DISCNBR is not populated"
*EU DNUM 900	DNUM required when DISCNBR is populated"
*EU EAN 001	EAN required"
*EU EAN 002	EAN invalid format"
*EU FBI 003	FBI must be D or E"
*EU FBI 900	FBI - AN, BILLNM, SANO, SASN, CITY, STATE and ZIP required when FBI is D"
*EU IWO 003	IWO must be S, U, or W"
*EU LCON 003	LCON: invalid characters entered: Valid are [letters, space, apostrophe, hyphen]"
*EU LCON 900	LCON required when ACT is <CTX->ACT>"
*EU LCON 900	LCON required when ACT is V or Z"
*EU LCON 900	LCON required when ACT is N"
*EU LD1 001	Invalid Value for LD1"
*EU LD2 001	Invalid Value for LD2"
*EU LD3 001	Invalid Value for LD3"
*EU LOCNUM 001	LOCNUM required"
*EU LOCNUM 001	LOCNUM required when ACT is T"
*EU LOCNUM 001	LOCNUM required when ACT is N, V, C, T or M"
*EU LOCNUM 003	LOCNUM must be <LOCIDX+1>"
*EU NAME 001	NAME required when ACT is N, V, C, T or M"
*EU NAME 001	NAME required"
*EU SANO 001	SANO required for numbered addresses"
*EU SANO 900	SANO is required when SAPR or SASF is populated"
*EU SASD 001	Invalid Value for SASD"
*EU SASN 001	SASN required"
*EU SASN 001	SASN required when ACT is N, V, C, T or M"
*EU SASN 900	SASN is required when SASD, SATH, or SASS is populated"
*EU SASN 900	SASN required when BILLNM is populated and ACT is <CTX->ACT>"
*EU SASN 900	SASN is required when SASD, SATH, or SASS is populated"
*EU SASS 001	Invalid Value for SASS"
*EU SSN 900	SSN required when no summary bill exists and ACT is <CTX->ACT>"
*EU STATE 001	STATE required"
*EU STATE 001	STATE required when ACT is N, V, C, T or M"
*EU STATE 003	STATE invalid format"
*EU STATE 003	STATE must be alpha"
*EU STATE 900	STATE required when BILLNM is populated and ACT is <CTX->ACT>"
*EU TCID 003	TCID must be numeric"
*EU TCID 900	TCID required when ACT is D and TCOPT is S or T"
*EU TCID 900	TCID required when ACT is D and TCOPT is T"
*EU TCNAME 900	TCNAME required when ACT is D and TCOPT is S or T"
*EU TCNAME 900	TCNAME required when ACT is D and TCOPT is T"
*EU TCOPT 003	TCOPT must be N, S or T"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"EU TCOPT 900	TCOPT required when DISCNBR is populated"
"EU TCOPT 900	TCOPT can't be populated without DISCNBR is populated"
"EU TCOPT 900	RESALE form required when TCOPT is T"
"EU TCOPT 900	LS or NP form required when TCOPT is T"
"EU TCOPT 900	PORT SERVICE form required when TCOPT is T"
"EU TCMER 002	TCMER invalid format"
"EU TCMER 900	TCMER required when ACT is D and TCOPT is S or T"
"EU TCSECQTY900	TCTOSEC, TCID or TCNAME section required when TCOPT is T"
"EU TCTOPRI 002	TCTOPRI invalid format"
"EU TCTOPRI 900	TCTOPRI required when ACT is D and TCOPT is S or T"
"EU TCTOSEC 002	TCTOSEC invalid format"
"EU TCTOSEC 900	TCTOSEC required when ACT is D and TCOPT is T"
"EU TELNO 002	TELNO invalid format"
"EU TELNO 900	TELNO required when LCON is populated"
"EU TELNO 900	TELNO required when ACT is <CTX->ACT>"
"EU TELNO 900	TELNO required when LCON is populated"
"EU TELNO 900	TELNO required when no summary bill exists and ACT is <CTX->ACT>"
"EU WSOPTELN900	WSOPTELNO required when WSOP is populated"
"EU ZIP 001	ZIP required when ACT=N"
"EU ZIP 001	ZIP required when ACT is N, V, C, T or M"
"EU ZIP 003	ZIP must be numeric"
"EU ZIP 900	ZIP required when CALA is blank"
"EU ZIP 900	ZIP required when BILLNM is populated and ACT is <CTX->ACT>"
"FA ADDRES 999	LOCA Address Validation is not an EXACTMATCH"
"FA ADDRES 999	LOCZ Address Validation is not an EXACTMATCH"
"FA ADDRES 999	Address Validation is not an EXACTMATCH"
"FA ADDRES 999	LOCA Address Validation is not an EXACTMATCH"
"FA ADDRES 999	LOCZ Address Validation is not an EXACTMATCH"
"FA AFT 001	Invalid Value for AFT"
"FA AHN 900	AHN can only be populated if SASN begins with '@"
"FA AHN 900	AHN cannot be populated if SANO populated"
"FA BOX 900	BOX not allowed when SCATEG is I or U"
"FA BOX 900	BOX cannot be populated if SANO populated"
"FA CALA 003	Invalid entry in CALA"
"FA CCNA 001	CCNA required"
"FA CHAN 900	CHAN required when FACDES is populated"
"FA CITY 900	CITY required when TNADDRCKTIND is A or B"
"FA CS 900	CS required when SCATEG is H or D"
"FA D/TSENT 001	D/TSENT required"
"FA ECCKT 900	ECCKT required when SCATEG is U and TNADDRCKTIND is C"
"FA FACTYP 900	FACTYP required when FACDES is populated"
"FA LD1 001	Invalid Value for LD1"
"FA LD2 001	Invalid Value for LD2"
"FA LD3 001	Invalid Value for LD3"
"FA LOCA 900	LOCA required when FACDES is populated"
"FA LOCZ 900	LOCZ required when FACDES is populated"
"FA LOOPCHAR003	LOOPCHAR must be L, N or D"
"FA LOOPCHAR900	LOOPCHAR required when SCATEG is U"
"FA LSO 003	LSO must be numeric"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"FA LSO 900	LSO required when SCATEG is U and TNADDRCKTIND is C"
"FA LSO 900	LSO required when SCATEG is P or I"
"FA NUMPT 900	NUMPT must be 1 when SCATEG is P, U, or I"
"FA NUMPT 900	NUMPT must be 1 or 2 when SCATEG is H or D"
"FA QLR 003	QLR is required"
"FA QLR 003	QLR must be numeric"
"FA QLR 900	QLR must be greater than zero when SCATEG is P, D, H, or I"
"FA QLR 900	QLR must be zero when SCATEG is U"
"FA RLD 999	Address not an exact match"
"FA ROUTE 900	ROUTE not allowed when SCATEG is I or U"
"FA ROUTE 900	ROUTE cannot be populated if SANO populated"
"FA SANO 900	SANO is required when SAPR or SASF is populated"
"FA SASD 001	Invalid Value for SASD"
"FA SASN 900	SASN required when TNADDRCKTIND is A or B"
"FA SASN 900	SASN is required when SASD, SATH, or SASS is populated"
"FA SASS 001	Invalid Value for SASS"
"FA SCATEG 003	SCATEG must be P, D, H, I, or U"
"FA SERCD 900	SERCD required when SCATEG is H or D"
"FA STATE 900	STATE required when TNADDRCKTIND is A or B"
"FA TNADDRCK001	TNADDRCKTIND required"
"FA TNADDRCK900	TNADDRCKTIND must be A when SCATEG is I, H or D"
"FA TNADDRCK900	TNADDRCKTIND must be A, T or C when SCATEG is U"
"FA TNADDRCK900	TNADDRCKTIND must be A or T when SCATEG is P"
"FA TNADDRCK900	TNADDRCKTIND must be A when SCATEG is P or D and TXACT is B"
"FA TXACT 003	TXACT must be A or B"
"FA TXNUM 001	TXNUM required"
"FA TXTYP 003	TXTYP must be H"
"FA USOC 900	USOC required when SCATEG is H or D"
"FA WTN 002	WTN invalid format"
"FA WTN 900	WTN required when TNADDRCKTIND is B or T"
"FA ZIP 001	CALA or ZIP required"
"FACXML 999	Validation:Error parsing xml request"
"FACXML 999	Error reading xml response from socket"
"FACXML 999	Validation:Error parsing xml response"
"FACXML 999	Error reading xml response object"
"FACXML 999	Error parsing outbound message"
"FACXML 999	Query failed. Unable to complete transaction. Please try later (FA)"
"FACXML 999	Query failed. Unable to complete transaction. Please try later (FA)"
"FACXML 999	Query failed. Unable to complete transaction. Please try later (FA)"
"FBDLTN 002	LTN invalid format"
"FBDLTNQ 001	LTNQ required"
"FID 999	Error Reading Fid Formats"
"FV 999	CSR not found"
"FV 999	Ownership failure - Co-provider does not own telephone number"
"FV 999	Unable to retrieve CSR"
"FV 999	CSR too large for Feature Verification Processing - CSR may be retrieved in Pre-Order"
"FV 999	CSR not found"
"FV 999	Ownership failure - Co-provider does not own telephone number"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
*FV 999	Multiple CSR records found"
*FV 999	CSR too large for Feature Verification Processing - CSR may be retrieved in Pre-Order"
*FV CCNA 001	CCNA required"
*FV CCNA 999	CCNA not authorized to Verify Features"
*FV SAST 001	SAST required"
*FV TN 001	TN required"
*FV TN 002	TN invalid format"
*LQ 999	Query failed. Unable to complete transaction. Please try later. (FA)"
*LQ 999	No Working Lines found at Queried Address"
*LQ 999	Query failed. Unable to complete transaction. Please try later. (FA)"
*LQ 999	No Working Lines found at Queried Address"
*LQ 999	Query failed. Invalid combination of MS (<REQ->MS>) TOS (<REQ->TOS>) and/or NC/NCI (<REQ->NC>/<REQ->NCI>)"
*LQ 999	<NOEXISTMSG>"
*LQ ADDRES 999	Address Validation is not an EXACTMATCH"
*LQQAFT 900	AFT must be A, B, C or D"
*LQQAHN 900	AHN can only be populated if SASN begins with '@"
*LQQAHN 900	AHN cannot be populated if SANO populated"
*LQQANH 900	ANH required when TNADDRCKTIND is A and SANO is blank"
*LQQCALA 003	Invalid entry in CALA"
*LQQCCNA 001	CCNA required"
*LQQCITY 900	CITY required when TNADDRCKTIND is A"
*LQQD/TSENT 001	D/TSENT required"
*LQQD/TSENT 001	D/TSENT invalid format"
*LQQDSLSESV 003	DSLSESV must be A"
*LQQLD1 003	Invalid Value for LD1"
*LQQLD2 003	Invalid Value for LD2"
*LQQLD3 003	Invalid Value for LD3"
*LQQMS 001	MS required"
*LQQMS 003	Invalid combination of MS, TOS, NC, and NCI"
*LQQNC 900	NC required when NCI is populated"
*LQQNC 900	NC prohibited when MS is A"
*LQQNCI 900	NCI required when NC is populated"
*LQQNCI 900	NCI prohibited when MS is A"
*LQQQLR 003	QLR must be numeric"
*LQQQLR 003	QLR must be 1-99"
*LQQQUALEXIS003	QUALEXIST must be Y or N"
*LQQREQUAL 003	REQUAL must be Y or N"
*LQQREQUAL E900	REQUAL EMAIL required when REQUAL is Y"
*LQQSANO 900	SANO is required when SAPR or SASF is populated"
*LQQSASD 003	Invalid Value for SASD"
*LQQSASF 900	SASF is valid only when SANO is populated"
*LQQSASS 003	Invalid Value for SASS"
*LQQSTATE 900	STATE required when TNADDRCKTIND is A"
*LQQTNADDRCK001	TNADDRCKTIND required"
*LQQTNADDRCK003	TNADDRCKTIND must be A or T"
*LQQTOS 900	TOS required when MS is A"
*LQQTOS 900	TOS prohibited when MS is B"

Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"LQQT XACT 003	TXACT must be A or B"
"LQQT XNUM 001	TXNUM required"
"LQQT XTYP 003	TXTYP must be H"
"LQQW TN 002	WTN invalid format"
"LQQW TN 900	WTN required when TNADDRCKTIND is T"
"LQQZ IP/CALA001	CALA or ZIP required"
"LQQZ IP/CALA001	CALA or ZIP required"
"LS 900	LS form required when ACT is N, D, C, T or V"
"LS 900	LS form required when ACT is N, C, D, or M"
"LS 900	LS form required when ACT is N, V, C, D, T or M"
"LS 900	LSNP form required when ACT is V"
"LS 900	LS form required"
"LS 999	LS form is required when ACT is N, C or Z"
"LS CABCONNQ001	CABCONNQTY - Number of Cable Connection Sections must be 1 when POTSSPLITLOC is I"
"LS CABCONNQ001	CABCONNQTY - Number of Cable Connection Sections can not be 0 when ACT is N"
"LS CABCONNQ001	CABCONNQTY - Number of Cable Connection Sections can not be 0 when ACT is N, V, T or M"
"LS CABCONNQ003	CABCONNQTY - Number of Cable Connection Sections must be between 0 and 9"
"LS CABCONNQ900	CABCONNQTY must be zero when POTSSPLIT is populated"
"LS CABCONNQ900	CABCONNQTY must be 0 when POTSSPLITLOC is R"
"LS CABCONNQ999	Error fetching rows from NC table"
"LS CFA 003	Invalid CFA Format; Consecutive Unit Will Exceed 5 Digits"
"LS CFA 003	Invalid data was entered in the CFA and/or ACNA fields"
"LS CFA 003	Facility does not meet availability requirements"
"LS CFA 003	The consecutive Unit is Unavailable"
"LS CFA 003	Invalid data was entered in the CFA and/or ACNA fields"
"LS CFA 003	Facility does not meet availability requirements"
"LS CFA 003	Invalid data was entered in the CFA and/or ACNA fields"
"LS CFA 003	Facility does not meet availability requirements"
"LS CFA 003	All requested circuits must be located at the same Central Office"
"LS CFA 900	CFA required when LSR.LST or LSR.APOT is populated and ACT is N, Z or C"
"LS CFA 900	CFA not allowed when LSR.APOT is populated"
"LS CFA 900	CFA or LSR.APOT required"
"LS CFA 900	CFA required"
"LS CFA 900	CFA or LSR.APOT required when ACT is N, V, C, T or M"
"LS CFA 900	CFA and LSR.APOT cannot both be populated when ACT is N, V, C, T or M"
"LS CFA 900	The CFA field must be unique across each Service Details section"
"LS CKR 003	CKR invalid format"
"LS CKR 900	The CKR field must be unique across each Service Details section"
"LS DISCNUM 900	DISCNUM required when converting a Qwest account to Unbundled Loop and ACT is V"
"LS DISCNUM 999	DISCNUM invalid"
"LS ECCKT 900	ECCKT required when ACT is C"
"LS ECCKT 900	ECCKT required when ACT is D, C or M"
"LS ECCKT 900	ECCKT invalid format"
"LS ECCKT 900	ECCKT required when ACT is D or C"
"LS ECCKT 900	ECCKT required when ACT is D, C, T or M"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"LS ECCKT 900	The ECCKT field must be unique across each Service Details section"
"LS IWJQ 003	IWJQ must be numeric"
"LS IWJQ 900	IWJQ must be greater than 0 when IWJK is populated"
"LS IWJQ 900	IWJQ prohibited when IWJK is not populated"
"LS LINESHAR001	LINESHARED TN required when ACT is C"
"LS LINESHAR002	LINESHARED TN invalid format"
"LS LINESHAR003	LINESHARED TN must be 12 characters"
"LS LNA 003	At least one LNA must be D or V when ACT is V"
"LS LNA 003	LNA must be N, D, V or M"
"LS LNA 003	LNA must equal ACT"
"LS LNA 003	LNA must be N, C, D, M, T, or V"
"LS LNA 900	LNA must be N, D or V when ACT is V"
"LS LNA 900	LNA must be N, D or C when ACT is C"
"LS LNA 900	LNA must be N when ACT is N"
"LS LNA 900	LNA must be V, N or D when ACT is Z"
"LS LNA 900	LNA must be N, C or D when ACT is C"
"LS LNUM 001	LNUM required when ACT is <CTX->ACT>"
"LS LNUM 003	LNUM must be numeric"
"LS LNUM 003	LNUM not in sequence"
"LS LNUM 003	LNUM must start at 0001"
"LS LOCNUM 001	LOCNUM required when ACT is N, D, Z or C"
"LS LOCNUM 003	LOCNUM must equal 1"
"LS LQTY 001	LQTY required"
"LS NIDR 003	NIDR must be Y"
"LS POTSSPLI001	POTSSPLITLOC required when LNA is N, V or M"
"LS POTSSPLI003	An LSR can only contain one meetpoint format"
"LS POTSSPLI003	POTSSPLIT cannot start with VCE"
"LS POTSSPLI003	POTSSPLITLOC must be I or O when product is SHARED LOOP, Central-Office LINE SPLITTING or LOOP SPLITTING"
"LS POTSSPLI003	POTSSPLITLOC must be R "
"LS POTSSPLI900	POTSSPLIT required when POTSSPLITLOC is O"
"LS POTSSPLI900	POTSSPLIT not allowed when CABCONNQTY is not equal to 0"
"LS POTSSPLI900	POTSSPLIT not allowed when CABCONNTYP is populated"
"LS POTSSPLI900	POTSSPLIT not allowed when CABCONN is populated"
"LS POTSSPLI900	POTSSPLIT not allowed when POTSSPLITLOC is R"
"LS SAN 900	SAN required when TOS first char is 3"
"LS TCID 003	TCID must be numeric"
"LS TCID 900	TCID required when ACT is V and TCOPT is S or T"
"LS TCNAME 900	TCNAME required when ACT is V and TCOPT is S or T"
"LS TCOPT 003	TCOPT must be N, S or T"
"LS TCOPT 900	TCOPT required when ACT is V and LNA is D"
"LS TCPER 002	TCPER invalid format"
"LS TCPER 900	TCPER required when ACT is V and TCOPT is S or T"
"LS TCTOPRI 002	TCTOPRI invalid format"
"LS TCTOPRI 900	TCTOPRI required when ACT is V and TCOPT is S or T"
"LSN 001	LSNP form required"
"LSNBA 003	BA must be A, D or Z"
"LSNBLOCK 003	BLOCK must be A, B, C, D, E, F, G, H, K, M, N or Q"
"LSNBLOCK 003	A combination of blocking values has been selected that cannot be used together"

Table 4: 10.0 INA BPL Errors

Error Code	Error Message
"LSNBLOCK 003	A blocking value has been selected that must be used in combination with other blocking values"
"LSNBLOCK 900	BLOCK required when BA is A or D and NPT is not D"
"LSNCABCONNQ001	CABCONNQTY - Number of Cable Connection Sections can not be 0 when ACT is V"
"LSNCABCONNQ003	CABCONNQTY - Number of Cable Connection Sections must be between 0 and 9"
"LSNCFA 003	Invalid CFA Format; Consecutive Unit Will Exceed 5 Digits"
"LSNCFA 003	The consecutive Unit is Unavailable"
"LSNCFA 900	CFA or LSR.APOT is required when LNA is V"
"LSNCFA 900	CFA and LSR.APOT cannot both be populated"
"LSNCFTN 002	CFTN invalid format"
"LSNCFTN 900	CFTN required when NPT is B"
"LSNCKR 003	CKR invalid format"
"LSNCKR 900	CKR required when NPT is A or C"
"LSNECCKT 900	ECCKT invalid format"
"LSNFPI 003	FPI must be A or S"
"LSNIWJQ 900	IWJQ must be greater than 0 when IWJK is populated"
"LSNIWJQ 900	IWJQ prohibited when IWJK is not populated"
"LSNLNA 003	At least one LNA must be V when ACT is V or Z"
"LSNLNA 003	LNA must be D, N, or V"
"LSNLNA 003	LNA must be D, N, or V"
"LSNLNA 900	LNA required when ACT is V"
"LSNLNA 900	LNA required when ACT is V or Z"
"LSNLNUM 003	LNUM must be numeric"
"LSNLNUM 003	LNUM not in sequence"
"LSNLNUM 900	LNUM required when ACT is V or Z"
"LSNLPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"LSNLQTY 003	LQTY must be greater than 0"
"LSNNIDR 003	When populated, NIDR must be Y"
"LSNNPT 003	NPT must be A, B, C or D"
"LSNNPT 900	NPT is required when ACT is V or Z and LNA is V"
"LSNNPT 900	NPT must be BLANK when LNA is D"
"LSNNPTG 900	NPTG required when NPT is A or C"
"LSNPORTEDNB<C>	PORTEDNBR invalid format"
"LSNPORTEDNB900	PORTEDNBR required when ACT is V"
"LSNPORTEDNB900	PORTEDNBR required when ACT is V or Z and LNA is not N"
"LSNREFNUM 003	REFNUM must start at 0001"
"LSNRTI 900	RTI required when NPT is A or C"
"LSNSAN 900	SAN required when first character of TOS is 3"
"LSNTCID 003	TCID must be numeric"
"LSNTCID 900	TCID required when ACT is V or Z and TCOPT is T"
"LSNTCID 999	TCID not allowed for ported number ranges"
"LSNTCNAME 900	TCNAME required when ACT is V or Z and TCOPT is T"
"LSNTCNAME 999	TCNAME not allowed for ported number ranges"
"LSNTCOPT 003	TCOPT must be N, S or T"
"LSNTCOPT 900	TCOPT required when LNA is D"
"LSNTCOPT 900	TCOPT must be N for ported number ranges when LNA is D"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"LSNTCPER 002	TCPER invalid format"
"LSNTCPER 900	TCPER required when ACT is V or Z and TCOPT is S or T"
"LSNTCPER 999	TCPER not allowed for ported number ranges"
"LSNTCTOPRI 002	TCTOPRI invalid format"
"LSNTCTOPRI 900	TCTOPRI required when ACT is V or Z and TCOPT is S or T"
"LSNTCTOPRI 999	TCTOPRI not allowed for ported number ranges"
"LSNTDT 900	TDT must be Y when NPT is D"
"LSNTNP <C>	TNP must be between 001 and 999"
"LSNTNP 003	TNP must be numeric"
"LSNTNP 900	TNP required when NPT is B"
"LSR 999	LSR ID not found"
"LSR 999	PON/VER not found"
"LSR 999	LSR created in a different IMA release"
"LSR 999	LSR ID not found"
"LSR 999	CCNA/PON/VER Combination Not Found"
"LSR 999	Specified Order not found on Service Request"
"LSR 999	Status of most recent supplement returned"
"LSR 999	LSR requested belongs to a different Co-Provider"
"LSR 999	Status not available for product type"
"LSR 999	No LSR status data found in CRM"
"LSR<FIELDN>003	<VERIFYCODES> Combination is not valid"
"LSR<FIELDN>999	<VERIFYCODES> Lookup failed (<ERRORMESSAGE>)"
"LSR<FIELDN>999	<FIELDID> database retrieval of pre-order appointment failed (<ERRORMESSAGE>)"
"LSR<FIELDN>999	Valid <FIELDID> entry from Appointment Scheduler is required"
"LSR<FIELDN>999	Pre-order Appointments are not allowed for the <CTX->PRODUCT> product"
"LSR<FIELDN>999	<FIELDID> multiple appointments found for <APTCON>"
"LSR<FIELDN>999	<FIELDID> is required when appointment is selected"
"LSR<FIELDN>999	<FIELDID> appointment expired"
"LSR<FIELDN>999	<FIELDID> appointment not selected"
"LSR<FIELDN>999	<FIELDID> appointment date does not match DDD"
"LSR<FIELDN>999	<FIELDID> appointment time does not match APPTIME"
"LSRACNA 001	ACNA required"
"LSRACNA 900	ACNA required when ACT is N, C, or Z"
"LSRACTL 001	ACTL required"
"LSRACTL 900	ACTL required when ACT is N"
"LSRAENG 003	AENG must be Y"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N, W, V or Z"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N, W or V"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N or V"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is V"
"LSRAGAUTH 003	AGAUTH must be Y when LNA is V"
"LSRAGAUTH 003	AGAUTH must be Y when LSCP is populated"
"LSRAGAUTH 900	AGAUTH required when ACT is N, W, V or Z"
"LSRAGAUTH 900	AGAUTH required when ACT is N, W or V"
"LSRAGAUTH 900	AGAUTH required when ACT is N or V"
"LSRAGAUTH 900	AGAUTH required when ACT is V or Z"
"LSRAGAUTH 900	AGAUTH required when ACT is W or V"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
*LSRAGAUTH 900	AGAUTH required when ACT is N, V or Z"
*LSRAGAUTH 900	AGAUTH required when ACT is N or Z"
*LSRAGAUTH 900	AGAUTH required when ACT is N"
*LSRAGAUTH 900	AGAUTH required when ACT is V"
*LSRAGAUTH 900	AGAUTH required when ACT is C"
*LSRALBR 003	ALBR must be Y"
*LSRALTIMPCO002	ALTIMPCONTELNO invalid format"
*LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
*LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated and ALTIMPCONPAGER is not populated"
*LSRALTIMPCO900	ALTIMPCONTELNO is prohibited when ALTIMPCONPAGER is populated"
*LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated and ALTIMPCONPAGER is not populated"
*LSRALTIMPCO900	ALTIMPCONTELNO is prohibited when ALTIMPCONPAGER is populated"
*LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated"
*LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
*LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
*LSRAN 002	AN invalid format"
*LSRAN 003	AN must be 12 or 16 characters"
*LSRAN 003	AN cannot be a placeholder when ACT is not N"
*LSRAN 900	AN required when ACT is <CTX->ACT>"
*LSRAN 900	AN required"
*LSRAN 900	AN prohibited when Activity = N."
*LSRAPOT 900	APOT or LST required when ACT is N, V or Z"
*LSRAPPTIME 001	APPTIME required when ACT is N or T"
*LSRAPPTIME 002	APPTIME invalid format"
*LSRAPPTIME 900	APPTIME prohibited when CHC is N"
*LSRAPPTIME 900	APPTIME required when APTCON is populated"
*LSRAPPTIME 900	APPTIME required when CHC is Y"
*LSRAPTCON 003	APTCON must be blank when LSO populated."
*LSRAPTCON 003	A-Z, a-z, and 0-9 are the only "valid characters allowed in the APTCON field"
*LSRAPTCON 900	OVERRIDE only used in APTCON when CHC=Y"
*LSRAPTCON 900	OVERRIDE not allowed in APTCON for this product"
*LSRBAN 999	BAN Lookup failed (<ERRORMESSAGE>)"
*LSRBAN1 002	BAN1 invalid format"
*LSRBAN1 003	BAN1 cannot be N unless ACT is N and product is RFR"
*LSRBAN1 003	BAN1 not found"
*LSRBAN2 001	BAN2 required"
*LSRBAN2 002	BAN2 invalid format"
*LSRBAN2 003	BAN2 cannot equal BAN1"
*LSRBAN2 003	BAN2 not found"
*LSRBI1 001	BI1 required"
*LSRBI1 003	BI1 must be L"
*LSRBI2 001	BI2 required"
*LSRBI2 003	BI2 must be N"
*LSRCC 001	CC required"
*LSRCC 900	CC required when ACT is V or Z and NPT is D"

Table 4: 10.D INA BPL Errors

Error Code	Error Message
"LSRCCNA 001	CCNA required"
"LSRCHC 003	CHC must be Y or N"
"LSRCONVIND 003	CONVIND must be F or P"
"LSRCONVIND 900	CONVIND required when ACT is V or Z"
"LSRCONVIND 900	CONVIND required when ACT is V"
"LSRD/TSENT 001	D/TSENT required"
"LSRDATED 002	DATED invalid format"
"LSRDATED 900	DATED required when ACT is N, W, V or Z"
"LSRDATED 900	DATED required when ACT is N, W or V"
"LSRDATED 900	DATED required when ACT is N or V"
"LSRDATED 900	DATED required when ACT is V or Z"
"LSRDATED 900	DATED required when ACT is W or V"
"LSRDATED 900	DATED required when ACT is N, V or Z"
"LSRDATED 900	DATED required when ACT is N or Z"
"LSRDATED 900	DATED required when ACT is W, V or Z"
"LSRDATED 900	DATED required when ACT is N"
"LSRDATED 900	DATED required when ACT is V"
"LSRDATED 900	DATED required when AGAUTH is Y"
"LSRDDD 001	DDD required"
"LSRDDD 002	DDD invalid format"
"LSRDDD 003	DDD cannot be earlier than current date"
"LSRDDD 003	DDD cannot be later than one year from current date"
"LSRDDD 003	DDD must be at least 5 business days out from the current date"
"LSRDDDO 002	DDDO invalid format"
"LSRDDDO 003	DDDO cannot be further than 30 days out"
"LSRDDDO 900	DDDO cannot equal the DDD"
"LSRDFDT 001	DFDT required when CHC is Y and ACT is <CTX->ACT>"
"LSRDFDT 001	DFDT required"
"LSRDFDT 002	DFDT invalid format"
"LSRDRC 900	DRC prohibited when DSGCON is not populated"
"LSRDRC 900	DRC or FAXNO required when RTR is D"
"LSRDRC 900	DRC prohibited when FAXNO is populated"
"LSRDSGCON 003	DSGCON: Invalid characters entered: Valid are [letters, numbers, comma, hyphen, space, period]"
"LSRDSGCON 900	DSGCON required when RTR is D"
"LSRDSGCONEM900	DSGCONEMAIL can only be populated when DSGCON is populated"
"LSRDSGCONFAX900	FAXNO prohibited when DRC is populated"
"LSRDSGCONFAX900	FAXNO prohibited when DSGCON is not populated"
"LSRDSGCONFAX900	FAXNO required when RTR is D and DRC is not populated"
"LSRDSGCONFLOOR900	DSGCONFLOOR can only be populated when DSGCON is populated"
"LSRDSGCONRO900	DSGCONROOMMAILSTOP can only be populated when DSGCON is populated"
"LSRDSGCONTE002	DSGCONTELNO invalid format"
"LSRDSGFAXNO900	DSGFAXNO prohibited when DSGCON is not populated"
"LSRDSGTELNO900	DSGTELNO is required when RTR is D and ACT is one of "<ACTSTR>"
"LSRDSPTCH 003	DSPTCH must be Y or N"
"LSRDTSENT 001	D/TSENT required"
"LSRDTSENT 002	D/TSENT invalid format"
"LSREXP 003	EXP must be Y or N"
"LSREXP 900	EXP prohibited when ACT is D or W"



Table 4: 10.0 IMA BPL Errors

Error Code	Error Message
"LSREXP 900	EXP prohibited when ACT is W"
"LSREXP 900	EXP prohibited when ACT is D"
"LSREXP 900	EXP prohibited for LNP requests"
"LSRHA 900	HA must be V, N, C or D when ACT is V or Z"
"LSRHA 900	HA must be N when ACT is N or T"
"LSRHA 900	HA must be N, C or D when ACT is C"
"LSRHA 900	HA required when Add/Deleting hunting"
"LSRHA 900	HA must be V, N, C or D"
"LSRHID 900	HID required when HA is C, D or V"
"LSRHID 900	HID must be an alpha when HNTYP is 5"
"LSRHID 900	HID must be numeric when HNTYP is 4"
"LSRHNTYP 003	HNTYP must be numeric"
"LSRHNTYP 003	HNTYP must be 4 or 5"
"LSRHNTYP 900	HNTYP required when HA is populated"
"LSRHNUM 003	HNUM must be numeric"
"LSRHNUM 003	HNUM not in sequence"
"LSRHNUM 003	HNUM must start at 001"
"LSRHNUM 900	HNUM required when HA is populated"
"LSRHTSEQ 003	HTSEQ too long (143 max in EASTERN)"
"LSRHTSEQ 003	HTSEQ too long (512 max in CENTRAL)"
"LSRHTSEQ 003	HTSEQ too long (300 max in WESTERN)"
"LSRHTSEQ 900	HTSEQ required when ACT is N, V, Z, C or T and HA is N, D or V"
"LSRIMPCON 003	IMPCON: Invalid characters entered: Valid are [letters, numbers, period, space, apostrophe, hyphen]"
"LSRIMPCON 900	IMPCON required when ACT is N, V, C, T or M"
"LSRIMPCON 900	IMPCON required when ACT is N, V, C, T or Z"
"LSRIMPCON 900	IMPCON required when ACT is D, V, Z or C"
"LSRIMPCON 900	IMPCON required when ACT is C"
"LSRIMPCON 900	IMPCON required when ACT is W, V, Z, C or T"
"LSRIMPCON 900	IMPCON required when ACT is V or Z"
"LSRIMPCON 900	IMPCON required when ACT is N, V, Z or C"
"LSRIMPCON 900	IMPCON required when ACT is N, C or M"
"LSRIMPCON 900	IMPCON required when ACT is N, V, C, T or M"
"LSRIMPCON 900	IMPCON required when ACT is V"
"LSRIMPCONPA900	IMPCONPAGER not allowed when ACT is V or Z for LNP"
"LSRIMPCONPA900	IMPCONPAGER not allowed when ACT is D, V, Z or C for INP"
"LSRIMPCONPA900	IMPCONPAGER and IMPCONTELNO not allowed"
"LSRIMPCONPA900	IMPCONPAGER / IMPCONTELNO required (not both) when IMPCON is populated"
"LSRIMPCONTE002	IMPCONTELNO invalid format"
"LSRIMPCONTE900	IMPCONTELNO required when IMPCON is populated and ACT is V or Z for LNP"
"LSRIMPCONTE900	IMPCONTELNO required when IMPCON is populated and ACT is D, V, Z or C for INP"
"LSRINIT 001	INIT required"
"LSRINITTELNO01	INITTELNO required"
"LSRINITTELNO02	INITTELNO invalid format"
"LSRLOCNUM 003	LOCNUM must be 2 for ACT of V or C"
"LSRLOCNUM 003	LOCNUM must be 1 for ACT of N, V, Z, or C"
"LSRLOCNUM 003	LOCNUM must be 2 for ACT of T"
"LSRLOCQTY 001	LOCQTY required when ACT is T"