BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	Resale - Ordering										
	% Rejected Service Requests - Mechanized										
A.1.1.1	O-7	Residence/SC (%)	Diagnostic			7.40%	14,489				Diagnostic
A.1.1.2	O-7	Business/SC (%)	Diagnostic			27.47%	233				Diagnostic
A.1.1.3	O-7	Design (Specials)/SC (%)	Diagnostic								Diagnostic
A.1.1.4	O-7	PBX/SC (%)	Diagnostic								Diagnostic
A.1.1.5	O-7	Centrex/SC (%)	Diagnostic								Diagnostic
A.1.1.6	O-7	ISDN/SC (%)	Diagnostic								Diagnostic
	% Rejected Service Requests - Partially Mechanized										
A.1.2.1	O-7	Residence/SC (%)	Diagnostic			27.06%	2,369				Diagnostic
A.1.2.2	O-7	Business/SC (%)	Diagnostic			46.46%	198				Diagnostic
A.1.2.3	O-7	Design (Specials)/SC (%)	Diagnostic								Diagnostic
A.1.2.4	O-7	PBX/SC (%)	Diagnostic			100.00%	1				Diagnostic
A.1.2.5	O-7	Centrex/SC (%)	Diagnostic								Diagnostic
A.1.2.6	O-7	ISDN/SC (%)	Diagnostic								Diagnostic
	% Rejected Service Requests - Non-Mechanized										
A.1.3.1	O-7	Residence/SC (%)	Diagnostic			44.92%	118				Diagnostic
A.1.3.2	O-7	Business/SC (%)	Diagnostic			49.12%	57				Diagnostic
A.1.3.3	O-7	Design (Specials)/SC (%)	Diagnostic			36.84%	19				Diagnostic
A.1.3.4	O-7	PBX/SC (%)	Diagnostic			33.33%	6				Diagnostic
A.1.3.5	O-7	Centrex/SC (%)	Diagnostic			40.00%	5				Diagnostic
A.1.3.6	O-7	ISDN/SC (%)	Diagnostic			62.50%	8				Diagnostic
	Reject Interval - Mechanized										
A.1.4.1	O-8	Residence/SC (%)	>= 97% w in 1 hr			97.02%	1,074				YES
A.1.4.2	O-8	Business/SC (%)	>= 97% w in 1 hr			92.19%	64				NO
A.1.4.3	O-8	Design (Specials)/SC (%)	>= 97% w in 1 hr								
A.1.4.4	O-8	PBX/SC (%)	>= 97% w in 1 hr								
A.1.4.5	O-8	Centrex/SC (%)	>= 97% w in 1 hr								
A.1.4.6	O-8	ISDN/SC (%)	>= 97% w in 1 hr								
	Reject Interval - Partially Mechanized - 10 hours										
A.1.7.1	O-8	Residence/SC (%)	>= 85% w in 10 hrs			93.35%	662				YES
A.1.7.2	O-8	Business/SC (%)	>= 85% w in 10 hrs			93.75%	96				YES
A.1.7.3	O-8	Design (Specials)/SC (%)	>= 85% w in 10 hrs								
A.1.7.4	O-8	PBX/SC (%)	>= 85% w in 10 hrs			100.00%	1				YES
A.1.7.5	O-8	Centrex/SC (%)	>= 85% w in 10 hrs								
A.1.7.6	O-8	ISDN/SC (%)	>= 85% w in 10 hrs								
	Reject Interval - Non-Mechanized										
A.1.8.1	O-8	Residence/SC (%)	>= 85% w in 24 hrs			100.00%	57				YES
A.1.8.2	O-8	Business/SC (%)	>= 85% w in 24 hrs			100.00%	30				YES
A.1.8.3	O-8	Design (Specials)/SC (%)	>= 85% w in 24 hrs			100.00%	7				YES
A.1.8.4	O-8	PBX/SC (%)	>= 85% w in 24 hrs			100.00%	2				YES
A.1.8.5	O-8	Centrex/SC (%)	>= 85% w in 24 hrs			100.00%	2				YES
A.1.8.6	O-8	ISDN/SC (%)	>= 85% w in 24 hrs			100.00%	5				YES
	FOC Timeliness - Mechanized										
A.1.9.1	O-9	Residence/SC (%)	>= 95% w in 3 hrs			99.31%	13,428				YES
A.1.9.2	O-9	Business/SC (%)	>= 95% w in 3 hrs			99.43%	175				YES
A.1.9.3	O-9	Design (Specials)/SC (%)	>= 95% w in 3 hrs								
A.1.9.4	O-9	PBX/SC (%)	>= 95% w in 3 hrs								
A.1.9.5	O-9	Centrex/SC (%)	>= 95% w in 3 hrs								
A.1.9.6	O-9	ISDN/SC (%)	>= 95% w in 3 hrs								
	FOC Timeliness - Partially Mechanized - 10 hours										
A.1.12.1	O-9	Residence/SC (%)	>= 85% w in 10 hrs			85.81%	2,086				YES
A.1.12.2	O-9	Business/SC (%)	>= 85% w in 10 hrs			94.33%	141				YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
A.1.12.3	O-9	Design (Specials)/SC (%)	>= 85% w in 10 hrs								
A.1.12.4	O-9	PBX/SC (%)	>= 85% w in 10 hrs								
A.1.12.5	O-9	Centrex/SC (%)	>= 85% w in 10 hrs								
A.1.12.6	O-9	ISDN/SC (%)	>= 85% w in 10 hrs								
	FOC Timeliness - Non-Mechanized										
A.1.13.1	O-9	Residence/SC (%)	>= 85% w in 36 hrs			97.01%	67				YES
A.1.13.2	O-9	Business/SC (%)	>= 85% w in 36 hrs			100.00%	26				YES
A.1.13.3	O-9	Design (Specials)/SC (%)	>= 85% w in 36 hrs			100.00%	7				YES
A.1.13.4	O-9	PBX/SC (%)	>= 85% w in 36 hrs			100.00%	4				YES
A.1.13.5	O-9	Centrex/SC (%)	>= 85% w in 36 hrs			100.00%	3				YES
A.1.13.6	O-9	ISDN/SC (%)	>= 85% w in 36 hrs			100.00%	7				YES
	FOC & Reject Response Completeness - Mechanized										
A.1.14.1.1	O-11	Residence/EDI/SC (%)	>= 95%			99.59%	491				YES
A.1.14.1.2	O-11	Residence/TAG/SC (%)	>= 95%			99.91%	13,998				YES
A.1.14.2.1	O-11	Business/EDI/SC (%)	>= 95%			100.00%	7				YES
A.1.14.2.2	O-11	Business/TAG/SC (%)	>= 95%			100.00%	226				YES
A.1.14.3.1	O-11	Design (Specials)/EDI/SC (%)	>= 95%								
A.1.14.3.2	O-11	Design (Specials)/TAG/SC (%)	>= 95%								
A.1.14.4.1	O-11	PBX/EDI/SC (%)	>= 95%								
A.1.14.4.2	O-11	PBX/TAG/SC (%)	>= 95%								
A.1.14.5.1	O-11	Centrex/EDI/SC (%)	>= 95%								
A.1.14.5.2	O-11	Centrex/TAG/SC (%)	>= 95%								
A.1.14.6.1	O-11	ISDN/EDI/SC (%)	>= 95%								
A.1.14.6.2	O-11	ISDN/TAG/SC (%)	>= 95%								
	FOC & Reject Response Completeness - Partially Mechanized										
A.1.15.1.1	O-11	Residence/EDI/SC (%)	>= 95%			100.00%	114				YES
A.1.15.1.2	O-11	Residence/TAG/SC (%)	>= 95%			99.91%	2,255				YES
A.1.15.2.1	O-11	Business/EDI/SC (%)	>= 95%			100.00%	7				YES
A.1.15.2.2	O-11	Business/TAG/SC (%)	>= 95%			100.00%	191				YES
A.1.15.3.1	O-11	Design (Specials)/EDI/SC (%)	>= 95%								
A.1.15.3.2	O-11	Design (Specials)/TAG/SC (%)	>= 95%								
A.1.15.4.1	O-11	PBX/EDI/SC (%)	>= 95%								
A.1.15.4.2	O-11	PBX/TAG/SC (%)	>= 95%			100.00%	1				YES
A.1.15.5.1	O-11	Centrex/EDI/SC (%)	>= 95%								
A.1.15.5.2	O-11	Centrex/TAG/SC (%)	>= 95%								
A.1.15.6.1	O-11	ISDN/EDI/SC (%)	>= 95%								
A.1.15.6.2	O-11	ISDN/TAG/SC (%)	>= 95%								
	FOC & Reject Response Completeness - Non-Mechanized										
A.1.16.1	O-11	Residence/SC (%)	>= 95%			95.76%	118				YES
A.1.16.2	O-11	Business/SC (%)	>= 95%			91.23%	57				NO
A.1.16.3	O-11	Design (Specials)/SC (%)	>= 95%			100.00%	19				YES
A.1.16.4	O-11	PBX/SC (%)	>= 95%			100.00%	6				YES
A.1.16.5	O-11	Centrex/SC (%)	>= 95%			100.00%	5				YES
A.1.16.6	O-11	ISDN/SC (%)	>= 95%			100.00%	8				YES
	FOC & Reject Response Completeness (Multiple Responses) - Mechanized										
A.1.17.1.1	O-11	Residence/EDI/SC (%)	>= 95%			96.93%	489				YES
A.1.17.1.2	O-11	Residence/TAG/SC (%)	>= 95%			99.85%	13,985				YES
A.1.17.2.1	O-11	Business/EDI/SC (%)	>= 95%			100.00%	7				YES
A.1.17.2.2	O-11	Business/TAG/SC (%)	>= 95%			97.35%	226				YES
A.1.17.3.1	O-11	Design (Specials)/EDI/SC (%)	>= 95%								
A.1.17.3.2	O-11	Design (Specials)/TAG/SC (%)	>= 95%								
A.1.17.4.1	O-11	PBX/EDI/SC (%)	>= 95%								
A.1.17.4.2	O-11	PBX/TAG/SC (%)	>= 95%								
A.1.17.5.1	O-11	Centrex/EDI/SC (%)	>= 95%								
A.1.17.5.2	O-11	Centrex/TAG/SC (%)	>= 95%								
A.1.17.6.1	O-11	ISDN/EDI/SC (%)	>= 95%								
A.1.17.6.2	O-11	ISDN/TAG/SC (%)	>= 95%								

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	FOC & Reject Response Completeness (Multiple Responses) - Partially Mechanized										
A.1.18.1.1	O-11	Residence/EDI/SC (%)	>= 95%			80.70%	114				NO
A.1.18.1.2	O-11	Residence/TAG/SC (%)	>= 95%			87.71%	2,253				NO
A.1.18.2.1	O-11	Business/EDI/SC (%)	>= 95%			100.00%	7				YES
A.1.18.2.2	O-11	Business/TAG/SC (%)	>= 95%			87.96%	191				NO
A.1.18.3.1	O-11	Design (Specials)/EDI/SC (%)	>= 95%								
A.1.18.3.2	O-11	Design (Specials)/TAG/SC (%)	>= 95%								
A.1.18.4.1	O-11	PBX/EDI/SC (%)	>= 95%								
A.1.18.4.2	O-11	PBX/TAG/SC (%)	>= 95%			100.00%	1				YES
A.1.18.5.1	O-11	Centrex/EDI/SC (%)	>= 95%								
A.1.18.5.2	O-11	Centrex/TAG/SC (%)	>= 95%								
A.1.18.6.1	O-11	ISDN/EDI/SC (%)	>= 95%								
A.1.18.6.2	O-11	ISDN/TAG/SC (%)	>= 95%								
	FOC & Reject Response Completeness (Multiple Responses) - Non-Mechanized										
A.1.19.1	O-11	Residence/SC (%)	>= 95%			91.15%	113				NO
A.1.19.2	O-11	Business/SC (%)	>= 95%			90.38%	52				NO
A.1.19.3	O-11	Design (Specials)/SC (%)	>= 95%			100.00%	19				YES
A.1.19.4	O-11	PBX/SC (%)	>= 95%			100.00%	6				YES
A.1.19.5	O-11	Centrex/SC (%)	>= 95%			100.00%	5				YES
A.1.19.6	O-11	ISDN/SC (%)	>= 95%			50.00%	8				NO
	Resale - Provisioning										
	Order Completion Interval										
A.2.1.1.1.1	P-4	Residence/<10 circuits/Dispatch/SC (days)	Res	5.36	6,088	5.30	394	3.151	0.16379	0.3913	YES
A.2.1.1.1.2	P-4	Residence/<10 circuits/Non-Dispatch/SC (days)	Res	0.87	130,125	0.58	9,806	0.989	0.01035	28.2268	YES
A.2.1.1.2.1	P-4	Residence/>=10 circuits/Dispatch/SC (days)	Res	4.57	7			0.976			
A.2.1.1.2.2	P-4	Residence/>=10 circuits/Non-Dispatch/SC (days)	Res								
A.2.1.2.1.1	P-4	Business/<10 circuits/Dispatch/SC (days)	Bus	5.82	2,283	5.20	65	7.611	0.95732	0.6446	YES
A.2.1.2.1.2	P-4	Business/<10 circuits/Non-Dispatch/SC (days)	Bus	1.07	10,902	1.25	189	2.115	0.15518	-1.2104	YES
A.2.1.2.2.1	P-4	Business/>=10 circuits/Dispatch/SC (days)	Bus	18.92	24			20.078			
A.2.1.2.2.2	P-4	Business/>=10 circuits/Non-Dispatch/SC (days)	Bus	0.33	1			0.000			
A.2.1.3.1.1	P-4	Design (Specials)/<10 circuits/Dispatch/SC (days)	Design	20.00	684			19.949			
A.2.1.3.1.2	P-4	Design (Specials)/<10 circuits/Non-Dispatch/SC (days)	Design	10.42	109	4.00	1	8.158	8.19507	0.7836	YES
A.2.1.3.2.1	P-4	Design (Specials)/>=10 circuits/Dispatch/SC (days)	Design								
A.2.1.3.2.2	P-4	Design (Specials)/>=10 circuits/Non-Dispatch/SC (days)	Design								
A.2.1.4.1.1	P-4	PBX/<10 circuits/Dispatch/SC (days)	PBX	13.47	19			10.362			
A.2.1.4.1.2	P-4	PBX/<10 circuits/Non-Dispatch/SC (days)	PBX	4.13	40	1.78	3	7.807	4.67336	0.5023	YES
A.2.1.4.2.1	P-4	PBX/>=10 circuits/Dispatch/SC (days)	PBX	3.00	1			0.000			
A.2.1.4.2.2	P-4	PBX/>=10 circuits/Non-Dispatch/SC (days)	PBX	6.06	6			8.076			
A.2.1.5.1.1	P-4	Centrex/<10 circuits/Dispatch/SC (days)	Centrex	7.87	171			11.174			
A.2.1.5.1.2	P-4	Centrex/<10 circuits/Non-Dispatch/SC (days)	Centrex	1.35	435	2.00	2	4.949	3.50740	-0.1859	YES
A.2.1.5.2.1	P-4	Centrex/>=10 circuits/Dispatch/SC (days)	Centrex	21.23	13			21.115			
A.2.1.5.2.2	P-4	Centrex/>=10 circuits/Non-Dispatch/SC (days)	Centrex	0.88	63			1.505			
A.2.1.6.1.1	P-4	ISDN/<10 circuits/Dispatch/SC (days)	ISDN	18.72	139	0.33	1	11.584	11.62558	1.5815	YES
A.2.1.6.1.2	P-4	ISDN/<10 circuits/Non-Dispatch/SC (days)	ISDN	3.98	102	0.33	1	5.799	5.82760	0.6264	YES
A.2.1.6.2.1	P-4	ISDN/>=10 circuits/Dispatch/SC (days)	ISDN								
A.2.1.6.2.2	P-4	ISDN/>=10 circuits/Non-Dispatch/SC (days)	ISDN	4.67	17			5.018			
	Held Orders										
A.2.2.1.1.1	P-1	Residence/<10 circuits/Facility/SC (days)	Res	5.31	51	4.00	1	3.397	3.43014	0.3830	YES
A.2.2.1.1.2	P-1	Residence/<10 circuits/Equipment/SC (days)	Res	0.00	0	0.00	0				YES
A.2.2.1.1.3	P-1	Residence/<10 circuits/Other/SC (days)	Res	6.50	2	0.00	0	7.778			YES
A.2.2.1.2.1	P-1	Residence/>=10 circuits/Facility/SC (days)	Res	0.00	0						
A.2.2.1.2.2	P-1	Residence/>=10 circuits/Equipment/SC (days)	Res	0.00	0						
A.2.2.1.2.3	P-1	Residence/>=10 circuits/Other/SC (days)	Res	0.00	0						
A.2.2.2.1.1	P-1	Business/<10 circuits/Facility/SC (days)	Bus	6.86	14	0.00	0	6.359			YES
A.2.2.2.1.2	P-1	Business/<10 circuits/Equipment/SC (days)	Bus	0.00	0	0.00	0				YES
A.2.2.2.1.3	P-1	Business/<10 circuits/Other/SC (days)	Bus	8.00	3	0.00	0	5.196			YES
A.2.2.2.2.1	P-1	Business/>=10 circuits/Facility/SC (days)	Bus	0.00	0						

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
A.2.2.2.2.2	P-1	Business/>=10 circuits/Equipment/SC (days)	Bus	0.00	0						
A.2.2.2.2.3	P-1	Business/>=10 circuits/Other/SC (days)	Bus	0.00	0						
A.2.2.3.1.1	P-1	Design (Specials)/<10 circuits/Facility/SC (days)	Design	0.00	0	0.00	0				YES
A.2.2.3.1.2	P-1	Design (Specials)/<10 circuits/Equipment/SC (days)	Design	0.00	0	0.00	0				YES
A.2.2.3.1.3	P-1	Design (Specials)/<10 circuits/Other/SC (days)	Design	16.75	4	0.00	0	7.848			YES
A.2.2.3.2.1	P-1	Design (Specials)/>=10 circuits/Facility/SC (days)	Design								
A.2.2.3.2.2	P-1	Design (Specials)/>=10 circuits/Equipment/SC (days)	Design								
A.2.2.3.2.3	P-1	Design (Specials)/>=10 circuits/Other/SC (days)	Design								
A.2.2.4.1.1	P-1	PBX/<10 circuits/Facility/SC (days)	PBX	0.00	0	0.00	0				YES
A.2.2.4.1.2	P-1	PBX/<10 circuits/Equipment/SC (days)	PBX	0.00	0	0.00	0				YES
A.2.2.4.1.3	P-1	PBX/<10 circuits/Other/SC (days)	PBX	0.00	0	0.00	0				YES
A.2.2.4.2.1	P-1	PBX/>=10 circuits/Facility/SC (days)	PBX	0.00	0						
A.2.2.4.2.2	P-1	PBX/>=10 circuits/Equipment/SC (days)	PBX	0.00	0						
A.2.2.4.2.3	P-1	PBX/>=10 circuits/Other/SC (days)	PBX	0.00	0						
A.2.2.5.1.1	P-1	Centrex/<10 circuits/Facility/SC (days)	Centrex	3.00	1	0.00	0	0.000			YES
A.2.2.5.1.2	P-1	Centrex/<10 circuits/Equipment/SC (days)	Centrex	0.00	0	0.00	0				YES
A.2.2.5.1.3	P-1	Centrex/<10 circuits/Other/SC (days)	Centrex	13.00	1	0.00	0	0.000			YES
A.2.2.5.2.1	P-1	Centrex/>=10 circuits/Facility/SC (days)	Centrex	0.00	0						
A.2.2.5.2.2	P-1	Centrex/>=10 circuits/Equipment/SC (days)	Centrex	0.00	0						
A.2.2.5.2.3	P-1	Centrex/>=10 circuits/Other/SC (days)	Centrex	0.00	0						
A.2.2.6.1.1	P-1	ISDN/<10 circuits/Facility/SC (days)	ISDN	0.00	0	0.00	0				YES
A.2.2.6.1.2	P-1	ISDN/<10 circuits/Equipment/SC (days)	ISDN	0.00	0	0.00	0				YES
A.2.2.6.1.3	P-1	ISDN/<10 circuits/Other/SC (days)	ISDN	0.00	0	0.00	0				YES
A.2.2.6.2.1	P-1	ISDN/>=10 circuits/Facility/SC (days)	ISDN	0.00	0						
A.2.2.6.2.2	P-1	ISDN/>=10 circuits/Equipment/SC (days)	ISDN	0.00	0						
A.2.2.6.2.3	P-1	ISDN/>=10 circuits/Other/SC (days)	ISDN	0.00	0						
	% Jeopardies - Mechanized										
A.2.4.1	P-2	Residence/SC (%)	Res	0.33%	144,137	0.07%	12,143		0.00054	4.8994	YES
A.2.4.2	P-2	Business/SC (%)	Bus	1.47%	13,411	0.74%	272		0.00737	0.9957	YES
A.2.4.3	P-2	Design (Specials)/SC (%)	Design	15.13%	846						
A.2.4.4	P-2	PBX/SC (%)	PBX	0.00%	67	0.00%	1		0.00000		YES
A.2.4.5	P-2	Centrex/SC (%)	Centrex	3.34%	688						
A.2.4.6	P-2	ISDN/SC (%)	ISDN	10.98%	255	0.00%	1		0.31326	0.3505	YES
	% Jeopardies - Non-Mechanized										
A.2.5.1	P-2	Residence/SC (%)	Diagnostic			0.47%	211				Diagnostic
A.2.5.2	P-2	Business/SC (%)	Diagnostic			0.00%	106				Diagnostic
A.2.5.3	P-2	Design (Specials)/SC (%)	Diagnostic			0.00%	1				Diagnostic
A.2.5.4	P-2	PBX/SC (%)	Diagnostic			0.00%	2				Diagnostic
A.2.5.5	P-2	Centrex/SC (%)	Diagnostic			0.00%	3				Diagnostic
A.2.5.6	P-2	ISDN/SC (%)	Diagnostic			0.00%	1				Diagnostic
	Average Jeopardy Notice Interval - Mechanized										
A.2.7.1	P-2	Residence/SC (hours)	>= 48 hrs			166.30	7				YES
A.2.7.2	P-2	Business/SC (hours)	>= 48 hrs			149.68	2				YES
A.2.7.3	P-2	Design (Specials)/SC (hours)	>= 48 hrs								
A.2.7.4	P-2	PBX/SC (hours)	>= 48 hrs								
A.2.7.5	P-2	Centrex/SC (hours)	>= 48 hrs								
A.2.7.6	P-2	ISDN/SC (hours)	>= 48 hrs								
	Average Jeopardy Notice Interval - Non-Mechanized										
A.2.8.1	P-2	Residence/SC (hours)	Diagnostic			168.48	1				Diagnostic
A.2.8.2	P-2	Business/SC (hours)	Diagnostic								Diagnostic
A.2.8.3	P-2	Design (Specials)/SC (hours)	Diagnostic								Diagnostic
A.2.8.4	P-2	PBX/SC (hours)	Diagnostic								Diagnostic
A.2.8.5	P-2	Centrex/SC (hours)	Diagnostic								Diagnostic
A.2.8.6	P-2	ISDN/SC (hours)	Diagnostic								Diagnostic
	% Jeopardy Notice >= 48 hours - Mechanized										
A.2.9.1	P-2	Residence/SC (%)	95% >= 48 hrs			100.00%	7				YES
A.2.9.2	P-2	Business/SC (%)	95% >= 48 hrs			100.00%	2				YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
A.2.9.3	P-2	Design (Specials)/SC (%)	95% >= 48 hrs								
A.2.9.4	P-2	PBX/SC (%)	95% >= 48 hrs								
A.2.9.5	P-2	Centrex/SC (%)	95% >= 48 hrs								
A.2.9.6	P-2	ISDN/SC (%)	95% >= 48 hrs								
		% Jeopardy Notice >= 48 hours - Non-Mechanized									
A.2.10.1	P-2	Residence/SC (%)	Diagnostic			100.00%	1				Diagnostic
A.2.10.2	P-2	Business/SC (%)	Diagnostic								Diagnostic
A.2.10.3	P-2	Design (Specials)/SC (%)	Diagnostic								Diagnostic
A.2.10.4	P-2	PBX/SC (%)	Diagnostic								Diagnostic
A.2.10.5	P-2	Centrex/SC (%)	Diagnostic								Diagnostic
A.2.10.6	P-2	ISDN/SC (%)	Diagnostic								Diagnostic
		% Missed Installation Appointments									
A.2.11.1.1.1	P-3	Residence/<10 circuits/Dispatch/SC (%)	Res	8.66%	7,485	1.64%	426		0.01401	5.0076	YES
A.2.11.1.1.2	P-3	Residence/<10 circuits/Non-Dispatch/SC (%)	Res	0.01%	137,027	0.05%	11,952		0.00008	-5.2658	NO
A.2.11.1.2.1	P-3	Residence/>=10 circuits/Dispatch/SC (%)	Res	0.00%	9						
A.2.11.1.2.2	P-3	Residence/>=10 circuits/Non-Dispatch/SC (%)	Res								
A.2.11.2.1.1	P-3	Business/<10 circuits/Dispatch/SC (%)	Bus	4.74%	2,446	1.87%	107		0.02099	1.3687	YES
A.2.11.2.1.2	P-3	Business/<10 circuits/Non-Dispatch/SC (%)	Bus	0.04%	10,952	0.00%	258		0.00120	0.3035	YES
A.2.11.2.2.1	P-3	Business/>=10 circuits/Dispatch/SC (%)	Bus	3.57%	28						
A.2.11.2.2.2	P-3	Business/>=10 circuits/Non-Dispatch/SC (%)	Bus	0.00%	1						
A.2.11.3.1.1	P-3	Design (Specials)/<10 circuits/Dispatch/SC (%)	Design	6.20%	694						
A.2.11.3.1.2	P-3	Design (Specials)/<10 circuits/Non-Dispatch/SC (%)	Design	1.83%	109	0.00%	1		0.13482	0.1361	YES
A.2.11.3.2.1	P-3	Design (Specials)/>=10 circuits/Dispatch/SC (%)	Design								
A.2.11.3.2.2	P-3	Design (Specials)/>=10 circuits/Non-Dispatch/SC (%)	Design								
A.2.11.4.1.1	P-3	PBX/<10 circuits/Dispatch/SC (%)	PBX	10.00%	20						
A.2.11.4.1.2	P-3	PBX/<10 circuits/Non-Dispatch/SC (%)	PBX	0.00%	42	0.00%	3		0.00000		YES
A.2.11.4.2.1	P-3	PBX/>=10 circuits/Dispatch/SC (%)	PBX	0.00%	1						
A.2.11.4.2.2	P-3	PBX/>=10 circuits/Non-Dispatch/SC (%)	PBX	0.00%	6						
A.2.11.5.1.1	P-3	Centrex/<10 circuits/Dispatch/SC (%)	Centrex	3.23%	186						
A.2.11.5.1.2	P-3	Centrex/<10 circuits/Non-Dispatch/SC (%)	Centrex	0.00%	438	0.00%	3		0.00000		YES
A.2.11.5.2.1	P-3	Centrex/>=10 circuits/Dispatch/SC (%)	Centrex	7.69%	13						
A.2.11.5.2.2	P-3	Centrex/>=10 circuits/Non-Dispatch/SC (%)	Centrex	0.00%	63						
A.2.11.6.1.1	P-3	ISDN/<10 circuits/Dispatch/SC (%)	ISDN	1.40%	143	0.00%	1		0.11784	0.1187	YES
A.2.11.6.1.2	P-3	ISDN/<10 circuits/Non-Dispatch/SC (%)	ISDN	0.00%	102	0.00%	1		0.00000		YES
A.2.11.6.2.1	P-3	ISDN/>=10 circuits/Dispatch/SC (%)	ISDN								
A.2.11.6.2.2	P-3	ISDN/>=10 circuits/Non-Dispatch/SC (%)	ISDN	0.00%	17						
		% Provisioning Troubles within 30 Days									
A.2.12.1.1.1	P-9	Residence/<10 circuits/Dispatch/SC (%)	Res	11.45%	7,688	5.99%	434		0.01571	3.4732	YES
A.2.12.1.1.2	P-9	Residence/<10 circuits/Non-Dispatch/SC (%)	Res	2.67%	154,067	2.69%	9,931		0.00167	-0.0862	YES
A.2.12.1.2.1	P-9	Residence/>=10 circuits/Dispatch/SC (%)	Res	44.44%	9						
A.2.12.1.2.2	P-9	Residence/>=10 circuits/Non-Dispatch/SC (%)	Res								
A.2.12.2.1.1	P-9	Business/<10 circuits/Dispatch/SC (%)	Bus	11.68%	3,871	4.07%	123		0.02941	2.5878	YES
A.2.12.2.1.2	P-9	Business/<10 circuits/Non-Dispatch/SC (%)	Bus	5.99%	7,523	4.64%	237		0.01566	0.8643	YES
A.2.12.2.2.1	P-9	Business/>=10 circuits/Dispatch/SC (%)	Bus	33.33%	18						
A.2.12.2.2.2	P-9	Business/>=10 circuits/Non-Dispatch/SC (%)	Bus	0.00%	1						
A.2.12.3.1.1	P-9	Design (Specials)/<10 circuits/Dispatch/SC (%)	Design	5.72%	647	0.00%	8		0.08260	0.6923	YES
A.2.12.3.1.2	P-9	Design (Specials)/<10 circuits/Non-Dispatch/SC (%)	Design	6.19%	113	0.00%	2		0.17196	0.3602	YES
A.2.12.3.2.1	P-9	Design (Specials)/>=10 circuits/Dispatch/SC (%)	Design	0.00%	1						
A.2.12.3.2.2	P-9	Design (Specials)/>=10 circuits/Non-Dispatch/SC (%)	Design								
A.2.12.4.1.1	P-9	PBX/<10 circuits/Dispatch/SC (%)	PBX	0.00%	26	0.00%	1		0.00000		YES
A.2.12.4.1.2	P-9	PBX/<10 circuits/Non-Dispatch/SC (%)	PBX	2.08%	48	0.00%	3		0.08500	0.2451	YES
A.2.12.4.2.1	P-9	PBX/>=10 circuits/Dispatch/SC (%)	PBX								
A.2.12.4.2.2	P-9	PBX/>=10 circuits/Non-Dispatch/SC (%)	PBX	42.86%	7	0.00%	1		0.52904	0.8101	YES
A.2.12.5.1.1	P-9	Centrex/<10 circuits/Dispatch/SC (%)	Centrex	12.05%	224	0.00%	1		0.32631	0.3694	YES
A.2.12.5.1.2	P-9	Centrex/<10 circuits/Non-Dispatch/SC (%)	Centrex	4.76%	798	11.11%	9		0.07139	-0.8894	YES
A.2.12.5.2.1	P-9	Centrex/>=10 circuits/Dispatch/SC (%)	Centrex	13.33%	15						
A.2.12.5.2.2	P-9	Centrex/>=10 circuits/Non-Dispatch/SC (%)	Centrex	10.53%	38	0.00%	1		0.31090	0.3386	YES
A.2.12.6.1.1	P-9	ISDN/<10 circuits/Dispatch/SC (%)	ISDN	7.30%	137						
A.2.12.6.1.2	P-9	ISDN/<10 circuits/Non-Dispatch/SC (%)	ISDN	3.42%	146	0.00%	3		0.10607	0.3229	YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
A.2.12.6.2.1	P-9	ISDN/>=10 circuits/Dispatch/SC (%)	ISDN								
A.2.12.6.2.2	P-9	ISDN/>=10 circuits/Non-Dispatch/SC (%)	ISDN	2.27%	44						
		Average Completion Notice Interval - Mechanized									
A.2.14.1.1.1	P-5	Residence/<10 circuits/Dispatch/SC (hours)	Res	1.19	7,422	0.17	394	7.366	0.38084	2.6725	YES
A.2.14.1.1.2	P-5	Residence/<10 circuits/Non-Dispatch/SC (hours)	Res	0.51	136,539	0.55	11,769	1.979	0.01902	-1.8582	NO
A.2.14.1.2.1	P-5	Residence/>=10 circuits/Dispatch/SC (hours)	Res	0.09	9			0.217			
A.2.14.1.2.2	P-5	Residence/>=10 circuits/Non-Dispatch/SC (hours)	Res								
A.2.14.2.1.1	P-5	Business/<10 circuits/Dispatch/SC (hours)	Bus	2.56	2,404	0.53	44	15.951	2.42660	0.8364	YES
A.2.14.2.1.2	P-5	Business/<10 circuits/Non-Dispatch/SC (hours)	Bus	1.58	10,878	0.53	223	13.186	0.89200	1.1758	YES
A.2.14.2.2.1	P-5	Business/>=10 circuits/Dispatch/SC (hours)	Bus	0.79	28			3.452			
A.2.14.2.2.2	P-5	Business/>=10 circuits/Non-Dispatch/SC (hours)	Bus	0.35	1			0.000			
A.2.14.3.1.1	P-5	Design (Specials)/<10 circuits/Dispatch/SC (hours)	Design	216.23	661			457.811			
A.2.14.3.1.2	P-5	Design (Specials)/<10 circuits/Non-Dispatch/SC (hours)	Design	7.26	109			42.548			
A.2.14.3.2.1	P-5	Design (Specials)/>=10 circuits/Dispatch/SC (hours)	Design								
A.2.14.3.2.2	P-5	Design (Specials)/>=10 circuits/Non-Dispatch/SC (hours)	Design								
A.2.14.4.1.1	P-5	PBX/<10 circuits/Dispatch/SC (hours)	PBX	132.02	20			237.437			
A.2.14.4.1.2	P-5	PBX/<10 circuits/Non-Dispatch/SC (hours)	PBX	5.47	42	0.02	1	24.812	25.10553	0.2171	YES
A.2.14.4.2.1	P-5	PBX/>=10 circuits/Dispatch/SC (hours)	PBX	0.02	1			0.000			
A.2.14.4.2.2	P-5	PBX/>=10 circuits/Non-Dispatch/SC (hours)	PBX	0.38	6			0.171			
A.2.14.5.1.1	P-5	Centrex/<10 circuits/Dispatch/SC (hours)	Centrex	23.31	186			85.529			
A.2.14.5.1.2	P-5	Centrex/<10 circuits/Non-Dispatch/SC (hours)	Centrex	2.35	438			16.143			
A.2.14.5.2.1	P-5	Centrex/>=10 circuits/Dispatch/SC (hours)	Centrex	33.35	13			79.879			
A.2.14.5.2.2	P-5	Centrex/>=10 circuits/Non-Dispatch/SC (hours)	Centrex	0.44	63			0.172			
A.2.14.6.1.1	P-5	ISDN/<10 circuits/Dispatch/SC (hours)	ISDN	185.26	139	0.02	1	259.806	260.73857	0.7104	YES
A.2.14.6.1.2	P-5	ISDN/<10 circuits/Non-Dispatch/SC (hours)	ISDN	16.48	102			50.627			
A.2.14.6.2.1	P-5	ISDN/>=10 circuits/Dispatch/SC (hours)	ISDN								
A.2.14.6.2.2	P-5	ISDN/>=10 circuits/Non-Dispatch/SC (hours)	ISDN	14.13	17			56.694			
		Average Completion Notice Interval - Non-Mechanized									
A.2.15.1.1.1	P-5	Residence/<10 circuits/Dispatch/SC (hours)	Diagnostic			17.56	32				Diagnostic
A.2.15.1.1.2	P-5	Residence/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic			7.68	181				Diagnostic
A.2.15.1.2.1	P-5	Residence/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.1.2.2	P-5	Residence/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.2.1.1	P-5	Business/<10 circuits/Dispatch/SC (hours)	Diagnostic			29.22	63				Diagnostic
A.2.15.2.1.2	P-5	Business/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic			7.89	36				Diagnostic
A.2.15.2.2.1	P-5	Business/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.2.2.2	P-5	Business/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.3.1.1	P-5	Design (Specials)/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.3.1.2	P-5	Design (Specials)/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic			135.97	1				Diagnostic
A.2.15.3.2.1	P-5	Design (Specials)/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.3.2.2	P-5	Design (Specials)/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.4.1.1	P-5	PBX/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.4.1.2	P-5	PBX/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic			14.66	2				Diagnostic
A.2.15.4.2.1	P-5	PBX/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.4.2.2	P-5	PBX/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.5.1.1	P-5	Centrex/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.5.1.2	P-5	Centrex/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic			9.52	3				Diagnostic
A.2.15.5.2.1	P-5	Centrex/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.5.2.2	P-5	Centrex/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.6.1.1	P-5	ISDN/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.6.1.2	P-5	ISDN/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic			0.02	1				Diagnostic
A.2.15.6.2.1	P-5	ISDN/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
A.2.15.6.2.2	P-5	ISDN/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
		Total Service Order Cycle Time - Mechanized									
A.2.17.1.1.1	P-10	Residence/<10 circuits/Dispatch/SC (days)	Diagnostic			5.38	259				Diagnostic
A.2.17.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.63	7,804				Diagnostic
A.2.17.1.2.1	P-10	Residence/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.2.1.1	P-10	Business/<10 circuits/Dispatch/SC (days)	Diagnostic			2.97	6				Diagnostic
A.2.17.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.31	53				Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
A.2.17.2.2.1	P-10	Business/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.4.1.1	P-10	PBX/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.4.2.1	P-10	PBX/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.5.1.1	P-10	Centrex/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.6.1.1	P-10	ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.17.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Partially Mechanized										
A.2.18.1.1.1	P-10	Residence/<10 circuits/Dispatch/SC (days)	Diagnostic			3.93	31				Diagnostic
A.2.18.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.13	1,384				Diagnostic
A.2.18.1.2.1	P-10	Residence/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.2.1.1	P-10	Business/<10 circuits/Dispatch/SC (days)	Diagnostic			3.45	12				Diagnostic
A.2.18.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			2.74	90				Diagnostic
A.2.18.2.2.1	P-10	Business/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.4.1.1	P-10	PBX/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.4.2.1	P-10	PBX/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.5.1.1	P-10	Centrex/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.6.1.1	P-10	ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.18.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Non-Mechanized										
A.2.19.1.1.1	P-10	Residence/<10 circuits/Dispatch/SC (days)	Diagnostic			5.30	19				Diagnostic
A.2.19.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.82	25				Diagnostic
A.2.19.1.2.1	P-10	Residence/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.2.1.1	P-10	Business/<10 circuits/Dispatch/SC (days)	Diagnostic			8.18	12				Diagnostic
A.2.19.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.02	8				Diagnostic
A.2.19.2.2.1	P-10	Business/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			5.83	1				Diagnostic
A.2.19.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.4.1.1	P-10	PBX/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			3.01	1				Diagnostic
A.2.19.4.2.1	P-10	PBX/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
A.2.19.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.5.1.1	P-10	Centrex/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			2.71	2				Diagnostic
A.2.19.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.6.1.1	P-10	ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.19.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Mechanized										
A.2.21.1.1.1	P-10	Residence/<10 circuits/Dispatch/SC (days)	Diagnostic			5.41	253				Diagnostic
A.2.21.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.94	3,520				Diagnostic
A.2.21.1.2.1	P-10	Residence/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.2.1.1	P-10	Business/<10 circuits/Dispatch/SC (days)	Diagnostic			2.97	6				Diagnostic
A.2.21.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.46	45				Diagnostic
A.2.21.2.2.1	P-10	Business/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.4.1.1	P-10	PBX/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.4.2.1	P-10	PBX/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.5.1.1	P-10	Centrex/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.6.1.1	P-10	ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.21.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Partially Mechanized										
A.2.22.1.1.1	P-10	Residence/<10 circuits/Dispatch/SC (days)	Diagnostic			4.10	27				Diagnostic
A.2.22.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.13	1,267				Diagnostic
A.2.22.1.2.1	P-10	Residence/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.2.1.1	P-10	Business/<10 circuits/Dispatch/SC (days)	Diagnostic			3.45	12				Diagnostic
A.2.22.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			2.20	83				Diagnostic
A.2.22.2.2.1	P-10	Business/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.4.1.1	P-10	PBX/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.4.2.1	P-10	PBX/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.5.1.1	P-10	Centrex/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.6.1.1	P-10	ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.22.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
		Total Service Order Cycle Time (offered) - Non-Mechanized									
A.2.23.1.1.1	P-10	Residence/<10 circuits/Dispatch/SC (days)	Diagnostic			5.51	16				Diagnostic
A.2.23.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.85	24				Diagnostic
A.2.23.1.2.1	P-10	Residence/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.2.1.1	P-10	Business/<10 circuits/Dispatch/SC (days)	Diagnostic			8.18	12				Diagnostic
A.2.23.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.01	7				Diagnostic
A.2.23.2.2.1	P-10	Business/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			5.83	1				Diagnostic
A.2.23.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.4.1.1	P-10	PBX/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			3.01	1				Diagnostic
A.2.23.4.2.1	P-10	PBX/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.5.1.1	P-10	Centrex/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			4.13	1				Diagnostic
A.2.23.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.6.1.1	P-10	ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
A.2.23.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
		% Completions w/o Notice or < 24 hours									
A.2.24.1.1	P-6	Residence/Dispatch/SC (%)	Diagnostic			2.76%	399				Diagnostic
A.2.24.1.2	P-6	Residence/Non-Dispatch/SC (%)	Diagnostic			8.72%	9,925				Diagnostic
A.2.24.2.1	P-6	Business/Dispatch/SC (%)	Diagnostic			9.38%	64				Diagnostic
A.2.24.2.2	P-6	Business/Non-Dispatch/SC (%)	Diagnostic			7.81%	192				Diagnostic
A.2.24.3.1	P-6	Design (Specials)/Dispatch/SC (%)	Diagnostic								Diagnostic
A.2.24.3.2	P-6	Design (Specials)/Non-Dispatch/SC (%)	Diagnostic			0.00%	1				Diagnostic
A.2.24.4.1	P-6	PBX/Dispatch/SC (%)	Diagnostic								Diagnostic
A.2.24.4.2	P-6	PBX/Non-Dispatch/SC (%)	Diagnostic			0.00%	3				Diagnostic
A.2.24.5.1	P-6	Centrex/Dispatch/SC (%)	Diagnostic								Diagnostic
A.2.24.5.2	P-6	Centrex/Non-Dispatch/SC (%)	Diagnostic			0.00%	2				Diagnostic
A.2.24.6.1	P-6	ISDN/Dispatch/SC (%)	Diagnostic			0.00%	1				Diagnostic
A.2.24.6.2	P-6	ISDN/Non-Dispatch/SC (%)	Diagnostic			0.00%	1				Diagnostic
		Service Order Accuracy									
A.2.25.1.1.1	P-11	Residence/<10 circuits/Dispatch/SC (%)	>= 95%			98.86%	525				YES
A.2.25.1.1.2	P-11	Residence/<10 circuits/Non-Dispatch/SC (%)	>= 95%			98.56%	900				YES
A.2.25.1.2.1	P-11	Residence/>=10 circuits/Dispatch/SC (%)	>= 95%			100.00%	6				YES
A.2.25.1.2.2	P-11	Residence/>=10 circuits/Non-Dispatch/SC (%)	>= 95%								
A.2.25.2.1.1	P-11	Business/<10 circuits/Dispatch/SC (%)	>= 95%			94.44%	180				NO
A.2.25.2.1.2	P-11	Business/<10 circuits/Non-Dispatch/SC (%)	>= 95%			97.22%	180				YES
A.2.25.2.2.1	P-11	Business/>=10 circuits/Dispatch/SC (%)	>= 95%			76.92%	13				NO
A.2.25.2.2.2	P-11	Business/>=10 circuits/Non-Dispatch/SC (%)	>= 95%			91.89%	37				NO
A.2.25.3.1.1	P-11	Design (Specials)/<10 circuits/Dispatch/SC (%)	>= 95%			96.47%	85				YES
A.2.25.3.1.2	P-11	Design (Specials)/<10 circuits/Non-Dispatch/SC (%)	>= 95%			91.36%	81				NO
A.2.25.3.2.1	P-11	Design (Specials)/>=10 circuits/Dispatch/SC (%)	>= 95%			100.00%	1				YES
A.2.25.3.2.2	P-11	Design (Specials)/>=10 circuits/Non-Dispatch/SC (%)	>= 95%			88.89%	9				NO
		Resale - Maintenance and Repair									
		Missed Repair Appointments									
A.3.1.1.1	M&R-1	Residence/Dispatch/SC (%)	Res	6.40%	21,034	0.45%	673		0.00958	6.2120	YES
A.3.1.1.2	M&R-1	Residence/Non-Dispatch/SC (%)	Res	1.23%	9,973	0.62%	162		0.00874	0.7047	YES
A.3.1.2.1	M&R-1	Business/Dispatch/SC (%)	Bus	10.06%	3,013	0.00%	100		0.03057	3.2896	YES
A.3.1.2.2	M&R-1	Business/Non-Dispatch/SC (%)	Bus	1.43%	1,468	0.00%	27		0.02306	0.6203	YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
A.3.1.3.1	M&R-1	Design (Specials)/Dispatch/SC (%)	Design	1.40%	430	0.00%	12		0.03433	0.4064	YES
A.3.1.3.2	M&R-1	Design (Specials)/Non-Dispatch/SC (%)	Design	0.00%	604	0.00%	9		0.00000		YES
A.3.1.4.1	M&R-1	PBX/Dispatch/SC (%)	PBX	5.33%	75	0.00%	2		0.16099	0.3313	YES
A.3.1.4.2	M&R-1	PBX/Non-Dispatch/SC (%)	PBX	1.20%	83	0.00%	0				YES
A.3.1.5.1	M&R-1	Centrex/Dispatch/SC (%)	Centrex	11.55%	407	0.00%	6		0.13143	0.8786	YES
A.3.1.5.2	M&R-1	Centrex/Non-Dispatch/SC (%)	Centrex	1.36%	369	0.00%	1		0.11577	0.1170	YES
A.3.1.6.1	M&R-1	ISDN/Dispatch/SC (%)	ISDN	1.64%	61	0.00%	3		0.07509	0.2183	YES
A.3.1.6.2	M&R-1	ISDN/Non-Dispatch/SC (%)	ISDN	0.92%	109	0.00%	1		0.09578	0.0958	YES
		Customer Trouble Report Rate									
A.3.2.1.1	M&R-2	Residence/Dispatch/SC (%)	Res	2.08%	1,011,075	1.76%	38,304		0.00075	4.3069	YES
A.3.2.1.2	M&R-2	Residence/Non-Dispatch/SC (%)	Res	0.99%	1,011,075	0.42%	38,304		0.00052	10.8988	YES
A.3.2.2.1	M&R-2	Business/Dispatch/SC (%)	Bus	1.30%	232,053	1.74%	5,750		0.00152	-2.8972	NO
A.3.2.2.2	M&R-2	Business/Non-Dispatch/SC (%)	Bus	0.63%	232,053	0.47%	5,750		0.00106	1.5356	YES
A.3.2.3.1	M&R-2	Design (Specials)/Dispatch/SC (%)	Design	1.56%	27,611	1.81%	662		0.00491	-0.5202	YES
A.3.2.3.2	M&R-2	Design (Specials)/Non-Dispatch/SC (%)	Design	2.19%	27,611	1.36%	662		0.00582	1.4235	YES
A.3.2.4.1	M&R-2	PBX/Dispatch/SC (%)	PBX	0.18%	42,767	0.36%	548		0.00180	-1.0531	YES
A.3.2.4.2	M&R-2	PBX/Non-Dispatch/SC (%)	PBX	0.19%	42,767	0.00%	548		0.00189	1.0247	YES
A.3.2.5.1	M&R-2	Centrex/Dispatch/SC (%)	Centrex	0.49%	82,434	0.66%	911		0.00234	-0.7044	YES
A.3.2.5.2	M&R-2	Centrex/Non-Dispatch/SC (%)	Centrex	0.45%	82,434	0.11%	911		0.00223	1.5158	YES
A.3.2.6.1	M&R-2	ISDN/Dispatch/SC (%)	ISDN	0.06%	102,221	0.35%	859		0.00084	-3.4597	NO
A.3.2.6.2	M&R-2	ISDN/Non-Dispatch/SC (%)	ISDN	0.11%	102,221	0.12%	859		0.00112	-0.0874	YES
		Maintenance Average Duration									
A.3.3.1.1	M&R-3	Residence/Dispatch/SC (hours)	Res	24.09	21,034	16.43	673	22.793	0.89254	8.5763	YES
A.3.3.1.2	M&R-3	Residence/Non-Dispatch/SC (hours)	Res	8.29	9,973	6.48	162	15.465	1.22484	1.4760	YES
A.3.3.2.1	M&R-3	Business/Dispatch/SC (hours)	Bus	14.87	3,013	14.39	100	20.020	2.03492	0.2373	YES
A.3.3.2.2	M&R-3	Business/Non-Dispatch/SC (hours)	Bus	3.76	1,468	10.41	27	8.199	1.59238	-4.1714	NO
A.3.3.3.1	M&R-3	Design (Specials)/Dispatch/SC (hours)	Design	5.40	430	3.44	12	5.050	1.47788	1.3298	YES
A.3.3.3.2	M&R-3	Design (Specials)/Non-Dispatch/SC (hours)	Design	1.84	604	2.59	9	2.525	0.84782	-0.8826	YES
A.3.3.4.1	M&R-3	PBX/Dispatch/SC (hours)	PBX	14.87	75	8.83	2	12.623	9.04433	0.6689	YES
A.3.3.4.2	M&R-3	PBX/Non-Dispatch/SC (hours)	PBX	3.11	83	0.00	0	5.258			YES
A.3.3.5.1	M&R-3	Centrex/Dispatch/SC (hours)	Centrex	17.97	407	18.50	6	20.053	8.24675	-0.0639	YES
A.3.3.5.2	M&R-3	Centrex/Non-Dispatch/SC (hours)	Centrex	2.62	369	1.00	1	4.021	4.02615	0.4013	YES
A.3.3.6.1	M&R-3	ISDN/Dispatch/SC (hours)	ISDN	6.19	61	3.58	3	4.843	2.86416	0.9106	YES
A.3.3.6.2	M&R-3	ISDN/Non-Dispatch/SC (hours)	ISDN	1.61	109	16.55	1	2.960	2.97338	-5.0259	NO
		% Repeat Troubles within 30 Days									
A.3.4.1.1	M&R-4	Residence/Dispatch/SC (%)	Res	16.41%	21,034	11.14%	673		0.01450	3.6318	YES
A.3.4.1.2	M&R-4	Residence/Non-Dispatch/SC (%)	Res	14.65%	9,973	8.02%	162		0.02801	2.3655	YES
A.3.4.2.1	M&R-4	Business/Dispatch/SC (%)	Bus	14.90%	3,013	17.00%	100		0.03620	-0.5796	YES
A.3.4.2.2	M&R-4	Business/Non-Dispatch/SC (%)	Bus	13.08%	1,468	25.93%	27		0.06548	-1.9619	NO
A.3.4.3.1	M&R-4	Design (Specials)/Dispatch/SC (%)	Design	21.63%	430	25.00%	12		0.12050	-0.2798	YES
A.3.4.3.2	M&R-4	Design (Specials)/Non-Dispatch/SC (%)	Design	20.03%	604	22.22%	9		0.13441	-0.1629	YES
A.3.4.4.1	M&R-4	PBX/Dispatch/SC (%)	PBX	13.33%	75	0.00%	2		0.24355	0.5474	YES
A.3.4.4.2	M&R-4	PBX/Non-Dispatch/SC (%)	PBX	8.43%	83	0.00%	0				YES
A.3.4.5.1	M&R-4	Centrex/Dispatch/SC (%)	Centrex	13.51%	407	0.00%	6		0.14059	0.9612	YES
A.3.4.5.2	M&R-4	Centrex/Non-Dispatch/SC (%)	Centrex	7.05%	369	0.00%	1		0.25627	0.2749	YES
A.3.4.6.1	M&R-4	ISDN/Dispatch/SC (%)	ISDN	18.03%	61	0.00%	3		0.22736	0.7931	YES
A.3.4.6.2	M&R-4	ISDN/Non-Dispatch/SC (%)	ISDN	11.93%	109	0.00%	1		0.32558	0.3663	YES
		Out of Service > 24 hours									
A.3.5.1.1	M&R-5	Residence/Dispatch/SC (%)	Res	23.40%	14,688	12.52%	535		0.01863	5.8369	YES
A.3.5.1.2	M&R-5	Residence/Non-Dispatch/SC (%)	Res	10.61%	3,413	5.26%	95		0.03203	1.6683	YES
A.3.5.2.1	M&R-5	Business/Dispatch/SC (%)	Bus	10.08%	1,846	5.00%	60		0.03949	1.2855	YES
A.3.5.2.2	M&R-5	Business/Non-Dispatch/SC (%)	Bus	2.93%	547	0.00%	4		0.08456	0.3459	YES
A.3.5.3.1	M&R-5	Design (Specials)/Dispatch/SC (%)	Design	1.40%	430	0.00%	12		0.03433	0.4064	YES
A.3.5.3.2	M&R-5	Design (Specials)/Non-Dispatch/SC (%)	Design	0.00%	604	0.00%	9		0.00000		YES
A.3.5.4.1	M&R-5	PBX/Dispatch/SC (%)	PBX	10.00%	50	0.00%	2		0.21633	0.4623	YES
A.3.5.4.2	M&R-5	PBX/Non-Dispatch/SC (%)	PBX	1.72%	58	0.00%	0				YES
A.3.5.5.1	M&R-5	Centrex/Dispatch/SC (%)	Centrex	14.80%	223	0.00%	4		0.17913	0.8261	YES
A.3.5.5.2	M&R-5	Centrex/Non-Dispatch/SC (%)	Centrex	0.65%	154	0.00%	1		0.08058	0.0806	YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
A.3.5.6.1	M&R-5	ISDN/Dispatch/SC (%)	ISDN	1.64%	61	0.00%	3		0.07509	0.2183	YES
A.3.5.6.2	M&R-5	ISDN/Non-Dispatch/SC (%)	ISDN	0.97%	103	0.00%	1		0.09853	0.0985	YES
	Resale - Billing										
	Invoice Accuracy										
A.4.1	B-1	SC (%)	BST - State	98.73%	$118,164,102	98.18%	$2,052,637		0.00008	70.0663	NO
	Mean Time to Deliver Invoices - CRIS										
A.4.2	B-2	Region (business days)	BST - Region	3.82	1	3.37	1,921				YES

BellSouth Monthly State Summary
South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	Unbundled Network Elements - Ordering										
	% Rejected Service Requests - Mechanized										
B.1.1.1	O-7	Switch Ports/SC (%)	Diagnostic								Diagnostic
B.1.1.2	O-7	Local Interoffice Transport/SC (%)	Diagnostic								Diagnostic
B.1.1.3	O-7	Loop + Port Combinations/SC (%)	Diagnostic			12.92%	4,403				Diagnostic
B.1.1.4	O-7	Combo Other/SC (%)	Diagnostic								Diagnostic
B.1.1.5	O-7	xDSL (ADSL, HDSL and UCL)/SC (%)	Diagnostic			0.00%	2				Diagnostic
B.1.1.6	O-7	ISDN Loop (UDN, UDC)/SC (%)	Diagnostic			0.00%	2				Diagnostic
B.1.1.7	O-7	Line Sharing/SC (%)	Diagnostic								Diagnostic
B.1.1.8	O-7	2W Analog Loop Design/SC (%)	Diagnostic			89.66%	29				Diagnostic
B.1.1.9	O-7	2W Analog Loop Non-Design/SC (%)	Diagnostic								Diagnostic
B.1.1.10	O-7	2W Analog Loop w/INP Design/SC (%)	Diagnostic								Diagnostic
B.1.1.11	O-7	2W Analog Loop w/INP Non-Design/SC (%)	Diagnostic								Diagnostic
B.1.1.12	O-13	2W Analog Loop w/LNP Design/SC (%)	Diagnostic			50.00%	6				Diagnostic
B.1.1.13	O-13	2W Analog Loop w/LNP Non-Design/SC (%)	Diagnostic								Diagnostic
B.1.1.14	O-7	Other Design/SC (%)	Diagnostic			80.00%	10				Diagnostic
B.1.1.15	O-7	Other Non-Design/SC (%)	Diagnostic			26.79%	377				Diagnostic
B.1.1.16	O-7	INP Standalone/SC (%)	Diagnostic								Diagnostic
B.1.1.17	O-13	LNP Standalone/SC (%)	Diagnostic			7.82%	294				Diagnostic
	% Rejected Service Requests - Partially Mechanized										
B.1.2.1	O-7	Switch Ports/SC (%)	Diagnostic								Diagnostic
B.1.2.2	O-7	Local Interoffice Transport/SC (%)	Diagnostic								Diagnostic
B.1.2.3	O-7	Loop + Port Combinations/SC (%)	Diagnostic			31.06%	1,188				Diagnostic
B.1.2.4	O-7	Combo Other/SC (%)	Diagnostic								Diagnostic
B.1.2.5	O-7	xDSL (ADSL, HDSL and UCL)/SC (%)	Diagnostic								Diagnostic
B.1.2.6	O-7	ISDN Loop (UDN, UDC)/SC (%)	Diagnostic								Diagnostic
B.1.2.7	O-7	Line Sharing/SC (%)	Diagnostic								Diagnostic
B.1.2.8	O-7	2W Analog Loop Design/SC (%)	Diagnostic			95.00%	20				Diagnostic
B.1.2.9	O-7	2W Analog Loop Non-Design/SC (%)	Diagnostic								Diagnostic
B.1.2.10	O-7	2W Analog Loop w/INP Design/SC (%)	Diagnostic								Diagnostic
B.1.2.11	O-7	2W Analog Loop w/INP Non-Design/SC (%)	Diagnostic								Diagnostic
B.1.2.12	O-13	2W Analog Loop w/LNP Design/SC (%)	Diagnostic			51.43%	35				Diagnostic
B.1.2.13	O-13	2W Analog Loop w/LNP Non-Design/SC (%)	Diagnostic								Diagnostic
B.1.2.14	O-7	Other Design/SC (%)	Diagnostic			100.00%	5				Diagnostic
B.1.2.15	O-7	Other Non-Design/SC (%)	Diagnostic			23.03%	152				Diagnostic
B.1.2.16	O-7	INP Standalone/SC (%)	Diagnostic								Diagnostic
B.1.2.17	O-13	LNP Standalone/SC (%)	Diagnostic			22.22%	189				Diagnostic
	% Rejected Service Requests - Non-Mechanized										
B.1.3.1	O-7	Switch Ports/SC (%)	Diagnostic								Diagnostic
B.1.3.2	O-7	Local Interoffice Transport/SC (%)	Diagnostic								Diagnostic
B.1.3.3	O-7	Loop + Port Combinations/SC (%)	Diagnostic			51.49%	134				Diagnostic
B.1.3.4	O-7	Combo Other/SC (%)	Diagnostic			27.78%	72				Diagnostic
B.1.3.5	O-7	xDSL (ADSL, HDSL and UCL)/SC (%)	Diagnostic			100.00%	1				Diagnostic
B.1.3.6	O-7	ISDN Loop (UDN, UDC)/SC (%)	Diagnostic			19.44%	36				Diagnostic
B.1.3.7	O-7	Line Sharing/SC (%)	Diagnostic								Diagnostic
B.1.3.8	O-7	2W Analog Loop Design/SC (%)	Diagnostic			24.42%	86				Diagnostic
B.1.3.9	O-7	2W Analog Loop Non-Design/SC (%)	Diagnostic			39.29%	56				Diagnostic
B.1.3.10	O-7	2W Analog Loop w/INP Design/SC (%)	Diagnostic			100.00%	1				Diagnostic
B.1.3.11	O-7	2W Analog Loop w/INP Non-Design/SC (%)	Diagnostic								Diagnostic
B.1.3.12	O-13	2W Analog Loop w/LNP Design/SC (%)	Diagnostic			100.00%	1				Diagnostic
B.1.3.13	O-13	2W Analog Loop w/LNP Non-Design/SC (%)	Diagnostic								Diagnostic
B.1.3.14	O-7	Other Design/SC (%)	Diagnostic			18.03%	122				Diagnostic
B.1.3.15	O-7	Other Non-Design/SC (%)	Diagnostic			32.14%	529				Diagnostic
B.1.3.16	O-7	INP Standalone/SC (%)	Diagnostic			15.38%	13				Diagnostic
B.1.3.17	O-13	LNP Standalone/SC (%)	Diagnostic			22.75%	189				Diagnostic

Reject Interval - Mechanized

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.1.4.1	O-8	Switch Ports/SC (%)	>= 97% w in 1 hr								
B.1.4.2	O-8	Local Interoffice Transport/SC (%)	>= 97% w in 1 hr								
B.1.4.3	O-8	Loop + Port Combinations/SC (%)	>= 97% w in 1 hr			91.62%	573				NO
B.1.4.4	O-8	Combo Other/SC (%)	>= 97% w in 1 hr								
B.1.4.5	O-8	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 97% w in 1 hr								
B.1.4.6	O-8	ISDN Loop (UDN, UDC)/SC (%)	>= 97% w in 1 hr								
B.1.4.7	O-8	Line Sharing/SC (%)	>= 97% w in 1 hr								
B.1.4.8	O-8	2W Analog Loop Design/SC (%)	>= 97% w in 1 hr			92.31%	26				NO
B.1.4.9	O-8	2W Analog Loop Non-Design/SC (%)	>= 97% w in 1 hr								
B.1.4.10	O-8	2W Analog Loop w/INP Design/SC (%)	>= 97% w in 1 hr								
B.1.4.11	O-8	2W Analog Loop w/INP Non-Design/SC (%)	>= 97% w in 1 hr								
B.1.4.12	O-14	2W Analog Loop w/LNP Design/SC (%)	>= 97% w in 1 hr			100.00%	3				YES
B.1.4.13	O-14	2W Analog Loop w/LNP Non-Design/SC (%)	>= 97% w in 1 hr								
B.1.4.14	O-8	Other Design/SC (%)	>= 97% w in 1 hr			75.00%	8				NO
B.1.4.15	O-8	Other Non-Design/SC (%)	>= 97% w in 1 hr			68.27%	104				NO
B.1.4.16	O-8	INP Standalone/SC (%)	>= 97% w in 1 hr								
B.1.4.17	O-14	LNP Standalone/SC (%)	>= 97% w in 1 hr			95.65%	23				NO
	Reject Interval - Partially Mechanized - 10 hours										
B.1.7.1	O-8	Switch Ports/SC (%)	>= 85% w in 10 hrs								
B.1.7.2	O-8	Local Interoffice Transport/SC (%)	>= 85% w in 10 hrs								
B.1.7.3	O-8	Loop + Port Combinations/SC (%)	>= 85% w in 10 hrs			96.30%	378				YES
B.1.7.4	O-8	Combo Other/SC (%)	>= 85% w in 10 hrs								
B.1.7.5	O-8	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 85% w in 10 hrs								
B.1.7.6	O-8	ISDN Loop (UDN, UDC)/SC (%)	>= 85% w in 10 hrs								
B.1.7.7	O-8	Line Sharing/SC (%)	>= 85% w in 10 hrs								
B.1.7.8	O-8	2W Analog Loop Design/SC (%)	>= 85% w in 10 hrs			89.47%	19				YES
B.1.7.9	O-8	2W Analog Loop Non-Design/SC (%)	>= 85% w in 10 hrs								
B.1.7.10	O-8	2W Analog Loop w/INP Design/SC (%)	>= 85% w in 10 hrs								
B.1.7.11	O-8	2W Analog Loop w/INP Non-Design/SC (%)	>= 85% w in 10 hrs								
B.1.7.12	O-14	2W Analog Loop w/LNP Design/SC (%)	>= 85% w in 10 hrs			77.78%	18				NO
B.1.7.13	O-14	2W Analog Loop w/LNP Non-Design/SC (%)	>= 85% w in 10 hrs								
B.1.7.14	O-8	Other Design/SC (%)	>= 85% w in 10 hrs			100.00%	5				YES
B.1.7.15	O-8	Other Non-Design/SC (%)	>= 85% w in 10 hrs			97.14%	35				YES
B.1.7.16	O-8	INP Standalone/SC (%)	>= 85% w in 10 hrs								
B.1.7.17	O-14	LNP Standalone/SC (%)	>= 85% w in 10 hrs			82.22%	45				NO
	Reject Interval - Non-Mechanized										
B.1.8.1	O-8	Switch Ports/SC (%)	>= 85% w in 24 hrs								
B.1.8.2	O-8	Local Interoffice Transport/SC (%)	>= 85% w in 24 hrs								
B.1.8.3	O-8	Loop + Port Combinations/SC (%)	>= 85% w in 24 hrs			97.22%	72				YES
B.1.8.4	O-8	Combo Other/SC (%)	>= 85% w in 24 hrs			100.00%	20				YES
B.1.8.5	O-8	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 85% w in 24 hrs			100.00%	1				YES
B.1.8.6	O-8	ISDN Loop (UDN, UDC)/SC (%)	>= 85% w in 24 hrs			100.00%	7				YES
B.1.8.7	O-8	Line Sharing/SC (%)	>= 85% w in 24 hrs								
B.1.8.8	O-8	2W Analog Loop Design/SC (%)	>= 85% w in 24 hrs			100.00%	25				YES
B.1.8.9	O-8	2W Analog Loop Non-Design/SC (%)	>= 85% w in 24 hrs			100.00%	23				YES
B.1.8.10	O-8	2W Analog Loop w/INP Design/SC (%)	>= 85% w in 24 hrs			100.00%	1				YES
B.1.8.11	O-8	2W Analog Loop w/INP Non-Design/SC (%)	>= 85% w in 24 hrs								
B.1.8.12	O-14	2W Analog Loop w/LNP Design/SC (%)	>= 85% w in 24 hrs			100.00%	1				YES
B.1.8.13	O-14	2W Analog Loop w/LNP Non-Design/SC (%)	>= 85% w in 24 hrs								
B.1.8.14	O-8	Other Design/SC (%)	>= 85% w in 24 hrs			95.65%	23				YES
B.1.8.15	O-8	Other Non-Design/SC (%)	>= 85% w in 24 hrs			99.45%	182				YES
B.1.8.16	O-8	INP Standalone/SC (%)	>= 85% w in 24 hrs			100.00%	2				YES
B.1.8.17	O-14	LNP Standalone/SC (%)	>= 85% w in 24 hrs			100.00%	46				YES
	FOC Timeliness - Mechanized										
B.1.9.1	O-9	Switch Ports/SC (%)	>= 95% w in 3 hrs								
B.1.9.2	O-9	Local Interoffice Transport/SC (%)	>= 95% w in 3 hrs								
B.1.9.3	O-9	Loop + Port Combinations/SC (%)	>= 95% w in 3 hrs			97.27%	3,843				YES
B.1.9.4	O-9	Combo Other/SC (%)	>= 95% w in 3 hrs								
B.1.9.5	O-9	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 95% w in 3 hrs								

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.1.9.6	O-9	ISDN Loop (UDN, UDC)/SC (%)	>= 95% w in 3 hrs			100.00%	2				YES
B.1.9.7	O-9	Line Sharing/SC (%)	>= 95% w in 3 hrs								
B.1.9.8	O-9	2W Analog Loop Design/SC (%)	>= 95% w in 3 hrs			100.00%	3				YES
B.1.9.9	O-9	2W Analog Loop Non-Design/SC (%)	>= 95% w in 3 hrs								
B.1.9.10	O-9	2W Analog Loop w/INP Design/SC (%)	>= 95% w in 3 hrs								
B.1.9.11	O-9	2W Analog Loop w/INP Non-Design/SC (%)	>= 95% w in 3 hrs								
B.1.9.12	O-15	2W Analog Loop w/LNP Design/SC (%)	>= 95% w in 3 hrs			100.00%	2				YES
B.1.9.13	O-15	2W Analog Loop w/LNP Non-Design/SC (%)	>= 95% w in 3 hrs								
B.1.9.14	O-9	Other Design/SC (%)	>= 95% w in 3 hrs			100.00%	2				YES
B.1.9.15	O-9	Other Non-Design/SC (%)	>= 95% w in 3 hrs			87.46%	287				NO
B.1.9.16	O-9	INP Standalone/SC (%)	>= 95% w in 3 hrs								
B.1.9.17	O-15	LNP Standalone/SC (%)	>= 95% w in 3 hrs			87.50%	272				NO
	FOC Timeliness - Partially Mechanized - 10 hours										
B.1.12.1	O-9	Switch Ports/SC (%)	>= 85% w in 10 hrs								
B.1.12.2	O-9	Local Interoffice Transport/SC (%)	>= 85% w in 10 hrs								
B.1.12.3	O-9	Loop + Port Combinations/SC (%)	>= 85% w in 10 hrs			89.35%	920				YES
B.1.12.4	O-9	Combo Other/SC (%)	>= 85% w in 10 hrs								
B.1.12.5	O-9	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 85% w in 10 hrs								
B.1.12.6	O-9	ISDN Loop (UDN, UDC)/SC (%)	>= 85% w in 10 hrs								
B.1.12.7	O-9	Line Sharing/SC (%)	>= 85% w in 10 hrs								
B.1.12.8	O-9	2W Analog Loop Design/SC (%)	>= 85% w in 10 hrs								
B.1.12.9	O-9	2W Analog Loop Non-Design/SC (%)	>= 85% w in 10 hrs								
B.1.12.10	O-9	2W Analog Loop w/INP Design/SC (%)	>= 85% w in 10 hrs								
B.1.12.11	O-9	2W Analog Loop w/INP Non-Design/SC (%)	>= 85% w in 10 hrs								
B.1.12.12	O-15	2W Analog Loop w/LNP Design/SC (%)	>= 85% w in 10 hrs			94.74%	19				YES
B.1.12.13	O-15	2W Analog Loop w/LNP Non-Design/SC (%)	>= 85% w in 10 hrs								
B.1.12.14	O-9	Other Design/SC (%)	>= 85% w in 10 hrs								
B.1.12.15	O-9	Other Non-Design/SC (%)	>= 85% w in 10 hrs			90.91%	110				YES
B.1.12.16	O-9	INP Standalone/SC (%)	>= 85% w in 10 hrs								
B.1.12.17	O-15	LNP Standalone/SC (%)	>= 85% w in 10 hrs			87.25%	149				YES
	FOC Timeliness - Non-Mechanized										
B.1.13.1	O-9	Switch Ports/SC (%)	>= 85% w in 36 hrs								
B.1.13.2	O-9	Local Interoffice Transport/SC (%)	>= 85% w in 36 hrs								
B.1.13.3	O-9	Loop + Port Combinations/SC (%)	>= 85% w in 36 hrs			98.39%	62				YES
B.1.13.4	O-9	Combo Other/SC (%)	>= 85% w in 36 hrs			100.00%	53				YES
B.1.13.5	O-9	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 85% w in 36 hrs								
B.1.13.6	O-9	ISDN Loop (UDN, UDC)/SC (%)	>= 85% w in 36 hrs			100.00%	29				YES
B.1.13.7	O-9	Line Sharing/SC (%)	>= 85% w in 36 hrs								
B.1.13.8	O-9	2W Analog Loop Design/SC (%)	>= 85% w in 36 hrs			100.00%	70				YES
B.1.13.9	O-9	2W Analog Loop Non-Design/SC (%)	>= 85% w in 36 hrs			100.00%	37				YES
B.1.13.10	O-9	2W Analog Loop w/INP Design/SC (%)	>= 85% w in 36 hrs								
B.1.13.11	O-9	2W Analog Loop w/INP Non-Design/SC (%)	>= 85% w in 36 hrs								
B.1.13.12	O-15	2W Analog Loop w/LNP Design/SC (%)	>= 85% w in 36 hrs								
B.1.13.13	O-15	2W Analog Loop w/LNP Non-Design/SC (%)	>= 85% w in 36 hrs								
B.1.13.14	O-9	Other Design/SC (%)	>= 85% w in 36 hrs			100.00%	109				YES
B.1.13.15	O-9	Other Non-Design/SC (%)	>= 85% w in 36 hrs			99.46%	368				YES
B.1.13.16	O-9	INP Standalone/SC (%)	>= 85% w in 36 hrs			100.00%	11				YES
B.1.13.17	O-15	LNP Standalone/SC (%)	>= 85% w in 36 hrs			100.00%	150				YES
	FOC & Reject Response Completeness - Mechanized										
B.1.14.1.1	O-11	Switch Ports/EDI/SC (%)	>= 95%								
B.1.14.1.2	O-11	Switch Ports/TAG/SC (%)	>= 95%								
B.1.14.2.1	O-11	Local Interoffice Transport/EDI/SC (%)	>= 95%								
B.1.14.2.2	O-11	Local Interoffice Transport/TAG/SC (%)	>= 95%								
B.1.14.3.1	O-11	Loop + Port Combinations/EDI/SC (%)	>= 95%			100.00%	923				YES
B.1.14.3.2	O-11	Loop + Port Combinations/TAG/SC (%)	>= 95%			99.89%	3,480				YES
B.1.14.4.1	O-11	Combo Other/EDI/SC (%)	>= 95%								
B.1.14.4.2	O-11	Combo Other/TAG/SC (%)	>= 95%								
B.1.14.5.1	O-11	xDSL (ADSL, HDSL and UCL)/EDI/SC (%)	>= 95%			0.00%	2				NO
B.1.14.5.2	O-11	xDSL (ADSL, HDSL and UCL)/TAG/SC (%)	>= 95%								

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.1.14.6.1	O-11	ISDN Loop (UDN, UDC)/EDI/SC (%)	>= 95%			100.00%	2				YES
B.1.14.6.2	O-11	ISDN Loop (UDN, UDC)/TAG/SC (%)	>= 95%								
B.1.14.7.1	O-11	Line Sharing/EDI/SC (%)	>= 95%								
B.1.14.7.2	O-11	Line Sharing/TAG/SC (%)	>= 95%								
B.1.14.8.1	O-11	2W Analog Loop Design/EDI/SC (%)	>= 95%			100.00%	27				YES
B.1.14.8.2	O-11	2W Analog Loop Design/TAG/SC (%)	>= 95%			100.00%	2				YES
B.1.14.9.1	O-11	2W Analog Loop Non-Design/EDI/SC (%)	>= 95%								
B.1.14.9.2	O-11	2W Analog Loop Non-Design/TAG/SC (%)	>= 95%								
B.1.14.10.1	O-11	2W Analog Loop w/INP Design/EDI/SC (%)	>= 95%								
B.1.14.10.2	O-11	2W Analog Loop w/INP Design/TAG/SC (%)	>= 95%								
B.1.14.11.1	O-11	2W Analog Loop w/INP Non-Design/EDI/SC (%)	>= 95%								
B.1.14.11.2	O-11	2W Analog Loop w/INP Non-Design/TAG/SC (%)	>= 95%								
B.1.14.12.1	O-11	2W Analog Loop w/LNP Design/EDI/SC (%)	>= 95%			83.33%	6				NO
B.1.14.12.2	O-11	2W Analog Loop w/LNP Design/TAG/SC (%)	>= 95%								
B.1.14.13.1	O-11	2W Analog Loop w/LNP Non-Design/EDI/SC (%)	>= 95%								
B.1.14.13.2	O-11	2W Analog Loop w/LNP Non-Design/TAG/SC (%)	>= 95%								
B.1.14.14.1	O-11	Other Design/EDI/SC (%)	>= 95%			100.00%	8				YES
B.1.14.14.2	O-11	Other Design/TAG/SC (%)	>= 95%			100.00%	2				YES
B.1.14.15.1	O-11	Other Non-Design/EDI/SC (%)	>= 95%			100.00%	29				YES
B.1.14.15.2	O-11	Other Non-Design/TAG/SC (%)	>= 95%			98.85%	348				YES
B.1.14.16.1	O-11	INP Standalone/EDI/SC (%)	>= 95%								
B.1.14.16.2	O-11	INP Standalone/TAG/SC (%)	>= 95%								
B.1.14.17.1	O-11	LNP Standalone/EDI/SC (%)	>= 95%			100.00%	96				YES
B.1.14.17.2	O-11	LNP Standalone/TAG/SC (%)	>= 95%			100.00%	198				YES
	FOC & Reject Response Completeness - Partially Mechanized										
B.1.15.1.1	O-11	Switch Ports/EDI/SC (%)	>= 95%								
B.1.15.1.2	O-11	Switch Ports/TAG/SC (%)	>= 95%								
B.1.15.2.1	O-11	Local Interoffice Transport/EDI/SC (%)	>= 95%								
B.1.15.2.2	O-11	Local Interoffice Transport/TAG/SC (%)	>= 95%								
B.1.15.3.1	O-11	Loop + Port Combinations/EDI/SC (%)	>= 95%			98.74%	238				YES
B.1.15.3.2	O-11	Loop + Port Combinations/TAG/SC (%)	>= 95%			92.63%	950				NO
B.1.15.4.1	O-11	Combo Other/EDI/SC (%)	>= 95%								
B.1.15.4.2	O-11	Combo Other/TAG/SC (%)	>= 95%								
B.1.15.5.1	O-11	xDSL (ADSL, HDSL and UCL)/EDI/SC (%)	>= 95%								
B.1.15.5.2	O-11	xDSL (ADSL, HDSL and UCL)/TAG/SC (%)	>= 95%								
B.1.15.6.1	O-11	ISDN Loop (UDN, UDC)/EDI/SC (%)	>= 95%								
B.1.15.6.2	O-11	ISDN Loop (UDN, UDC)/TAG/SC (%)	>= 95%								
B.1.15.7.1	O-11	Line Sharing/EDI/SC (%)	>= 95%								
B.1.15.7.2	O-11	Line Sharing/TAG/SC (%)	>= 95%								
B.1.15.8.1	O-11	2W Analog Loop Design/EDI/SC (%)	>= 95%			100.00%	20				YES
B.1.15.8.2	O-11	2W Analog Loop Design/TAG/SC (%)	>= 95%								
B.1.15.9.1	O-11	2W Analog Loop Non-Design/EDI/SC (%)	>= 95%								
B.1.15.9.2	O-11	2W Analog Loop Non-Design/TAG/SC (%)	>= 95%								
B.1.15.10.1	O-11	2W Analog Loop w/INP Design/EDI/SC (%)	>= 95%								
B.1.15.10.2	O-11	2W Analog Loop w/INP Design/TAG/SC (%)	>= 95%								
B.1.15.11.1	O-11	2W Analog Loop w/INP Non-Design/EDI/SC (%)	>= 95%								
B.1.15.11.2	O-11	2W Analog Loop w/INP Non-Design/TAG/SC (%)	>= 95%								
B.1.15.12.1	O-11	2W Analog Loop w/LNP Design/EDI/SC (%)	>= 95%			100.00%	35				YES
B.1.15.12.2	O-11	2W Analog Loop w/LNP Design/TAG/SC (%)	>= 95%								
B.1.15.13.1	O-11	2W Analog Loop w/LNP Non-Design/EDI/SC (%)	>= 95%								
B.1.15.13.2	O-11	2W Analog Loop w/LNP Non-Design/TAG/SC (%)	>= 95%								
B.1.15.14.1	O-11	Other Design/EDI/SC (%)	>= 95%			100.00%	3				YES
B.1.15.14.2	O-11	Other Design/TAG/SC (%)	>= 95%			100.00%	2				YES
B.1.15.15.1	O-11	Other Non-Design/EDI/SC (%)	>= 95%			100.00%	11				YES
B.1.15.15.2	O-11	Other Non-Design/TAG/SC (%)	>= 95%			97.16%	141				YES
B.1.15.16.1	O-11	INP Standalone/EDI/SC (%)	>= 95%								
B.1.15.16.2	O-11	INP Standalone/TAG/SC (%)	>= 95%								
B.1.15.17.1	O-11	LNP Standalone/EDI/SC (%)	>= 95%			100.00%	144				YES
B.1.15.17.2	O-11	LNP Standalone/TAG/SC (%)	>= 95%			100.00%	45				YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	FOC & Reject Response Completeness - Non-Mechanized										
B.1.16.1	O-11	Switch Ports/SC (%)	>= 95%								
B.1.16.2	O-11	Local Interoffice Transport/SC (%)	>= 95%								
B.1.16.3	O-11	Loop + Port Combinations/SC (%)	>= 95%			95.52%	134				YES
B.1.16.4	O-11	Combo Other/SC (%)	>= 95%			100.00%	72				YES
B.1.16.5	O-11	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 95%			100.00%	1				YES
B.1.16.6	O-11	ISDN Loop (UDN, UDC)/SC (%)	>= 95%			100.00%	36				YES
B.1.16.7	O-11	Line Sharing/SC (%)	>= 95%								
B.1.16.8	O-11	2W Analog Loop Design/SC (%)	>= 95%			98.84%	86				YES
B.1.16.9	O-11	2W Analog Loop Non-Design/SC (%)	>= 95%			98.21%	56				YES
B.1.16.10	O-11	2W Analog Loop w/INP Design/SC (%)	>= 95%			100.00%	1				YES
B.1.16.11	O-11	2W Analog Loop w/INP Non-Design/SC (%)	>= 95%								
B.1.16.12	O-11	2W Analog Loop w/LNP Design/SC (%)	>= 95%			100.00%	1				YES
B.1.16.13	O-11	2W Analog Loop w/LNP Non-Design/SC (%)	>= 95%								
B.1.16.14	O-11	Other Design/SC (%)	>= 95%			99.18%	122				YES
B.1.16.15	O-11	Other Non-Design/SC (%)	>= 95%			99.43%	529				YES
B.1.16.16	O-11	INP Standalone/SC (%)	>= 95%			100.00%	13				YES
B.1.16.17	O-11	LNP Standalone/SC (%)	>= 95%			99.47%	189				YES
	FOC & Reject Response Completeness (Multiple Responses) - Mechanized										
B.1.17.1.1	O-11	Switch Ports/EDI/SC (%)	>= 95%								
B.1.17.1.2	O-11	Switch Ports/TAG/SC (%)	>= 95%								
B.1.17.2.1	O-11	Local Interoffice Transport/EDI/SC (%)	>= 95%								
B.1.17.2.2	O-11	Local Interoffice Transport/TAG/SC (%)	>= 95%								
B.1.17.3.1	O-11	Loop + Port Combinations/EDI/SC (%)	>= 95%			96.10%	923				YES
B.1.17.3.2	O-11	Loop + Port Combinations/TAG/SC (%)	>= 95%			99.74%	3,476				YES
B.1.17.4.1	O-11	Combo Other/EDI/SC (%)	>= 95%								
B.1.17.4.2	O-11	Combo Other/TAG/SC (%)	>= 95%								
B.1.17.5.1	O-11	xDSL (ADSL, HDSL and UCL)/EDI/SC (%)	>= 95%								
B.1.17.5.2	O-11	xDSL (ADSL, HDSL and UCL)/TAG/SC (%)	>= 95%								
B.1.17.6.1	O-11	ISDN Loop (UDN, UDC)/EDI/SC (%)	>= 95%			100.00%	2				YES
B.1.17.6.2	O-11	ISDN Loop (UDN, UDC)/TAG/SC (%)	>= 95%								
B.1.17.7.1	O-11	Line Sharing/EDI/SC (%)	>= 95%								
B.1.17.7.2	O-11	Line Sharing/TAG/SC (%)	>= 95%								
B.1.17.8.1	O-11	2W Analog Loop Design/EDI/SC (%)	>= 95%			100.00%	27				YES
B.1.17.8.2	O-11	2W Analog Loop Design/TAG/SC (%)	>= 95%			100.00%	2				YES
B.1.17.9.1	O-11	2W Analog Loop Non-Design/EDI/SC (%)	>= 95%								
B.1.17.9.2	O-11	2W Analog Loop Non-Design/TAG/SC (%)	>= 95%								
B.1.17.10.1	O-11	2W Analog Loop w/INP Design/EDI/SC (%)	>= 95%								
B.1.17.10.2	O-11	2W Analog Loop w/INP Design/TAG/SC (%)	>= 95%								
B.1.17.11.1	O-11	2W Analog Loop w/INP Non-Design/EDI/SC (%)	>= 95%								
B.1.17.11.2	O-11	2W Analog Loop w/INP Non-Design/TAG/SC (%)	>= 95%								
B.1.17.12.1	O-11	2W Analog Loop w/LNP Design/EDI/SC (%)	>= 95%			80.00%	5				NO
B.1.17.12.2	O-11	2W Analog Loop w/LNP Design/TAG/SC (%)	>= 95%								
B.1.17.13.1	O-11	2W Analog Loop w/LNP Non-Design/EDI/SC (%)	>= 95%								
B.1.17.13.2	O-11	2W Analog Loop w/LNP Non-Design/TAG/SC (%)	>= 95%								
B.1.17.14.1	O-11	Other Design/EDI/SC (%)	>= 95%			87.50%	8				NO
B.1.17.14.2	O-11	Other Design/TAG/SC (%)	>= 95%			100.00%	2				YES
B.1.17.15.1	O-11	Other Non-Design/EDI/SC (%)	>= 95%			96.55%	29				YES
B.1.17.15.2	O-11	Other Non-Design/TAG/SC (%)	>= 95%			96.80%	344				YES
B.1.17.16.1	O-11	INP Standalone/EDI/SC (%)	>= 95%								
B.1.17.16.2	O-11	INP Standalone/TAG/SC (%)	>= 95%								
B.1.17.17.1	O-11	LNP Standalone/EDI/SC (%)	>= 95%			72.92%	96				NO
B.1.17.17.2	O-11	LNP Standalone/TAG/SC (%)	>= 95%			63.64%	198				NO
	FOC & Reject Response Completeness (Multiple Responses) - Partially Mechanized										
B.1.18.1.1	O-11	Switch Ports/EDI/SC (%)	>= 95%								
B.1.18.1.2	O-11	Switch Ports/TAG/SC (%)	>= 95%								
B.1.18.2.1	O-11	Local Interoffice Transport/EDI/SC (%)	>= 95%								
B.1.18.2.2	O-11	Local Interoffice Transport/TAG/SC (%)	>= 95%								
B.1.18.3.1	O-11	Loop + Port Combinations/EDI/SC (%)	>= 95%			89.36%	235				NO

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.1.18.3.2	O-11	Loop + Port Combinations/TAG/SC (%)	>= 95%			84.09%	880				NO
B.1.18.4.1	O-11	Combo Other/EDI/SC (%)	>= 95%								
B.1.18.4.2	O-11	Combo Other/TAG/SC (%)	>= 95%								
B.1.18.5.1	O-11	xDSL (ADSL, HDSL and UCL)/EDI/SC (%)	>= 95%								
B.1.18.5.2	O-11	xDSL (ADSL, HDSL and UCL)/TAG/SC (%)	>= 95%								
B.1.18.6.1	O-11	ISDN Loop (UDN, UDC)/EDI/SC (%)	>= 95%								
B.1.18.6.2	O-11	ISDN Loop (UDN, UDC)/TAG/SC (%)	>= 95%								
B.1.18.7.1	O-11	Line Sharing/EDI/SC (%)	>= 95%								
B.1.18.7.2	O-11	Line Sharing/TAG/SC (%)	>= 95%								
B.1.18.8.1	O-11	2W Analog Loop Design/EDI/SC (%)	>= 95%			75.00%	20				NO
B.1.18.8.2	O-11	2W Analog Loop Design/TAG/SC (%)	>= 95%								
B.1.18.9.1	O-11	2W Analog Loop Non-Design/EDI/SC (%)	>= 95%								
B.1.18.9.2	O-11	2W Analog Loop Non-Design/TAG/SC (%)	>= 95%								
B.1.18.10.1	O-11	2W Analog Loop w/INP Design/EDI/SC (%)	>= 95%								
B.1.18.10.2	O-11	2W Analog Loop w/INP Design/TAG/SC (%)	>= 95%								
B.1.18.11.1	O-11	2W Analog Loop w/INP Non-Design/EDI/SC (%)	>= 95%								
B.1.18.11.2	O-11	2W Analog Loop w/INP Non-Design/TAG/SC (%)	>= 95%								
B.1.18.12.1	O-11	2W Analog Loop w/LNP Design/EDI/SC (%)	>= 95%			65.71%	35				NO
B.1.18.12.2	O-11	2W Analog Loop w/LNP Design/TAG/SC (%)	>= 95%								
B.1.18.13.1	O-11	2W Analog Loop w/LNP Non-Design/EDI/SC (%)	>= 95%								
B.1.18.13.2	O-11	2W Analog Loop w/LNP Non-Design/TAG/SC (%)	>= 95%								
B.1.18.14.1	O-11	Other Design/EDI/SC (%)	>= 95%			66.67%	3				NO
B.1.18.14.2	O-11	Other Design/TAG/SC (%)	>= 95%			100.00%	2				YES
B.1.18.15.1	O-11	Other Non-Design/EDI/SC (%)	>= 95%			100.00%	11				YES
B.1.18.15.2	O-11	Other Non-Design/TAG/SC (%)	>= 95%			98.54%	137				YES
B.1.18.16.1	O-11	INP Standalone/EDI/SC (%)	>= 95%								
B.1.18.16.2	O-11	INP Standalone/TAG/SC (%)	>= 95%								
B.1.18.17.1	O-11	LNP Standalone/EDI/SC (%)	>= 95%			56.25%	144				NO
B.1.18.17.2	O-11	LNP Standalone/TAG/SC (%)	>= 95%			71.11%	45				NO
	FOC & Reject Response Completeness (Multiple Responses) - Non-Mechanized										
B.1.19.1	O-11	Switch Ports/SC (%)	>= 95%								
B.1.19.2	O-11	Local Interoffice Transport/SC (%)	>= 95%								
B.1.19.3	O-11	Loop + Port Combinations/SC (%)	>= 95%			94.53%	128				NO
B.1.19.4	O-11	Combo Other/SC (%)	>= 95%			84.72%	72				NO
B.1.19.5	O-11	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 95%			100.00%	1				YES
B.1.19.6	O-11	ISDN Loop (UDN, UDC)/SC (%)	>= 95%			94.44%	36				NO
B.1.19.7	O-11	Line Sharing/SC (%)	>= 95%								
B.1.19.8	O-11	2W Analog Loop Design/SC (%)	>= 95%			91.76%	85				NO
B.1.19.9	O-11	2W Analog Loop Non-Design/SC (%)	>= 95%			100.00%	55				YES
B.1.19.10	O-11	2W Analog Loop w/INP Design/SC (%)	>= 95%			100.00%	1				YES
B.1.19.11	O-11	2W Analog Loop w/INP Non-Design/SC (%)	>= 95%								
B.1.19.12	O-11	2W Analog Loop w/LNP Design/SC (%)	>= 95%			100.00%	1				YES
B.1.19.13	O-11	2W Analog Loop w/LNP Non-Design/SC (%)	>= 95%								
B.1.19.14	O-11	Other Design/SC (%)	>= 95%			95.87%	121				YES
B.1.19.15	O-11	Other Non-Design/SC (%)	>= 95%			93.16%	526				NO
B.1.19.16	O-11	INP Standalone/SC (%)	>= 95%			100.00%	13				YES
B.1.19.17	O-11	LNP Standalone/SC (%)	>= 95%			95.74%	188				YES
	Unbundled Network Elements - Provisioning										
	Order Completion Interval										
B.2.1.1.1.1	P-4	Switch Ports/<10 circuits/Dispatch/SC (days)	R&B (POTS)	5.49	8,371			4.801			
B.2.1.1.1.2	P-4	Switch Ports/<10 circuits/Non-Dispatch/SC (days)	R&B (POTS)	0.89	141,027			1.118			
B.2.1.1.2.1	P-4	Switch Ports/>=10 circuits/Dispatch/SC (days)	R&B (POTS)	15.68	31			18.613			
B.2.1.1.2.2	P-4	Switch Ports/>=10 circuits/Non-Dispatch/SC (days)	R&B (POTS)	0.33	1			0.000			
B.2.1.2.1.1	P-4	Local Interoffice Transport/<10 circuits/Dispatch/SC (days)	DS1/DS3	17.18	380			15.621			
B.2.1.2.1.2	P-4	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (days)	DS1/DS3								
B.2.1.2.2.1	P-4	Local Interoffice Transport/>=10 circuits/Dispatch/SC (days)	DS1/DS3								
B.2.1.2.2.2	P-4	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (days)	DS1/DS3								
B.2.1.3.1.1	P-4	Loop + Port Combinations/<10 circuits/Dispatch/SC (days)	R&B	5.54	8,549	3.70	108	5.019	0.48603	3.7818	YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.1.3.1.2	P-4	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (days)	R&B	0.89	141,587	0.58	3,276	1.157	0.02044	15.1770	YES
B.2.1.3.1.3	P-4	Loop + Port Combinations/<10 circuits/Switch Based Orders/SC (days)	R&B	0.33	68,490	0.33	2,246	0.000	0.00000		YES
B.2.1.3.1.4	P-4	Loop + Port Combinations/<10 circuits/Dispatch In/SC (days)	R&B	1.41	73,097	1.12	1,030	1.424	0.04467	6.5624	YES
B.2.1.3.2.1	P-4	Loop + Port Combinations/>=10 circuits/Dispatch/SC (days)	R&B	17.32	44			19.305			
B.2.1.3.2.2	P-4	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (days)	R&B	1.97	87			3.690			
B.2.1.3.2.3	P-4	Loop + Port Combinations/>=10 circuits/Switch Based Orders/SC (days)	R&B	0.33	49			0.000			
B.2.1.3.2.4	P-4	Loop + Port Combinations/>=10 circuits/Dispatch In/SC (days)	R&B	4.08	38			4.851			
B.2.1.4.1.1	P-4	Combo Other/<10 circuits/Dispatch/SC (days)	R&B&D - Disp	6.80	9,384	12.24	37	8.392	1.38233	-3.9370	NO
B.2.1.4.1.4	P-4	Combo Other/<10 circuits/Dispatch In/SC (days)	R&B&D - Disp	6.80	9,384			8.392			
B.2.1.4.2.1	P-4	Combo Other/>=10 circuits/Dispatch/SC (days)	R&B&D - Disp	17.00	45			19.203			
B.2.1.4.2.4	P-4	Combo Other/>=10 circuits/Dispatch In/SC (days)	R&B&D - Disp	17.00	45			19.203			
B.2.1.6.3.1	P-4	UNE ISDN/<6 circuits/Dispatch/SC (days)	ISDN - BRI	16.83	75	10.03	12	9.222	2.86710	2.3713	YES
B.2.1.6.3.2	P-4	UNE ISDN/<6 circuits/Non-Dispatch/SC (days)	ISDN - BRI	1.59	47			3.063			
B.2.1.6.4.1	P-4	UNE ISDN/6-13 circuits/Dispatch/SC (days)	ISDN - BRI								
B.2.1.6.4.2	P-4	UNE ISDN/6-13 circuits/Non-Dispatch/SC (days)	ISDN - BRI								
B.2.1.6.5.1	P-4	UNE ISDN/>=14 circuits/Dispatch/SC (days)	ISDN - BRI								
B.2.1.6.5.2	P-4	UNE ISDN/>=14 circuits/Non-Dispatch/SC (days)	ISDN - BRI								
B.2.1.7.3.1	P-4	Line Sharing/<6 circuits/Dispatch/SC (days)	ADSL to Retail	2.69	761			2.129			
B.2.1.7.3.2	P-4	Line Sharing/<6 circuits/Non-Dispatch/SC (days)	ADSL to Retail	2.36	1,006			0.972			
B.2.1.7.4.1	P-4	Line Sharing/6-13 circuits/Dispatch/SC (days)	ADSL to Retail	10.00	1			0.000			
B.2.1.7.4.2	P-4	Line Sharing/6-13 circuits/Non-Dispatch/SC (days)	ADSL to Retail								
B.2.1.7.5.1	P-4	Line Sharing/>=14 circuits/Dispatch/SC (days)	ADSL to Retail								
B.2.1.7.5.2	P-4	Line Sharing/>=14 circuits/Non-Dispatch/SC (days)	ADSL to Retail								
B.2.1.8.1.1	P-4	2W Analog Loop Design/<10 circuits/Dispatch/SC (days)	R&B - Disp	5.54	8,549	5.16	32	5.019	0.88897	0.4267	YES
B.2.1.8.1.2	P-4	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (days)	R&B - Disp	5.54	8,549			5.019			
B.2.1.8.2.1	P-4	2W Analog Loop Design/>=10 circuits/Dispatch/SC (days)	R&B - Disp	17.32	44			19.305			
B.2.1.8.2.2	P-4	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (days)	R&B - Disp	17.32	44			19.305			
B.2.1.9.1.1	P-4	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (days)	R&B (POTS) excl SB Or	5.49	8,371			4.801			
B.2.1.9.1.4	P-4	2W Analog Loop Non-Design/<10 circuits/Dispatch In/SC (days)	R&B (POTS) excl SB Or	1.41	72,893			1.365			
B.2.1.9.2.1	P-4	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (days)	R&B (POTS) excl SB Or	15.68	31			18.613			
B.2.1.9.2.4	P-4	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/SC (days)	R&B (POTS) excl SB Or								
B.2.1.10.1.1	P-4	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (days)	R&B - Disp	5.54	8,549			5.019			
B.2.1.10.1.2	P-4	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (days)	R&B - Disp	5.54	8,549			5.019			
B.2.1.10.2.1	P-4	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (days)	R&B - Disp	17.32	44			19.305			
B.2.1.10.2.2	P-4	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (days)	R&B - Disp	17.32	44			19.305			
B.2.1.11.1.1	P-4	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (days)	R&B (POTS) excl SB Or	5.49	8,371			4.801			
B.2.1.11.1.4	P-4	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/SC (days)	R&B (POTS) excl SB Or	1.41	72,893			1.365			
B.2.1.11.2.1	P-4	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (days)	R&B (POTS) excl SB Or	15.68	31			18.613			
B.2.1.11.2.4	P-4	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/SC (days)	R&B (POTS) excl SB Or								
B.2.1.12.1.1	P-4	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (days)	R&B - Disp	5.54	8,549	5.08	12	5.019	1.44999	0.3119	YES
B.2.1.12.1.2	P-4	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (days)	R&B - Disp	5.54	8,549			5.019			
B.2.1.12.2.1	P-4	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (days)	R&B - Disp	17.32	44			19.305			
B.2.1.12.2.2	P-4	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (days)	R&B - Disp	17.32	44			19.305			
B.2.1.13.1.1	P-4	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (days)	R&B (POTS) excl SB Or	5.49	8,371			4.801			
B.2.1.13.1.4	P-4	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/SC (days)	R&B (POTS) excl SB Or	1.41	72,893			1.365			
B.2.1.13.2.1	P-4	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (days)	R&B (POTS) excl SB Or	15.68	31			18.613			
B.2.1.13.2.4	P-4	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/SC (days)	R&B (POTS) excl SB Or								
B.2.1.14.1.1	P-4	Other Design/<10 circuits/Dispatch/SC (days)	Design	19.76	835			18.697			
B.2.1.14.1.2	P-4	Other Design/<10 circuits/Non-Dispatch/SC (days)	Design	11.06	126			8.421			
B.2.1.14.2.1	P-4	Other Design/>=10 circuits/Dispatch/SC (days)	Design	3.00	1			0.000			
B.2.1.14.2.2	P-4	Other Design/>=10 circuits/Non-Dispatch/SC (days)	Design								
B.2.1.15.1.1	P-4	Other Non-Design/<10 circuits/Dispatch/SC (days)	R&B	5.54	8,549			5.019			
B.2.1.15.1.2	P-4	Other Non-Design/<10 circuits/Non-Dispatch/SC (days)	R&B	0.89	141,587			1.157			
B.2.1.15.2.1	P-4	Other Non-Design/>=10 circuits/Dispatch/SC (days)	R&B	17.32	44			19.305			
B.2.1.15.2.2	P-4	Other Non-Design/>=10 circuits/Non-Dispatch/SC (days)	R&B	1.97	87			3.690			
B.2.1.16.1.1	P-4	INP (Standalone)/<10 circuits/Dispatch/SC (days)	R&B (POTS)	5.49	8,371			4.801			
B.2.1.16.1.2	P-4	INP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	R&B (POTS)	0.89	141,027			1.118			
B.2.1.16.2.1	P-4	INP (Standalone)/>=10 circuits/Dispatch/SC (days)	R&B (POTS)	15.68	31			18.613			
B.2.1.16.2.2	P-4	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	R&B (POTS)	0.33	1			0.000			
B.2.1.17.1.1	P-4	LNP (Standalone)/<10 circuits/Dispatch/SC (days)	R&B (POTS)	5.49	8,371	0.33	3	4.801	2.77250	1.8592	YES
B.2.1.17.1.2	P-4	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	R&B (POTS)	0.89	141,027	0.59	418	1.118	0.05477	5.5292	YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.1.17.2.1	P-4	LNP (Standalone)/>=10 circuits/Dispatch/SC (days)	R&B (POTS)	15.68	31			18.613			
B.2.1.17.2.2	P-4	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	R&B (POTS)	0.33	1	0.33	2	0.000	0.00000		YES
B.2.1.18.1.1	P-4	Digital Loop < DS1/<10 circuits/Dispatch/SC (days)	Digital Loop < DS1	6.61	1,025	10.03	12	10.137	2.94334	-1.1596	YES
B.2.1.18.1.2	P-4	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (days)	Digital Loop < DS1	3.00	1,172			3.453			
B.2.1.18.2.1	P-4	Digital Loop < DS1/>=10 circuits/Dispatch/SC (days)	Digital Loop < DS1	10.00	1			0.000			
B.2.1.18.2.2	P-4	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (days)	Digital Loop < DS1								
B.2.1.19.1.1	P-4	Digital Loop >= DS1/<10 circuits/Dispatch/SC (days)	Digital Loop >= DS1	20.59	82	6.06	31	12.937	2.72755	5.3238	YES
B.2.1.19.1.2	P-4	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (days)	Digital Loop >= DS1	7.85	49			7.749			
B.2.1.19.2.1	P-4	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (days)	Digital Loop >= DS1								
B.2.1.19.2.2	P-4	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (days)	Digital Loop >= DS1	4.67	17			5.018			
		Order Completion Interval within X days									
B.2.2.1	P-4	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<6 circuits/Dispatch/SC (days)	14 days								
B.2.2.2	P-4	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<6 circuits/Dispatch/SC (days)	7 days								
		Held Orders									
B.2.3.1.1.1	P-1	Switch Ports/<10 circuits/Facility/SC (days)	R&B (POTS)	5.65	65			4.200			
B.2.3.1.1.2	P-1	Switch Ports/<10 circuits/Equipment/SC (days)	R&B (POTS)	0.00	0						
B.2.3.1.1.3	P-1	Switch Ports/<10 circuits/Other/SC (days)	R&B (POTS)	7.40	5			5.413			
B.2.3.1.2.1	P-1	Switch Ports/>=10 circuits/Facility/SC (days)	R&B (POTS)	0.00	0						
B.2.3.1.2.2	P-1	Switch Ports/>=10 circuits/Equipment/SC (days)	R&B (POTS)	0.00	0						
B.2.3.1.2.3	P-1	Switch Ports/>=10 circuits/Other/SC (days)	R&B (POTS)	0.00	0						
B.2.3.2.1.1	P-1	Local Interoffice Transport/<10 circuits/Facility/SC (days)	DS1/ DS3 - Interoffice	0.00	0						
B.2.3.2.1.2	P-1	Local Interoffice Transport/<10 circuits/Equipment/SC (days)	DS1/ DS3 - Interoffice	0.00	0						
B.2.3.2.1.3	P-1	Local Interoffice Transport/<10 circuits/Other/SC (days)	DS1/ DS3 - Interoffice	12.50	2			12.021			
B.2.3.2.2.1	P-1	Local Interoffice Transport/>=10 circuits/Facility/SC (days)	DS1/ DS3 - Interoffice								
B.2.3.2.2.2	P-1	Local Interoffice Transport/>=10 circuits/Equipment/SC (days)	DS1/ DS3 - Interoffice								
B.2.3.2.2.3	P-1	Local Interoffice Transport/>=10 circuits/Other/SC (days)	DS1/ DS3 - Interoffice								
B.2.3.3.1.1	P-1	Loop + Port Combinations/<10 circuits/Facility/SC (days)	R&B	5.61	66	7.00	1	4.180	4.21164	-0.3310	YES
B.2.3.3.1.2	P-1	Loop + Port Combinations/<10 circuits/Equipment/SC (days)	R&B	0.00	0	0.00	0				YES
B.2.3.3.1.3	P-1	Loop + Port Combinations/<10 circuits/Other/SC (days)	R&B	7.40	5	0.00	0	5.413			YES
B.2.3.3.2.1	P-1	Loop + Port Combinations/>=10 circuits/Facility/SC (days)	R&B	0.00	0	0.00	0				YES
B.2.3.3.2.2	P-1	Loop + Port Combinations/>=10 circuits/Equipment/SC (days)	R&B	0.00	0	0.00	0				YES
B.2.3.3.2.3	P-1	Loop + Port Combinations/>=10 circuits/Other/SC (days)	R&B	0.00	0	0.00	0				YES
B.2.3.4.1.1	P-1	Combo Other/<10 circuits/Facility/SC (days)	R&B&D - Disp	5.61	66	0.00	0	4.180			YES
B.2.3.4.1.2	P-1	Combo Other/<10 circuits/Equipment/SC (days)	R&B&D - Disp	0.00	0	0.00	0				YES
B.2.3.4.1.3	P-1	Combo Other/<10 circuits/Other/SC (days)	R&B&D - Disp	11.70	10	0.00	0	7.439			YES
B.2.3.4.2.1	P-1	Combo Other/>=10 circuits/Facility/SC (days)	R&B&D - Disp	0.00	0						
B.2.3.4.2.2	P-1	Combo Other/>=10 circuits/Equipment/SC (days)	R&B&D - Disp	0.00	0						
B.2.3.4.2.3	P-1	Combo Other/>=10 circuits/Other/SC (days)	R&B&D - Disp	0.00	0						
B.2.3.5.1.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Facility/SC (days)	ADSL to Retail	11.17	6			5.492			
B.2.3.5.1.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Equipment/SC (days)	ADSL to Retail	0.00	0						
B.2.3.5.1.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Other/SC (days)	ADSL to Retail	0.00	0						
B.2.3.5.2.1	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Facility/SC (days)	ADSL to Retail	0.00	0						
B.2.3.5.2.2	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Equipment/SC (days)	ADSL to Retail	0.00	0						
B.2.3.5.2.3	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Other/SC (days)	ADSL to Retail	0.00	0						
B.2.3.6.1.1	P-1	UNE ISDN/<10 circuits/Facility/SC (days)	ISDN - BRI	0.00	0	0.00	0				YES
B.2.3.6.1.2	P-1	UNE ISDN/<10 circuits/Equipment/SC (days)	ISDN - BRI	0.00	0	0.00	0				YES
B.2.3.6.1.3	P-1	UNE ISDN/<10 circuits/Other/SC (days)	ISDN - BRI	0.00	0	0.00	0				YES
B.2.3.6.2.1	P-1	UNE ISDN/>=10 circuits/Facility/SC (days)	ISDN - BRI								
B.2.3.6.2.2	P-1	UNE ISDN/>=10 circuits/Equipment/SC (days)	ISDN - BRI								
B.2.3.6.2.3	P-1	UNE ISDN/>=10 circuits/Other/SC (days)	ISDN - BRI								
B.2.3.7.1.1	P-1	Line Sharing/<10 circuits/Facility/SC (days)	ADSL to Retail	11.17	6			5.492			
B.2.3.7.1.2	P-1	Line Sharing/<10 circuits/Equipment/SC (days)	ADSL to Retail	0.00	0						
B.2.3.7.1.3	P-1	Line Sharing/<10 circuits/Other/SC (days)	ADSL to Retail	0.00	0						
B.2.3.7.2.1	P-1	Line Sharing/>=10 circuits/Facility/SC (days)	ADSL to Retail	0.00	0						
B.2.3.7.2.2	P-1	Line Sharing/>=10 circuits/Equipment/SC (days)	ADSL to Retail	0.00	0						
B.2.3.7.2.3	P-1	Line Sharing/>=10 circuits/Other/SC (days)	ADSL to Retail	0.00	0						
B.2.3.8.1.1	P-1	2W Analog Loop Design/<10 circuits/Facility/SC (days)	R&B - Disp	5.61	66	0.00	0	4.180			YES
B.2.3.8.1.2	P-1	2W Analog Loop Design/<10 circuits/Equipment/SC (days)	R&B - Disp	0.00	0	0.00	0				YES
B.2.3.8.1.3	P-1	2W Analog Loop Design/<10 circuits/Other/SC (days)	R&B - Disp	7.40	5	0.00	0	5.413			YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.3.8.2.1	P-1	2W Analog Loop Design/>=10 circuits/Facility/SC (days)	R&B - Disp	0.00	0						
B.2.3.8.2.2	P-1	2W Analog Loop Design/>=10 circuits/Equipment/SC (days)	R&B - Disp	0.00	0						
B.2.3.8.2.3	P-1	2W Analog Loop Design/>=10 circuits/Other/SC (days)	R&B - Disp	0.00	0						
B.2.3.9.1.1	P-1	2W Analog Loop Non-Design/<10 circuits/Facility/SC (days)	R&B (POTS) excl SB Or	5.65	65			4.200			
B.2.3.9.1.2	P-1	2W Analog Loop Non-Design/<10 circuits/Equipment/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.9.1.3	P-1	2W Analog Loop Non-Design/<10 circuits/Other/SC (days)	R&B (POTS) excl SB Or	7.40	5			5.413			
B.2.3.9.2.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Facility/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.9.2.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Equipment/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.9.2.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Other/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.10.1.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Facility/SC (days)	R&B - Disp	5.61	66			4.180			
B.2.3.10.1.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Equipment/SC (days)	R&B - Disp	0.00	0						
B.2.3.10.1.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Other/SC (days)	R&B - Disp	7.40	5			5.413			
B.2.3.10.2.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Facility/SC (days)	R&B - Disp	0.00	0						
B.2.3.10.2.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Equipment/SC (days)	R&B - Disp	0.00	0						
B.2.3.10.2.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Other/SC (days)	R&B - Disp	0.00	0						
B.2.3.11.1.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Facility/SC (days)	R&B (POTS) excl SB Or	5.65	65			4.200			
B.2.3.11.1.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Equipment/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.11.1.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Other/SC (days)	R&B (POTS) excl SB Or	7.40	5			5.413			
B.2.3.11.2.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Facility/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.11.2.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Equipment/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.11.2.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Other/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.12.1.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Facility/SC (days)	R&B - Disp	5.61	66	0.00	0	4.180			YES
B.2.3.12.1.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Equipment/SC (days)	R&B - Disp	0.00	0	0.00	0				YES
B.2.3.12.1.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Other/SC (days)	R&B - Disp	7.40	5	0.00	0	5.413			YES
B.2.3.12.2.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Facility/SC (days)	R&B - Disp	0.00	0						
B.2.3.12.2.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Equipment/SC (days)	R&B - Disp	0.00	0						
B.2.3.12.2.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Other/SC (days)	R&B - Disp	0.00	0						
B.2.3.13.1.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Facility/SC (days)	R&B (POTS) excl SB Or	5.65	65			4.200			
B.2.3.13.1.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Equipment/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.13.1.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Other/SC (days)	R&B (POTS) excl SB Or	7.40	5			5.413			
B.2.3.13.2.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Facility/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.13.2.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Equipment/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.13.2.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Other/SC (days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.14.1.1	P-1	Other Design/<10 circuits/Facility/SC (days)	Design	0.00	0						
B.2.3.14.1.2	P-1	Other Design/<10 circuits/Equipment/SC (days)	Design	0.00	0						
B.2.3.14.1.3	P-1	Other Design/<10 circuits/Other/SC (days)	Design	16.00	5			7.000			
B.2.3.14.2.1	P-1	Other Design/>=10 circuits/Facility/SC (days)	Design	0.00	0						
B.2.3.14.2.2	P-1	Other Design/>=10 circuits/Equipment/SC (days)	Design	0.00	0						
B.2.3.14.2.3	P-1	Other Design/>=10 circuits/Other/SC (days)	Design	0.00	0						
B.2.3.15.1.1	P-1	Other Non-Design/<10 circuits/Facility/SC (days)	R&B	5.61	66			4.180			
B.2.3.15.1.2	P-1	Other Non-Design/<10 circuits/Equipment/SC (days)	R&B	0.00	0						
B.2.3.15.1.3	P-1	Other Non-Design/<10 circuits/Other/SC (days)	R&B	7.40	5			5.413			
B.2.3.15.2.1	P-1	Other Non-Design/>=10 circuits/Facility/SC (days)	R&B	0.00	0						
B.2.3.15.2.2	P-1	Other Non-Design/>=10 circuits/Equipment/SC (days)	R&B	0.00	0						
B.2.3.15.2.3	P-1	Other Non-Design/>=10 circuits/Other/SC (days)	R&B	0.00	0						
B.2.3.16.1.1	P-1	INP (Standalone)/<10 circuits/Facility/SC (days)	R&B (POTS)	5.65	65			4.200			
B.2.3.16.1.2	P-1	INP (Standalone)/<10 circuits/Equipment/SC (days)	R&B (POTS)	0.00	0						
B.2.3.16.1.3	P-1	INP (Standalone)/<10 circuits/Other/SC (days)	R&B (POTS)	7.40	5			5.413			
B.2.3.16.2.1	P-1	INP (Standalone)/>=10 circuits/Facility/SC (days)	R&B (POTS)	0.00	0						
B.2.3.16.2.2	P-1	INP (Standalone)/>=10 circuits/Equipment/SC (days)	R&B (POTS)	0.00	0						
B.2.3.16.2.3	P-1	INP (Standalone)/>=10 circuits/Other/SC (days)	R&B (POTS)	0.00	0						
B.2.3.17.1.1	P-1	LNP (Standalone)/<10 circuits/Facility/SC (days)	R&B (POTS)	5.65	65	0.00	0	4.200			YES
B.2.3.17.1.2	P-1	LNP (Standalone)/<10 circuits/Equipment/SC (days)	R&B (POTS)	0.00	0	0.00	0				YES
B.2.3.17.1.3	P-1	LNP (Standalone)/<10 circuits/Other/SC (days)	R&B (POTS)	7.40	5	0.00	0	5.413			YES
B.2.3.17.2.1	P-1	LNP (Standalone)/>=10 circuits/Facility/SC (days)	R&B (POTS)	0.00	0	0.00	0				YES
B.2.3.17.2.2	P-1	LNP (Standalone)/>=10 circuits/Equipment/SC (days)	R&B (POTS)	0.00	0	0.00	0				YES
B.2.3.17.2.3	P-1	LNP (Standalone)/>=10 circuits/Other/SC (days)	R&B (POTS)	0.00	0	0.00	0				YES
B.2.3.18.1.1	P-1	Digital Loop < DS1/<10 circuits/Facility/SC (days)	Digital Loop < DS1	11.17	6	0.00	0	5.492			YES
B.2.3.18.1.2	P-1	Digital Loop < DS1/<10 circuits/Equipment/SC (days)	Digital Loop < DS1	0.00	0	0.00	0				YES
B.2.3.18.1.3	P-1	Digital Loop < DS1/<10 circuits/Other/SC (days)	Digital Loop < DS1	0.00	0	0.00	0				YES
B.2.3.18.2.1	P-1	Digital Loop < DS1/>=10 circuits/Facility/SC (days)	Digital Loop < DS1	0.00	0						

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.3.18.2.2	P-1	Digital Loop < DS1/>=10 circuits/Equipment/SC (days)	Digital Loop < DS1	0.00	0						
B.2.3.18.2.3	P-1	Digital Loop < DS1/>=10 circuits/Other/SC (days)	Digital Loop < DS1	0.00	0						
B.2.3.19.1.1	P-1	Digital Loop >= DS1/<10 circuits/Facility/SC (days)	Digital Loop >= DS1	0.00	0	0.00	0				YES
B.2.3.19.1.2	P-1	Digital Loop >= DS1/<10 circuits/Equipment/SC (days)	Digital Loop >= DS1	0.00	0	0.00	0				YES
B.2.3.19.1.3	P-1	Digital Loop >= DS1/<10 circuits/Other/SC (days)	Digital Loop >= DS1	0.00	0	0.00	0				YES
B.2.3.19.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Facility/SC (days)	Digital Loop >= DS1	0.00	0						
B.2.3.19.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Equipment/SC (days)	Digital Loop >= DS1	0.00	0						
B.2.3.19.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Other/SC (days)	Digital Loop >= DS1	0.00	0						
	% Jeopardies - Mechanized										
B.2.5.1	P-2	Switch Ports/SC (%)	R&B (POTS)	0.43%	157,548						
B.2.5.2	P-2	Local Interoffice Transport/SC (%)	DS1/ DS3 - Interoffice	46.05%	367						
B.2.5.3	P-2	Loop + Port Combinations/SC (%)	R&B	0.44%	158,389	0.12%	4,309		0.00102	3.1706	YES
B.2.5.4	P-2	Combo Other/SC (%)	R&B&D - Disp	7.80%	10,931						
B.2.5.5	P-2	xDSL (ADSL, HDSL and UCL)/SC (%)	ADSL to Retail	15.14%	2,001						
B.2.5.6	P-2	UNE ISDN/SC (%)	ISDN - BRI	7.75%	129	100.00%	1		0.26845	-3.4363	NO
B.2.5.7	P-2	Line Sharing/SC (%)	ADSL to Retail	15.14%	2,001						
B.2.5.8	P-2	2W Analog Loop Design/SC (%)	R&B - Disp	0.44%	158,389	13.73%	51		0.00927	-14.3316	NO
B.2.5.9	P-2	2W Analog Loop Non-Design/SC (%)	R&B (POTS) excl SB Or	0.76%	89,455						
B.2.5.10	P-2	2W Analog Loop w/INP Design/SC (%)	R&B - Disp	0.44%	158,389						
B.2.5.11	P-2	2W Analog Loop w/INP Non-Design/SC (%)	R&B (POTS) excl SB Or	0.76%	89,455						
B.2.5.12	P-2	2W Analog Loop w/LNP Design/SC (%)	R&B - Disp	0.44%	158,389	9.68%	31		0.01189	-7.7694	NO
B.2.5.13	P-2	2W Analog Loop w/LNP Non-Design/SC (%)	R&B (POTS) excl SB Or	0.76%	89,455						
B.2.5.14	P-2	Other Design/SC (%)	Design	15.57%	1,015						
B.2.5.15	P-2	Other Non-Design/SC (%)	R&B	0.44%	158,389						
B.2.5.16	P-2	INP (Standalone)/SC (%)	R&B (POTS)	0.43%	157,548						
B.2.5.17	P-2	LNP (Standalone)/SC (%)	R&B (POTS)	0.43%	157,548	0.00%	298		0.00379	1.1321	YES
B.2.5.18	P-2	Digital Loop < DS1/SC (%)	Digital Loop < DS1	15.83%	2,419	100.00%	1		0.36513	-2.3052	NO
B.2.5.19	P-2	Digital Loop >= DS1/SC (%)	Digital Loop >= DS1	17.48%	143	67.24%	58		0.05913	-8.4155	NO
	% Jeopardies - Non-Mechanized										
B.2.6.1	P-2	Switch Ports/SC (%)	Diagnostic								Diagnostic
B.2.6.2	P-2	Local Interoffice Transport/SC (%)	Diagnostic								Diagnostic
B.2.6.3	P-2	Loop + Port Combinations/SC (%)	Diagnostic			1.60%	125				Diagnostic
B.2.6.4	P-2	Combo Other/SC (%)	Diagnostic			60.47%	43				Diagnostic
B.2.6.5	P-2	xDSL (ADSL, HDSL and UCL)/SC (%)	Diagnostic								Diagnostic
B.2.6.6	P-2	UNE ISDN/SC (%)	Diagnostic			12.50%	16				Diagnostic
B.2.6.7	P-2	Line Sharing/SC (%)	Diagnostic								Diagnostic
B.2.6.8	P-2	2W Analog Loop Design/SC (%)	Diagnostic			5.88%	17				Diagnostic
B.2.6.9	P-2	2W Analog Loop Non-Design/SC (%)	Diagnostic								Diagnostic
B.2.6.10	P-2	2W Analog Loop w/INP Design/SC (%)	Diagnostic								Diagnostic
B.2.6.11	P-2	2W Analog Loop w/INP Non-Design/SC (%)	Diagnostic								Diagnostic
B.2.6.12	P-2	2W Analog Loop w/LNP Design/SC (%)	Diagnostic								Diagnostic
B.2.6.13	P-2	2W Analog Loop w/LNP Non-Design/SC (%)	Diagnostic								Diagnostic
B.2.6.14	P-2	Other Design/SC (%)	Diagnostic								Diagnostic
B.2.6.15	P-2	Other Non-Design/SC (%)	Diagnostic								Diagnostic
B.2.6.16	P-2	INP (Standalone)/SC (%)	Diagnostic								Diagnostic
B.2.6.17	P-2	LNP (Standalone)/SC (%)	Diagnostic			0.00%	130				Diagnostic
B.2.6.18	P-2	Digital Loop < DS1/SC (%)	Diagnostic			12.50%	16				Diagnostic
B.2.6.19	P-2	Digital Loop >= DS1/SC (%)	Diagnostic			38.46%	26				Diagnostic
	Average Jeopardy Notice Interval - Mechanized										
B.2.8.1	P-2	Switch Ports/SC (hours)	>= 48 hrs								
B.2.8.2	P-2	Local Interoffice Transport/SC (hours)	>= 48 hrs								
B.2.8.3	P-2	Loop + Port Combinations/SC (hours)	>= 48 hrs			201.43	4				YES
B.2.8.4	P-2	Combo Other/SC (hours)	>= 48 hrs								
B.2.8.5	P-2	xDSL (ADSL, HDSL and UCL)/SC (hours)	>= 48 hrs								
B.2.8.6	P-2	UNE ISDN/SC (hours)	>= 48 hrs			362.28	1				YES
B.2.8.7	P-2	Line Sharing/SC (hours)	>= 48 hrs								
B.2.8.8	P-2	2W Analog Loop Design/SC (hours)	>= 48 hrs			185.75	7				YES
B.2.8.9	P-2	2W Analog Loop Non-Design/SC (hours)	>= 48 hrs								
B.2.8.10	P-2	2W Analog Loop w/INP Design/SC (hours)	>= 48 hrs								

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.8.11	P-2	2W Analog Loop w/INP Non-Design/SC (hours)	>= 48 hrs								
B.2.8.12	P-2	2W Analog Loop w/LNP Design/SC (hours)	>= 48 hrs			241.63	3				YES
B.2.8.13	P-2	2W Analog Loop w/LNP Non-Design/SC (hours)	>= 48 hrs								
B.2.8.14	P-2	Other Design/SC (hours)	>= 48 hrs								
B.2.8.15	P-2	Other Non-Design/SC (hours)	>= 48 hrs								
B.2.8.16	P-2	INP (Standalone)/SC (hours)	>= 48 hrs								
B.2.8.17	P-2	LNP (Standalone)/SC (hours)	>= 48 hrs								
B.2.8.18	P-2	Digital Loop < DS1/SC (hours)	>= 48 hrs			362.28	1				YES
B.2.8.19	P-2	Digital Loop >= DS1/SC (hours)	>= 48 hrs			198.18	39				YES
	Average Jeopardy Notice Interval - Non-Mechanized										
B.2.9.1	P-2	Switch Ports/SC (hours)	Diagnostic								Diagnostic
B.2.9.2	P-2	Local Interoffice Transport/SC (hours)	Diagnostic								Diagnostic
B.2.9.3	P-2	Loop + Port Combinations/SC (hours)	Diagnostic			522.77	2				Diagnostic
B.2.9.4	P-2	Combo Other/SC (hours)	Diagnostic			348.29	25				Diagnostic
B.2.9.5	P-2	xDSL (ADSL, HDSL and UCL)/SC (hours)	Diagnostic								Diagnostic
B.2.9.6	P-2	UNE ISDN/SC (hours)	Diagnostic			323.08	2				Diagnostic
B.2.9.7	P-2	Line Sharing/SC (hours)	Diagnostic								Diagnostic
B.2.9.8	P-2	2W Analog Loop Design/SC (hours)	Diagnostic			274.88	1				Diagnostic
B.2.9.9	P-2	2W Analog Loop Non-Design/SC (hours)	Diagnostic								Diagnostic
B.2.9.10	P-2	2W Analog Loop w/INP Design/SC (hours)	Diagnostic								Diagnostic
B.2.9.11	P-2	2W Analog Loop w/INP Non-Design/SC (hours)	Diagnostic								Diagnostic
B.2.9.12	P-2	2W Analog Loop w/LNP Design/SC (hours)	Diagnostic								Diagnostic
B.2.9.13	P-2	2W Analog Loop w/LNP Non-Design/SC (hours)	Diagnostic								Diagnostic
B.2.9.14	P-2	Other Design/SC (hours)	Diagnostic								Diagnostic
B.2.9.15	P-2	Other Non-Design/SC (hours)	Diagnostic								Diagnostic
B.2.9.16	P-2	INP (Standalone)/SC (hours)	Diagnostic								Diagnostic
B.2.9.17	P-2	LNP (Standalone)/SC (hours)	Diagnostic								Diagnostic
B.2.9.18	P-2	Digital Loop < DS1/SC (hours)	Diagnostic			323.08	2				Diagnostic
B.2.9.19	P-2	Digital Loop >= DS1/SC (hours)	Diagnostic			256.24	10				Diagnostic
	% Jeopardy Notice >= 48 hours - Mechanized										
B.2.10.1	P-2	Switch Ports/SC (%)	95% >= 48 hrs								
B.2.10.2	P-2	Local Interoffice Transport/SC (%)	95% >= 48 hrs								
B.2.10.3	P-2	Loop + Port Combinations/SC (%)	95% >= 48 hrs			100.00%	4				YES
B.2.10.4	P-2	Combo Other/SC (%)	95% >= 48 hrs								
B.2.10.5	P-2	xDSL (ADSL, HDSL and UCL)/SC (%)	95% >= 48 hrs								
B.2.10.6	P-2	UNE ISDN/SC (%)	95% >= 48 hrs			100.00%	1				YES
B.2.10.7	P-2	Line Sharing/SC (%)	95% >= 48 hrs								
B.2.10.8	P-2	2W Analog Loop Design/SC (%)	95% >= 48 hrs			100.00%	7				YES
B.2.10.9	P-2	2W Analog Loop Non-Design/SC (%)	95% >= 48 hrs								
B.2.10.10	P-2	2W Analog Loop w/INP Design/SC (%)	95% >= 48 hrs								
B.2.10.11	P-2	2W Analog Loop w/INP Non-Design/SC (%)	95% >= 48 hrs								
B.2.10.12	P-2	2W Analog Loop w/LNP Design/SC (%)	95% >= 48 hrs			100.00%	3				YES
B.2.10.13	P-2	2W Analog Loop w/LNP Non-Design/SC (%)	95% >= 48 hrs								
B.2.10.14	P-2	Other Design/SC (%)	95% >= 48 hrs								
B.2.10.15	P-2	Other Non-Design/SC (%)	95% >= 48 hrs								
B.2.10.16	P-2	INP (Standalone)/SC (%)	95% >= 48 hrs								
B.2.10.17	P-2	LNP (Standalone)/SC (%)	95% >= 48 hrs								
B.2.10.18	P-2	Digital Loop < DS1/SC (%)	95% >= 48 hrs			100.00%	1				YES
B.2.10.19	P-2	Digital Loop >= DS1/SC (%)	95% >= 48 hrs			100.00%	39				YES
	% Jeopardy Notice >= 48 hours - Non-Mechanized										
B.2.11.1	P-2	Switch Ports/SC (%)	Diagnostic								Diagnostic
B.2.11.2	P-2	Local Interoffice Transport/SC (%)	Diagnostic								Diagnostic
B.2.11.3	P-2	Loop + Port Combinations/SC (%)	Diagnostic			100.00%	2				Diagnostic
B.2.11.4	P-2	Combo Other/SC (%)	Diagnostic			100.00%	25				Diagnostic
B.2.11.5	P-2	xDSL (ADSL, HDSL and UCL)/SC (%)	Diagnostic								Diagnostic
B.2.11.6	P-2	UNE ISDN/SC (%)	Diagnostic			100.00%	2				Diagnostic
B.2.11.7	P-2	Line Sharing/SC (%)	Diagnostic								Diagnostic
B.2.11.8	P-2	2W Analog Loop Design/SC (%)	Diagnostic			100.00%	1				Diagnostic
B.2.11.9	P-2	2W Analog Loop Non-Design/SC (%)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.11.10	P-2	2W Analog Loop w/INP Design/SC (%)	Diagnostic								Diagnostic
B.2.11.11	P-2	2W Analog Loop w/INP Non-Design/SC (%)	Diagnostic								Diagnostic
B.2.11.12	P-2	2W Analog Loop w/LNP Design/SC (%)	Diagnostic								Diagnostic
B.2.11.13	P-2	2W Analog Loop w/LNP Non-Design/SC (%)	Diagnostic								Diagnostic
B.2.11.14	P-2	Other Design/SC (%)	Diagnostic								Diagnostic
B.2.11.15	P-2	Other Non-Design/SC (%)	Diagnostic								Diagnostic
B.2.11.16	P-2	INP (Standalone)/SC (%)	Diagnostic								Diagnostic
B.2.11.17	P-2	LNP (Standalone)/SC (%)	Diagnostic								Diagnostic
B.2.11.18	P-2	Digital Loop < DS1/SC (%)	Diagnostic			100.00%	2				Diagnostic
B.2.11.19	P-2	Digital Loop >= DS1/SC (%)	Diagnostic			100.00%	10				Diagnostic
		Coordinated Customers Conversions									
B.2.12.1	P-7	Loops with INP/SC (%)	>= 95% w in 15 min								
B.2.12.2	P-7	Loops with LNP/SC (%)	>= 95% w in 15 min			100.00%	96				YES
		% Hot Cuts > 15 minutes Early									
B.2.13.1	P-7A	Time-Specific SL1/SC (%)	<= 5%								
B.2.13.2	P-7A	Time-Specific SL2/SC (%)	<= 5%								
B.2.13.3	P-7A	Non-Time Specific SL1/SC (%)	<= 5%								
B.2.13.4	P-7A	Non-Time Specific SL2/SC (%)	<= 5%			0.00%	29				YES
		Hot Cut Timeliness									
B.2.14.1	P-7A	Time-Specific SL1/SC (%)	>= 95% w in 15 min								
B.2.14.2	P-7A	Time-Specific SL2/SC (%)	>= 95% w in 15 min								
B.2.14.3	P-7A	Non-Time Specific SL1/SC (%)	>= 95% w in 15 min								
B.2.14.4	P-7A	Non-Time Specific SL2/SC (%)	>= 95% w in 15 min			100.00%	29				YES
		% Hot Cuts > 15 minutes Late									
B.2.15.1	P-7A	Time-Specific SL1/SC (%)	<= 5%								
B.2.15.2	P-7A	Time-Specific SL2/SC (%)	<= 5%								
B.2.15.3	P-7A	Non-Time Specific SL1/SC (%)	<= 5%								
B.2.15.4	P-7A	Non-Time Specific SL2/SC (%)	<= 5%			0.00%	29				YES
		Average Recovery Time - CCC									
B.2.16.1	P-7B	Loops with INP/SC (minutes)	Diagnostic								Diagnostic
B.2.16.2	P-7B	Loops with LNP/SC (minutes)	Diagnostic			43.00	1				Diagnostic
		% Provisioning Troubles within 7 Days - Hot Cuts									
B.2.17.1.1	P-7C	UNE Loop Design/Dispatch/SC (%)	<= 5%			6.82%	132				NO
B.2.17.1.2	P-7C	UNE Loop Design/Non-Dispatch/SC (%)	<= 5%								
B.2.17.2.1	P-7C	UNE Loop Non-Design/Dispatch/SC (%)	<= 5%								
B.2.17.2.2	P-7C	UNE Loop Non-Design/Non-Dispatch/SC (%)	<= 5%								
		% Missed Installation Appointments									
B.2.18.1.1.1	P-3	Switch Ports/<10 circuits/Dispatch/SC (%)	R&B (POTS)	7.69%	9,931						
B.2.18.1.1.2	P-3	Switch Ports/<10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.01%	147,979						
B.2.18.1.2.1	P-3	Switch Ports/>=10 circuits/Dispatch/SC (%)	R&B (POTS)	2.70%	37						
B.2.18.1.2.2	P-3	Switch Ports/>=10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.00%	1						
B.2.18.2.1.1	P-3	Local Interoffice Transport/<10 circuits/Dispatch/SC (%)	DS1/DS3	0.79%	380						
B.2.18.2.1.2	P-3	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (%)	DS1/DS3								
B.2.18.2.2.1	P-3	Local Interoffice Transport/>=10 circuits/Dispatch/SC (%)	DS1/DS3								
B.2.18.2.2.2	P-3	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (%)	DS1/DS3								
B.2.18.3.1.1	P-3	Loop + Port Combinations/<10 circuits/Dispatch/SC (%)	R&B	7.62%	10,123	1.97%	152		0.02168	2.6031	YES
B.2.18.3.1.2	P-3	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (%)	R&B	0.01%	148,542	0.02%	4,281		0.00015	-0.9259	YES
B.2.18.3.1.3	P-3	Loop + Port Combinations/<10 circuits/Switch Based Orders/SC (%)	R&B	0.00%	68,528	0.00%	2,250		0.00000		YES
B.2.18.3.1.4	P-3	Loop + Port Combinations/<10 circuits/Dispatch In/SC (%)	R&B	0.02%	80,014	0.05%	2,031		0.00030	-1.0680	YES
B.2.18.3.2.1	P-3	Loop + Port Combinations/>=10 circuits/Dispatch/SC (%)	R&B	4.00%	50	0.00%	1		0.19791	0.2021	YES
B.2.18.3.2.2	P-3	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (%)	R&B	0.00%	87						
B.2.18.3.2.3	P-3	Loop + Port Combinations/>=10 circuits/Switch Based Orders/SC (%)	R&B	0.00%	49						
B.2.18.3.2.4	P-3	Loop + Port Combinations/>=10 circuits/Dispatch In/SC (%)	R&B	0.00%	38						
B.2.18.4.1.1	P-3	Combo Other/<10 circuits/Dispatch/SC (%)	R&B&D - Disp	7.44%	10,974	4.35%	46		0.03878	0.7985	YES
B.2.18.4.1.4	P-3	Combo Other/<10 circuits/Dispatch In/SC (%)	R&B&D - Disp	7.44%	10,974						
B.2.18.4.2.1	P-3	Combo Other/>=10 circuits/Dispatch/SC (%)	R&B&D - Disp	3.92%	51						

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.18.4.2.4	P-3	Combo Other/>=10 circuits/Dispatch In/SC (%)	R&B&D - Disp	3.92%	51						
B.2.18.5.1.1	P-3	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (%)	ADSL to Retail	3.07%	1,269						
B.2.18.5.1.2	P-3	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (%)	ADSL to Retail	0.00%	1,040						
B.2.18.5.2.1	P-3	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (%)	ADSL to Retail	0.00%	2						
B.2.18.5.2.2	P-3	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (%)	ADSL to Retail								
B.2.18.6.1.1	P-3	UNE ISDN/<10 circuits/Dispatch/SC (%)	ISDN - BRI	2.53%	79	0.00%	14		0.04555	0.5558	YES
B.2.18.6.1.2	P-3	UNE ISDN/<10 circuits/Non-Dispatch/SC (%)	ISDN - BRI	0.00%	57						
B.2.18.6.2.1	P-3	UNE ISDN/>=10 circuits/Dispatch/SC (%)	ISDN - BRI								
B.2.18.6.2.2	P-3	UNE ISDN/>=10 circuits/Non-Dispatch/SC (%)	ISDN - BRI								
B.2.18.7.1.1	P-3	Line Sharing/<10 circuits/Dispatch/SC (%)	ADSL to Retail	3.07%	1,269						
B.2.18.7.1.2	P-3	Line Sharing/<10 circuits/Non-Dispatch/SC (%)	ADSL to Retail	0.00%	1,040						
B.2.18.7.2.1	P-3	Line Sharing/>=10 circuits/Dispatch/SC (%)	ADSL to Retail	0.00%	2						
B.2.18.7.2.2	P-3	Line Sharing/>=10 circuits/Non-Dispatch/SC (%)	ADSL to Retail								
B.2.18.8.1.1	P-3	2W Analog Loop Design/<10 circuits/Dispatch/SC (%)	R&B - Disp	7.62%	10,123	0.00%	62		0.03379	2.2540	YES
B.2.18.8.1.2	P-3	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (%)	R&B - Disp	7.62%	10,123						
B.2.18.8.2.1	P-3	2W Analog Loop Design/>=10 circuits/Dispatch/SC (%)	R&B - Disp	4.00%	50						
B.2.18.8.2.2	P-3	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (%)	R&B - Disp	4.00%	50						
B.2.18.9.1.1	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	7.69%	9,931						
B.2.18.9.1.4	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or	0.02%	79,809						
B.2.18.9.2.1	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	2.70%	37						
B.2.18.9.2.4	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or								
B.2.18.10.1.1	P-3	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (%)	R&B - Disp	7.62%	10,123						
B.2.18.10.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (%)	R&B - Disp	7.62%	10,123						
B.2.18.10.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (%)	R&B - Disp	4.00%	50						
B.2.18.10.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (%)	R&B - Disp	4.00%	50						
B.2.18.11.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	7.69%	9,931						
B.2.18.11.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or	0.02%	79,809						
B.2.18.11.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	2.70%	37						
B.2.18.11.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or								
B.2.18.12.1.1	P-12	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (%)	R&B - Disp	7.62%	10,123	0.00%	30		0.04850	1.5703	YES
B.2.18.12.1.2	P-12	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (%)	R&B - Disp	7.62%	10,123						
B.2.18.12.2.1	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (%)	R&B - Disp	4.00%	50						
B.2.18.12.2.2	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (%)	R&B - Disp	4.00%	50						
B.2.18.13.1.1	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	7.69%	9,931						
B.2.18.13.1.4	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or	0.02%	79,809						
B.2.18.13.2.1	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	2.70%	37						
B.2.18.13.2.4	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or								
B.2.18.14.1.1	P-3	Other Design/<10 circuits/Dispatch/SC (%)	Design	5.41%	851						
B.2.18.14.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/SC (%)	Design	1.56%	128						
B.2.18.14.2.1	P-3	Other Design/>=10 circuits/Dispatch/SC (%)	Design	0.00%	1						
B.2.18.14.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/SC (%)	Design								
B.2.18.15.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/SC (%)	R&B	7.62%	10,123						
B.2.18.15.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/SC (%)	R&B	0.01%	148,542						
B.2.18.15.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/SC (%)	R&B	4.00%	50						
B.2.18.15.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/SC (%)	R&B	0.00%	87						
B.2.18.16.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/SC (%)	R&B (POTS)	7.69%	9,931						
B.2.18.16.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.01%	147,979						
B.2.18.16.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/SC (%)	R&B (POTS)	2.70%	37						
B.2.18.16.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.00%	1						
B.2.18.17.1.1	P-12	LNP (Standalone)/<10 circuits/Dispatch/SC (%)	R&B (POTS)	7.69%	9,931	0.00%	3		0.15388	0.5000	YES
B.2.18.17.1.2	P-12	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.01%	147,979	0.00%	421		0.00047	0.1993	YES
B.2.18.17.2.1	P-12	LNP (Standalone)/>=10 circuits/Dispatch/SC (%)	R&B (POTS)	2.70%	37						
B.2.18.17.2.2	P-12	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.00%	1	0.00%	3		0.00000		YES
B.2.18.18.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/SC (%)	Digital Loop < DS1	3.77%	1,537	0.00%	14		0.05116	0.7376	YES
B.2.18.18.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (%)	Digital Loop < DS1	0.17%	1,199						
B.2.18.18.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/SC (%)	Digital Loop < DS1	0.00%	2						
B.2.18.18.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (%)	Digital Loop < DS1								
B.2.18.19.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/SC (%)	Digital Loop >= DS1	1.19%	84	1.18%	85		0.01669	0.0084	YES
B.2.18.19.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (%)	Digital Loop >= DS1	0.00%	49						
B.2.18.19.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (%)	Digital Loop >= DS1								

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.18.19.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (%)	Digital Loop >= DS1	0.00%	17						
		% Provisioning Troubles within 30 Days									
B.2.19.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/SC (%)	R&B (POTS)	11.52%	11,559						
B.2.19.1.1.2	P-9	Switch Ports/<10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	2.83%	161,590						
B.2.19.1.2.1	P-9	Switch Ports/>=10 circuits/Dispatch/SC (%)	R&B (POTS)	37.04%	27						
B.2.19.1.2.2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.00%	1						
B.2.19.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/SC (%)	DS1/DS3	7.98%	376						
B.2.19.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (%)	DS1/DS3								
B.2.19.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/SC (%)	DS1/DS3								
B.2.19.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (%)	DS1/DS3								
B.2.19.3.1.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/SC (%)	R&B	11.51%	11,805	18.13%	171		0.02458	-2.6915	NO
B.2.19.3.1.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (%)	R&B	2.84%	162,516	3.55%	3,550		0.00282	-2.5203	NO
B.2.19.3.1.3	P-9	Loop + Port Combinations/<10 circuits/Switch Based Orders/SC (%)	R&B	2.62%	75,042	3.14%	1,658		0.00396	-1.3133	YES
B.2.19.3.1.4	P-9	Loop + Port Combinations/<10 circuits/Dispatch In/SC (%)	R&B	3.03%	87,474	3.91%	1,892		0.00398	-2.2106	NO
B.2.19.3.2.1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/SC (%)	R&B	28.57%	42	0.00%	4		0.23639	1.2087	YES
B.2.19.3.2.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (%)	R&B	8.89%	90	0.00%	2		0.20345	0.4369	YES
B.2.19.3.2.3	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/SC (%)	R&B	21.43%	14						
B.2.19.3.2.4	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/SC (%)	R&B	6.58%	76	0.00%	2		0.17759	0.3705	YES
B.2.19.4.1.1	P-9	Combo Other/<10 circuits/Dispatch/SC (%)	R&B&D - Disp	11.16%	12,593	6.45%	62		0.04010	1.1755	YES
B.2.19.4.1.4	P-9	Combo Other/<10 circuits/Dispatch In/SC (%)	R&B&D - Disp	11.16%	12,593						
B.2.19.4.2.1	P-9	Combo Other/>=10 circuits/Dispatch/SC (%)	R&B&D - Disp	27.91%	43						
B.2.19.4.2.4	P-9	Combo Other/>=10 circuits/Dispatch In/SC (%)	R&B&D - Disp	27.91%	43						
B.2.19.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (%)	ADSL to Retail	3.14%	829	0.00%	7		0.06616	0.4741	YES
B.2.19.5.1.2	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (%)	ADSL to Retail	1.69%	1,066						
B.2.19.5.2.1	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (%)	ADSL to Retail	0.00%	1						
B.2.19.5.2.2	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (%)	ADSL to Retail	0.00%	1						
B.2.19.6.1.1	P-9	UNE ISDN/<10 circuits/Dispatch/SC (%)	ISDN - BRI	7.23%	83	3.33%	30		0.05517	0.7061	YES
B.2.19.6.1.2	P-9	UNE ISDN/<10 circuits/Non-Dispatch/SC (%)	ISDN - BRI	7.55%	53						
B.2.19.6.2.1	P-9	UNE ISDN/>=10 circuits/Dispatch/SC (%)	ISDN - BRI								
B.2.19.6.2.2	P-9	UNE ISDN/>=10 circuits/Non-Dispatch/SC (%)	ISDN - BRI								
B.2.19.7.1.1	P-9	Line Sharing/<10 circuits/Dispatch/SC (%)	ADSL to Retail	3.14%	829						
B.2.19.7.1.2	P-9	Line Sharing/<10 circuits/Non-Dispatch/SC (%)	ADSL to Retail	1.69%	1,066						
B.2.19.7.2.1	P-9	Line Sharing/>=10 circuits/Dispatch/SC (%)	ADSL to Retail	0.00%	1						
B.2.19.7.2.2	P-9	Line Sharing/>=10 circuits/Non-Dispatch/SC (%)	ADSL to Retail	0.00%	1						
B.2.19.8.1.1	P-9	2W Analog Loop Design/<10 circuits/Dispatch/SC (%)	R&B - Disp	11.51%	11,805	16.67%	36		0.05328	-0.9675	YES
B.2.19.8.1.2	P-9	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (%)	R&B - Disp	11.51%	11,805						
B.2.19.8.2.1	P-9	2W Analog Loop Design/>=10 circuits/Dispatch/SC (%)	R&B - Disp	28.57%	42						
B.2.19.8.2.2	P-9	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (%)	R&B - Disp	28.57%	42						
B.2.19.9.1.1	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	11.52%	11,559						
B.2.19.9.1.4	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or	3.03%	86,901						
B.2.19.9.2.1	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	37.04%	27						
B.2.19.9.2.4	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or								
B.2.19.10.1.1	P-9	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (%)	R&B - Disp	11.51%	11,805						
B.2.19.10.1.2	P-9	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (%)	R&B - Disp	11.51%	11,805						
B.2.19.10.2.1	P-9	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (%)	R&B - Disp	28.57%	42						
B.2.19.10.2.2	P-9	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (%)	R&B - Disp	28.57%	42						
B.2.19.11.1.1	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	11.52%	11,559						
B.2.19.11.1.4	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or	3.03%	86,901						
B.2.19.11.2.1	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	37.04%	27						
B.2.19.11.2.4	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or								
B.2.19.12.1.1	P-9	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (%)	R&B - Disp	11.51%	11,805	4.65%	43		0.04876	1.4070	YES
B.2.19.12.1.2	P-9	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (%)	R&B - Disp	11.51%	11,805						
B.2.19.12.2.1	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (%)	R&B - Disp	28.57%	42						
B.2.19.12.2.2	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (%)	R&B - Disp	28.57%	42						
B.2.19.13.1.1	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	11.52%	11,559						
B.2.19.13.1.4	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or	3.03%	86,901						
B.2.19.13.2.1	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (%)	R&B (POTS) excl SB Or	37.04%	27						
B.2.19.13.2.4	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/SC (%)	R&B (POTS) excl SB Or								
B.2.19.14.1.1	P-9	Other Design/<10 circuits/Dispatch/SC (%)	Design	5.96%	788	0.00%	2		0.16767	0.3557	YES
B.2.19.14.1.2	P-9	Other Design/<10 circuits/Non-Dispatch/SC (%)	Design	4.47%	179						

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.19.14.2.1	P-9	Other Design/>=10 circuits/Dispatch/SC (%)	Design	0.00%	1						
B.2.19.14.2.2	P-9	Other Design/>=10 circuits/Non-Dispatch/SC (%)	Design								
B.2.19.15.1.1	P-9	Other Non-Design/<10 circuits/Dispatch/SC (%)	R&B	11.51%	11,805						
B.2.19.15.1.2	P-9	Other Non-Design/<10 circuits/Non-Dispatch/SC (%)	R&B	2.84%	162,516						
B.2.19.15.2.1	P-9	Other Non-Design/>=10 circuits/Dispatch/SC (%)	R&B	28.57%	42						
B.2.19.15.2.2	P-9	Other Non-Design/>=10 circuits/Non-Dispatch/SC (%)	R&B	8.89%	90						
B.2.19.16.1.1	P-9	INP (Standalone)/<10 circuits/Dispatch/SC (%)	R&B (POTS)	11.52%	11,559						
B.2.19.16.1.2	P-9	INP (Standalone)/<10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	2.83%	161,590						
B.2.19.16.2.1	P-9	INP (Standalone)/>=10 circuits/Dispatch/SC (%)	R&B (POTS)	37.04%	27						
B.2.19.16.2.2	P-9	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.00%	1						
B.2.19.17.1.1	P-9	LNP (Standalone)/<10 circuits/Dispatch/SC (%)	R&B (POTS)	11.52%	11,559	0.00%	3		0.18437	0.6250	YES
B.2.19.17.1.2	P-9	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	2.83%	161,590	0.00%	507		0.00737	3.8358	YES
B.2.19.17.2.1	P-9	LNP (Standalone)/>=10 circuits/Dispatch/SC (%)	R&B (POTS)	37.04%	27						
B.2.19.17.2.2	P-9	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (%)	R&B (POTS)	0.00%	1	0.00%	6		0.00000		YES
B.2.19.18.1.1	P-9	Digital Loop < DS1/<10 circuits/Dispatch/SC (%)	Digital Loop < DS1	4.68%	1,069	2.70%	37		0.03531	0.5592	YES
B.2.19.18.1.2	P-9	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (%)	Digital Loop < DS1	2.37%	1,226						
B.2.19.18.2.1	P-9	Digital Loop < DS1/>=10 circuits/Dispatch/SC (%)	Digital Loop < DS1	0.00%	1						
B.2.19.18.2.2	P-9	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (%)	Digital Loop < DS1	0.00%	1						
B.2.19.19.1.1	P-9	Digital Loop >= DS1/<10 circuits/Dispatch/SC (%)	Digital Loop >= DS1	5.00%	80	8.97%	145		0.03035	-1.3064	YES
B.2.19.19.1.2	P-9	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (%)	Digital Loop >= DS1	1.03%	97						
B.2.19.19.2.1	P-9	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (%)	Digital Loop >= DS1								
B.2.19.19.2.2	P-9	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (%)	Digital Loop >= DS1	2.27%	44						
	Average Completion Notice Interval - Mechanized										
B.2.21.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/SC (hours)	R&B (POTS)	1.52	9,826			10.177			
B.2.21.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/SC (hours)	R&B (POTS)	0.59	147,417			4.066			
B.2.21.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/SC (hours)	R&B (POTS)	0.62	37			3.006			
B.2.21.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/SC (hours)	R&B (POTS)	0.35	1			0.000			
B.2.21.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/SC (hours)	DS1/ DS3 - Interoffice	129.09	368			312.008			
B.2.21.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (hours)	DS1/ DS3 - Interoffice								
B.2.21.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/SC (hours)	DS1/ DS3 - Interoffice								
B.2.21.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (hours)	DS1/ DS3 - Interoffice								
B.2.21.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/SC (hours)	R&B	1.85	10,018	0.46	135	14.640	1.26847	1.0915	YES
B.2.21.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (hours)	R&B	0.60	147,980	0.62	4,172	4.194	0.06583	-0.3456	YES
B.2.21.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/SC (hours)	R&B	0.71	68,204	0.59	2,169	5.285	0.11526	1.0593	YES
B.2.21.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/SC (hours)	R&B	0.50	79,776	0.66	2,003	2.954	0.06683	-2.3025	NO
B.2.21.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/SC (hours)	R&B	9.13	50			42.186			
B.2.21.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (hours)	R&B	3.11	87			25.057			
B.2.21.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/SC (hours)	R&B	0.41	49			0.157			
B.2.21.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/SC (hours)	R&B	6.58	38			37.912			
B.2.21.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/SC (hours)	R&B&D - Disp	17.60	10,832			130.297			
B.2.21.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/SC (hours)	R&B&D - Disp	17.60	10,832			130.297			
B.2.21.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/SC (hours)	R&B&D - Disp	8.95	51			41.781			
B.2.21.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/SC (hours)	R&B&D - Disp	8.95	51			41.781			
B.2.21.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (hours)	ADSL to Retail	1.17	1,268			10.687			
B.2.21.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (hours)	ADSL to Retail	1.21	1,040			12.929			
B.2.21.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (hours)	ADSL to Retail	0.02	2			0.000			
B.2.21.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (hours)	ADSL to Retail								
B.2.21.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/SC (hours)	ISDN - BRI	113.95	78	19.22	1	165.011	166.06516	0.5704	YES
B.2.21.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/SC (hours)	ISDN - BRI	5.54	57			25.959			
B.2.21.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/SC (hours)	ISDN - BRI								
B.2.21.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/SC (hours)	ISDN - BRI								
B.2.21.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/SC (hours)	ADSL to Retail	1.17	1,268			10.687			
B.2.21.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/SC (hours)	ADSL to Retail	1.21	1,040			12.929			
B.2.21.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/SC (hours)	ADSL to Retail	0.02	2			0.000			
B.2.21.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/SC (hours)	ADSL to Retail								
B.2.21.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/SC (hours)	R&B - Disp	1.85	10,018	27.79	44	40.541	6.12523	-4.2350	NO
B.2.21.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (hours)	R&B - Disp	1.85	10,018			14.640			
B.2.21.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/SC (hours)	R&B - Disp	9.13	50			42.186			
B.2.21.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (hours)	R&B - Disp	9.13	50			42.186			
B.2.21.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (hours)	R&B (POTS) excl SB Or	1.52	9,826			10.177			

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.21.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/SC (hours)	R&B (POTS) excl SB Or	0.50	79,571			2.849			
B.2.21.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (hours)	R&B (POTS) excl SB Or	0.62	37			3.006			
B.2.21.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/SC (hours)	R&B (POTS) excl SB Or								
B.2.21.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (hours)	R&B - Disp	1.85	10,018			14.640			
B.2.21.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (hours)	R&B - Disp	1.85	10,018			14.640			
B.2.21.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (hours)	R&B - Disp	9.13	50			42.186			
B.2.21.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (hours)	R&B - Disp	9.13	50			42.186			
B.2.21.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (hours)	R&B (POTS) excl SB Or	1.52	9,826			10.177			
B.2.21.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/SC (hours)	R&B (POTS) excl SB Or	0.50	79,571			2.849			
B.2.21.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (hours)	R&B (POTS) excl SB Or	0.62	37			3.006			
B.2.21.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/SC (hours)	R&B (POTS) excl SB Or								
B.2.21.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (hours)	R&B - Disp	1.85	10,018	65.41	28	63.835	12.08059	-5.2620	NO
B.2.21.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (hours)	R&B - Disp	1.85	10,018			14.640			
B.2.21.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (hours)	R&B - Disp	9.13	50			42.186			
B.2.21.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (hours)	R&B - Disp	9.13	50			42.186			
B.2.21.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (hours)	R&B (POTS) excl SB Or	1.52	9,826			10.177			
B.2.21.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/SC (hours)	R&B (POTS) excl SB Or	0.50	79,571			2.849			
B.2.21.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (hours)	R&B (POTS) excl SB Or	0.62	37			3.006			
B.2.21.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/SC (hours)	R&B (POTS) excl SB Or								
B.2.21.14.1.1	P-5	Other Design/<10 circuits/Dispatch/SC (hours)	Design	211.46	814			427.607			
B.2.21.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/SC (hours)	Design	17.15	128			57.948			
B.2.21.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/SC (hours)	Design	0.02	1			0.000			
B.2.21.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/SC (hours)	Design								
B.2.21.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/SC (hours)	R&B	1.85	10,018			14.640			
B.2.21.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/SC (hours)	R&B	0.60	147,980			4.194			
B.2.21.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/SC (hours)	R&B	9.13	50			42.186			
B.2.21.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/SC (hours)	R&B	3.11	87			25.057			
B.2.21.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/SC (hours)	R&B (POTS)	1.52	9,826			10.177			
B.2.21.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/SC (hours)	R&B (POTS)	0.59	147,417			4.066			
B.2.21.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/SC (hours)	R&B (POTS)	0.62	37			3.006			
B.2.21.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (hours)	R&B (POTS)	0.35	1			0.000			
B.2.21.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/SC (hours)	R&B (POTS)	1.52	9,826	0.02	1	10.177	10.17717	0.1481	YES
B.2.21.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (hours)	R&B (POTS)	0.59	147,417	0.39	293	4.066	0.23780	0.8642	YES
B.2.21.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/SC (hours)	R&B (POTS)	0.62	37			3.006			
B.2.21.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (hours)	R&B (POTS)	0.35	1	0.32	3	0.051	0.05879	0.4725	YES
B.2.21.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/SC (hours)	Digital Loop < DS1	28.34	1,520	19.22	1	152.454	152.50414	0.0598	YES
B.2.21.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (hours)	Digital Loop < DS1	1.34	1,199			13.320			
B.2.21.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/SC (hours)	Digital Loop < DS1	0.02	2			0.000			
B.2.21.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (hours)	Digital Loop < DS1								
B.2.21.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/SC (hours)	Digital Loop >= DS1	258.56	80	34.45	59	314.637	53.99402	4.1508	YES
B.2.21.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (hours)	Digital Loop >= DS1	37.92	49			81.788			
B.2.21.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (hours)	Digital Loop >= DS1								
B.2.21.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (hours)	Digital Loop >= DS1	14.13	17			56.694			
		Average Completion Notice Interval - Non-Mechanized									
B.2.22.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/SC (hours)	Diagnostic			13.24	17				Diagnostic
B.2.22.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic			4.32	107				Diagnostic
B.2.22.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/SC (hours)	Diagnostic			2.84	80				Diagnostic
B.2.22.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/SC (hours)	Diagnostic			8.70	27				Diagnostic
B.2.22.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/SC (hours)	Diagnostic			18.90	1				Diagnostic
B.2.22.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/SC (hours)	Diagnostic								Diagnostic
B.2.22.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.22.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/SC (hours)	Diagnostic			74.38	43				Diagnostic
B.2.22.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic
B.2.22.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic
B.2.22.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/SC (hours)	Diagnostic			33.85	13				Diagnostic
B.2.22.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/SC (hours)	Diagnostic			25.78	13				Diagnostic
B.2.22.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic
B.2.22.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic
B.2.22.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic
B.2.22.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic
B.2.22.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic
B.2.22.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/SC (hours)	Diagnostic								Diagnostic
B.2.22.14.1.1	P-5	Other Design/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/SC (hours)	Diagnostic			28.80	2				Diagnostic
B.2.22.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic			2.93	128				Diagnostic
B.2.22.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/SC (hours)	Diagnostic			33.85	13				Diagnostic
B.2.22.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/SC (hours)	Diagnostic			54.16	25				Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.22.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (hours)	Diagnostic								Diagnostic
B.2.22.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (hours)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Mechanized										
B.2.24.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/SC (days)	Diagnostic			3.37	59				Diagnostic
B.2.24.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.65	2,509				Diagnostic
B.2.24.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/SC (days)	Diagnostic			5.50	11				Diagnostic
B.2.24.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.14.1.1	P-10	Other Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.24.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.81	194				Diagnostic
B.2.24.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/SC (days)	Diagnostic			6.33	12				Diagnostic
B.2.24.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.24.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Partially Mechanized										
B.2.25.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/SC (days)	Diagnostic			3.67	17				Diagnostic
B.2.25.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.45	566				Diagnostic
B.2.25.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/SC (days)	Diagnostic			5.75	7				Diagnostic
B.2.25.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.25.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (days)	Diagnostic			6.07	12				Diagnostic
B.2.25.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.14.1.1	P-10	Other Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic			2.93	1				Diagnostic
B.2.25.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.23	93				Diagnostic
B.2.25.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.18	2				Diagnostic
B.2.25.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/SC (days)	Diagnostic			8.70	3				Diagnostic
B.2.25.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.25.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time - Non-Mechanized										
B.2.26.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/SC (days)	Diagnostic			4.33	4				Diagnostic
B.2.26.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.35	13				Diagnostic
B.2.26.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/SC (days)	Diagnostic			12.83	13				Diagnostic
B.2.26.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic			10.66	7				Diagnostic
B.2.26.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.26.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/SC (days)	Diagnostic			5.89	6				Diagnostic
B.2.26.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.14.1.1	P-10	Other Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic			2.51	2				Diagnostic
B.2.26.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.98	125				Diagnostic
B.2.26.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/SC (days)	Diagnostic			10.66	7				Diagnostic
B.2.26.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/SC (days)	Diagnostic			6.72	9				Diagnostic
B.2.26.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.26.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Mechanized									
B.2.28.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.28.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/SC (days)	Diagnostic			3.39	58				Diagnostic
B.2.28.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.71	2,026				Diagnostic
B.2.28.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/SC (days)	Diagnostic			5.50	11				Diagnostic
B.2.28.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.14.1.1	P-10	Other Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.81	194				Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.28.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/SC (days)	Diagnostic			6.33	12				Diagnostic
B.2.28.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.28.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Partially Mechanized									
B.2.29.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/SC (days)	Diagnostic			3.88	15				Diagnostic
B.2.29.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.48	522				Diagnostic
B.2.29.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/SC (days)	Diagnostic			5.75	7				Diagnostic
B.2.29.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (days)	Diagnostic			6.07	12				Diagnostic
B.2.29.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.29.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.14.1.1	P-10	Other Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic			2.93	1				Diagnostic
B.2.29.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.99	83				Diagnostic
B.2.29.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic			2.02	1				Diagnostic
B.2.29.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/SC (days)	Diagnostic			8.70	3				Diagnostic
B.2.29.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.29.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Non-Mechanized										
B.2.30.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/SC (days)	Diagnostic			5.44	3				Diagnostic
B.2.30.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			1.30	11				Diagnostic
B.2.30.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/SC (days)	Diagnostic			12.83	13				Diagnostic
B.2.30.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/SC (days)	Diagnostic			10.66	7				Diagnostic
B.2.30.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/SC (days)	Diagnostic			5.89	6				Diagnostic
B.2.30.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.30.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.14.1.1	P-10	Other Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/SC (days)	Diagnostic			2.51	2				Diagnostic
B.2.30.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/SC (days)	Diagnostic			0.98	124				Diagnostic
B.2.30.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/SC (days)	Diagnostic			10.66	7				Diagnostic
B.2.30.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/SC (days)	Diagnostic			6.68	8				Diagnostic
B.2.30.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/SC (days)	Diagnostic								Diagnostic
B.2.30.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/SC (days)	Diagnostic								Diagnostic
	Disconnect Timeliness										
B.2.31	P-13	LNP/SC (%)	>= 95% w in 15 min								
	% Completions w/o Notice or < 24 hours										
B.2.32.1.1	P-6	Switch Ports/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.1.2	P-6	Switch Ports/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.2.1	P-6	Local Interoffice Transport/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.2.2	P-6	Local Interoffice Transport/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.3.1	P-6	Loop + Port Combinations/Dispatch/SC (%)	Diagnostic			11.61%	112				Diagnostic
B.2.32.3.2	P-6	Loop + Port Combinations/Non-Dispatch/SC (%)	Diagnostic			11.64%	3,316				Diagnostic
B.2.32.4.1	P-6	Combo Other/Dispatch/SC (%)	Diagnostic			5.26%	38				Diagnostic
B.2.32.4.2	P-6	Combo Other/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.5.1	P-6	xDSL (ADSL, HDSL and UCL)/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.5.2	P-6	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.6.1	P-6	UNE ISDN/Dispatch/SC (%)	Diagnostic			15.38%	13				Diagnostic
B.2.32.6.2	P-6	UNE ISDN/Non-Dispatch/SC (%)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.32.7.1	P-6	Line Sharing/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.7.2	P-6	Line Sharing/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.8.1	P-6	2W Analog Loop Design/Dispatch/SC (%)	Diagnostic			16.22%	37				Diagnostic
B.2.32.8.2	P-6	2W Analog Loop Design/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.9.1	P-6	2W Analog Loop Non-Design/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.9.2	P-6	2W Analog Loop Non-Design/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.10.1	P-6	2W Analog Loop w/INP Design/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.10.2	P-6	2W Analog Loop w/INP Design/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.11.1	P-6	2W Analog Loop w/INP Non-Design/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.11.2	P-6	2W Analog Loop w/INP Non-Design/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.12.1	P-6	2W Analog Loop w/LNP Design/Dispatch/SC (%)	Diagnostic			37.50%	16				Diagnostic
B.2.32.12.2	P-6	2W Analog Loop w/LNP Design/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.13.1	P-6	2W Analog Loop w/LNP Non-Design/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.13.2	P-6	2W Analog Loop w/LNP Non-Design/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.14.1	P-6	Other Design/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.14.2	P-6	Other Design/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.15.1	P-6	Other Non-Design/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.15.2	P-6	Other Non-Design/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.16.1	P-6	INP (Standalone)/Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.16.2	P-6	INP (Standalone)/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.17.1	P-6	LNP (Standalone)/Dispatch/SC (%)	Diagnostic			0.00%	3				Diagnostic
B.2.32.17.2	P-6	LNP (Standalone)/Non-Dispatch/SC (%)	Diagnostic			4.50%	422				Diagnostic
B.2.32.18.1	P-6	Digital Loop < DS1/Dispatch/SC (%)	Diagnostic			15.38%	13				Diagnostic
B.2.32.18.2	P-6	Digital Loop < DS1/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
B.2.32.19.1	P-6	Digital Loop >= DS1/Dispatch/SC (%)	Diagnostic			11.76%	34				Diagnostic
B.2.32.19.2	P-6	Digital Loop >= DS1/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
		% Cooperative Test Attempts for xDSL									
B.2.33.1	P-8	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 95% of requests								
B.2.33.2	P-8	xDSL Other/SC (%)	>= 95% of requests								
		Service Order Accuracy									
B.2.34.1.1.1	P-11	Design (Specials)/<10 circuits/Dispatch/SC (%)	>= 95%			100.00%	110				YES
B.2.34.1.1.2	P-11	Design (Specials)/<10 circuits/Non-Dispatch/SC (%)	>= 95%			69.33%	75				NO
B.2.34.1.2.1	P-11	Design (Specials)/>=10 circuits/Dispatch/SC (%)	>= 95%			100.00%	25				YES
B.2.34.1.2.2	P-11	Design (Specials)/>=10 circuits/Non-Dispatch/SC (%)	>= 95%			90.91%	11				NO
B.2.34.2.1.1	P-11	Loops Non-Design/<10 circuits/Dispatch/SC (%)	>= 95%			96.33%	300				YES
B.2.34.2.1.2	P-11	Loops Non-Design/<10 circuits/Non-Dispatch/SC (%)	>= 95%			98.02%	405				YES
B.2.34.2.2.1	P-11	Loops Non-Design/>=10 circuits/Dispatch/SC (%)	>= 95%			97.73%	132				YES
B.2.34.2.2.2	P-11	Loops Non-Design/>=10 circuits/Non-Dispatch/SC (%)	>= 95%			97.53%	81				YES
		Unbundled Network Elements - Maintenance and Repair									
		Missed Repair Appointments									
B.3.1.1.1	M&R-1	Switch Ports/Dispatch/SC (%)	R&B (POTS)	6.86%	24,047						
B.3.1.1.2	M&R-1	Switch Ports/Non-Dispatch/SC (%)	R&B (POTS)	1.26%	11,441						
B.3.1.2.1	M&R-1	Local Interoffice Transport/Dispatch/SC (%)	DS1/DS3	0.35%	286	0.00%	0				YES
B.3.1.2.2	M&R-1	Local Interoffice Transport/Non-Dispatch/SC (%)	DS1/DS3	0.45%	223	0.00%	0				YES
B.3.1.3.1	M&R-1	Loop + Port Combinations/Dispatch/SC (%)	R&B	6.94%	24,502	0.49%	613		0.01039	6.2063	YES
B.3.1.3.2	M&R-1	Loop + Port Combinations/Non-Dispatch/SC (%)	R&B	1.26%	11,865	0.00%	184		0.00827	1.5180	YES
B.3.1.4.1	M&R-1	Combo Other/Dispatch/SC (%)	R&B&D - Disp	6.82%	25,020	0.00%	13		0.06995	0.9754	YES
B.3.1.4.2	M&R-1	Combo Other/Non-Dispatch/SC (%)	R&B&D - Disp	6.82%	25,020	0.00%	5		0.11277	0.6050	YES
B.3.1.5.1	M&R-1	xDSL (ADSL, HDSL and UCL)/Dispatch/SC (%)	ADSL to Retail	55.91%	313	0.00%	2		0.35219	1.5875	YES
B.3.1.5.2	M&R-1	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/SC (%)	ADSL to Retail	1.86%	537	0.00%	1		0.13531	0.1376	YES
B.3.1.6.1	M&R-1	UNE ISDN/Dispatch/SC (%)	ISDN - BRI	2.78%	36	0.00%	13		0.05317	0.5224	YES
B.3.1.6.2	M&R-1	UNE ISDN/Non-Dispatch/SC (%)	ISDN - BRI	1.30%	77	0.00%	4		0.05806	0.2237	YES
B.3.1.7.1	M&R-1	Line Sharing/Dispatch/SC (%)	ADSL to Retail	55.91%	313						
B.3.1.7.2	M&R-1	Line Sharing/Non-Dispatch/SC (%)	ADSL to Retail	1.86%	537						
B.3.1.8.1	M&R-1	2W Analog Loop Design/Dispatch/SC (%)	R&B - Disp	6.94%	24,502	0.00%	71		0.03020	2.2974	YES
B.3.1.8.2	M&R-1	2W Analog Loop Design/Non-Dispatch/SC (%)	R&B - Disp	6.94%	24,502	0.00%	23		0.05301	1.3089	YES
B.3.1.9.1	M&R-1	2W Analog Loop Non-Design/Dispatch/SC (%)	R&B (POTS) excl SB FT	6.82%	23,954	0.00%	3		0.14553	0.4685	YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.3.1.9.2	M&R-1	2W Analog Loop Non-Design/Non-Dispatch/SC (%)	R&B (POTS) excl SB FT	1.20%	10,320	0.00%	0				YES
B.3.1.10.1	M&R-1	Other Design/Dispatch/SC (%)	Design	1.35%	518	0.00%	0				YES
B.3.1.10.2	M&R-1	Other Design/Non-Dispatch/SC (%)	Design	0.27%	741	0.00%	0				YES
B.3.1.11.1	M&R-1	Other Non-Design/Dispatch/SC (%)	R&B	6.94%	24,502	0.00%	0				YES
B.3.1.11.2	M&R-1	Other Non-Design/Non-Dispatch/SC (%)	R&B	1.26%	11,865	0.00%	0				YES
B.3.1.12.1	M&R-1	LNP (Standalone)/Dispatch/SC (%)	R&B (POTS)	6.86%	24,047						
B.3.1.12.2	M&R-1	LNP (Standalone)/Non-Dispatch/SC (%)	R&B (POTS)	1.26%	11,441						
	Customer Trouble Report Rate										
B.3.2.1.1	M&R-2	Switch Ports/Dispatch/SC (%)	R&B (POTS)	1.93%	1,243,128						
B.3.2.1.2	M&R-2	Switch Ports/Non-Dispatch/SC (%)	R&B (POTS)	0.92%	1,243,128						
B.3.2.2.1	M&R-2	Local Interoffice Transport/Dispatch/SC (%)	DS1/DS3	1.95%	14,655	0.00%	9		0.04658	0.4190	YES
B.3.2.2.2	M&R-2	Local Interoffice Transport/Non-Dispatch/SC (%)	DS1/DS3	1.52%	14,655	0.00%	9		0.04113	0.3700	YES
B.3.2.3.1	M&R-2	Loop + Port Combinations/Dispatch/SC (%)	R&B	1.82%	1,348,864	1.47%	41,785		0.00067	5.2199	YES
B.3.2.3.2	M&R-2	Loop + Port Combinations/Non-Dispatch/SC (%)	R&B	0.88%	1,348,864	0.44%	41,785		0.00047	9.4292	YES
B.3.2.4.1	M&R-2	Combo Other/Dispatch/SC (%)	R&B&D - Disp	1.57%	1,591,097	3.69%	352		0.00668	-3.1725	NO
B.3.2.4.2	M&R-2	Combo Other/Non-Dispatch/SC (%)	R&B&D - Disp	1.57%	1,591,097	1.42%	352		0.00668	0.2275	YES
B.3.2.5.1	M&R-2	xDSL (ADSL, HDSL and UCL)/Dispatch/SC (%)	ADSL to Retail	1.23%	25,405	0.56%	355		0.00593	1.1272	YES
B.3.2.5.2	M&R-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/SC (%)	ADSL to Retail	2.11%	25,405	0.28%	355		0.00777	2.3578	YES
B.3.2.6.1	M&R-2	UNE ISDN/Dispatch/SC (%)	ISDN - BRI	0.59%	6,117	1.39%	934		0.00270	-2.9808	NO
B.3.2.6.2	M&R-2	UNE ISDN/Non-Dispatch/SC (%)	ISDN - BRI	1.26%	6,117	0.43%	934		0.00394	2.1071	YES
B.3.2.7.1	M&R-2	Line Sharing/Dispatch/SC (%)	ADSL to Retail	1.23%	25,405						
B.3.2.7.2	M&R-2	Line Sharing/Non-Dispatch/SC (%)	ADSL to Retail	2.11%	25,405						
B.3.2.8.1	M&R-2	2W Analog Loop Design/Dispatch/SC (%)	R&B - Disp	1.82%	1,348,864	0.71%	10,043		0.00135	8.2195	YES
B.3.2.8.2	M&R-2	2W Analog Loop Design/Non-Dispatch/SC (%)	R&B - Disp	1.82%	1,348,864	0.23%	10,043		0.00135	11.7601	YES
B.3.2.9.1	M&R-2	2W Analog Loop Non-Design/Dispatch/SC (%)	R&B (POTS) excl SB FT	1.93%	1,243,128	1.91%	157		0.01108	0.0145	YES
B.3.2.9.2	M&R-2	2W Analog Loop Non-Design/Non-Dispatch/SC (%)	R&B (POTS) excl SB FT	0.83%	1,243,128	0.00%	157		0.00727	1.1416	YES
B.3.2.10.1	M&R-2	Other Design/Dispatch/SC (%)	Design	0.21%	242,233	0.00%	33		0.00805	0.2656	YES
B.3.2.10.2	M&R-2	Other Design/Non-Dispatch/SC (%)	Design	0.31%	242,233	0.00%	33		0.00963	0.3177	YES
B.3.2.11.1	M&R-2	Other Non-Design/Dispatch/SC (%)	R&B	1.82%	1,348,864	0.00%	149		0.01104	1.6451	YES
B.3.2.11.2	M&R-2	Other Non-Design/Non-Dispatch/SC (%)	R&B	0.88%	1,348,864	0.00%	149		0.00768	1.1448	YES
B.3.2.12.1	M&R-2	LNP (Standalone)/Dispatch/SC (%)	R&B (POTS)	1.93%	1,243,128						
B.3.2.12.2	M&R-2	LNP (Standalone)/Non-Dispatch/SC (%)	R&B (POTS)	0.92%	1,243,128						
	Maintenance Average Duration										
B.3.3.1.1	M&R-3	Switch Ports/Dispatch/SC (hours)	R&B (POTS)	22.93	24,047			22.670			
B.3.3.1.2	M&R-3	Switch Ports/Non-Dispatch/SC (hours)	R&B (POTS)	7.71	11,441			14.811			
B.3.3.2.1	M&R-3	Local Interoffice Transport/Dispatch/SC (hours)	DS1/DS3	4.68	286	0.00	0	4.353			YES
B.3.3.2.2	M&R-3	Local Interoffice Transport/Non-Dispatch/SC (hours)	DS1/DS3	1.55	223	0.00	0	3.192			YES
B.3.3.3.1	M&R-3	Loop + Port Combinations/Dispatch/SC (hours)	R&B	22.85	24,502	12.93	613	22.623	0.92509	10.7201	YES
B.3.3.3.2	M&R-3	Loop + Port Combinations/Non-Dispatch/SC (hours)	R&B	7.53	11,865	4.94	184	14.597	1.08441	2.3843	YES
B.3.3.4.1	M&R-3	Combo Other/Dispatch/SC (hours)	R&B&D - Disp	22.49	25,020	4.10	13	22.534	6.25147	2.9416	YES
B.3.3.4.2	M&R-3	Combo Other/Non-Dispatch/SC (hours)	R&B&D - Disp	22.49	25,020	2.12	5	22.534	10.07858	2.0211	YES
B.3.3.5.1	M&R-3	xDSL (ADSL, HDSL and UCL)/Dispatch/SC (hours)	ADSL to Retail	45.27	313	4.52	2	45.128	32.01217	1.2731	YES
B.3.3.5.2	M&R-3	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/SC (hours)	ADSL to Retail	1.58	537	11.80	1	10.528	10.53783	-0.9697	YES
B.3.3.6.1	M&R-3	UNE ISDN/Dispatch/SC (hours)	ISDN - BRI	7.04	36	3.55	13	5.220	1.68895	2.0639	YES
B.3.3.6.2	M&R-3	UNE ISDN/Non-Dispatch/SC (hours)	ISDN - BRI	1.61	77	1.95	4	3.367	1.72662	-0.1970	YES
B.3.3.7.1	M&R-3	Line Sharing/Dispatch/SC (hours)	ADSL to Retail	45.27	313			45.128			
B.3.3.7.2	M&R-3	Line Sharing/Non-Dispatch/SC (hours)	ADSL to Retail	1.58	537			10.528			
B.3.3.8.1	M&R-3	2W Analog Loop Design/Dispatch/SC (hours)	R&B - Disp	22.85	24,502	4.65	71	22.623	2.68874	6.7676	YES
B.3.3.8.2	M&R-3	2W Analog Loop Design/Non-Dispatch/SC (hours)	R&B - Disp	22.85	24,502	4.01	23	22.623	4.71943	3.9908	YES
B.3.3.9.1	M&R-3	2W Analog Loop Non-Design/Dispatch/SC (hours)	R&B (POTS) excl SB FT	22.94	23,954	35.00	3	22.670	13.08961	-0.9213	YES
B.3.3.9.2	M&R-3	2W Analog Loop Non-Design/Non-Dispatch/SC (hours)	R&B (POTS) excl SB FT	8.23	10,320	0.00	0	15.329			YES
B.3.3.10.1	M&R-3	Other Design/Dispatch/SC (hours)	Design	5.53	518	0.00	0	4.957			YES
B.3.3.10.2	M&R-3	Other Design/Non-Dispatch/SC (hours)	Design	1.88	741	0.00	0	2.712			YES
B.3.3.11.1	M&R-3	Other Non-Design/Dispatch/SC (hours)	R&B	22.85	24,502	0.00	0	22.623			YES
B.3.3.11.2	M&R-3	Other Non-Design/Non-Dispatch/SC (hours)	R&B	7.53	11,865	0.00	0	14.597			YES
B.3.3.12.1	M&R-3	LNP (Standalone)/Dispatch/SC (hours)	R&B (POTS)	22.93	24,047			22.670			
B.3.3.12.2	M&R-3	LNP (Standalone)/Non-Dispatch/SC (hours)	R&B (POTS)	7.71	11,441			14.811			
	% Repeat Troubles within 30 Days										
B.3.4.1.1	M&R-4	Switch Ports/Dispatch/SC (%)	R&B (POTS)	16.22%	24,047						

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.3.4.1.2	M&R-4	Switch Ports/Non-Dispatch/SC (%)	R&B (POTS)	14.45%	11,441						
B.3.4.2.1	M&R-4	Local Interoffice Transport/Dispatch/SC (%)	DS1/DS3	27.62%	286	0.00%	0				YES
B.3.4.2.2	M&R-4	Local Interoffice Transport/Non-Dispatch/SC (%)	DS1/DS3	18.39%	223	0.00%	0				YES
B.3.4.3.1	M&R-4	Loop + Port Combinations/Dispatch/SC (%)	R&B	16.18%	24,502	13.38%	613		0.01506	1.8604	YES
B.3.4.3.2	M&R-4	Loop + Port Combinations/Non-Dispatch/SC (%)	R&B	14.20%	11,865	16.30%	184		0.02593	-0.8109	YES
B.3.4.4.1	M&R-4	Combo Other/Dispatch/SC (%)	R&B&D - Disp	16.27%	25,020	23.08%	13		0.10239	-0.6651	YES
B.3.4.4.2	M&R-4	Combo Other/Non-Dispatch/SC (%)	R&B&D - Disp	16.27%	25,020	20.00%	5		0.16507	-0.2262	YES
B.3.4.5.1	M&R-4	xDSL (ADSL, HDSL and UCL)/Dispatch/SC (%)	ADSL to Retail	25.24%	313	0.00%	2		0.30814	0.8191	YES
B.3.4.5.2	M&R-4	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/SC (%)	ADSL to Retail	26.82%	537	100.00%	1		0.44341	-1.6505	NO
B.3.4.6.1	M&R-4	UNE ISDN/Dispatch/SC (%)	ISDN - BRI	8.33%	36	7.69%	13		0.08943	0.0717	YES
B.3.4.6.2	M&R-4	UNE ISDN/Non-Dispatch/SC (%)	ISDN - BRI	7.79%	77	0.00%	4		0.13746	0.5669	YES
B.3.4.7.1	M&R-4	Line Sharing/Dispatch/SC (%)	ADSL to Retail	25.24%	313						
B.3.4.7.2	M&R-4	Line Sharing/Non-Dispatch/SC (%)	ADSL to Retail	26.82%	537						
B.3.4.8.1	M&R-4	2W Analog Loop Design/Dispatch/SC (%)	R&B - Disp	16.18%	24,502	11.27%	71		0.04377	1.1220	YES
B.3.4.8.2	M&R-4	2W Analog Loop Design/Non-Dispatch/SC (%)	R&B - Disp	16.18%	24,502	8.70%	23		0.07682	0.9740	YES
B.3.4.9.1	M&R-4	2W Analog Loop Non-Design/Dispatch/SC (%)	R&B (POTS) excl SB FT	16.19%	23,954	0.00%	3		0.21270	0.7613	YES
B.3.4.9.2	M&R-4	2W Analog Loop Non-Design/Non-Dispatch/SC (%)	R&B (POTS) excl SB FT	14.73%	10,320	0.00%	0				YES
B.3.4.10.1	M&R-4	Other Design/Dispatch/SC (%)	Design	20.46%	518	0.00%	0				YES
B.3.4.10.2	M&R-4	Other Design/Non-Dispatch/SC (%)	Design	18.22%	741	0.00%	0				YES
B.3.4.11.1	M&R-4	Other Non-Design/Dispatch/SC (%)	R&B	16.18%	24,502	0.00%	0				YES
B.3.4.11.2	M&R-4	Other Non-Design/Non-Dispatch/SC (%)	R&B	14.20%	11,865	0.00%	0				YES
B.3.4.12.1	M&R-4	LNP (Standalone)/Dispatch/SC (%)	R&B (POTS)	16.22%	24,047						
B.3.4.12.2	M&R-4	LNP (Standalone)/Non-Dispatch/SC (%)	R&B (POTS)	14.45%	11,441						
	Out of Service > 24 hours										
B.3.5.1.1	M&R-5	Switch Ports/Dispatch/SC (%)	R&B (POTS)	21.91%	16,534						
B.3.5.1.2	M&R-5	Switch Ports/Non-Dispatch/SC (%)	R&B (POTS)	9.55%	3,960						
B.3.5.2.1	M&R-5	Local Interoffice Transport/Dispatch/SC (%)	DS1/DS3	0.35%	286	0.00%	0				YES
B.3.5.2.2	M&R-5	Local Interoffice Transport/Non-Dispatch/SC (%)	DS1/DS3	0.45%	223	0.00%	0				YES
B.3.5.3.1	M&R-5	Loop + Port Combinations/Dispatch/SC (%)	R&B	21.82%	16,780	4.27%	375		0.02156	8.1388	YES
B.3.5.3.2	M&R-5	Loop + Port Combinations/Non-Dispatch/SC (%)	R&B	9.16%	4,138	1.05%	95		0.02993	2.7083	YES
B.3.5.4.1	M&R-5	Combo Other/Dispatch/SC (%)	R&B&D - Disp	21.20%	17,298	0.00%	13		0.11341	1.8697	YES
B.3.5.4.2	M&R-5	Combo Other/Non-Dispatch/SC (%)	R&B&D - Disp	21.20%	17,298	0.00%	5		0.18283	1.1598	YES
B.3.5.5.1	M&R-5	xDSL (ADSL, HDSL and UCL)/Dispatch/SC (%)	ADSL to Retail	55.91%	313	0.00%	2		0.35219	1.5875	YES
B.3.5.5.2	M&R-5	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/SC (%)	ADSL to Retail	1.86%	537	0.00%	1		0.13531	0.1376	YES
B.3.5.6.1	M&R-5	UNE ISDN/Dispatch/SC (%)	ISDN - BRI	2.78%	36	0.00%	13		0.05317	0.5224	YES
B.3.5.6.2	M&R-5	UNE ISDN/Non-Dispatch/SC (%)	ISDN - BRI	1.41%	71	0.00%	4		0.06056	0.2326	YES
B.3.5.7.1	M&R-5	Line Sharing/Dispatch/SC (%)	ADSL to Retail	55.91%	313						
B.3.5.7.2	M&R-5	Line Sharing/Non-Dispatch/SC (%)	ADSL to Retail	1.86%	537						
B.3.5.8.1	M&R-5	2W Analog Loop Design/Dispatch/SC (%)	R&B - Disp	21.82%	16,780	0.00%	71		0.04912	4.4418	YES
B.3.5.8.2	M&R-5	2W Analog Loop Design/Non-Dispatch/SC (%)	R&B - Disp	21.82%	16,780	0.00%	23		0.08618	2.5317	YES
B.3.5.9.1	M&R-5	2W Analog Loop Non-Design/Dispatch/SC (%)	R&B (POTS) excl SB FT	21.90%	16,527	0.00%	1		0.41361	0.5296	YES
B.3.5.9.2	M&R-5	2W Analog Loop Non-Design/Non-Dispatch/SC (%)	R&B (POTS) excl SB FT	9.55%	3,957	0.00%	0				YES
B.3.5.10.1	M&R-5	Other Design/Dispatch/SC (%)	Design	1.35%	518	0.00%	0				YES
B.3.5.10.2	M&R-5	Other Design/Non-Dispatch/SC (%)	Design	0.27%	741	0.00%	0				YES
B.3.5.11.1	M&R-5	Other Non-Design/Dispatch/SC (%)	R&B	21.82%	16,780	0.00%	0				YES
B.3.5.11.2	M&R-5	Other Non-Design/Non-Dispatch/SC (%)	R&B	9.16%	4,138	0.00%	0				YES
B.3.5.12.1	M&R-5	LNP (Standalone)/Dispatch/SC (%)	R&B (POTS)	21.91%	16,534						
B.3.5.12.2	M&R-5	LNP (Standalone)/Non-Dispatch/SC (%)	R&B (POTS)	9.55%	3,960						
	Unbundled Network Elements - Billing										
	Invoice Accuracy										
B.4.1	B-1	SC (%)	BST - State	98.73%	$118,164,102	99.99%	$1,764,466		0.00008	-147.8919	YES
	Mean Time to Deliver Invoices - CRIS										
B.4.2	B-2	Region (business days)	BST - Region	3.82	1	3.46	1,581				YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	Local Interconnection Trunks - Ordering										
	% Rejected Service Requests										
C.1.1	O-7	Local Interconnection Trunks/SC (%)	Diagnostic			52.83%	53				Diagnostic
	Reject Interval										
C.1.2	O-8	Local Interconnection Trunks/SC (%)	>= 85% w in 4 days			96.43%	28				YES
	FOC Timeliness										
C.1.3	O-9	Local Interconnection Trunks/SC (%)	>= 95% w in 10 days			100.00%	30				YES
	FOC & Reject Response Completeness										
C.1.4	O-11	Local Interconnection Trunks/SC (%)	>= 95%			100.00%	50				YES
	FOC & Reject Response Completeness (Multiple Responses)										
C.1.5	O-11	Local Interconnection Trunks/SC (%)	>= 95%								
	Local Interconnection Trunks - Provisioning										
	Order Completion Interval										
C.2.1	P-4	Local Interconnection Trunks/SC (days)	Parity w Retail	18.90	30	13.00	9	9.241	3.51227	1.6798	YES
	Held Orders										
C.2.2	P-1	Local Interconnection Trunks/SC (days)	Parity w Retail	0.00	0	0.00	0				YES
	% Jeopardies										
C.2.3	P-2	Local Interconnection Trunks/SC (%)	Parity w Retail	0.00%	28	0.00%	9		0.00000		YES
	Average Jeopardy Notice Interval										
C.2.4	P-2	Local Interconnection Trunks/SC (hours)	95% >= 48 hrs								
	% Missed Installation Appointments										
C.2.5	P-3	Local Interconnection Trunks/SC (%)	Parity w Retail	3.33%	30	0.00%	9		0.06822	0.4886	YES
	% Provisioning Troubles within 30 Days										
C.2.6	P-9	Local Interconnection Trunks/SC (%)	Parity w Retail	0.00%	2,016	0.00%	1,680		0.00000		YES
	Average Completion Notice Interval										
C.2.7	P-5	Local Interconnection Trunks/SC (hours)	Parity w Retail	154.30	23	0.02	9	235.288	92.51008	1.6677	YES
	Total Service Order Cycle Time										
C.2.8	P-10	Local Interconnection Trunks/SC (days)	Diagnostic			14.18	9				Diagnostic
	% Completions w/o Notice or < 24 hours										
C.2.10.1	P-6	Local Interconnection Trunks/Dispatch/SC (%)	Diagnostic			0.00%	9				Diagnostic
C.2.10.2	P-6	Local Interconnection Trunks/Non-Dispatch/SC (%)	Diagnostic								Diagnostic
	Service Order Accuracy										
C.2.11.1.1	P-11	Local Interconnection Trunks/<10 circuits/Dispatch/SC (%)	>= 95%			100.00%	71				YES
C.2.11.1.2	P-11	Local Interconnection Trunks/<10 circuits/Non-Dispatch/SC (%)	>= 95%			100.00%	29				YES
C.2.11.2.1	P-11	Local Interconnection Trunks/>=10 circuits/Dispatch/SC (%)	>= 95%			100.00%	1				YES
C.2.11.2.2	P-11	Local Interconnection Trunks/>=10 circuits/Non-Dispatch/SC (%)	>= 95%			100.00%	11				YES
	Local Interconnection Trunks - Maintenance and Repair										
	Missed Repair Appointments										
C.3.1.1	M&R-1	Local Interconnection Trunks/Dispatch/SC (%)	Parity w Retail	0.00%	0	0.00%	1				YES
C.3.1.2	M&R-1	Local Interconnection Trunks/Non-Dispatch/SC (%)	Parity w Retail	0.00%	4	0.00%	0				YES
	Customer Trouble Report Rate										
C.3.2.1	M&R-2	Local Interconnection Trunks/Dispatch/SC (%)	Parity w Retail	0.00%	111,025	0.00%	27,286		0.00000		NO
C.3.2.2	M&R-2	Local Interconnection Trunks/Non-Dispatch/SC (%)	Parity w Retail	0.00%	111,025	0.00%	27,286		0.00004	0.8883	YES
	Maintenance Average Duration										

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
C.3.3.1	M&R-3	Local Interconnection Trunks/Dispatch/SC (hours)	Parity w Retail	0.00	0	0.43	1				NO
C.3.3.2	M&R-3	Local Interconnection Trunks/Non-Dispatch/SC (hours)	Parity w Retail	0.93	4	0.00	0	1.783			YES
	% Repeat Troubles within 30 Days										
C.3.4.1	M&R-4	Local Interconnection Trunks/Dispatch/SC (%)	Parity w Retail	0.00%	0	0.00%	1				YES
C.3.4.2	M&R-4	Local Interconnection Trunks/Non-Dispatch/SC (%)	Parity w Retail	0.00%	4	0.00%	0				YES
	Out of Service > 24 hours										
C.3.5.1	M&R-5	Local Interconnection Trunks/Dispatch/SC (%)	Parity w Retail	0.00%	0	0.00%	1				YES
C.3.5.2	M&R-5	Local Interconnection Trunks/Non-Dispatch/SC (%)	Parity w Retail	0.00%	4	0.00%	0				YES
	Local Interconnection Trunks - Billing										
	Invoice Accuracy										
C.4.1	B-1	SC (%)	BST - State	98.73%	$118,164,102	90.10%	$979,654		0.00011	760.8893	NO
	Mean Time to Deliver Invoices - CABS										
C.4.2	B-2	Region (calendar days)	BST - Region	4.54	1	4.29	7,952				YES
	Local Interconnection Trunks - Trunk Blocking										
	Trunk Group Performance - Aggregate										
C.5.1	TGP-1	Local Interconnection Trunks/SC (%)	>0.5% dif 2 consec. hrs			0					YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	Operations Support Systems - Pre-Ordering										
	% Interface Availability - CLEC										
D.1.1.1	OSS-2	EDI/Region (%)	>= 99.5%			100.00%					YES
D.1.1.2	OSS-2	LENS/Region (%)	>= 99.5%			99.76%					YES
D.1.1.3	OSS-2	LEO/Region (%)	>= 99.5%			100.00%					YES
D.1.1.4	OSS-2	LESOG/Region (%)	>= 99.5%			100.00%					YES
D.1.1.5	OSS-2	TAG/Region (%)	>= 99.5%			99.86%					YES
D.1.1.6	OSS-2	PSIMS/Region (%)	>= 99.5%			100.00%					YES
D.1.1.7	OSS-2	LNP Gateway/Region (%)	>= 99.5%			99.86%					YES
D.1.1.8	OSS-2	SGG/COG/Region (%)	>= 99.5%			99.26%					NO
D.1.1.9	OSS-2	DOM/Region (%)	>= 99.5%			99.49%					NO
D.1.1.10	OSS-2	SOG/Region (%)	>= 99.5%			99.48%					NO
	% Interface Availability - BST & CLEC										
D.1.2.1	OSS-2	ATLAS/Region (%)	>= 99.5%			99.99%					YES
D.1.2.2	OSS-2	COFFI/Region (%)	>= 99.5%			99.99%					YES
D.1.2.3	OSS-2	BOCRIS/CRIS/Region (%)	>= 99.5%			99.99%					YES
D.1.2.4	OSS-2	DSAP/Region (%)	>= 99.5%			99.98%					YES
D.1.2.5	OSS-2	RSAG/Region (%)	>= 99.5%			99.99%					YES
D.1.2.6	OSS-2	SOCS/Region (%)	>= 99.5%			99.99%					YES
D.1.2.7	OSS-2	SONGS/Region (%)	>= 99.5%			99.99%					YES
D.1.2.8	OSS-2	DOE/Region (%)	>= 99.5%			100.00%					YES
	Average Response Interval - CLEC (LENS) (BST Measure Includes Additional 2 Seconds)										
D.1.3.1.1	OSS-1	RSAG, by TN/Region (seconds)	RNS - RSAG, by TN + 2 sec	2.88	1,662,027	1.02	386,506				YES
D.1.3.1.2	OSS-1	RSAG, by TN/Region (seconds)	ROS - RSAG, by TN + 2 sec	2.91	8,691	1.02	386,506				YES
D.1.3.2.1	OSS-1	RSAG, by ADDR/Region (seconds)	RNS - RSAG, by ADDR + 2 sec	3.03	4,284,424	0.93	223,663				YES
D.1.3.2.2	OSS-1	RSAG, by ADDR/Region (seconds)	ROS - RSAG, by ADDR + 2 sec	4.76	778,843	0.93	223,663				YES
D.1.3.3.1	OSS-1	ATLAS/Region (seconds)	RNS - ATLAS + 2 sec	3.01	820,139	0.80	100,419				YES
D.1.3.3.2	OSS-1	ATLAS/Region (seconds)	ROS - ATLAS + 2 sec	2.61	280,482	0.80	100,419				YES
D.1.3.4.1	OSS-1	DSAP/Region (seconds)	RNS - DSAP + 2 sec	2.71	1,418,537	0.52	677				YES
D.1.3.4.2	OSS-1	DSAP/Region (seconds)	ROS - DSAP + 2 sec	2.57	290,595	0.52	677				YES
D.1.3.5.1	OSS-1	CRSECSRL/Region (seconds)	RNS - CRSACCTS + 2 sec	3.24	4,324,284	1.14	1,313,285				YES
D.1.3.5.2	OSS-1	CRSECSRL/Region (seconds)	ROS - CRSOCSR + 2 sec	2.95	540,104	1.14	1,313,285				YES
D.1.3.6.1	OSS-1	COFFI/Region (seconds)	RNS - OASISBIG + 2 sec	4.35	9,130,832	0.64	54,746				YES
D.1.3.6.2	OSS-1	COFFI/Region (seconds)	ROS - OASISBIG + 2 sec	3.73	642,068	0.64	54,746				YES
D.1.3.7.1	OSS-1	PSIMS/ORB/Region (seconds)	RNS - OASISBIG + 2 sec	4.35	9,130,832	0.04	115,506				YES
D.1.3.7.2	OSS-1	PSIMS/ORB/Region (seconds)	ROS - OASISBIG + 2 sec	3.73	642,068	0.04	115,505				YES
	Average Response Interval - CLEC (TAG) (BST Measure Includes Additional 2 Seconds)										
D.1.4.1.1	OSS-1	RSAG, by TN/Region (seconds)	RNS - RSAG, by TN + 2 sec	2.88	1,662,027	1.52	397,868				YES
D.1.4.1.2	OSS-1	RSAG, by TN/Region (seconds)	ROS - RSAG, by TN + 2 sec	2.91	8,691	1.52	397,868				YES
D.1.4.2.1	OSS-1	RSAG, by ADDR/Region (seconds)	RNS - RSAG, by ADDR + 2 sec	3.03	4,284,424	2.34	97,257				YES
D.1.4.2.2	OSS-1	RSAG, by ADDR/Region (seconds)	ROS - RSAG, by ADDR + 2 sec	4.76	778,843	2.34	97,257				YES
D.1.4.3.1	OSS-1	ATLAS - MLH/Region (seconds)	Diagnostic								Diagnostic
D.1.4.3.2	OSS-1	ATLAS - MLH/Region (seconds)	Diagnostic								Diagnostic
D.1.4.4.1	OSS-1	ATLAS - DID/Region (seconds)	Diagnostic			1.37	320				Diagnostic
D.1.4.4.2	OSS-1	ATLAS - DID/Region (seconds)	Diagnostic			1.37	320				Diagnostic
D.1.4.5.1	OSS-1	ATLAS - TN/Region (seconds)	RNS - ATLAS - TN + 2 sec	3.01	820,139	1.89	21,098				YES
D.1.4.5.2	OSS-1	ATLAS - TN/Region (seconds)	ROS - ATLAS - TN + 2 sec	2.61	280,482	1.89	21,098				YES
D.1.4.6.1	OSS-1	DSAP/Region (seconds)	RNS - DSAP + 2 sec	2.71	1,418,537	1.83	254,711				YES
D.1.4.6.2	OSS-1	DSAP/Region (seconds)	ROS - DSAP + 2 sec	2.57	290,595	1.83	254,711				YES
D.1.4.7.1	OSS-1	TAG/Region (seconds)	RNS - CRSACCTS + 2 sec	3.24	4,324,284	2.85	446,963				YES
D.1.4.7.2	OSS-1	TAG/Region (seconds)	ROS - CRSOCSR + 2 sec	2.95	540,104	2.85	446,963				YES
D.1.4.9.1	OSS-1	CRSECSRL/Region (seconds)	RNS - CRSACCTS + 2 sec	***This data not applicable after 7-1-2001; see D.1.4.7.1***							
D.1.4.9.2	OSS-1	CRSECSRL/Region (seconds)	ROS - CRSOCSR + 2 sec	***This data not applicable after 7-1-2001; see D.1.4.7.2***							
	Operations Support Systems - Maintenance and Repair										

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	% Interface Availability - BST										
D.2.1	OSS-3	TAFI/Region (%)	>= 99.5%	100.00%							YES
	% Interface Availability - CLEC										
D.2.2.1	OSS-3	CLEC TAFI/Region (%)	>= 99.5%			100.00%					YES
D.2.2.2	OSS-3	ECTA/Region (%)	>= 99.5%			99.86%					YES
	% Interface Availability - BST & CLEC										
D.2.3.1	OSS-3	CRIS/Region (%)	>= 99.5%			99.99%					YES
D.2.3.2	OSS-3	LMOS HOST/Region (%)	>= 99.5%			100.00%					YES
D.2.3.3	OSS-3	LNP/Region (%)	>= 99.5%			99.91%					YES
D.2.3.4	OSS-3	MARCH/Region (%)	>= 99.5%			100.00%					YES
D.2.3.5	OSS-3	OSPCM/Region (%)	>= 99.5%			100.00%					YES
D.2.3.6	OSS-3	Predictor/Region (%)	>= 99.5%			99.92%					YES
D.2.3.7	OSS-3	SOCS/Region (%)	>= 99.5%			99.99%					YES
	Average Response Interval <= 4 Seconds										
D.2.4.1	OSS-4	CRIS/Region (%)	Parity w Retail	94.95%	1,604,342	94.66%	119,378		0.00066	4.4627	NO
D.2.4.2	OSS-4	DLETH/Region (%)	Parity w Retail	2.58%	46,568	3.67%	1,309		0.00445	-2.4373	YES
D.2.4.3	OSS-4	DLR/Region (%)	Parity w Retail	4.47%	31,637	7.51%	5,836		0.00294	-10.2981	YES
D.2.4.4	OSS-4	LMOS/Region (%)	Parity w Retail	99.61%	1,604,281	99.58%	123,250		0.00018	1.7696	NO
D.2.4.5	OSS-4	LMOSupd/Region (%)	Parity w Retail	79.21%	1,192,390	66.24%	73,719		0.00154	84.1631	NO
D.2.4.6	OSS-4	LNP/Region (%)	Parity w Retail	99.65%	114,733	98.81%	7,087		0.00073	11.4128	NO
D.2.4.7	OSS-4	MARCH/Region (%)	Parity w Retail	28.10%	6,430	29.64%	685		0.01807	-0.8482	YES
D.2.4.8	OSS-4	OSPCM/Region (%)	Parity w Retail	33.15%	6,214	21.43%	168		0.03681	3.1848	NO
D.2.4.9	OSS-4	Predictor/Region (%)	Parity w Retail	12.71%	64,264	21.73%	6,345		0.00438	-20.5823	YES
D.2.4.10	OSS-4	SOCS/Region (%)	Parity w Retail	99.81%	209,127	99.86%	17,586		0.00034	-1.5009	YES
D.2.4.11	OSS-4	NIW/Region (%)	Parity w Retail	82.83%	62,644	81.89%	4,528		0.00580	1.6105	YES
	Average Response Interval <= 10 Seconds										
D.2.5.1	OSS-4	CRIS/Region (%)	Parity w Retail	99.02%	1,604,342	99.39%	119,378		0.00030	-12.5894	YES
D.2.5.2	OSS-4	DLETH/Region (%)	Parity w Retail	77.66%	46,568	82.58%	1,309		0.01167	-4.2178	YES
D.2.5.3	OSS-4	DLR/Region (%)	Parity w Retail	71.08%	31,637	41.67%	5,836		0.00646	45.5375	NO
D.2.5.4	OSS-4	LMOS/Region (%)	Parity w Retail	99.80%	1,604,281	99.85%	123,250		0.00013	-3.7432	YES
D.2.5.5	OSS-4	LMOSupd/Region (%)	Parity w Retail	90.59%	1,192,390	80.53%	73,719		0.00111	90.8098	NO
D.2.5.6	OSS-4	LNP/Region (%)	Parity w Retail	99.83%	114,733	99.52%	7,087		0.00051	6.0140	NO
D.2.5.7	OSS-4	MARCH/Region (%)	Parity w Retail	28.10%	6,430	29.64%	685		0.01807	-0.8482	YES
D.2.5.8	OSS-4	OSPCM/Region (%)	Parity w Retail	98.41%	6,214	95.83%	168		0.00979	2.6287	NO
D.2.5.9	OSS-4	Predictor/Region (%)	Parity w Retail	12.71%	64,264	21.73%	6,345		0.00438	-20.5823	YES
D.2.5.10	OSS-4	SOCS/Region (%)	Parity w Retail	99.98%	209,127	100.00%	17,586		0.00010	-1.6712	YES
D.2.5.11	OSS-4	NIW/Region (%)	Parity w Retail	99.42%	62,644	99.25%	4,528		0.00117	1.4676	YES
	Average Response Interval > 10 Seconds										
D.2.6.1	OSS-4	CRIS/Region (%)	Parity w Retail	0.98%	1,604,342	0.61%	119,378		0.00030	12.5894	YES
D.2.6.2	OSS-4	DLETH/Region (%)	Parity w Retail	22.34%	46,568	17.42%	1,309		0.01167	4.2178	YES
D.2.6.3	OSS-4	DLR/Region (%)	Parity w Retail	28.92%	31,637	58.33%	5,836		0.00646	-45.5375	NO
D.2.6.4	OSS-4	LMOS/Region (%)	Parity w Retail	0.20%	1,604,281	0.15%	123,250		0.00013	3.7432	YES
D.2.6.5	OSS-4	LMOSupd/Region (%)	Parity w Retail	9.41%	1,192,390	19.47%	73,719		0.00111	-90.8098	NO
D.2.6.6	OSS-4	LNP/Region (%)	Parity w Retail	0.17%	114,733	0.48%	7,087		0.00051	-6.0140	NO
D.2.6.7	OSS-4	MARCH/Region (%)	Parity w Retail	71.90%	6,430	70.36%	685		0.01807	0.8482	YES
D.2.6.8	OSS-4	OSPCM/Region (%)	Parity w Retail	1.59%	6,214	4.17%	168		0.00979	-2.6287	NO
D.2.6.9	OSS-4	Predictor/Region (%)	Parity w Retail	87.29%	64,264	78.27%	6,345		0.00438	20.5823	YES
D.2.6.10	OSS-4	SOCS/Region (%)	Parity w Retail	0.02%	209,127	0.00%	17,586		0.00010	1.6712	YES
D.2.6.11	OSS-4	NIW/Region (%)	Parity w Retail	0.58%	62,644	0.75%	4,528		0.00117	-1.4676	YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	Collocation - Collocation										
	Average Response Time										
E.1.1.1	C-1	Virtual/SC (calendar days)	<= 20 days								
E.1.1.2	C-1	Physical Caged/SC (calendar days)	<= 30 days			4	2				YES
E.1.1.3	C-1	Physical Cageless/SC (calendar days)	<= 30 days								
	Average Arrangement Time										
E.1.2.1	C-2	Virtual-Ordinary/SC (calendar days)	<= 50 days								
E.1.2.2	C-2	Virtual-Extraordinary/SC (calendar days)	<= 75 days								
E.1.2.3	C-2	Physical Caged-Ordinary/SC (calendar days)	<= 90 days			41	2				YES
E.1.2.4	C-2	Physical Cageless-Ordinary/SC (calendar days)	<= 60 days			55	1				YES
E.1.2.5	C-2	Physical Cageless-Extraordinary/SC (calendar days)	<= 90 days								
	% Due Dates Missed										
E.1.3.1	C-3	Virtual/SC (%)	< 5% missed								
E.1.3.2	C-3	Physical/SC (%)	< 5% missed			0.00%	3				YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	General - Flow Through										
	% Flow Through Service Requests										
F.1.1.1	O-3	Summary/Region (%)	Diagnostic			85.96%	368,639				Diagnostic
F.1.1.2	O-3	Aggregate/Region (%)	Diagnostic			85.96%	368,639				Diagnostic
F.1.1.3	O-3	Residence/Region (%)	>= 95%			88.58%	175,117				NO
F.1.1.4	O-3	Business/Region (%)	>= 90%			73.74%	4,836				NO
F.1.1.5	O-3	UNE/Region (%)	>= 85%			83.84%	188,686				NO
	% Flow Through Service Requests - Achieved										
F.1.2.1	O-3	Summary/Region (%)	Diagnostic			78.96%	401,329				Diagnostic
F.1.2.2	O-3	Aggregate/Region (%)	Diagnostic			78.96%	401,329				Diagnostic
F.1.2.3	O-3	Residence/Region (%)	Diagnostic			81.68%	189,918				Diagnostic
F.1.2.4	O-3	Business/Region (%)	Diagnostic			53.42%	6,676				Diagnostic
F.1.2.5	O-3	UNE/Region (%)	Diagnostic			77.27%	204,735				Diagnostic
	% Flow Through Service Requests - LNP										
F.1.3.1	O-3	Summary/Region (%)	>= 85%			83.63%	8,563				NO
F.1.3.2	O-3	Aggregate/Region (%)	>= 85%			83.63%	8,563				NO
F.1.3.3	O-3	Residence/Region (%)	Diagnostic								Diagnostic
F.1.3.4	O-3	Business/Region (%)	Diagnostic								Diagnostic
	General - Pre-Ordering										
	Loop Makeup Inquiry (Manual)										
F.2.1	PO-1	Loops/SC (%)	>= 95% w in 3 bus days			0.00%	1				NO
	Loop Makeup Inquiry (Electronic)										
F.2.2	PO-2	Loops/SC (%)	>= 95% w in 1 min			100.00%	3				YES
	General - Ordering										
	Service Inquiry with Firm Order										
F.3.1.1	O-10	xDSL (ADSL, HDSL and UCL)/SC (%)	>= 95% w in 5 bus days								
F.3.1.2	O-10	Local Interoffice Transport/SC (%)	>= 95% w in 5 bus days								
	Average Speed of Answer										
F.4.1	O-12	Region (seconds)	Parity w Retail	259.48	5,582,890	58.19	41,576				YES
	General - Maintenance Center										
	Average Answer Time										
F.5.1	M&R-6	Region (seconds)	Parity w Retail	52.80	1,593,224	28.04	91,272				YES
	General - Operator Services (Toll)										
	Average Speed to Answer										
F.6.1	OS-1	SC (seconds)	PBD			2.44					PBD
	% Answered in 10 seconds										
F.6.2	OS-2	SC (%)	PBD			92.80%					PBD
	General - Directory Assistance										
	Average Speed to Answer										
F.7.1	DA-1	SC (seconds)	PBD			6.68					PBD
	% Answered in 12 seconds										
F.7.2	DA-2	SC (%)	PBD			80.80%					PBD

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	General - E911										
	Mean Interval										
F.8.1	E-3	SC (hours)	PBD			0.57	968				PBD
	% Accuracy										
F.8.2	E-2	SC (%)	PBD			97.14%	126,782				PBD
	% Timeliness										
F.8.3	E-1	SC (%)	PBD			100.00%	968				PBD
	General - Billing										
	Usage Data Delivery Accuracy										
F.9.1	B-3	Region (%)	Parity w Retail	100.00%	3,216	100.00%	22,639		0.00000		YES
	Usage Data Delivery Timeliness										
F.9.2	B-5	Region (%)	Parity w Retail	99.33%	27,358	99.38%	475,419,169		0.00049	-0.9527	YES
	Usage Data Delivery Completeness										
F.9.3	B-4	Region (%)	Parity w Retail	99.92%	27,358	99.91%	475,419,169		0.00017	0.7704	YES
	Mean Time to Deliver Usage										
F.9.4	B-6	Region (days)	Parity w Retail	3.24	27,358	2.43	475,419,169				YES
	Recurring Charge Completeness										
F.9.5.1	B-7	Resale/SC (%)	Parity w Retail	81.33%	$4,384,228	99.03%	$166,804		0.00225	-78.6993	YES
F.9.5.2	B-7	UNE/SC (%)	>= 90%			98.94%	$100,398				YES
F.9.5.3	B-7	Interconnection/SC (%)	>= 90%			100.00%	$512				YES
	Non-Recurring Charge Completeness										
F.9.6.1	B-8	Resale/SC (%)	Parity w Retail	76.68%	$5,937,514	98.73%	$274,260		0.00171	-128.9670	YES
F.9.6.2	B-8	UNE/SC (%)	>= 90%			99.00%	$244,790				YES
F.9.6.3	B-8	Interconnection/SC (%)	>= 90%			98.52%	$44,937				YES
	General - Change Management										
	% Software Release Notices Sent On Time										
F.10.1	CM-1	SC (%)	>= 95% w in 30 days								
	Average Software Release Notice Delay Days										
F.10.2	CM-2	SC (average)	>= 22 days prior to release								
	% Change Management Documentation Sent On Time										
F.10.3	CM-3A	SC (%)	>= 95% w in 30 days			100.00%	1				YES
	% Change Management Documentation (Defects, Corrections, etc.) Sent On Time										
F.10.4	CM-3B	SC (%)	>= 95% w in 5 days								
	Average Documentation Release Delay Days										
F.10.5	CM-4	SC (average)	>= 22 days prior to release								
	% CLEC Interface Outages Sent within 15 Minutes										
F.10.6	CM-5	SC (%)	>= 97% w in 15 min			100.00%	23				YES
	General - New Business Requests										
	% New Business Requests Processed within 30 Business Days										
F.11.1	BFR-1	Region (%)	>= 90% w in 30 bus days			100.00%	2				YES
	% Quotes Provided within X Business Days										
F.11.2.1	BFR-2A	Region (%)	>= 90% w in 10 bus days								
F.11.2.2	BFR-2B	Region (%)	>= 90% w in 30 bus days								
F.11.2.3	BFR-2C	Region (%)	>= 90% w in 60 bus days			100.00%	2				YES

BellSouth Monthly State Summary

South Carolina, June 2002

			Benchmark/ Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
	General - Ordering										
	Acknowledgement Message Timeliness										
F.12.1.1	O-1	EDI/Region (%)	>= 95% w in 30 min			100.00%	121,803				YES
F.12.1.2	O-1	TAG/Region (%)	>= 95% w in 30 min			100.00%	388,915				YES
	Acknowledgement Message Completeness										
F.12.2.1	O-2	EDI/Region (%)	100%			99.62%	122,263				NO
F.12.2.2	O-2	TAG/Region (%)	100%			100.00%	388,932				NO
	General - Database Updates										
	Average Database Update Interval										
F.13.1.1	D-1	LIDB/SC (hours)	PBD	1.40	19	1.40	19				PBD
F.13.1.2	D-1	Directory Listings/SC (hours)	PBD	0.11	25	0.11	25				PBD
F.13.1.3	D-1	Directory Assistance/SC (hours)	PBD	5.83	23	5.83	23				PBD
	% Update Accuracy										
F.13.2.1	D-2	LIDB/SC (%)	>= 95%			93.48%	660				NO
F.13.2.2	D-2	Directory Listings/SC (%)	>= 95%			99.35%	1,072				YES
F.13.2.3	D-2	Directory Assistance/SC (%)	>= 95%			99.19%	246				YES
	% NXXs / LRNs Loaded by LERG Effective Date										
F.13.3	D-3	Region (%)	100%			98.41%	63				NO
	General - Network Outage Notification										
	Mean Time to Notify CLEC of Major Network Outages										
F.14.1	M&R-7	Region (minutes)	Parity w Retail	791	4	602	4				YES