BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			Standard Error	Zscore	Equity	May BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
		% Hot Cuts > 15 minutes Early											
B.2.13.1	P-7A	Time-Specific SL1/FL (%)			YES			0.20%	986				YES
B.2.13.2	P-7A	Time-Specific SL2/FL (%)			YES			2.86%	35				YES
B.2.13.3	P-7A	Non-Time Specific SL1/FL (%)			YES			0.00%	381				YES
B.2.13.4	P-7A	Non-Time Specific SL2/FL (%)			YES			0.00%	336				YES
		Hot Cut Timeliness											
B.2.14.1	P-7A	Time-Specific SL1/FL (%)			YES			98.58%	986				YES
B.2.14.2	P-7A	Time-Specific SL2/FL (%)			YES			97.14%	35				YES
B.2.14.3	P-7A	Non-Time Specific SL1/FL (%)			YES			100.00%	381				YES
B.2.14.4	P-7A	Non-Time Specific SL2/FL (%)			YES			100.00%	336				YES
		% Hot Cuts > 15 minutes Late											
B.2.15.1	P-7A	Time-Specific SL1/FL (%)			YES			1.22%	986				YES
B.2.15.2	P-7A	Time-Specific SL2/FL (%)			YES			0.00%	35				YES
B.2.15.3	P-7A	Non-Time Specific SL1/FL (%)			YES			0.00%	381				YES
B.2.15.4	P-7A	Non-Time Specific SL2/FL (%)			YES			0.00%	336				YES
		Average Recovery Time - CCC											
B.2.16.1	P-7B	Loops with INP/FL (minutes)			Diagnostic								Diagnostic
B.2.16.2	P-7B	Loops with LNP/FL (minutes)			Diagnostic			454.23	39				Diagnostic
		% Provisioning Troubles within 7 Days - Hot Cuts											
B.2.17.1.1	P-7C	UNE Loop Design/Dispatch/FL (%)			YES			2.55%	1,253				YES
B.2.17.1.2	P-7C	UNE Loop Design/Non-Dispatch/FL (%)											
B.2.17.2.1	P-7C	UNE Loop Non-Design/Dispatch/FL (%)			YES			1.22%	4,178				YES
B.2.17.2.2	P-7C	UNE Loop Non-Design/Non-Dispatch/FL (%)			YES			0.52%	1,160				YES
		% Missed Installation Appointments											
B.2.18.1.1.1	P-3	Switch Ports/<10 circuits/Dispatch/FL (%)				3.41%	78,501						
B.2.18.1.1.2	P-3	Switch Ports/<10 circuits/Non-Dispatch/FL (%)				0.09%	754,118						
B.2.18.1.2.1	P-3	Switch Ports/>=10 circuits/Dispatch/FL (%)				3.92%	383						
B.2.18.1.2.2	P-3	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)				0.00%	12						
B.2.18.2.1.1	P-3	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	0.02607	0.3660	YES	0.76%	2,107	0.00%	31		0.01571	0.4835	YES
B.2.18.2.1.2	P-3	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)											
B.2.18.2.2.1	P-3	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)				0.00%	1						
B.2.18.2.2.2	P-3	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)											
B.2.18.3.1.1	P-3	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	0.00579	2.2706	YES	3.41%	79,170	3.67%	1,500		0.00473	-0.5335	YES
B.2.18.3.1.2	P-3	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	0.00008	-13.2127	NO	0.10%	757,172	0.20%	41,033		0.00016	-6.9903	NO
B.2.18.3.1.3	P-3	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	0.00000		YES	0.00%	380,795	0.00%	21,422		0.00000		YES
B.2.18.3.1.4	P-3	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)	0.00015	-11.0857	NO	0.19%	376,377	0.43%	19,611		0.00032	-7.3793	NO
B.2.18.3.2.1	P-3	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	0.07626	1.1325	YES	3.63%	441	9.09%	11		0.05708	-0.9571	YES
B.2.18.3.2.2	P-3	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	0.00000		YES	0.00%	270	0.00%	9		0.00000		YES
B.2.18.3.2.3	P-3	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)				0.00%	90	0.00%	5		0.00000		YES
B.2.18.3.2.4	P-3	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	0.00000		YES	0.00%	180	0.00%	4		0.00000		YES
B.2.18.4.1.1	P-3	Combo Other/<10 circuits/Dispatch/FL (%)	0.02151	0.7256	YES	3.38%	82,069	4.27%	164		0.01413	-0.6259	YES
B.2.18.4.1.4	P-3	Combo Other/<10 circuits/Dispatch In/FL (%)				3.38%	82,069						
B.2.18.4.2.1	P-3	Combo Other/>=10 circuits/Dispatch/FL (%)				3.46%	462						
B.2.18.4.2.4	P-3	Combo Other/>=10 circuits/Dispatch In/FL (%)				3.46%	462						
B.2.18.5.1.1	P-3	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (%)	0.01297	1.8987	YES	3.32%	9,120	1.77%	282		0.01084	1.4298	YES
B.2.18.5.1.2	P-3	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (%)				0.00%	5,431						
B.2.18.5.2.1	P-3	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (%)	0.00000		YES	6.25%	16						
B.2.18.5.2.2	P-3	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (%)				0.00%	1						
B.2.18.6.1.1	P-3	UNE ISDN/<10 circuits/Dispatch/FL (%)	0.02197	2.2261	YES	2.66%	263	2.59%	464		0.01242	0.0607	YES
B.2.18.6.1.2	P-3	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)				2.21%	453						
B.2.18.6.2.1	P-3	UNE ISDN/>=10 circuits/Dispatch/FL (%)											
B.2.18.6.2.2	P-3	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)											
B.2.18.7.1.1	P-3	Line Sharing/<10 circuits/Dispatch/FL (%)	0.03475	-0.2120	YES	3.32%	9,120	12.86%	70		0.02150	-4.4342	NO
B.2.18.7.1.2	P-3	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	0.00000		YES	0.00%	5,431	0.00%	156		0.00000		YES
B.2.18.7.2.1	P-3	Line Sharing/>=10 circuits/Dispatch/FL (%)				6.25%	16						
B.2.18.7.2.2	P-3	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)				0.00%	1						
B.2.18.8.1.1	P-3	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	0.01192	3.3713	YES	3.41%	79,170	1.30%	384		0.00929	2.2737	YES
B.2.18.8.1.2	P-3	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)				3.41%	79,170						
B.2.18.8.2.1	P-3	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	0.12633	0.6836	YES	3.63%	441	0.00%	4		0.09392	0.3863	YES
B.2.18.8.2.2	P-3	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)				3.63%	441						
B.2.18.9.1.1	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	0.00771	3.9940	YES	3.41%	78,501	2.47%	1,498		0.00474	1.9932	YES
B.2.18.9.1.4	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	0.00428	0.1327	YES	0.19%	374,231	0.00%	25		0.00672	0.2183	YES
B.2.18.9.2.1	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	0.04826	-0.0762	YES	3.92%	383	2.04%	49		0.02943	0.6373	YES
B.2.18.9.2.4	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)				0.00%	10						
B.2.18.10.1.1	P-3	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)				3.41%	79,170	0.00%	1		0.18159	0.1880	YES

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.18.10.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	5.40%	71,710						
B.2.18.10.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	3.35%	448						
B.2.18.10.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	3.35%	448						
B.2.18.11.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	5.53%	69,594	0.00%	1		0.22850	0.2419	YES
B.2.18.11.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.04%	358,945	0.00%	1		0.02084	0.0209	YES
B.2.18.11.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	3.96%	379						
B.2.18.11.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	8						
B.2.18.12.1.1	P-12	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	5.40%	71,710	0.81%	124		0.02032	2.2615	YES
B.2.18.12.1.2	P-12	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	5.40%	71,710						
B.2.18.12.2.1	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	3.35%	448	11.11%	9		0.06056	-1.2818	YES
B.2.18.12.2.2	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	3.35%	448						
B.2.18.13.1.1	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	5.53%	69,594	0.70%	285		0.01356	3.5573	YES
B.2.18.13.1.4	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.04%	358,945	0.42%	237		0.00135	-2.7946	NO
B.2.18.13.2.1	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	3.96%	379	0.00%	18		0.04703	0.8415	YES
B.2.18.13.2.4	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	8	0.00%	8		0.00000		YES
B.2.18.14.1.1	P-3	Other Design/<10 circuits/Dispatch/FL (%)	Design	2.75%	2,838						
B.2.18.14.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/FL (%)	Design	0.63%	954						
B.2.18.14.2.1	P-3	Other Design/>=10 circuits/Dispatch/FL (%)	Design	0.32%	309						
B.2.18.14.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/FL (%)	Design	0.00%	47						
B.2.18.15.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/FL (%)	R&B	5.40%	71,710	0.00%	2		0.15983	0.3379	YES
B.2.18.15.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	R&B	0.02%	762,023						
B.2.18.15.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/FL (%)	R&B	3.35%	448						
B.2.18.15.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	R&B	0.00%	292						
B.2.18.16.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	5.53%	69,594						
B.2.18.16.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.02%	759,312						
B.2.18.16.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	3.96%	379						
B.2.18.16.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	23						
B.2.18.17.1.1	P-12	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	5.53%	69,594	0.00%	3		0.13192	0.4189	YES
B.2.18.17.1.2	P-12	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.02%	759,312	0.03%	3,253		0.00025	-0.4049	YES
B.2.18.17.2.1	P-12	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	3.96%	379						
B.2.18.17.2.2	P-12	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	23	0.00%	13		0.00000		YES
B.2.18.18.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	Digital Loop < DS1	3.10%	11,222	4.64%	431		0.00851	-1.8091	NO
B.2.18.18.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	0.11%	7,404						
B.2.18.18.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop < DS1	0.00%	19						
B.2.18.18.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	0.00%	1						
B.2.18.19.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	0.69%	1,598	4.01%	324		0.00504	-6.5983	NO
B.2.18.19.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.11%	897						
B.2.18.19.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	0.63%	160						
B.2.18.19.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.00%	89						
		% Provisioning Troubles within 30 Days									
B.2.19.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/FL (%)	R&B (POTS)	10.62%	61,289						
B.2.19.1.1.2	P-9	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.44%	720,032						
B.2.19.1.2.1	P-9	Switch Ports/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	18.04%	377						
B.2.19.1.2.2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	11.11%	9						
B.2.19.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	DS1/DS3	8.37%	2,080	0.00%	6		0.11319	0.7390	YES
B.2.19.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)	DS1/DS3								
B.2.19.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)	DS1/DS3								
B.2.19.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)	DS1/DS3								
B.2.19.3.1.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	R&B	10.60%	62,022	9.36%	1,817		0.00733	1.6929	YES
B.2.19.3.1.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	R&B	4.44%	722,384	2.57%	65,002		0.00084	22.1476	YES
B.2.19.3.1.3	P-9	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	R&B	4.34%	391,101	2.07%	23,910		0.00136	16.7524	YES
B.2.19.3.1.4	P-9	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)	R&B	4.55%	331,283	2.86%	41,092		0.00109	15.5015	YES
B.2.19.3.2.1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	R&B	16.29%	442	7.14%	14		0.10024	0.9125	YES
B.2.19.3.2.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	R&B	5.99%	267	0.00%	4		0.11956	0.5012	YES
B.2.19.3.2.3	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	R&B	5.36%	56	0.00%	1		0.22717	0.2358	YES
B.2.19.3.2.4	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	R&B	6.16%	211	0.00%	3		0.13981	0.4407	YES
B.2.19.4.1.1	P-9	Combo Other/<10 circuits/Dispatch/FL (%)	R&B&D - Disp	10.44%	65,194	19.15%	94		0.03156	-2.7589	NO
B.2.19.4.1.4	P-9	Combo Other/<10 circuits/Dispatch In/FL (%)	R&B&D - Disp	10.44%	65,194						
B.2.19.4.2.1	P-9	Combo Other/>=10 circuits/Dispatch/FL (%)	R&B&D - Disp	16.11%	447						
B.2.19.4.2.4	P-9	Combo Other/>=10 circuits/Dispatch In/FL (%)	R&B&D - Disp	16.11%	447						
B.2.19.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (%)	ADSL to Retail	4.52%	9,549	7.22%	263		0.01299	-2.0786	NO
B.2.19.5.1.2	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	2.05%	5,904						
B.2.19.5.2.1	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	0.00%	7						
B.2.19.5.2.2	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail								
B.2.19.6.1.1	P-9	UNE ISDN/<10 circuits/Dispatch/FL (%)	ISDN - BRI	10.37%	347	8.70%	345		0.02318	0.7242	YES
B.2.19.6.1.2	P-9	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)	ISDN - BRI	1.72%	348						
B.2.19.6.2.1	P-9	UNE ISDN/>=10 circuits/Dispatch/FL (%)	ISDN - BRI			0.00%	1				
B.2.19.6.2.2	P-9	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)	ISDN - BRI								

BellSouth Monthly Performance Summary
Florida Interim, August 2002 - May 2002

			July								June				
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation
B.2.18.10.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	6.35%	62,022							5.40%	56,778			
B.2.18.10.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	6.11%	442							8.64%	440			
B.2.18.10.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	6.11%	442							8.64%	440			
B.2.18.11.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	6.37%	61,289							5.38%	56,131	0.00%	2	
B.2.18.11.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	0.05%	329,680	0.00%	1		0.02230	0.0223	YES	0.06%	333,057	0.00%	1	
B.2.18.11.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	6.10%	377							4.63%	367			
B.2.18.11.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00%	3							0.00%	18			
B.2.18.12.1.1	P-12	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	6.35%	62,022	0.54%	184		0.01800	3.2244	YES	5.40%	56,778	1.22%	245	
B.2.18.12.1.2	P-12	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	6.35%	62,022							5.40%	56,778			
B.2.18.12.2.1	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	6.11%	442	0.00%	10		0.07658	0.7976	YES	8.64%	440	0.00%	11	
B.2.18.12.2.2	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	6.11%	442							8.64%	440			
B.2.18.13.1.1	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	6.37%	61,289	0.24%	425		0.01189	5.1599	YES	5.38%	56,131	0.23%	437	
B.2.18.13.1.4	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	0.05%	329,680	0.00%	264		0.00137	0.3623	YES	0.06%	333,057	0.00%	301	
B.2.18.13.2.1	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	6.10%	377	0.00%	17		0.05934	1.0280	YES	4.63%	367	0.00%	24	
B.2.18.13.2.4	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00%	3	0.00%	13		0.00000		YES	0.00%	18	0.00%	4	
B.2.18.14.1.1	P-3	Other Design/<10 circuits/Dispatch/FL (%)	3.09%	3,172	0.00%	3		0.09995	0.3091	YES	2.62%	2,868			
B.2.18.14.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/FL (%)	0.43%	705							1.36%	588			
B.2.18.14.2.1	P-3	Other Design/>=10 circuits/Dispatch/FL (%)	0.00%	5							0.00%	90			
B.2.18.14.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/FL (%)	0.00%	3							0.00%	4			
B.2.18.15.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/FL (%)	6.35%	62,022	9.09%	11		0.07352	-0.3731	YES	5.40%	56,778	0.00%	25	
B.2.18.15.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	0.02%	722,384							0.03%	684,871			
B.2.18.15.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/FL (%)	6.11%	442							8.64%	440			
B.2.18.15.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	0.00%	267							0.00%	172			
B.2.18.16.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/FL (%)	6.37%	61,289							5.38%	56,131			
B.2.18.16.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	0.02%	720,032							0.03%	682,774			
B.2.18.16.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	6.10%	377							4.63%	367			
B.2.18.16.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	0.00%	9							0.00%	21			
B.2.18.17.1.1	P-12	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	6.37%	61,289	0.00%	5		0.10921	0.5831	YES	5.38%	56,131	0.00%	12	
B.2.18.17.1.2	P-12	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	0.02%	720,032	0.13%	3,054		0.00027	-3.9540	NO	0.03%	682,774	0.00%	2,753	
B.2.18.17.2.1	P-12	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	6.10%	377							4.63%	367			
B.2.18.17.2.2	P-12	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	0.00%	9	0.00%	20		0.00000		YES	0.00%	21	0.00%	13	
B.2.18.18.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	5.45%	10,220	2.53%	592		0.00960	3.0390	YES	4.72%	10,246	1.89%	529	
B.2.18.18.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	0.08%	6,623							0.18%	6,575			
B.2.18.18.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	0.00%	7	0.00%	1		0.00000		YES	0.00%	14	0.00%	1	
B.2.18.18.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)									0.00%	1			
B.2.18.19.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	1.30%	692	3.15%	413		0.00704	-2.6219	NO	0.00%	388	1.81%	331	
B.2.18.19.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	0.00%	915							0.00%	573			
B.2.18.19.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	0.00%	5	0.00%	1		0.00000		YES	0.00%	9	0.00%	1	
B.2.18.19.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	0.00%	94							0.00%	67			
		% Provisioning Troubles within 30 Days													
B.2.19.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/FL (%)	11.23%	56,131							11.63%	78,501			
B.2.19.1.1.2	P-9	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	4.28%	682,774							3.54%	754,118			
B.2.19.1.2.1	P-9	Switch Ports/>=10 circuits/Dispatch/FL (%)	20.71%	367							21.41%	383			
B.2.19.1.2.2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)	4.76%	21							8.33%	12			
B.2.19.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	6.25%	2,096	7.14%	14		0.06491	-0.1376	YES	7.36%	2,107	0.00%	31	
B.2.19.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)													
B.2.19.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)			0.00%	1					0.00%	1			
B.2.19.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)													
B.2.19.3.1.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	11.21%	56,778	9.06%	1,567		0.00808	2.6572	YES	11.60%	79,170	8.87%	1,500	
B.2.19.3.1.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	4.28%	684,871	2.70%	49,428		0.00094	16.7200	YES	3.54%	757,172	2.55%	41,033	
B.2.19.3.1.3	P-9	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	4.30%	350,336	2.03%	19,770		0.00148	15.2932	YES	3.83%	380,795	2.29%	21,422	
B.2.19.3.1.4	P-9	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)	4.26%	334,535	3.15%	29,658		0.00122	9.0435	YES	3.24%	376,377	2.82%	19,611	
B.2.19.3.2.1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	20.68%	440	0.00%	14		0.10996	1.8809	YES	21.09%	441	9.09%	11	
B.2.19.3.2.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	7.56%	172	0.00%	3		0.15393	0.4910	YES	11.85%	270	0.00%	9	
B.2.19.3.2.3	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	5.71%	35							7.78%	90	0.00%	5	
B.2.19.3.2.4	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	8.03%	137	0.00%	3		0.15860	0.5063	YES	13.89%	180	0.00%	4	
B.2.19.4.1.1	P-9	Combo Other/<10 circuits/Dispatch/FL (%)	10.96%	59,646	15.74%	108		0.03008	-1.5904	YES	11.39%	82,069	9.15%	164	
B.2.19.4.1.4	P-9	Combo Other/<10 circuits/Dispatch In/FL (%)	10.96%	59,646							11.39%	82,069			
B.2.19.4.2.1	P-9	Combo Other/>=10 circuits/Dispatch/FL (%)	17.17%	530							20.13%	462			
B.2.19.4.2.4	P-9	Combo Other/>=10 circuits/Dispatch In/FL (%)	17.17%	530							20.13%	462			
B.2.19.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (%)	4.95%	9,617	5.15%	272		0.01334	-0.1481	YES	4.56%	9,120	5.32%	282	
B.2.19.5.1.2	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (%)	2.88%	5,793							3.33%	5,431			
B.2.19.5.2.1	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (%)	0.00%	14	0.00%	1		0.00000		YES	6.25%	16			
B.2.19.5.2.2	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (%)									0.00%	1			
B.2.19.6.1.1	P-9	UNE ISDN/<10 circuits/Dispatch/FL (%)	9.73%	257	8.80%	284		0.02551	0.3625	YES	6.08%	263	7.33%	464	
B.2.19.6.1.2	P-9	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)	1.58%	316							2.21%	453			
B.2.19.6.2.1	P-9	UNE ISDN/>=10 circuits/Dispatch/FL (%)													
B.2.19.6.2.2	P-9	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)													

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			Standard Error	Zscore	Equity	May BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.18.10.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)				3.41%	79,170						
B.2.18.10.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)				3.63%	441						
B.2.18.10.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)				3.63%	441						
B.2.18.11.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	0.15950	0.3371	YES	3.41%	78,501	0.00%	1		0.18159	0.1880	YES
B.2.18.11.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	0.02381	0.0238	YES	0.19%	374,231	0.00%	1		0.04358	0.0437	YES
B.2.18.11.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)				3.92%	383						
B.2.18.11.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)				0.00%	10						
B.2.18.12.1.1	P-12	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	0.01447	2.8847	YES	3.41%	79,170	0.27%	366		0.00951	3.3014	YES
B.2.18.12.1.2	P-12	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)				3.41%	79,170						
B.2.18.12.2.1	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	0.08575	1.0072	YES	3.63%	441	7.69%	13		0.05262	-0.7724	YES
B.2.18.12.2.2	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)				3.63%	441						
B.2.18.13.1.1	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	0.01083	4.7526	YES	3.41%	78,501	0.36%	828		0.00634	4.8104	YES
B.2.18.13.1.4	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	0.00137	0.4132	YES	0.19%	374,231	0.23%	440		0.00208	-0.1781	YES
B.2.18.13.2.1	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	0.04428	1.0460	YES	3.92%	383	0.00%	31		0.03622	1.0812	YES
B.2.18.13.2.4	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00000		YES	0.00%	10	0.00%	6		0.00000		YES
B.2.18.14.1.1	P-3	Other Design/<10 circuits/Dispatch/FL (%)				2.55%	2,899						
B.2.18.14.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/FL (%)				0.95%	843						
B.2.18.14.2.1	P-3	Other Design/>=10 circuits/Dispatch/FL (%)				0.00%	21						
B.2.18.14.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/FL (%)				0.00%	4						
B.2.18.15.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/FL (%)	0.04521	1.1941	YES	3.41%	79,170	0.00%	65		0.02253	1.5152	YES
B.2.18.15.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)				0.10%	757,172						
B.2.18.15.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/FL (%)				3.63%	441						
B.2.18.15.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)				0.00%	270						
B.2.18.16.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/FL (%)				3.41%	78,501						
B.2.18.16.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)				0.09%	754,118						
B.2.18.16.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/FL (%)				3.92%	383						
B.2.18.16.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)				0.00%	12						
B.2.18.17.1.1	P-12	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	0.06512	0.8257	YES	3.41%	78,501	0.00%	1		0.18159	0.1880	YES
B.2.18.17.1.2	P-12	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	0.00032	0.8713	YES	0.09%	754,118	0.27%	3,350		0.00053	-3.2764	NO
B.2.18.17.2.1	P-12	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)				3.92%	383						
B.2.18.17.2.2	P-12	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	0.00000		YES	0.00%	12	0.00%	14		0.00000		YES
B.2.18.18.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	0.00946	2.9955	YES	3.36%	9,833	2.20%	726		0.00693	1.6635	YES
B.2.18.18.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)				0.17%	6,554						
B.2.18.18.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	0.00000		YES	6.25%	16						
B.2.18.18.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)				0.00%	2						
B.2.18.19.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	0.00000		NO	0.60%	334	2.16%	462		0.00554	-2.8256	NO
B.2.18.19.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)				0.17%	1,183						
B.2.18.19.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	0.00000		YES	0.00%	2						
B.2.18.19.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)				0.00%	59						
	% Provisioning Troubles within 30 Days												
B.2.19.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/FL (%)				10.40%	85,789						
B.2.19.1.1.2	P-9	Switch Ports/<10 circuits/Non-Dispatch/FL (%)				3.41%	729,649						
B.2.19.1.2.1	P-9	Switch Ports/>=10 circuits/Dispatch/FL (%)				21.88%	361						
B.2.19.1.2.2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)				5.00%	20						
B.2.19.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	0.04723	1.5575	YES	7.41%	2,497	5.00%	20		0.05880	0.4097	YES
B.2.19.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)											
B.2.19.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)											
B.2.19.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)											
B.2.19.3.1.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	0.00835	3.2794	YES	10.41%	86,612	8.56%	1,379		0.00829	2.2365	YES
B.2.19.3.1.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	0.00094	10.5963	YES	3.41%	732,311	3.75%	24,127		0.00119	-2.8459	NO
B.2.19.3.1.3	P-9	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	0.00135	11.4273	YES	3.81%	384,314	3.92%	12,061		0.00177	-0.6421	YES
B.2.19.3.1.4	P-9	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)	0.00130	3.2165	YES	2.98%	347,997	3.58%	12,066		0.00157	-3.8372	NO
B.2.19.3.2.1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	0.12452	0.9635	YES	21.66%	434	11.11%	9		0.13872	0.7604	YES
B.2.19.3.2.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	0.10952	1.0822	YES	5.65%	230	0.00%	2		0.16400	0.3446	YES
B.2.19.3.2.3	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	0.12306	0.6321	YES	7.25%	69						
B.2.19.3.2.4	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	0.17483	0.7944	YES	4.97%	161	0.00%	2		0.15461	0.3214	YES
B.2.19.4.1.1	P-9	Combo Other/<10 circuits/Dispatch/FL (%)	0.02483	0.9019	YES	10.27%	89,876	8.05%	87		0.03257	0.6839	YES
B.2.19.4.1.4	P-9	Combo Other/<10 circuits/Dispatch In/FL (%)				10.27%	89,876						
B.2.19.4.2.1	P-9	Combo Other/>=10 circuits/Dispatch/FL (%)				20.43%	460						
B.2.19.4.2.4	P-9	Combo Other/>=10 circuits/Dispatch In/FL (%)				20.43%	460						
B.2.19.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (%)	0.01262	-0.6007	YES	4.32%	9,001	6.27%	303		0.01188	-1.6409	YES
B.2.19.5.1.2	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (%)				3.01%	4,989						
B.2.19.5.2.1	P-9	xDSL (ADSL, HDSL and UCL)>=10 circuits/Dispatch/FL (%)				14.29%	7						
B.2.19.5.2.2	P-9	xDSL (ADSL, HDSL and UCL)>=10 circuits/Non-Dispatch/FL (%)											
B.2.19.6.1.1	P-9	UNE ISDN/<10 circuits/Dispatch/FL (%)	0.01845	-0.6742	YES	7.84%	370	8.78%	205		0.02340	-0.4028	YES
B.2.19.6.1.2	P-9	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)				0.88%	457						
B.2.19.6.2.1	P-9	UNE ISDN/>=10 circuits/Dispatch/FL (%)											
B.2.19.6.2.2	P-9	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)											

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.19.7.1.1	P-9	Line Sharing/<10 circuits/Dispatch/FL (%)	ADSL to Retail	4.52%	9,549	37.14%	35		0.03519	-9.2683	NO
B.2.19.7.1.2	P-9	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	2.05%	5,904	16.07%	112		0.01351	-10.3756	NO
B.2.19.7.2.1	P-9	Line Sharing/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	0.00%	7						
B.2.19.7.2.2	P-9	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail								
B.2.19.8.1.1	P-9	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	10.60%	62,022	10.34%	377		0.01590	0.1581	YES
B.2.19.8.1.2	P-9	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	10.60%	62,022						
B.2.19.8.2.1	P-9	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	16.29%	442	0.00%	3		0.21392	0.7615	YES
B.2.19.8.2.2	P-9	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	16.29%	442						
B.2.19.9.1.1	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	10.62%	61,289	12.18%	1,002		0.00981	-1.5888	YES
B.2.19.9.1.4	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	4.56%	329,680	6.67%	15		0.05385	-0.3915	YES
B.2.19.9.2.1	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	18.04%	377	17.24%	29		0.07409	0.1074	YES
B.2.19.9.2.4	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	3	0.00%	1		0.00000		YES
B.2.19.10.1.1	P-9	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	10.60%	62,022	0.00%	1		0.30779	0.3443	YES
B.2.19.10.1.2	P-9	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	10.60%	62,022						
B.2.19.10.2.1	P-9	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	16.29%	442						
B.2.19.10.2.2	P-9	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	16.29%	442						
B.2.19.11.1.1	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	10.62%	61,289						
B.2.19.11.1.4	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	4.56%	329,680	0.00%	1		0.20857	0.2185	YES
B.2.19.11.2.1	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	18.04%	377						
B.2.19.11.2.4	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	3						
B.2.19.12.1.1	P-9	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	10.60%	62,022	10.87%	184		0.02272	-0.1203	YES
B.2.19.12.1.2	P-9	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	10.60%	62,022						
B.2.19.12.2.1	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	16.29%	442	30.00%	10		0.11809	-1.1610	YES
B.2.19.12.2.2	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	16.29%	442						
B.2.19.13.1.1	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	10.62%	61,289	4.94%	425		0.01499	3.7852	YES
B.2.19.13.1.4	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	4.56%	329,680	3.79%	264		0.01284	0.5997	YES
B.2.19.13.2.1	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	18.04%	377	5.88%	17		0.09533	1.2750	YES
B.2.19.13.2.4	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	3	23.08%	13		0.00000		NO
B.2.19.14.1.1	P-9	Other Design/<10 circuits/Dispatch/FL (%)	Design	7.41%	3,172	0.00%	3		0.15129	0.4897	YES
B.2.19.14.1.2	P-9	Other Design/<10 circuits/Non-Dispatch/FL (%)	Design	3.26%	705						
B.2.19.14.2.1	P-9	Other Design/>=10 circuits/Dispatch/FL (%)	Design	0.00%	5						
B.2.19.14.2.2	P-9	Other Design/>=10 circuits/Non-Dispatch/FL (%)	Design	0.00%	3						
B.2.19.15.1.1	P-9	Other Non-Design/<10 circuits/Dispatch/FL (%)	R&B	10.60%	62,022	9.09%	11		0.09281	0.1622	YES
B.2.19.15.1.2	P-9	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	R&B	4.44%	722,384						
B.2.19.15.2.1	P-9	Other Non-Design/>=10 circuits/Dispatch/FL (%)	R&B	16.29%	442						
B.2.19.15.2.2	P-9	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	R&B	5.99%	267						
B.2.19.16.1.1	P-9	INP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	10.62%	61,289						
B.2.19.16.1.2	P-9	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.44%	720,032						
B.2.19.16.2.1	P-9	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	18.04%	377						
B.2.19.16.2.2	P-9	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	11.11%	9						
B.2.19.17.1.1	P-9	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	10.62%	61,289	0.00%	5		0.13777	0.7706	YES
B.2.19.17.1.2	P-9	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.44%	720,032	0.00%	3,057		0.00373	11.8897	YES
B.2.19.17.2.1	P-9	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	18.04%	377						
B.2.19.17.2.2	P-9	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	11.11%	9	0.00%	21		0.12521	0.8874	YES
B.2.19.18.1.1	P-9	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	Digital Loop < DS1	4.81%	10,220	8.28%	592		0.00905	-3.8268	NO
B.2.19.18.1.2	P-9	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	2.08%	6,623						
B.2.19.18.2.1	P-9	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop < DS1	0.00%	7	0.00%	1		0.00000		YES
B.2.19.18.2.2	P-9	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1								
B.2.19.19.1.1	P-9	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	6.36%	692	9.93%	413		0.01517	-2.3522	NO
B.2.19.19.1.2	P-9	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.77%	915						
B.2.19.19.2.1	P-9	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	0.00%	5	0.00%	1		0.00000		YES
B.2.19.19.2.2	P-9	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.00%	94						
		Average Completion Notice Interval - Mechanized									
B.2.21.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL (hours)	R&B (POTS)	5.64	69,477			22.779			
B.2.21.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL (hours)	R&B (POTS)	1.06	758,462			6.679			
B.2.21.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/FL (hours)	R&B (POTS)	4.24	377			18.242			
B.2.21.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL (hours)	R&B (POTS)	15.58	6			36.917			
B.2.21.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL (hours)	DS1/ DS3 - Interoffice	84.95	2,383			230.943			
B.2.21.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (hours)	DS1/ DS3 - Interoffice								
B.2.21.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL (hours)	DS1/ DS3 - Interoffice								
B.2.21.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (hours)	DS1/ DS3 - Interoffice								
B.2.21.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL (hours)	R&B	5.77	71,591	0.31	1,494	22.603	0.59084	9.2421	YES
B.2.21.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (hours)	R&B	1.07	761,164	0.68	65,759	6.775	0.02754	13.9645	YES
B.2.21.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (hours)	R&B	1.16	400,702	0.66	22,487	7.246	0.04966	10.1410	YES
B.2.21.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL (hours)	R&B	0.96	360,462	0.69	43,272	6.207	0.03158	8.3976	YES
B.2.21.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL (hours)	R&B	9.59	446	0.23	11	41.829	12.78649	0.7336	YES
B.2.21.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (hours)	R&B	1.90	272	0.28	1	14.058	14.08359	0.1150	YES
B.2.21.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (hours)	R&B	3.65	106			22.462			

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			July								June				
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation
B.2.19.7.1.1	P-9	Line Sharing/<10 circuits/Dispatch/FL (%)	4.95%	9,617	27.03%	37		0.03573	-6.1795	NO	4.56%	9,120	32.86%	70	
B.2.19.7.1.2	P-9	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	2.88%	5,793	10.08%	129		0.01490	-4.8303	NO	3.33%	5,431	11.54%	156	
B.2.19.7.2.1	P-9	Line Sharing/>=10 circuits/Dispatch/FL (%)	0.00%	14							6.25%	16			
B.2.19.7.2.2	P-9	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)									0.00%	1			
B.2.19.8.1.1	P-9	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	11.21%	56,778	13.54%	362		0.01663	-1.3992	YES	11.60%	79,170	7.55%	384	
B.2.19.8.1.2	P-9	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)	11.21%	56,778							11.60%	79,170			
B.2.19.8.2.1	P-9	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	20.68%	440	20.00%	5		0.18216	0.0374	YES	21.09%	441	25.00%	4	
B.2.19.8.2.2	P-9	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)	20.68%	440							21.09%	441			
B.2.19.9.1.1	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	11.23%	56,131	10.00%	870		0.01079	1.1426	YES	11.63%	78,501	7.61%	1,498	
B.2.19.9.1.4	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	4.25%	333,057	6.45%	31		0.03623	-0.6077	YES	3.24%	374,231	12.00%	25	
B.2.19.9.2.1	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	20.71%	367	10.00%	20		0.09305	1.1509	YES	21.41%	383	20.41%	49	
B.2.19.9.2.4	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)	5.56%	18							10.00%	10			
B.2.19.10.1.1	P-9	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)	11.21%	56,778							11.60%	79,170	0.00%	1	
B.2.19.10.1.2	P-9	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	11.21%	56,778							11.60%	79,170			
B.2.19.10.2.1	P-9	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	20.68%	440							21.09%	441			
B.2.19.10.2.2	P-9	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	20.68%	440							21.09%	441			
B.2.19.11.1.1	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	11.23%	56,131	0.00%	2		0.22329	0.5031	YES	11.63%	78,501	0.00%	1	
B.2.19.11.1.4	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	4.25%	333,057	0.00%	1		0.20172	0.2107	YES	3.24%	374,231	0.00%	1	
B.2.19.11.2.1	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	20.71%	367							21.41%	383			
B.2.19.11.2.4	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	5.56%	18							10.00%	10			
B.2.19.12.1.1	P-9	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	11.21%	56,778	11.02%	245		0.02020	0.0932	YES	11.60%	79,170	10.11%	366	
B.2.19.12.1.2	P-9	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	11.21%	56,778							11.60%	79,170			
B.2.19.12.2.1	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	20.68%	440	0.00%	11		0.12364	1.6728	YES	21.09%	441	30.77%	13	
B.2.19.12.2.2	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	20.68%	440							21.09%	441			
B.2.19.13.1.1	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	11.23%	56,131	4.12%	437		0.01516	4.6912	YES	11.63%	78,501	3.99%	828	
B.2.19.13.1.4	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	4.25%	333,057	3.65%	301		0.01163	0.5117	YES	3.24%	374,231	3.18%	440	
B.2.19.13.2.1	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	20.71%	367	12.50%	24		0.08538	0.9614	YES	21.41%	383	19.35%	31	
B.2.19.13.2.4	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	5.56%	18	0.00%	4		0.12662	0.4388	YES	10.00%	10	0.00%	6	
B.2.19.14.1.1	P-9	Other Design/<10 circuits/Dispatch/FL (%)	5.96%	2,868							5.42%	2,899			
B.2.19.14.1.2	P-9	Other Design/<10 circuits/Non-Dispatch/FL (%)	3.74%	588							5.34%	843			
B.2.19.14.2.1	P-9	Other Design/>=10 circuits/Dispatch/FL (%)	0.00%	90							0.00%	21			
B.2.19.14.2.2	P-9	Other Design/>=10 circuits/Non-Dispatch/FL (%)	0.00%	4							0.00%	4			
B.2.19.15.1.1	P-9	Other Non-Design/<10 circuits/Dispatch/FL (%)	11.21%	56,778	8.00%	25		0.06311	0.5084	YES	11.60%	79,170	23.08%	65	
B.2.19.15.1.2	P-9	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	4.28%	684,871							3.54%	757,172			
B.2.19.15.2.1	P-9	Other Non-Design/>=10 circuits/Dispatch/FL (%)	20.68%	440							21.09%	441			
B.2.19.15.2.2	P-9	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	7.56%	172							11.85%	270			
B.2.19.16.1.1	P-9	INP (Standalone)/<10 circuits/Dispatch/FL (%)	11.23%	56,131							11.63%	78,501			
B.2.19.16.1.2	P-9	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	4.28%	682,774							3.54%	754,118			
B.2.19.16.2.1	P-9	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	20.71%	367							21.41%	383			
B.2.19.16.2.2	P-9	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	4.76%	21							8.33%	12			
B.2.19.17.1.1	P-9	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	11.23%	56,131	0.00%	12		0.09116	1.2321	YES	11.63%	78,501	0.00%	1	
B.2.19.17.1.2	P-9	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	4.28%	682,774	0.00%	2,758		0.00386	11.0759	YES	3.54%	754,118	0.00%	3,357	
B.2.19.17.2.1	P-9	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	20.71%	367							21.41%	383			
B.2.19.17.2.2	P-9	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	4.76%	21	0.00%	14		0.07348	0.6481	YES	8.33%	12	0.00%	14	
B.2.19.18.1.1	P-9	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	5.18%	10,246	6.99%	529		0.00988	-1.8331	NO	4.63%	9,833	6.61%	726	
B.2.19.18.1.2	P-9	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	2.86%	6,575							3.46%	6,554			
B.2.19.18.2.1	P-9	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	0.00%	14	0.00%	1		0.00000		YES	6.25%	16			
B.2.19.18.2.2	P-9	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)	0.00%	1							0.00%	2			
B.2.19.19.1.1	P-9	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	5.41%	388	10.57%	331		0.01693	-3.0489	NO	7.49%	334	9.31%	462	
B.2.19.19.1.2	P-9	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	0.52%	573							0.17%	1,183			
B.2.19.19.2.1	P-9	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	0.00%	9	100.00%	1		0.00000		NO	0.00%	2			
B.2.19.19.2.2	P-9	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	0.00%	67							1.69%	59			
		Average Completion Notice Interval - Mechanized													
B.2.21.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL (hours)	6.53	60,667			26.478				4.30	55,558			18.977
B.2.21.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL (hours)	1.31	718,000			9.172				1.24	681,302			6.907
B.2.21.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/FL (hours)	6.53	372			32.640				13.37	363			64.591
B.2.21.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL (hours)	0.71	9			0.563				2.60	21			6.441
B.2.21.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL (hours)	78.12	2,005			188.251				66.03	2,038			246.965
B.2.21.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (hours)													
B.2.21.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL (hours)													
B.2.21.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (hours)													
B.2.21.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL (hours)	6.54	61,385	0.45	1,314	26.627	0.74237	8.2121	YES	4.33	56,194	1.23	1,161	19.165
B.2.21.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (hours)	1.32	720,345	0.79	63,582	9.220	0.03815	13.9066	YES	1.25	683,392	0.83	48,137	6.986
B.2.21.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (hours)	1.45	389,550	0.81	22,961	10.067	0.06837	9.4665	YES	1.37	349,349	0.87	18,906	7.900
B.2.21.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL (hours)	1.15	330,795	0.77	40,621	8.107	0.04262	8.9145	YES	1.13	334,043	0.80	29,231	5.879
B.2.21.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL (hours)	8.63	436	2.00	8	36.083	12.87366	0.5151	YES	13.65	436	0.37	7	59.857
B.2.21.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (hours)	1.06	265	0.02	2	3.987	2.82962	0.3675	YES	1.89	172	1.37	1	7.376
B.2.21.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (hours)	0.65	55			0.356				1.25	35			2.036

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

						May							
			Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.19.7.1.1	P-9	Line Sharing/<10 circuits/Dispatch/FL (%)	0.02503	-11.3031	NO	4.32%	9,001	25.00%	92		0.02131	-9.7043	NO
B.2.19.7.1.2	P-9	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	0.01458	-5.6298	NO	3.01%	4,989	11.57%	216		0.01187	-7.2188	NO
B.2.19.7.2.1	P-9	Line Sharing/>=10 circuits/Dispatch/FL (%)				14.29%	7	100.00%	1		0.37409	-2.2913	NO
B.2.19.7.2.2	P-9	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)											
B.2.19.8.1.1	P-9	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	0.01638	2.4733	YES	10.41%	86,612	10.28%	253		0.01923	0.0697	YES
B.2.19.8.1.2	P-9	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)				10.41%	86,612						
B.2.19.8.2.1	P-9	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	0.20489	-0.1909	YES	21.66%	434	28.57%	7		0.15694	-0.4404	YES
B.2.19.8.2.2	P-9	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)				21.66%	434						
B.2.19.9.1.1	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	0.00836	4.8066	YES	10.40%	85,789	6.53%	1,424		0.00816	4.7449	YES
B.2.19.9.1.4	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	0.03543	-2.4719	NO	2.97%	346,181	11.90%	42		0.02620	-3.4104	NO
B.2.19.9.2.1	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	0.06224	0.1610	YES	21.88%	361	20.00%	70		0.05400	0.3488	YES
B.2.19.9.2.4	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)				0.00%	15						
B.2.19.10.1.1	P-9	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)	0.32028	0.3623	YES	10.41%	86,612	0.00%	1		0.30540	0.3409	YES
B.2.19.10.1.2	P-9	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)				10.41%	86,612						
B.2.19.10.2.1	P-9	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)				21.66%	434						
B.2.19.10.2.2	P-9	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)				21.66%	434						
B.2.19.11.1.1	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	0.32058	0.3628	YES	10.40%	85,789	0.00%	3		0.17625	0.5901	YES
B.2.19.11.1.4	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	0.17713	0.1831	YES	2.97%	346,181	0.00%	1		0.16977	0.1750	YES
B.2.19.11.2.1	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)				21.88%	361						
B.2.19.11.2.4	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)				0.00%	15						
B.2.19.12.1.1	P-9	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	0.01678	0.8909	YES	10.41%	86,612	7.00%	414		0.01505	2.2638	YES
B.2.19.12.1.2	P-9	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)				10.41%	86,612						
B.2.19.12.2.1	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	0.11480	-0.8433	YES	21.66%	434	16.67%	6		0.16932	0.2948	YES
B.2.19.12.2.2	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)				21.66%	434						
B.2.19.13.1.1	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	0.01120	6.8251	YES	10.40%	85,789	3.51%	769		0.01106	6.2310	YES
B.2.19.13.1.4	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	0.00845	0.0720	YES	2.97%	346,181	3.36%	357		0.00899	-0.4349	YES
B.2.19.13.2.1	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	0.07660	0.2683	YES	21.88%	361	8.33%	48		0.06352	2.1332	YES
B.2.19.13.2.4	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	0.15492	0.6455	YES	0.00%	15	5.56%	18		0.00000		NO
B.2.19.14.1.1	P-9	Other Design/<10 circuits/Dispatch/FL (%)				6.62%	3,264	100.00%	1		0.24863	-3.7559	NO
B.2.19.14.1.2	P-9	Other Design/<10 circuits/Non-Dispatch/FL (%)				4.70%	723						
B.2.19.14.2.1	P-9	Other Design/>=10 circuits/Dispatch/FL (%)				0.00%	26						
B.2.19.14.2.2	P-9	Other Design/>=10 circuits/Non-Dispatch/FL (%)				0.00%	11						
B.2.19.15.1.1	P-9	Other Non-Design/<10 circuits/Dispatch/FL (%)	0.03974	-2.8869	NO	10.41%	86,612	36.54%	52		0.04236	-6.1674	NO
B.2.19.15.1.2	P-9	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)				3.41%	732,311	0.00%	1		0.18156	0.1880	YES
B.2.19.15.2.1	P-9	Other Non-Design/>=10 circuits/Dispatch/FL (%)				21.66%	434						
B.2.19.15.2.2	P-9	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)				5.65%	230						
B.2.19.16.1.1	P-9	INP (Standalone)/<10 circuits/Dispatch/FL (%)				10.40%	85,789						
B.2.19.16.1.2	P-9	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)				3.41%	729,649	100.00%	1		0.18147	-5.3227	NO
B.2.19.16.2.1	P-9	INP (Standalone)/>=10 circuits/Dispatch/FL (%)				21.88%	361						
B.2.19.16.2.2	P-9	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)				5.00%	20						
B.2.19.17.1.1	P-9	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	0.32058	0.3628	YES	10.40%	85,789	0.00%	5		0.13653	0.7618	YES
B.2.19.17.1.2	P-9	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	0.00320	11.0713	YES	3.41%	729,649	0.00%	3,874		0.00292	11.6626	YES
B.2.19.17.2.1	P-9	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)				21.88%	361						
B.2.19.17.2.2	P-9	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	0.10873	0.7664	YES	5.00%	20	0.00%	12		0.07958	0.6283	YES
B.2.19.18.1.1	P-9	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	0.00808	-2.4560	NO	4.63%	9,899	7.22%	485		0.00977	-2.6509	NO
B.2.19.18.1.2	P-9	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)				3.05%	5,936						
B.2.19.18.2.1	P-9	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)				14.29%	7						
B.2.19.18.2.2	P-9	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)				0.00%	3						
B.2.19.19.1.1	P-9	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	0.01890	-0.9642	YES	6.89%	363	11.17%	385		0.01853	-2.3112	NO
B.2.19.19.1.2	P-9	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)				0.68%	886						
B.2.19.19.2.1	P-9	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)				0.00%	9	0.00%	1		0.00000		YES
B.2.19.19.2.2	P-9	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)				0.00%	68						
		Average Completion Notice Interval - Mechanized											
B.2.21.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL (hours)				3.63	78,319			17.893			
B.2.21.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL (hours)				1.11	752,227			7.231			
B.2.21.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/FL (hours)				8.62	380			40.713			
B.2.21.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL (hours)				14.07	12			27.580			
B.2.21.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL (hours)				74.39	2,071			235.717			
B.2.21.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (hours)											
B.2.21.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL (hours)				17.37	1			0.000			
B.2.21.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (hours)											
B.2.21.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL (hours)	0.56824	5.4550	YES	3.68	78,986	0.44	1,140	18.134	0.54094	5.9999	YES
B.2.21.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (hours)	0.03294	12.8266	YES	1.12	755,277	0.75	38,869	7.324	0.03809	9.7937	YES
B.2.21.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (hours)	0.05899	8.4893	YES	1.25	379,206	0.77	19,810	8.335	0.06075	7.9143	YES
B.2.21.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL (hours)	0.03586	9.0252	YES	0.99	376,071	0.73	19,059	6.134	0.04555	5.8185	YES
B.2.21.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL (hours)	22.80480	0.5823	YES	8.15	438	2.21	9	38.575	12.98978	0.4571	YES
B.2.21.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (hours)	7.39744	0.0707	YES	3.05	270			12.876			
B.2.21.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (hours)				2.87	90			14.147			

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.21.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (hours)	R&B	0.79	166	0.28	1	0.543	0.54451	0.9280	YES
B.2.21.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/FL (hours)	R&B&D - Disp	14.99	74,410	46.41	34	109.256	18.74147	-1.6767	NO
B.2.21.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/FL (hours)	R&B&D - Disp	14.99	74,410			109.256			
B.2.21.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/FL (hours)	R&B&D - Disp	69.19	749			229.438			
B.2.21.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/FL (hours)	R&B&D - Disp	69.19	749			229.438			
B.2.21.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (hours)	ADSL to Retail	3.96	10,344	14.79	154	43.101	3.49893	-3.0959	NO
B.2.21.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (hours)	ADSL to Retail	0.81	6,329			6.030			
B.2.21.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (hours)	ADSL to Retail	4.19	19			10.146			
B.2.21.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (hours)	ADSL to Retail								
B.2.21.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/FL (hours)	ISDN - BRI	23.11	487	28.46	122	99.034	10.02652	-0.5331	YES
B.2.21.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL (hours)	ISDN - BRI	7.07	463			34.964			
B.2.21.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL (hours)	ISDN - BRI								
B.2.21.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL (hours)	ISDN - BRI								
B.2.21.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/FL (hours)	ADSL to Retail	3.96	10,344			23.725			
B.2.21.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL (hours)	ADSL to Retail	0.81	6,329	0.54	2	6.030	4.26435	0.0630	YES
B.2.21.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/FL (hours)	ADSL to Retail	4.19	19			10.146			
B.2.21.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL (hours)	ADSL to Retail								
B.2.21.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL (hours)	R&B - Disp	5.77	71,591	12.93	246	43.812	2.79812	-2.5577	NO
B.2.21.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (hours)	R&B - Disp	5.77	71,591			22.603			
B.2.21.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/FL (hours)	R&B - Disp	9.59	446	46.23	2	65.360	46.32018	-0.7910	YES
B.2.21.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (hours)	R&B - Disp	9.59	446			41.829			
B.2.21.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (hours)	R&B (POTS) excl SB Or	5.64	69,477	0.23	845	22.779	0.78836	6.8704	YES
B.2.21.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (hours)	R&B (POTS) excl SB Or	0.95	358,636	0.06	6	6.030	2.46171	0.3613	YES
B.2.21.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (hours)	R&B (POTS) excl SB Or	4.24	377	0.41	16	18.242	4.65625	0.8233	YES
B.2.21.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (hours)	R&B (POTS) excl SB Or	0.51	5			0.432			
B.2.21.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (hours)	R&B - Disp	5.77	71,591			22.603			
B.2.21.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (hours)	R&B - Disp	5.77	71,591			22.603			
B.2.21.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (hours)	R&B - Disp	9.59	446			41.829			
B.2.21.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (hours)	R&B - Disp	9.59	446			41.829			
B.2.21.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (hours)	R&B (POTS) excl SB Or	5.64	69,477			22.779			
B.2.21.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (hours)	R&B (POTS) excl SB Or	0.95	358,636			6.030			
B.2.21.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (hours)	R&B (POTS) excl SB Or	4.24	377			18.242			
B.2.21.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (hours)	R&B (POTS) excl SB Or	0.51	5			0.432			
B.2.21.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (hours)	R&B - Disp	5.77	71,591	10.83	116	26.763	2.48690	-2.0357	NO
B.2.21.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (hours)	R&B - Disp	5.77	71,591			22.603			
B.2.21.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (hours)	R&B - Disp	9.59	446	18.32	5	41.829	18.81104	-0.4638	YES
B.2.21.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (hours)	R&B - Disp	9.59	446			41.829			
B.2.21.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (hours)	R&B (POTS) excl SB Or	5.64	69,477	0.22	274	22.779	1.37881	3.9321	YES
B.2.21.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (hours)	R&B (POTS) excl SB Or	0.95	358,636	0.17	233	6.030	0.39516	1.9589	YES
B.2.21.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (hours)	R&B (POTS) excl SB Or	4.24	377	0.23	18	18.242	4.40111	0.9113	YES
B.2.21.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (hours)	R&B (POTS) excl SB Or	0.51	5	0.44	8	0.662	0.37743	0.1755	YES
B.2.21.14.1.1	P-5	Other Design/<10 circuits/Dispatch/FL (hours)	Design	249.11	2,819			495.197			
B.2.21.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/FL (hours)	Design	19.13	948			63.957			
B.2.21.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/FL (hours)	Design	156.90	303			338.882			
B.2.21.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/FL (hours)	Design	237.45	47			316.423			
B.2.21.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/FL (hours)	R&B	5.77	71,591			22.603			
B.2.21.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/FL (hours)	R&B	1.07	761,164			6.775			
B.2.21.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/FL (hours)	R&B	9.59	446			41.829			
B.2.21.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/FL (hours)	R&B	1.90	272			14.058			
B.2.21.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/FL (hours)	R&B (POTS)	5.64	69,477			22.779			
B.2.21.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)	R&B (POTS)	1.06	758,462			6.679			
B.2.21.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/FL (hours)	R&B (POTS)	4.24	377			18.242			
B.2.21.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)	R&B (POTS)	15.58	6			36.917			
B.2.21.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/FL (hours)	R&B (POTS)	5.64	69,477			22.779			
B.2.21.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)	R&B (POTS)	1.06	758,462	0.60	2,847	6.679	0.12540	3.6427	YES
B.2.21.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/FL (hours)	R&B (POTS)	4.24	377			18.242			
B.2.21.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)	R&B (POTS)	15.58	6	0.50	8	36.917	19.93756	0.7564	YES
B.2.21.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/FL (hours)	Digital Loop < DS1	8.62	11,215	21.21	271	74.075	4.55379	-2.7644	NO
B.2.21.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (hours)	Digital Loop < DS1	2.22	7,396			19.254			
B.2.21.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/FL (hours)	Digital Loop < DS1	4.19	19			10.146			
B.2.21.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (hours)	Digital Loop < DS1	1.68	1			0.000			
B.2.21.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/FL (hours)	Digital Loop >= DS1	65.83	1,591	28.24	245	218.621	15.00414	2.5060	YES
B.2.21.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (hours)	Digital Loop >= DS1	7.63	891			38.158			
B.2.21.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (hours)	Digital Loop >= DS1	201.09	160			378.527			
B.2.21.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (hours)	Digital Loop >= DS1	99.30	86			206.886			
		Average Completion Notice Interval - Non-Mechanized									
B.2.22.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			July								June				
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation
B.2.21.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (hours)	1.16	210	0.02	2	4.471	3.17638	0.3609	YES	2.05	137	1.37	1	8.200
B.2.21.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/FL (hours)	16.21	64,439	76.68	18	107.859	25.42621	-2.3861	NO	12.80	58,938	217.28	5	377.325
B.2.21.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/FL (hours)	16.21	64,439			107.859				12.80	58,938			104.397
B.2.21.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/FL (hours)	9.60	441			40.859				22.92	526			76.141
B.2.21.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/FL (hours)	9.60	441			40.859				22.92	526			76.141
B.2.21.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (hours)	4.08	9,524	21.89	94	52.862	5.48126	-3.2499	NO	6.40	9,596	13.28	142	35.427
B.2.21.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (hours)	1.22	5,902			9.072				1.52	5,788			11.236
B.2.21.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (hours)	3.28	7			8.463				1.04	14			1.851
B.2.21.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (hours)													
B.2.21.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/FL (hours)	45.23	327	14.31	139	111.038	11.24299	2.7496	YES	38.49	248	23.83	136	97.859
B.2.21.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL (hours)	5.87	342			29.177				4.97	312			38.426
B.2.21.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL (hours)													
B.2.21.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL (hours)													
B.2.21.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/FL (hours)	4.08	9,524	0.43	2	21.455	15.17287	0.2400	YES	6.40	9,596			24.574
B.2.21.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL (hours)	1.22	5,902	0.57	1	9.072	9.07312	0.0725	YES	1.52	5,788	0.55	1	11.236
B.2.21.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/FL (hours)	3.28	7			8.463				1.04	14			1.851
B.2.21.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL (hours)													
B.2.21.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL (hours)	6.54	61,385	20.82	308	63.160	3.60790	-3.9568	NO	4.33	56,194	8.32	309	30.285
B.2.21.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (hours)	6.54	61,385			26.627				4.33	56,194			19.165
B.2.21.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/FL (hours)	8.63	436	21.33	3	36.922	21.38988	-0.5937	YES	13.65	436	0.02	3	59.857
B.2.21.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (hours)	8.63	436			36.083				13.65	436			59.857
B.2.21.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (hours)	6.53	60,667	0.41	924	26.478	0.87767	6.9738	YES	4.30	55,558	1.51	774	18.977
B.2.21.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (hours)	1.14	329,197	0.17	11	7.982	2.40660	0.4059	YES	1.11	332,570	1.92	19	5.726
B.2.21.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (hours)	6.53	372	0.39	19	32.640	7.67700	0.7992	YES	13.37	363	2.48	14	64.591
B.2.21.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (hours)	0.30	3	0.07	1	0.476	0.55008	0.4242	YES	2.58	18			6.885
B.2.21.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (hours)	6.54	61,385			26.627				4.33	56,194			19.165
B.2.21.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (hours)	6.54	61,385			26.627				4.33	56,194			19.165
B.2.21.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (hours)	8.63	436			36.083				13.65	436			59.857
B.2.21.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (hours)	8.63	436			36.083				13.65	436			59.857
B.2.21.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (hours)	6.53	60,667			26.478				4.30	55,558			18.977
B.2.21.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (hours)	1.14	329,197			7.982				1.11	332,570			5.726
B.2.21.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (hours)	6.53	372			32.640				13.37	363			64.591
B.2.21.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (hours)	0.30	3			0.476				2.58	18			6.885
B.2.21.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (hours)	6.54	61,385	11.81	166	49.544	3.85054	-1.3675	YES	4.33	56,194	7.69	232	37.702
B.2.21.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (hours)	6.54	61,385			26.627				4.33	56,194			19.165
B.2.21.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (hours)	8.63	436	0.02	9	36.083	12.15106	0.7092	YES	13.65	436	0.56	11	59.857
B.2.21.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (hours)	8.63	436			36.083				13.65	436			59.857
B.2.21.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (hours)	6.53	60,667	0.47	412	26.478	1.30890	4.6342	YES	4.30	55,558	1.58	434	18.977
B.2.21.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (hours)	1.14	329,197	0.29	251	7.982	0.50399	1.6939	YES	1.11	332,570	1.39	291	5.726
B.2.21.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (hours)	6.53	372	0.18	17	32.640	8.09525	0.7835	YES	13.37	363	1.22	23	64.591
B.2.21.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (hours)	0.30	3	0.11	13	0.476	0.30513	0.6092	YES	2.58	18	1.16	4	6.885
B.2.21.14.1.1	P-5	Other Design/<10 circuits/Dispatch/FL (hours)	210.55	3,054			437.754				186.19	2,744			441.705
B.2.21.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/FL (hours)	19.96	687			107.904				20.85	580			107.909
B.2.21.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/FL (hours)	93.73	5			181.942				67.85	90			119.266
B.2.21.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/FL (hours)	43.08	3			68.099				0.78	4			0.955
B.2.21.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/FL (hours)	6.54	61,385	0.63	1	26.627	26.62698	0.2220	YES	4.33	56,194			19.165
B.2.21.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/FL (hours)	1.32	720,345			9.220				1.25	683,392			6.986
B.2.21.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/FL (hours)	8.63	436			36.083				13.65	436			59.857
B.2.21.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/FL (hours)	1.06	265			3.987				1.89	172			7.376
B.2.21.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/FL (hours)	6.53	60,667			26.478				4.30	55,558			18.977
B.2.21.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)	1.31	718,000			9.172				1.24	681,302			6.907
B.2.21.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/FL (hours)	6.53	372			32.640				13.37	363			64.591
B.2.21.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)	0.71	9			0.563				2.60	21			6.441
B.2.21.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/FL (hours)	6.53	60,667	0.81	3	26.478	15.28741	0.3742	YES	4.30	55,558	4.21	7	18.977
B.2.21.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)	1.31	718,000	0.62	2,699	9.172	0.17688	3.9009	YES	1.24	681,302	0.67	2,400	6.907
B.2.21.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/FL (hours)	6.53	372			32.640				13.37	363			64.591
B.2.21.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)	0.71	9	0.62	5	0.563	0.31410	0.2913	YES	2.60	21	0.44	3	6.441
B.2.21.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/FL (hours)	7.95	10,170	17.33	227	49.143	3.29792	-2.8438	NO	11.78	10,204	18.82	271	73.931
B.2.21.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (hours)	2.13	6,614			28.087				2.24	6,566			30.217
B.2.21.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/FL (hours)	3.28	7			8.463				1.04	14			1.851
B.2.21.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (hours)									1.07	1			0.000
B.2.21.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/FL (hours)	207.20	668	41.38	320	508.469	34.56841	4.7970	YES	278.46	362	25.71	244	743.924
B.2.21.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (hours)	6.01	904			44.168				11.11	569			43.017
B.2.21.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (hours)	93.70	5	0.02	1	181.960	199.32667	0.4700	YES	151.43	9			258.464
B.2.21.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (hours)	1.60	94			6.672				0.70	67			0.689
		Average Completion Notice Interval - Non-Mechanized													
B.2.22.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			Standard Error	Zscore	Equity	May BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.21.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (hours)	8.22985	0.0834	YES	3.14	180			12.231			
B.2.21.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/FL (hours)	168.75200	-1.2117	YES	8.74	81,835	65.88	3	72.434	41.82067	-1.3662	YES
B.2.21.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/FL (hours)											
B.2.21.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/FL (hours)				13.41	459			56.223			
B.2.21.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/FL (hours)											
B.2.21.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (hours)	2.99485	-2.2950	NO	9.17	9,113			30.738			
B.2.21.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (hours)				1.15	5,431			8.356			
B.2.21.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (hours)				15.13	16			58.397			
B.2.21.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (hours)				0.98	1			0.000			
B.2.21.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/FL (hours)	10.44165	1.4036	YES	42.99	255	9.38	150	66.813	6.87501	4.8881	YES
B.2.21.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL (hours)				6.74	450			30.290			
B.2.21.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL (hours)											
B.2.21.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL (hours)											
B.2.21.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/FL (hours)				9.17	9,113	17.02	1	30.738	30.73955	-0.2553	YES
B.2.21.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL (hours)	11.23735	0.0860	YES	1.15	5,431	0.53	2	8.356	5.91003	0.1061	YES
B.2.21.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/FL (hours)				15.13	16			58.397			
B.2.21.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL (hours)				0.98	1			0.000			
B.2.21.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL (hours)	1.72758	-2.3100	NO	3.68	78,986	10.03	287	36.514	2.15924	-2.9386	NO
B.2.21.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (hours)				3.68	78,986			18.134			
B.2.21.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/FL (hours)	34.67729	0.3931	YES	8.15	438	0.02	2	38.575	27.33888	0.2975	YES
B.2.21.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (hours)				8.15	438			38.575			
B.2.21.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (hours)	0.68683	4.0605	YES	3.63	78,319	0.51	1,311	17.893	0.49830	6.2667	YES
B.2.21.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (hours)	1.31367	-0.6139	YES	0.98	373,927	0.40	14	5.920	1.58227	0.3661	YES
B.2.21.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (hours)	17.59251	0.6189	YES	8.62	380	1.01	36	40.713	7.09959	1.0718	YES
B.2.21.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (hours)				16.75	10			29.692			
B.2.21.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (hours)				3.68	78,986			18.134			
B.2.21.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (hours)				3.68	78,986			18.134			
B.2.21.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (hours)				8.15	438			38.575			
B.2.21.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (hours)				8.15	438			38.575			
B.2.21.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (hours)				3.63	78,319			17.893			
B.2.21.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (hours)				0.98	373,927			5.920			
B.2.21.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (hours)				8.62	380			40.713			
B.2.21.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (hours)				16.75	10			29.692			
B.2.21.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (hours)	2.48038	-1.3569	YES	3.68	78,986	16.77	344	56.519	3.05392	-4.2839	NO
B.2.21.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (hours)				3.68	78,986			18.134			
B.2.21.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (hours)	18.27388	0.7162	YES	8.15	438	23.35	11	60.839	18.57257	-0.8184	YES
B.2.21.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (hours)				8.15	438			38.575			
B.2.21.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (hours)	0.91445	2.9818	YES	3.63	78,319	0.99	808	17.893	0.63272	4.1882	YES
B.2.21.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (hours)	0.33581	-0.8402	YES	0.98	373,927	1.01	426	5.920	0.28700	-0.0912	YES
B.2.21.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (hours)	13.88835	0.8745	YES	8.62	380	0.62	27	40.713	8.10873	0.9856	YES
B.2.21.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (hours)	3.80592	0.3736	YES	16.75	10	0.08	6	29.692	15.33308	1.0871	YES
B.2.21.14.1.1	P-5	Other Design/<10 circuits/Dispatch/FL (hours)				149.01	2,849			348.205			
B.2.21.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/FL (hours)				17.04	840			81.725			
B.2.21.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/FL (hours)				123.13	21			163.177			
B.2.21.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/FL (hours)				8.62	3			14.465			
B.2.21.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/FL (hours)				3.68	78,986			18.134			
B.2.21.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/FL (hours)				1.12	755,277			7.324			
B.2.21.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/FL (hours)				8.15	438			38.575			
B.2.21.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/FL (hours)				3.05	270			12.876			
B.2.21.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/FL (hours)				3.63	78,319			17.893			
B.2.21.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)				1.11	752,227			7.231			
B.2.21.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/FL (hours)				8.62	380			40.713			
B.2.21.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)				14.07	12			27.580			
B.2.21.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/FL (hours)	7.17291	0.0127	YES	3.63	78,319	0.02	1	17.893	17.89341	0.2022	YES
B.2.21.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)	0.14124	4.0230	YES	1.11	752,227	0.72	3,003	7.231	0.13221	3.0042	YES
B.2.21.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/FL (hours)				8.62	380			40.713			
B.2.21.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)	3.97549	0.5428	YES	14.07	12	1.23	2	27.580	21.06479	0.6096	YES
B.2.21.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/FL (hours)	4.55024	-1.5471	YES	14.43	9,808	9.38	150	69.940	5.75411	0.8774	YES
B.2.21.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (hours)				2.43	6,550			28.970			
B.2.21.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/FL (hours)				15.13	16			58.397			
B.2.21.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (hours)				0.74	2			0.342			
B.2.21.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/FL (hours)	61.61913	4.1018	YES	259.55	331	24.59	259	589.421	48.89762	4.8052	YES
B.2.21.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (hours)				4.93	1,181			25.946			
B.2.21.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (hours)				0.02	2			0.000			
B.2.21.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (hours)				2.03	59			6.153			
		Average Completion Notice Interval - Non-Mechanized											
B.2.22.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.22.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL (hours)	Diagnostic			86.00	5				Diagnostic
B.2.22.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL (hours)	Diagnostic			17.79	582				Diagnostic
B.2.22.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic			9.77	1,684				Diagnostic
B.2.22.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (hours)	Diagnostic			7.85	1,135				Diagnostic
B.2.22.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL (hours)	Diagnostic			13.72	549				Diagnostic
B.2.22.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL (hours)	Diagnostic			10.56	3				Diagnostic
B.2.22.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic			28.43	4				Diagnostic
B.2.22.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (hours)	Diagnostic								Diagnostic
B.2.22.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (hours)	Diagnostic			28.43	4				Diagnostic
B.2.22.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/FL (hours)	Diagnostic			53.99	57				Diagnostic
B.2.22.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/FL (hours)	Diagnostic								Diagnostic
B.2.22.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/FL (hours)	Diagnostic								Diagnostic
B.2.22.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (hours)	Diagnostic			32.08	40				Diagnostic
B.2.22.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/FL (hours)	Diagnostic			37.04	125				Diagnostic
B.2.22.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/FL (hours)	Diagnostic			2.28	25				Diagnostic
B.2.22.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic			2.37	136				Diagnostic
B.2.22.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL (hours)	Diagnostic			82.30	57				Diagnostic
B.2.22.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/FL (hours)	Diagnostic			17.37	2				Diagnostic
B.2.22.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (hours)	Diagnostic			17.73	48				Diagnostic
B.2.22.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (hours)	Diagnostic			6.99	3				Diagnostic
B.2.22.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (hours)	Diagnostic			0.04	4				Diagnostic
B.2.22.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (hours)	Diagnostic			0.02	1				Diagnostic
B.2.22.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (hours)	Diagnostic			21.00	2				Diagnostic
B.2.22.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (hours)	Diagnostic			22.08	1				Diagnostic
B.2.22.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (hours)	Diagnostic			20.75	1				Diagnostic
B.2.22.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (hours)	Diagnostic								Diagnostic
B.2.22.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (hours)	Diagnostic			55.29	8				Diagnostic
B.2.22.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (hours)	Diagnostic			66.60	4				Diagnostic
B.2.22.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (hours)	Diagnostic			20.97	11				Diagnostic
B.2.22.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (hours)	Diagnostic			19.98	4				Diagnostic
B.2.22.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (hours)	Diagnostic								Diagnostic
B.2.22.14.1.1	P-5	Other Design/<10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/FL (hours)	Diagnostic			19.55	2				Diagnostic
B.2.22.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/FL (hours)	Diagnostic			43.55	3				Diagnostic
B.2.22.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic			3.16	412				Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			July								June				
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation
B.2.22.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL (hours)			13.96	6				Diagnostic			24.85	13	
B.2.22.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL (hours)								Diagnostic			15.90	1	
B.2.22.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL (hours)			45.16	498				Diagnostic			15.87	395	
B.2.22.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (hours)			9.43	1,386				Diagnostic			12.11	1,271	
B.2.22.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (hours)			7.13	916				Diagnostic			11.32	845	
B.2.22.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL (hours)			13.93	470				Diagnostic			13.70	426	
B.2.22.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL (hours)			13.04	6				Diagnostic			26.35	7	
B.2.22.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (hours)			10.99	2				Diagnostic			8.06	2	
B.2.22.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (hours)			0.38	1				Diagnostic					
B.2.22.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (hours)			21.60	1				Diagnostic			8.06	2	
B.2.22.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/FL (hours)			65.14	74				Diagnostic			71.75	99	
B.2.22.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/FL (hours)								Diagnostic					
B.2.22.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/FL (hours)								Diagnostic					
B.2.22.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (hours)			22.19	166				Diagnostic			30.12	129	
B.2.22.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (hours)								Diagnostic			0.02	1	
B.2.22.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/FL (hours)			32.57	205				Diagnostic			28.44	145	
B.2.22.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL (hours)			20.37	1				Diagnostic					
B.2.22.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/FL (hours)			19.96	33				Diagnostic			6.81	37	
B.2.22.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL (hours)			1.06	111				Diagnostic			0.68	128	
B.2.22.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL (hours)			33.77	66				Diagnostic			26.59	51	
B.2.22.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/FL (hours)								Diagnostic			18.32	2	
B.2.22.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (hours)			18.40	76				Diagnostic			18.72	94	
B.2.22.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (hours)			19.41	4				Diagnostic			19.13	12	
B.2.22.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (hours)			12.56	10				Diagnostic			6.08	6	
B.2.22.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (hours)								Diagnostic					
B.2.22.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (hours)			17.25	1				Diagnostic					
B.2.22.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (hours)								Diagnostic			17.90	2	
B.2.22.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (hours)			21.05	1				Diagnostic			14.62	1	
B.2.22.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (hours)								Diagnostic					
B.2.22.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (hours)			36.89	13				Diagnostic			43.16	10	
B.2.22.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (hours)			19.67	1				Diagnostic					
B.2.22.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (hours)			16.09	13				Diagnostic			11.35	3	
B.2.22.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (hours)			14.99	13				Diagnostic			18.66	9	
B.2.22.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (hours)								Diagnostic					
B.2.22.14.1.1	P-5	Other Design/<10 circuits/Dispatch/FL (hours)			18.27	3				Diagnostic					
B.2.22.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/FL (hours)			18.87	10				Diagnostic			21.29	25	
B.2.22.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
B.2.22.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/FL (hours)			7.01	2				Diagnostic			0.23	5	
B.2.22.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)			4.24	354				Diagnostic			4.34	354	

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			Standard Error	Zscore	Equity	May BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.22.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL (hours)			Diagnostic			34.44	31				Diagnostic
B.2.22.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL (hours)			Diagnostic			17.07	363				Diagnostic
B.2.22.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic			10.09	2,003				Diagnostic
B.2.22.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (hours)			Diagnostic			10.53	1,451				Diagnostic
B.2.22.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL (hours)			Diagnostic			8.93	552				Diagnostic
B.2.22.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL (hours)			Diagnostic			19.03	2				Diagnostic
B.2.22.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic			6.09	9				Diagnostic
B.2.22.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (hours)			Diagnostic			0.03	5				Diagnostic
B.2.22.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (hours)			Diagnostic			13.67	4				Diagnostic
B.2.22.4.1.1	P-5	Combo Other/<10 circuits/Dispatch/FL (hours)			Diagnostic			55.67	161				Diagnostic
B.2.22.4.1.4	P-5	Combo Other/<10 circuits/Dispatch In/FL (hours)			Diagnostic								Diagnostic
B.2.22.4.2.1	P-5	Combo Other/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/FL (hours)			Diagnostic								Diagnostic
B.2.22.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (hours)			Diagnostic			27.78	282				Diagnostic
B.2.22.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/FL (hours)			Diagnostic			35.65	312				Diagnostic
B.2.22.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/FL (hours)			Diagnostic			4.20	69				Diagnostic
B.2.22.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic			0.73	154				Diagnostic
B.2.22.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL (hours)			Diagnostic			27.00	95				Diagnostic
B.2.22.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.8.2.1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/FL (hours)			Diagnostic			20.13	2				Diagnostic
B.2.22.8.2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.9.1.1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (hours)			Diagnostic			21.47	189				Diagnostic
B.2.22.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (hours)			Diagnostic			24.07	11				Diagnostic
B.2.22.9.2.1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (hours)			Diagnostic			7.06	13				Diagnostic
B.2.22.9.2.4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (hours)			Diagnostic								Diagnostic
B.2.22.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (hours)			Diagnostic			15.32	1				Diagnostic
B.2.22.10.1.2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.10.2.1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (hours)			Diagnostic			17.82	1				Diagnostic
B.2.22.11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (hours)			Diagnostic			15.83	1				Diagnostic
B.2.22.11.2.1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.11.2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (hours)			Diagnostic								Diagnostic
B.2.22.12.1.1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (hours)			Diagnostic			25.88	22				Diagnostic
B.2.22.12.1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.12.2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (hours)			Diagnostic			17.52	2				Diagnostic
B.2.22.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.13.1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (hours)			Diagnostic			17.81	19				Diagnostic
B.2.22.13.1.4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (hours)			Diagnostic			18.22	14				Diagnostic
B.2.22.13.2.1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (hours)			Diagnostic			30.66	4				Diagnostic
B.2.22.13.2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (hours)			Diagnostic								Diagnostic
B.2.22.14.1.1	P-5	Other Design/<10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.14.1.2	P-5	Other Design/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.14.2.1	P-5	Other Design/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.15.1.1	P-5	Other Non-Design/<10 circuits/Dispatch/FL (hours)			Diagnostic			21.76	65				Diagnostic
B.2.22.15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.15.2.1	P-5	Other Non-Design/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.16.1.1	P-5	INP (Standalone)/<10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.16.2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.17.1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic			4.12	349				Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.22.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/FL (hours)	Diagnostic			4.31	5				Diagnostic
B.2.22.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic			35.60	161				Diagnostic
B.2.22.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (hours)	Diagnostic			73.78	79				Diagnostic
B.2.22.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (hours)	Diagnostic								Diagnostic
B.2.22.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic
		Total Service Order Cycle Time - Mechanized									
B.2.24.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)	Diagnostic			4.08	820				Diagnostic
B.2.24.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			0.88	37,059				Diagnostic
B.2.24.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)	Diagnostic			3.40	6				Diagnostic
B.2.24.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)	Diagnostic			4.93	90				Diagnostic
B.2.24.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)	Diagnostic			12.78	18				Diagnostic
B.2.24.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			4.21	1				Diagnostic
B.2.24.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)	Diagnostic			4.91	105				Diagnostic
B.2.24.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)	Diagnostic			3.48	21				Diagnostic
B.2.24.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic			6.50	2				Diagnostic
B.2.24.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			July							June				
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation
B.2.22.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/FL (hours)								Diagnostic			1.94	11	
B.2.22.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)			2.30	15				Diagnostic			29.48	254	
B.2.22.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/FL (hours)			27.96	362				Diagnostic					
B.2.22.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic			0.02	1	
B.2.22.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/FL (hours)			20.37	1				Diagnostic					
B.2.22.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic			37.91	84	
B.2.22.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/FL (hours)			76.16	88				Diagnostic					
B.2.22.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (hours)								Diagnostic			43.45	1	
B.2.22.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (hours)								Diagnostic					
B.2.22.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (hours)								Diagnostic					
		Total Service Order Cycle Time - Mechanized								Diagnostic					
B.2.24.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)								Diagnostic			3.87	631	
B.2.24.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)			4.55	717				Diagnostic			0.76	23,631	
B.2.24.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)			0.80	35,183				Diagnostic			3.66	4	
B.2.24.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)			15.01	1				Diagnostic					
B.2.24.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)								Diagnostic			4.68	112	
B.2.24.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)			4.77	30				Diagnostic					
B.2.24.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)								Diagnostic			10.77	8	
B.2.24.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)			11.69	10				Diagnostic					
B.2.24.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)								Diagnostic			4.59	106	
B.2.24.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)			4.94	118				Diagnostic					
B.2.24.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)								Diagnostic			3.08	20	
B.2.24.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)			3.84	32				Diagnostic					
B.2.24.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)								Diagnostic			6.38	2	
B.2.24.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic			4.78	1	
B.2.24.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			7.11	1				Diagnostic					
B.2.24.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)								Diagnostic					

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			May									
			Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.22.17.2.1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic			0.69	12				Diagnostic
B.2.22.18.1.1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/FL (hours)			Diagnostic			32.20	574				Diagnostic
B.2.22.18.1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic			55.06	202				Diagnostic
B.2.22.19.1.1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.19.2.1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (hours)			Diagnostic								Diagnostic
B.2.22.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (hours)			Diagnostic								Diagnostic
		Total Service Order Cycle Time - Mechanized											
B.2.24.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			3.58	503				Diagnostic
B.2.24.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)			Diagnostic			0.68	20,484				Diagnostic
B.2.24.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			5.70	1				Diagnostic
B.2.24.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			10.69	5				Diagnostic
B.2.24.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			5.05	86				Diagnostic
B.2.24.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			3.78	53				Diagnostic
B.2.24.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic			5.16	2				Diagnostic
B.2.24.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)			Diagnostic			5.36	1				Diagnostic
B.2.24.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			5.29	5				Diagnostic
B.2.24.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.24.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)	Diagnostic			0.75	2,299				Diagnostic
B.2.24.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			6.29	105				Diagnostic
B.2.24.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			6.50	77				Diagnostic
B.2.24.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.24.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time - Partially Mechanized									
B.2.25.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			3.64	173				Diagnostic
B.2.25.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)	Diagnostic			1.41	7,677				Diagnostic
B.2.25.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			12.81	6				Diagnostic
B.2.25.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			4.66	5				Diagnostic
B.2.25.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			14.11	7				Diagnostic
B.2.25.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			4.61	32				Diagnostic
B.2.25.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			3.85	413				Diagnostic
B.2.25.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic			4.39	2				Diagnostic
B.2.25.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			8.90	6				Diagnostic
B.2.25.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			6.38	41				Diagnostic
B.2.25.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			9.16	1				Diagnostic
B.2.25.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			July								June				
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation
B.2.24.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)			0.74	2,062				Diagnostic			0.81	1,766	
B.2.24.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			6.59	38				Diagnostic			5.12	113	
B.2.24.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)			6.35	56				Diagnostic			6.27	54	
B.2.24.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.24.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.24.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
		Total Service Order Cycle Time - Partially Mechanized													
B.2.25.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)			3.07	178				Diagnostic			3.63	149	
B.2.25.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)			1.28	6,129				Diagnostic			1.41	8,376	
B.2.25.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)			4.46	4				Diagnostic			2.89	1	
B.2.25.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)			12.15	1				Diagnostic					
B.2.25.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)			6.53	3				Diagnostic			4.24	5	
B.2.25.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)			11.67	3				Diagnostic			12.33	11	
B.2.25.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)			5.29	43				Diagnostic			5.61	56	
B.2.25.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)			4.21	406				Diagnostic			3.97	442	
B.2.25.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)			2.13	1				Diagnostic			3.94	16	
B.2.25.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)			8.40	6				Diagnostic			5.66	6	
B.2.25.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)			4.03	1				Diagnostic					
B.2.25.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			6.11	51				Diagnostic			6.62	72	
B.2.25.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)			7.12	1				Diagnostic			8.24	4	
B.2.25.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

						May							
			Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.24.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)			Diagnostic			0.80	2,252				Diagnostic
B.2.24.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			10.69	5				Diagnostic
B.2.24.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			6.37	66				Diagnostic
B.2.24.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.24.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
		Total Service Order Cycle Time - Partially Mechanized											
B.2.25.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)			Diagnostic			3.33	185				Diagnostic
B.2.25.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			1.48	10,184				Diagnostic
B.2.25.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)			Diagnostic			7.20	2				Diagnostic
B.2.25.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)			Diagnostic			11.95	79				Diagnostic
B.2.25.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)			Diagnostic			5.89	49				Diagnostic
B.2.25.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic			4.15	418				Diagnostic
B.2.25.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			2.98	5				Diagnostic
B.2.25.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic			7.90	6				Diagnostic
B.2.25.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)			Diagnostic			6.67	147				Diagnostic
B.2.25.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)			Diagnostic			12.17	6				Diagnostic
B.2.25.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.25.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic			5.75	136				Diagnostic
B.2.25.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			5.71	133				Diagnostic
B.2.25.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic			7.68	8				Diagnostic
B.2.25.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			7.67	7				Diagnostic
B.2.25.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)	Diagnostic			0.82	523				Diagnostic
B.2.25.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)	Diagnostic			1.65	4				Diagnostic
B.2.25.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			10.17	12				Diagnostic
B.2.25.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			7.61	49				Diagnostic
B.2.25.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.25.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time - Non-Mechanized									
B.2.26.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)	Diagnostic			13.27	1				Diagnostic
B.2.26.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)	Diagnostic			3.91	274				Diagnostic
B.2.26.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			1.75	554				Diagnostic
B.2.26.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)	Diagnostic			3.08	1				Diagnostic
B.2.26.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			6.98	2				Diagnostic
B.2.26.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)	Diagnostic			11.47	22				Diagnostic
B.2.26.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)	Diagnostic			5.04	9				Diagnostic
B.2.26.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)	Diagnostic			9.89	51				Diagnostic
B.2.26.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)	Diagnostic			4.60	4				Diagnostic
B.2.26.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			1.78	2				Diagnostic
B.2.26.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)	Diagnostic			4.64	19				Diagnostic
B.2.26.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic			3.70	14				Diagnostic
B.2.26.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			5.88	1				Diagnostic
B.2.26.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			July							June				
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation
B.2.25.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)			5.97	215				Diagnostic			5.59	269	
B.2.25.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)			5.51	106				Diagnostic			5.51	165	
B.2.25.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)			8.78	12				Diagnostic			8.49	12	
B.2.25.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			7.64	11				Diagnostic			7.58	3	
B.2.25.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)								Diagnostic			2.62	7	
B.2.25.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			1.50	3				Diagnostic			0.94	558	
B.2.25.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)			0.91	583				Diagnostic					
B.2.25.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)			0.36	2				Diagnostic			9.80	16	
B.2.25.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			9.10	6				Diagnostic					
B.2.25.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)								Diagnostic			7.12	74	
B.2.25.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)			6.77	77				Diagnostic					
B.2.25.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.25.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.25.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
		Total Service Order Cycle Time - Non-Mechanized													
B.2.26.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)			22.22	1				Diagnostic					
B.2.26.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)								Diagnostic			3.42	200	
B.2.26.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)			4.02	226				Diagnostic			1.89	485	
B.2.26.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)			1.55	555				Diagnostic			6.02	2	
B.2.26.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)			6.09	4				Diagnostic			7.21	1	
B.2.26.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)								Diagnostic			13.25	37	
B.2.26.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)			12.18	28				Diagnostic					
B.2.26.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)								Diagnostic			5.79	50	
B.2.26.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)			4.78	24				Diagnostic					
B.2.26.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)								Diagnostic			9.46	75	
B.2.26.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)			8.36	82				Diagnostic					
B.2.26.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)			12.81	1				Diagnostic					
B.2.26.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)								Diagnostic			6.54	5	
B.2.26.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)			4.09	7				Diagnostic			4.03	5	
B.2.26.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)			4.32	4				Diagnostic					
B.2.26.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)								Diagnostic			4.41	27	
B.2.26.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)			4.62	33				Diagnostic					
B.2.26.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)								Diagnostic			4.59	23	
B.2.26.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)			4.07	17				Diagnostic			4.10	3	
B.2.26.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)			5.49	2				Diagnostic					
B.2.26.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)			4.16	1				Diagnostic					
B.2.26.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
								May					
B.2.25.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic			5.71	510				Diagnostic
B.2.25.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			5.49	241				Diagnostic
B.2.25.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic			8.55	21				Diagnostic
B.2.25.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			7.75	6				Diagnostic
B.2.25.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)			Diagnostic			0.94	688				Diagnostic
B.2.25.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			11.95	79				Diagnostic
B.2.25.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			7.15	55				Diagnostic
B.2.25.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.25.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
		Total Service Order Cycle Time - Non-Mechanized											
B.2.26.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			13.78	6				Diagnostic
B.2.26.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			3.47	154				Diagnostic
B.2.26.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)			Diagnostic			1.84	351				Diagnostic
B.2.26.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			5.07	1				Diagnostic
B.2.26.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)			Diagnostic			3.50	5				Diagnostic
B.2.26.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			12.16	57				Diagnostic
B.2.26.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			5.16	64				Diagnostic
B.2.26.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			10.56	124				Diagnostic
B.2.26.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			3.73	4				Diagnostic
B.2.26.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)			Diagnostic			4.22	16				Diagnostic
B.2.26.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			4.27	42				Diagnostic
B.2.26.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			8.86	1				Diagnostic
B.2.26.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			4.80	38				Diagnostic
B.2.26.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic			3.77	5				Diagnostic
B.2.26.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			6.02	2				Diagnostic
B.2.26.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			5.26	1				Diagnostic
B.2.26.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.26.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic			3.99	1				Diagnostic
B.2.26.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)	Diagnostic			7.01	2				Diagnostic
B.2.26.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic			4.41	5				Diagnostic
B.2.26.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			4.02	1				Diagnostic
B.2.26.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic			8.81	1				Diagnostic
B.2.26.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)	Diagnostic			3.83	3				Diagnostic
B.2.26.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			0.88	390				Diagnostic
B.2.26.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			1.07	2				Diagnostic
B.2.26.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)	Diagnostic			9.33	58				Diagnostic
B.2.26.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)	Diagnostic			7.36	28				Diagnostic
B.2.26.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.26.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Mechanized									
B.2.28.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)	Diagnostic			4.00	700				Diagnostic
B.2.28.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)	Diagnostic			0.94	33,154				Diagnostic
B.2.28.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)	Diagnostic			3.40	6				Diagnostic
B.2.28.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)	Diagnostic			5.00	80				Diagnostic
B.2.28.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)	Diagnostic			11.45	12				Diagnostic
B.2.28.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)	Diagnostic			4.90	100				Diagnostic
B.2.28.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			July								June				
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation
B.2.26.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)								Diagnostic			4.06	1	
B.2.26.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)			4.86	1				Diagnostic					
B.2.26.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			5.07	2				Diagnostic			6.08	3	
B.2.26.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)			8.13	1				Diagnostic					
B.2.26.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)			5.17	6				Diagnostic			3.99	2	
B.2.26.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)			4.86	4				Diagnostic			4.08	2	
B.2.26.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			19.97	1				Diagnostic					
B.2.26.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)			6.17	2				Diagnostic			6.64	17	
B.2.26.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			2.13	2				Diagnostic			0.35	5	
B.2.26.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)			0.94	325				Diagnostic			0.97	316	
B.2.26.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.26.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)			2.03	10				Diagnostic			1.28	6	
B.2.26.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			7.61	104				Diagnostic			7.96	120	
B.2.26.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)			12.81	1				Diagnostic					
B.2.26.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)			7.71	24				Diagnostic			6.93	18	
B.2.26.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)								Diagnostic			6.12	1	
B.2.26.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.26.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)													
		Total Service Order Cycle Time (offered) - Mechanized								Diagnostic					
B.2.28.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)			4.46	629				Diagnostic			3.86	561	
B.2.28.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)			1.01	17,595				Diagnostic			0.97	9,989	
B.2.28.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)			15.01	1				Diagnostic			3.66	4	
B.2.28.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)			4.95	24				Diagnostic			4.81	96	
B.2.28.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)			11.88	9				Diagnostic			10.90	7	
B.2.28.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)								Diagnostic					
B.2.28.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)			4.94	118				Diagnostic			4.61	103	
B.2.28.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)								Diagnostic					
B.2.28.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)													

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - M ay 2002

			Standard Error	Zscore	Equity	May BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.26.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			6.13	9				Diagnostic
B.2.26.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			4.10	1				Diagnostic
B.2.26.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			4.68	2				Diagnostic
B.2.26.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic			8.00	4				Diagnostic
B.2.26.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			6.69	36				Diagnostic
B.2.26.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)			Diagnostic			1.02	305				Diagnostic
B.2.26.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)			Diagnostic			1.31	6				Diagnostic
B.2.26.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			8.79	184				Diagnostic
B.2.26.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			6.90	56				Diagnostic
B.2.26.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.26.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
	Total Service Order Cycle Time (offered) - Mechanized												
B.2.28.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			3.55	460				Diagnostic
B.2.28.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)			Diagnostic			0.79	9,793				Diagnostic
B.2.28.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)			Diagnostic			5.70	1				Diagnostic
B.2.28.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)			Diagnostic			10.69	5				Diagnostic
B.2.28.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL (days)			Diagnostic			4.99	83				Diagnostic
B.2.28.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL (days)			Diagnostic								Diagnostic
B.2.28.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (days)			Diagnostic								Diagnostic

BellSouth Monthly Performance Summary

Florida Interim, August 2002 - May 2002

			Benchmark/ Analog	August BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.28.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic			3.48	21				Diagnostic
B.2.28.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (days)	Diagnostic			6.50	2				Diagnostic
B.2.28.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL (days)	Diagnostic			0.75	2,299				Diagnostic
B.2.28.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL (days)	Diagnostic			5.89	89				Diagnostic
B.2.28.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL (days)	Diagnostic			6.55	75				Diagnostic
B.2.28.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.28.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Partially Mechanized									
B.2.29.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			3.55	156				Diagnostic
B.2.29.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL (days)	Diagnostic			1.41	6,938				Diagnostic
B.2.29.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			12.77	5				Diagnostic
B.2.29.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			5.02	4				Diagnostic
B.2.29.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (days)	Diagnostic								Diagnostic
B.2.29.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (days)	Diagnostic			14.45	4				Diagnostic
B.2.29.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL (days)	Diagnostic								