BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September BST Measure	September BST Volume	September CLEC Measure	September CLEC Volume	September Standard Deviation	September Standard Error	September Zscore	September Equity	August BST Measure	August BST Volume	August CLEC Measure	August CLEC Volume	August Standard Deviation	August Standard Error	August Zscore	August Equity
B.2.7.18.2.2.3	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Other/FL (days)	Digital Loop < DS1	0.00	0							0.00	0						
B.2.7.19.1.1.1	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Facility/FL (days)	Digital Loop >= DS1	10.00	4	7.00	1	3.651	4.06248	0.7348	YES	0.00	0	3.00	1				NO
B.2.7.19.1.1.2	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Equipment/FL (days)	Digital Loop >= DS1	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES
B.2.7.19.1.1.3	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Other/FL (days)	Digital Loop >= DS1	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES
B.2.7.19.1.2.1	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Facility/FL (days)	Digital Loop >= DS1	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES
B.2.7.19.1.2.2	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)	Digital Loop >= DS1	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES
B.2.7.19.1.2.3	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Other/FL (days)	Digital Loop >= DS1	0.00	0	0.00	0				YES	2.00	1	0.00	0	0.000			YES
B.2.7.19.2.1.1	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Facility/FL (days)	Digital Loop >= DS1	0.00	0							0.00	0						
B.2.7.19.2.1.2	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Equipment/FL (days)	Digital Loop >= DS1	0.00	0							0.00	0						
B.2.7.19.2.1.3	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Other/FL (days)	Digital Loop >= DS1	0.00	0							0.00	0						
B.2.7.19.2.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)	Digital Loop >= DS1	0.00	0							0.00	0						
B.2.7.19.2.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)	Digital Loop >= DS1	0.00	0							0.00	0						
B.2.7.19.2.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Other/FL (days)	Digital Loop >= DS1	0.00	0							0.00	0						
B.2.7.20.1.1.1	P-1	Line Splitting/<10 circuits/Dispatch/Facility/FL (days)	ADSL to Retail	17.63	114			24.374				10.20	54			9.079			
B.2.7.20.1.1.2	P-1	Line Splitting/<10 circuits/Dispatch/Equipment/FL (days)	ADSL to Retail	1.00	1			0.000				4.00	1			0.000			
B.2.7.20.1.1.3	P-1	Line Splitting/<10 circuits/Dispatch/Other/FL (days)	ADSL to Retail	6.78	23			15.817				6.80	5			4.658			
B.2.7.20.1.2.1	P-1	Line Splitting/<10 circuits/Non-Dispatch/Facility/FL (days)	ADSL to Retail	0.00	0							0.00	0						
B.2.7.20.1.2.2	P-1	Line Splitting/<10 circuits/Non-Dispatch/Equipment/FL (days)	ADSL to Retail	0.00	0							0.00	0						
B.2.7.20.1.2.3	P-1	Line Splitting/<10 circuits/Non-Dispatch/Other/FL (days)	ADSL to Retail	8.50	2			6.364				3.00	1			0.000			
B.2.7.20.2.1.1	P-1	Line Splitting/>=10 circuits/Dispatch/Facility/FL (days)	ADSL to Retail	0.00	0							0.00	0						
B.2.7.20.2.1.2	P-1	Line Splitting/>=10 circuits/Dispatch/Equipment/FL (days)	ADSL to Retail	0.00	0							0.00	0						
B.2.7.20.2.1.3	P-1	Line Splitting/>=10 circuits/Dispatch/Other/FL (days)	ADSL to Retail	0.00	0							0.00	0						
B.2.7.20.2.2.1	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Facility/FL (days)	ADSL to Retail	0.00	0							0.00	0						
B.2.7.20.2.2.2	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Equipment/FL (days)	ADSL to Retail	0.00	0							0.00	0						
B.2.7.20.2.2.3	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Other/FL (days)	ADSL to Retail	0.00	0							0.00	0						
B.2.7.21.1.1.1	P-1	EELs/<10 circuits/Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice	0.00	0	1.00	1				NO	0.00	0	0.00	0				YES
B.2.7.21.1.1.2	P-1	EELs/<10 circuits/Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES
B.2.7.21.1.1.3	P-1	EELs/<10 circuits/Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice	7.17	6	0.00	0	5.529			YES	18.75	12	0.00	0	18.631			YES
B.2.7.21.1.2.1	P-1	EELs/<10 circuits/Non-Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES
B.2.7.21.1.2.2	P-1	EELs/<10 circuits/Non-Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES
B.2.7.21.1.2.3	P-1	EELs/<10 circuits/Non-Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES
B.2.7.21.2.1.1	P-1	EELs/>=10 circuits/Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice																
B.2.7.21.2.1.2	P-1	EELs/>=10 circuits/Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice																
B.2.7.21.2.1.3	P-1	EELs/>=10 circuits/Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice																
B.2.7.21.2.2.1	P-1	EELs/>=10 circuits/Non-Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice																
B.2.7.21.2.2.2	P-1	EELs/>=10 circuits/Non-Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice																
B.2.7.21.2.2.3	P-1	EELs/>=10 circuits/Non-Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice																
Mean Held Order Interval & Distribution Intervals																			
B.2.8.1.1.1.1	P-1	Switch Ports/<10 circuits/Dispatch/Facility/FL (days)	R&B (POTS)	2.64	1,813			9.652				9.54	2,221			8.390			
B.2.8.1.1.1.2	P-1	Switch Ports/<10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS)	6.50	2			6.364				2.00	9			0.866			
B.2.8.1.1.1.3	P-1	Switch Ports/<10 circuits/Dispatch/Other/FL (days)	R&B (POTS)	3.24	1,317			5.483				2.06	1,932			3.573			
B.2.8.1.1.2.1	P-1	Switch Ports/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS)																
B.2.8.1.1.2.2	P-1	Switch Ports/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.1.1.2.3	P-1	Switch Ports/<10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS)	4.36	45			8.378				3.86	98			7.240			
B.2.8.1.2.1.1	P-1	Switch Ports/>=10 circuits/Dispatch/Facility/FL (days)	R&B (POTS)	3.00	8			2.507				8.20	5			2.588			
B.2.8.1.2.1.2	P-1	Switch Ports/>=10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.1.2.1.3	P-1	Switch Ports/>=10 circuits/Dispatch/Other/FL (days)	R&B (POTS)	1.83	6			1.602				3.86	7			7.559			
B.2.8.1.2.2.1	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS)																
B.2.8.1.2.2.2	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.1.2.2.3	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS)																
B.2.8.2.1.1.1	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice	11.33	3			8.386				56.00	1			0.000			
B.2.8.2.1.1.2	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice									3.00	2			0.000			
B.2.8.2.1.1.3	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice	8.25	16			10.078				10.69	42			13.282			
B.2.8.2.1.2.1	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.2.1.2.2	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.2.1.2.3	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.2.2.1.1	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.2.2.1.2	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.2.2.1.3	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.2.2.2.1	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.2.2.2.2	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.2.2.2.3	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.3.1.1.1	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Facility/FL (days)	R&B	9.69	1,839	8.07	42	9.682	1.51092	1.0995	YES	9.52	2,244	7.05	81	8.362	0.94578	2.6152	YES
B.2.8.3.1.1.2	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Equipment/FL (days)	R&B	6.50	2			6.364				2.00	9			0.866			
B.2.8.3.1.1.3	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Other/FL (days)	R&B	3.22	1,336	3.43	35	5.449	0.93298	-0.2203	YES	2.06	1,943	2.81	36	3.564	0.59954	-1.2406	YES
B.2.8.3.1.2.1	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B																
B.2.8.3.1.2.2	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B																
B.2.8.3.1.2.3	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Other/FL (days)	R&B	4.29	49	2.61	31	8.057	1.84903	0.9047	YES	3.81	100	1.23	125	7.174	0.96251	2.6784	YES
B.2.8.3.2.1.1	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Facility/FL (days)	R&B																
B.2.8.3.2.1.2	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Equipment/FL (days)	R&B																
B.2.8.3.2.1.3	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Other/FL (days)	R&B																
B.2.8.3.2.2.1	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Facility/FL (days)	R&B																
B.2.8.3.2.2.2	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Equipment/FL (days)	R&B																
B.2.8.3.2.2.3	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Other/FL (days)	R&B	4.29	49	2.61	31	8.057	1.84903	0.9047	YES	3.81	100	1.23	125	7.174	0.96251	2.6784	YES
B.2.8.3.3.1.1	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Facility/FL (days)	R&B	3.45	11			2.339				8.20	5	5.00	1	2.588	2.83549	1.1266	YES
B.2.8.3.3.1.2	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Equipment/FL (days)	R&B																
B.2.8.3.3.1.3	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Other/FL (days)	R&B	2.56	9	1.00	1	3.067	3.25368	0.4781	YES	3.86	7			7.559			
B.2.8.3.3.2.1	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B																
B.2.8.3.3.2.2	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B																
B.2.8.3.3.2.3	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B			8.00	1												
B.2.8.3.4.1.1	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Facility/FL (days)	R&B																
B.2.8.3.4.1.2	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Equipment/FL (days)	R&B																
B.2.8.3.4.1.3	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Other/FL (days)	R&B																
B.2.8.3.4.2.1	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Facility/FL (days)	R&B																
B.2.8.3.4.2.2	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Equipment/FL (days)	R&B																
B.2.8.3.4.2.3	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Other/FL (days)	R&B			8.00	1												
B.2.8.4.1.1.1	P-1	Combo (other)/<10 circuits/Dispatch/Facility/FL (days)	R&B&D - Disp	9.77	1,866			9.829				9.58	2,272			8.453			
B.2.8.4.1.1.2	P-1	Combo (other)/<10 circuits/Dispatch/Equipment/FL (days)	R&B&D - Disp	4.30	10			3.974				4.17	18			3.485			
B.2.8.4.1.1.3	P-1	Combo (other)/<10 circuits/Dispatch/Other/FL (days)	R&B&D - Disp	3.39	1,387			5.706				2.31	1,995			4.332			
B.2.8.4.1.2.1	P-1	Combo (other)/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B&D - Disp	9.77	1,866			9.829				9.58	2,272			8.453			
B.2.8.4.1.2.2	P-1	Combo (other)/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B&D - Disp	4.30	10			3.974				4.17	18			3.485			
B.2.8.4.1.2.3	P-1	Combo (other)/<10 circuits/Non-Dispatch/Other/FL (days)	R&B&D - Disp	3.39	1,387			5.706				2.31	1,995			4.332			
B.2.8.4.2.1.1	P-1	Combo (other)/>=10 circuits/Dispatch/Facility/FL (days)	R&B&D - Disp	3.45	11			2.339				8.20	5			2.588			
B.2.8.4.2.1.2	P-1	Combo (other)/>=10 circuits/Dispatch/Equipment/FL (days)	R&B&D - Disp																
B.2.8.4.2.1.3	P-1	Combo (other)/>=10 circuits/Dispatch/Other/FL (days)	R&B&D - Disp	3.42	12			3.175				3.67	9			6.576			
B.2.8.4.2.2.1	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B&D - Disp	3.45	11			2.339				8.20	5			2.588			
B.2.8.4.2.2.2	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B&D - Disp																
B.2.8.4.2.2.3	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B&D - Disp	3.42	12			3.175				3.67	9			6.576			
B.2.8.5.1.1.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Facility/FL (days)	ADSL to Retail	12.82	364	3.00	1	15.546	15.67024	0.6269	YES	10.29	216	4.33	3	8.267	4.81781	1.2358	YES
B.2.8.5.1.1.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Equipment/FL (days)	ADSL to Retail	1.25	4			0.500				3.00	2			1.414			
B.2.8.5.1.1.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Other/FL (days)	ADSL to Retail	2.24	317	18.00	1	4.853	4.86113	-3.2421	NO	2.92	143	1.33	3	3.943	2.30046	0.6610	YES
B.2.8.5.1.2.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/Facility/FL (days)	ADSL to Retail																

BellSouth Monthly Performance Summary
Florida Permanent, September 2002 - May 2002

			July BST Measure	July BST Volume	July CLEC Measure	July CLEC Volume	July Standard Deviation	July Standard Error	July Zscore	July Equity	June BST Measure	June BST Volume	June CLEC Measure	June CLEC Volume	June Standard Deviation	June Standard Error	June Zscore	June Equity	May BST Measure	May BST Volume	May CLEC Measure	May CLEC Volume
B.2.7.16.2.2.3	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Other/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0		
B.2.7.19.1.1.1	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Facility/FL (days)	5.50	4	6.00	1	3.317	3.70810	-0.1348	YES	0.00	0	10.00	1				NO	0.00	0	2.00	2
B.2.7.19.1.1.2	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Equipment/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.19.1.1.3	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Other/FL (days)	7.00	1	0.00	0	0.000			YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.19.1.2.1	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Facility/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.19.1.2.2	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.19.1.2.3	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Other/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.19.2.1.1	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Facility/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0		
B.2.7.19.2.1.2	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Equipment/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0		
B.2.7.19.2.1.3	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Other/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0		
B.2.7.19.2.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0		
B.2.7.19.2.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0		
B.2.7.19.2.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Other/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0		
B.2.7.20.1.1.1	P-1	Line Splitting/<10 circuits/Dispatch/Facility/FL (days)	7.48	40			6.008				10.47	32			9.384				16.07	83		
B.2.7.20.1.1.2	P-1	Line Splitting/<10 circuits/Dispatch/Equipment/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.1.1.3	P-1	Line Splitting/<10 circuits/Dispatch/Other/FL (days)	2.39	18			2.500				15.50	2			16.263				1.00	9		
B.2.7.20.1.2.1	P-1	Line Splitting/<10 circuits/Non-Dispatch/Facility/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.1.2.2	P-1	Line Splitting/<10 circuits/Non-Dispatch/Equipment/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.1.2.3	P-1	Line Splitting/<10 circuits/Non-Dispatch/Other/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.2.1.1	P-1	Line Splitting/>=10 circuits/Dispatch/Facility/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.2.1.2	P-1	Line Splitting/>=10 circuits/Dispatch/Equipment/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.2.1.3	P-1	Line Splitting/>=10 circuits/Dispatch/Other/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.2.2.1	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Facility/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.2.2.2	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Equipment/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.20.2.2.3	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Other/FL (days)	0.00	0							0.00	0							0.00	0		
B.2.7.21.1.1.1	P-1	EELs/<10 circuits/Dispatch/Facility/FL (days)	34.00	1	0.00	0	0.000			YES	3.00	1	0.00	0	0.000			YES	0.00	0	0.00	0
B.2.7.21.1.1.2	P-1	EELs/<10 circuits/Dispatch/Equipment/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.21.1.1.3	P-1	EELs/<10 circuits/Dispatch/Other/FL (days)	6.80	10	0.00	0	4.467			YES	6.50	2	0.00	0	4.960			YES	10.71	7	0.00	0
B.2.7.21.1.2.1	P-1	EELs/<10 circuits/Non-Dispatch/Facility/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.21.1.2.2	P-1	EELs/<10 circuits/Non-Dispatch/Equipment/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.21.1.2.3	P-1	EELs/<10 circuits/Non-Dispatch/Other/FL (days)	0.00	0	0.00	0				YES	0.00	0	0.00	0				YES	0.00	0	0.00	0
B.2.7.21.2.1.1	P-1	EELs/>=10 circuits/Dispatch/Facility/FL (days)																	0.00	0		
B.2.7.21.2.1.2	P-1	EELs/>=10 circuits/Dispatch/Equipment/FL (days)																	0.00	0		
B.2.7.21.2.1.3	P-1	EELs/>=10 circuits/Dispatch/Other/FL (days)																	0.00	0		
B.2.7.21.2.2.1	P-1	EELs/>=10 circuits/Non-Dispatch/Facility/FL (days)																	0.00	0		
B.2.7.21.2.2.2	P-1	EELs/>=10 circuits/Non-Dispatch/Equipment/FL (days)																	0.00	0		
B.2.7.21.2.2.3	P-1	EELs/>=10 circuits/Non-Dispatch/Other/FL (days)																	0.00	0		
		Mean Held Order Interval & Distribution Intervals																				
B.2.8.1.1.1.1	P-1	Switch Ports/<10 circuits/Dispatch/Facility/FL (days)	9.98	2,125			8.119				8.97	2,002			7.544				8.23	1,918		
B.2.8.1.1.1.2	P-1	Switch Ports/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.48	23			1.648				2.50	6		
B.2.8.1.1.1.3	P-1	Switch Ports/<10 circuits/Dispatch/Other/FL (days)	2.03	1,914			3.141				2.32	1,260			4.754				2.58	984		
B.2.8.1.1.2.1	P-1	Switch Ports/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.1.1.2.2	P-1	Switch Ports/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.1.1.2.3	P-1	Switch Ports/<10 circuits/Non-Dispatch/Other/FL (days)	3.07	115			5.537				2.58	127			5.625				3.83	105		
B.2.8.1.2.1.1	P-1	Switch Ports/>=10 circuits/Dispatch/Facility/FL (days)	13.73	11			8.696				11.40	10			7.891				19.33	6		
B.2.8.1.2.1.2	P-1	Switch Ports/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.1.2.1.3	P-1	Switch Ports/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.43	7			1.134				1.33	3		
B.2.8.1.2.2.1	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.1.2.2.2	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.1.2.2.3	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.2.1.1.1	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Facility/FL (days)	14.00	4			13.928				4.25	4			3.948				8.00	1		
B.2.8.2.1.1.2	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Equipment/FL (days)	12.75	4			19.551				3.00	3			3.464				13.00	1		
B.2.8.2.1.1.3	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Other/FL (days)	8.93	27			14.894				11.57	14			9.788				7.89	16		
B.2.8.2.1.2.1	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.2.1.2.2	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.2.1.2.3	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.2.2.1.1	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Facility/FL (days)																				
B.2.8.2.2.1.2	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.2.2.1.3	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Other/FL (days)																				
B.2.8.2.2.2.1	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.2.2.2.2	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.2.2.2.3	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.3.1.1.1	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Facility/FL (days)	10.00	2,143	13.26	72	8.196	0.98203	-3.3279	NO	8.99	2,028	5.67	42	7.584	1.18230	2.8144	YES	8.27	1,937	6.35	31
B.2.8.3.1.1.2	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.52	25			1.610				2.50	6		
B.2.8.3.1.1.3	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Other/FL (days)	2.05	1,925	3.81	36	3.175	0.53415	-3.2850	NO	2.30	1,283	2.41	29	4.714	0.88524	-0.1258	YES	2.58	973	2.15	27
B.2.8.3.1.2.1	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.3.1.2.2	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.3.1.2.3	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Other/FL (days)	3.05	116	1.89	54	5.517	0.90879	1.2795	YES	2.56	131	1.93	58	5.539	0.87357	0.7256	YES	4.89	111	2.06	69
B.2.8.3.2.1.1	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Facility/FL (days)																				
B.2.8.3.2.1.2	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Equipment/FL (days)																				
B.2.8.3.2.1.3	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Other/FL (days)																				
B.2.8.3.2.2.1	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Facility/FL (days)																				
B.2.8.3.2.2.2	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Equipment/FL (days)																				
B.2.8.3.2.2.3	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Other/FL (days)	3.05	116	1.89	54	5.517	0.90879	1.2795	YES	2.56	131	1.93	58	5.539	0.87357	0.7256	YES	4.89	111	2.06	69
B.2.8.3.3.1.1	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Facility/FL (days)	11.43	14	8.00	1	8.993	9.30893	0.3683	YES	10.50	22			7.507				9.14	14	6.00	1
B.2.8.3.3.1.2	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Equipment/FL (days)									5.14	7			1.069							
B.2.8.3.3.1.3	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Other/FL (days)	3.63	8	5.00	1	6.632	7.03420	-0.1955	YES	1.38	8			1.061				1.33	3		
B.2.8.3.3.2.1	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.3.3.2.2	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.3.3.2.3	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.3.4.1.1	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Facility/FL (days)																				
B.2.8.3.4.1.2	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Equipment/FL (days)																				
B.2.8.3.4.1.3	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Other/FL (days)																				
B.2.8.3.4.2.1	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Facility/FL (days)																				
B.2.8.3.4.2.2	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Equipment/FL (days)																				
B.2.8.3.4.2.3	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Other/FL (days)																				
B.2.8.4.1.1.1	P-1	Combo (other)/<10 circuits/Dispatch/Facility/FL (days)	9.99	2,171			8.179				9.01	2,051			7.617				8.29	1,946		
B.2.8.4.1.1.2	P-1	Combo (other)/<10 circuits/Dispatch/Equipment/FL (days)	4.00	24			4.374				3.48	29			3.214				2.24	17		
B.2.8.4.1.1.3	P-1	Combo (other)/<10 circuits/Dispatch/Other/FL (days)	2.39	1,993			4.857				2.82	1,348			7.941				3.18	1,032		
B.2.8.4.1.2.1	P-1	Combo (other)/<10 circuits/Non-Dispatch/Facility/FL (days)	9.99	2,171			8.179				9.01	2,051			7.617				8.29	1,946		
B.2.8.4.1.2.2	P-1	Combo (other)/<10 circuits/Non-Dispatch/Equipment/FL (days)	4.00	24			4.374				3.48	29			3.214				2.24	17		
B.2.8.4.1.2.3	P-1	Combo (other)/<10 circuits/Non-Dispatch/Other/FL (days)	2.39	1,993			4.857				2.82	1,348			7.941				3.18	1,032		
B.2.8.4.2.1.1	P-1	Combo (other)/>=10 circuits/Dispatch/Facility/FL (days)	11.43	14			8.993				10.50	22			7.507				9.14	14		
B.2.8.4.2.1.2	P-1	Combo (other)/>=10 circuits/Dispatch/Equipment/FL (days)									5.14	7			1.069							
B.2.8.4.2.1.3	P-1	Combo (other)/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.38	8			1.061				1.33	3		
B.2.8.4.2.2.1	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Facility/FL (days)	11.43	14			8.993				10.50	22			7.507				9.14	14		
B.2.8.4.2.2.2	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Equipment/FL (days)									5.14	7			1.069							
B.2.8.4.2.2.3	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Other/FL (days)	3.63	8			6.632				1.38	8			1.061				1.33	3		
B.2.8.5.1.1.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Facility/FL (days)	9.87	208	7.20	5	8.297	3.75490	0.7096	YES	13.61	204	9.00	4	13.854	6.99440	0.6595	YES	13.23	241	6.67	3
B.2.8.5.1.1.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Equipment/FL (days)	20.00	1			0.000				3.57	7			3.101				1.50	2		
B.2.8.5.1.1.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Other/FL (days)	2.84	336			2.922				2.40	251	1.00	1	4.409	4.41802	0.3174	YES	2.11	139	7.00	1
B.2.8.5.1.2.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/Facility/FL (days)																				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Standard Deviation	Standard Error	Zscore	Equity
B.2.7.18.2.2.3	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Other/FL (days)				
B.2.7.19.1.1.1	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Facility/FL (days)				NO
B.2.7.19.1.1.2	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Equipment/FL (days)				YES
B.2.7.19.1.1.3	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Other/FL (days)				YES
B.2.7.19.1.2.1	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Facility/FL (days)				YES
B.2.7.19.1.2.2	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)				YES
B.2.7.19.1.2.3	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Other/FL (days)				YES
B.2.7.19.2.1.1	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.7.19.2.1.2	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.7.19.2.1.3	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Other/FL (days)				
B.2.7.19.2.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.7.19.2.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.7.19.2.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.7.20.1.1.1	P-1	Line Splitting/<10 circuits/Dispatch/Facility/FL (days)	18.253			
B.2.7.20.1.1.2	P-1	Line Splitting/<10 circuits/Dispatch/Equipment/FL (days)				
B.2.7.20.1.1.3	P-1	Line Splitting/<10 circuits/Dispatch/Other/FL (days)	0.000			
B.2.7.20.1.2.1	P-1	Line Splitting/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.7.20.1.2.2	P-1	Line Splitting/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.7.20.1.2.3	P-1	Line Splitting/<10 circuits/Non-Dispatch/Other/FL (days)				
B.2.7.20.2.1.1	P-1	Line Splitting/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.7.20.2.1.2	P-1	Line Splitting/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.7.20.2.1.3	P-1	Line Splitting/>=10 circuits/Dispatch/Other/FL (days)				
B.2.7.20.2.2.1	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.7.20.2.2.2	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.7.20.2.2.3	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.7.21.1.1.1	P-1	EELs/<10 circuits/Dispatch/Facility/FL (days)				YES
B.2.7.21.1.1.2	P-1	EELs/<10 circuits/Dispatch/Equipment/FL (days)				YES
B.2.7.21.1.1.3	P-1	EELs/<10 circuits/Dispatch/Other/FL (days)	9.759			YES
B.2.7.21.1.2.1	P-1	EELs/<10 circuits/Non-Dispatch/Facility/FL (days)				YES
B.2.7.21.1.2.2	P-1	EELs/<10 circuits/Non-Dispatch/Equipment/FL (days)				YES
B.2.7.21.1.2.3	P-1	EELs/<10 circuits/Non-Dispatch/Other/FL (days)				
B.2.7.21.2.1.1	P-1	EELs/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.7.21.2.1.2	P-1	EELs/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.7.21.2.1.3	P-1	EELs/>=10 circuits/Dispatch/Other/FL (days)				
B.2.7.21.2.2.1	P-1	EELs/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.7.21.2.2.2	P-1	EELs/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.7.21.2.2.3	P-1	EELs/>=10 circuits/Non-Dispatch/Other/FL (days)				
		Mean Held Order Interval & Distribution Intervals				
B.2.8.1.1.1.1	P-1	Switch Ports/<10 circuits/Dispatch/Facility/FL (days)	8.208			
B.2.8.1.1.1.2	P-1	Switch Ports/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.1.1.1.3	P-1	Switch Ports/<10 circuits/Dispatch/Other/FL (days)	4.131			
B.2.8.1.1.2.1	P-1	Switch Ports/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.1.1.2.2	P-1	Switch Ports/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.1.1.2.3	P-1	Switch Ports/<10 circuits/Non-Dispatch/Other/FL (days)	6.957			
B.2.8.1.2.1.1	P-1	Switch Ports/>=10 circuits/Dispatch/Facility/FL (days)	20.116			
B.2.8.1.2.1.2	P-1	Switch Ports/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.1.2.1.3	P-1	Switch Ports/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.1.2.2.1	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.1.2.2.2	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.1.2.2.3	P-1	Switch Ports/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.2.1.1.1	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Facility/FL (days)	0.000			
B.2.8.2.1.1.2	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Equipment/FL (days)	0.000			
B.2.8.2.1.1.3	P-1	Local Interoffice Transport/<10 circuits/Dispatch/Other/FL (days)	7.931			
B.2.8.2.1.2.1	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.2.1.2.2	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.2.1.2.3	P-1	Local Interoffice Transport/<10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.2.2.1.1	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.8.2.2.1.2	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.2.2.1.3	P-1	Local Interoffice Transport/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.2.2.2.1	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.2.2.2.2	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.2.2.2.3	P-1	Local Interoffice Transport/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.3.1.1.1	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Facility/FL (days)	8.270	1.49719	1.2788	YES
B.2.8.3.1.1.2	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.3.1.1.3	P-1	Loop + Port Combinations/<10 circuits/Dispatch/Other/FL (days)	4.120	0.80382	0.5368	YES
B.2.8.3.1.2.1	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.3.1.2.2	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.3.1.2.3	P-1	Loop + Port Combinations/<10 circuits/Non-Dispatch/Other/FL (days)	8.706	1.33460	2.1234	YES
B.2.8.3.2.1.1	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Facility/FL (days)				
B.2.8.3.2.1.2	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Equipment/FL (days)				
B.2.8.3.2.1.3	P-1	Loop + Port Combinations/<10 circuits/Switch Based Orders/Other/FL (days)				
B.2.8.3.2.2.1	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Facility/FL (days)				
B.2.8.3.2.2.2	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Equipment/FL (days)				
B.2.8.3.2.2.3	P-1	Loop + Port Combinations/<10 circuits/Dispatch In/Other/FL (days)	8.706	1.33460	2.1234	YES
B.2.8.3.3.1.1	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Facility/FL (days)	15.496	18.04008	0.1959	YES
B.2.8.3.3.1.2	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.3.3.1.3	P-1	Loop + Port Combinations/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.3.3.2.1	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.3.3.2.2	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.3.3.2.3	P-1	Loop + Port Combinations/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.3.4.1.1	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Facility/FL (days)				
B.2.8.3.4.1.2	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Equipment/FL (days)				
B.2.8.3.4.1.3	P-1	Loop + Port Combinations/>=10 circuits/Switch Based Orders/Other/FL (days)				
B.2.8.3.4.2.1	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Facility/FL (days)				
B.2.8.3.4.2.2	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Equipment/FL (days)				
B.2.8.3.4.2.3	P-1	Loop + Port Combinations/>=10 circuits/Dispatch In/Other/FL (days)				
B.2.8.4.1.1.1	P-1	Combo (other)/<10 circuits/Dispatch/Facility/FL (days)	8.282			
B.2.8.4.1.1.2	P-1	Combo (other)/<10 circuits/Dispatch/Equipment/FL (days)	1.985			
B.2.8.4.1.1.3	P-1	Combo (other)/<10 circuits/Dispatch/Other/FL (days)	6.828			
B.2.8.4.1.2.1	P-1	Combo (other)/<10 circuits/Non-Dispatch/Facility/FL (days)	8.282			
B.2.8.4.1.2.2	P-1	Combo (other)/<10 circuits/Non-Dispatch/Equipment/FL (days)	1.985			
B.2.8.4.1.2.3	P-1	Combo (other)/<10 circuits/Non-Dispatch/Other/FL (days)	6.828			
B.2.8.4.2.1.1	P-1	Combo (other)/>=10 circuits/Dispatch/Facility/FL (days)	15.496			
B.2.8.4.2.1.2	P-1	Combo (other)/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.4.2.1.3	P-1	Combo (other)/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.4.2.2.1	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Facility/FL (days)	15.496			
B.2.8.4.2.2.2	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.4.2.2.3	P-1	Combo (other)/>=10 circuits/Non-Dispatch/Other/FL (days)	0.577			
B.2.8.5.1.1.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Facility/FL (days)	14.451	8.39484	0.5439	YES
B.2.8.5.1.1.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Equipment/FL (days)	0.707			
B.2.8.5.1.1.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/Other/FL (days)	4.348	4.36401	-1.1210	YES
B.2.8.5.1.2.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/Facility/FL (days)				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September BST Measure	September BST Volume	September CLEC Measure	September CLEC Volume	September Standard Deviation	September Standard Error	September Zscore	September Equity	August BST Measure	August BST Volume	August CLEC Measure	August CLEC Volume	August Standard Deviation	August Standard Error	August Zscore	August Equity
B.2.8.5.1.2.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/Equipment/FL (days)	ADSL to Retail	4.25	4			2.630				1.75	4			0.957			
B.2.8.5.1.2.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/Other/FL (days)	ADSL to Retail	6.75	4			4.272											
B.2.8.5.2.1.1	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/Facility/FL (days)	ADSL to Retail																
B.2.8.5.2.1.2	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/Equipment/FL (days)	ADSL to Retail																
B.2.8.5.2.1.3	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/Other/FL (days)	ADSL to Retail																
B.2.8.5.2.2.1	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/Facility/FL (days)	ADSL to Retail																
B.2.8.5.2.2.2	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/Equipment/FL (days)	ADSL to Retail																
B.2.8.5.2.2.3	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/Other/FL (days)	ADSL to Retail																
B.2.8.6.1.1.1	P-1	UNE ISDN/<10 circuits/Dispatch/Facility/FL (days)	ISDN - BRI	10.71	7	8.80	5	8.921	4.05271	0.4723	YES	15.80	10	9.25	16	16.844	6.79019	0.9646	YES
B.2.8.6.1.1.2	P-1	UNE ISDN/<10 circuits/Dispatch/Equipment/FL (days)	ISDN - BRI																
B.2.8.6.1.1.3	P-1	UNE ISDN/<10 circuits/Dispatch/Other/FL (days)	ISDN - BRI	3.00	3	8.50	2	3.464	3.16228	-1.1068	YES	4.25	8	1.00	3	5.036	3.40011	0.9533	YES
B.2.8.6.1.2.1	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Facility/FL (days)	ISDN - BRI																
B.2.8.6.1.2.2	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Equipment/FL (days)	ISDN - BRI	1.00	1			0.000				1.00	2			0.000			
B.2.8.6.1.2.3	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Other/FL (days)	ISDN - BRI																
B.2.8.6.2.1.1	P-1	UNE ISDN/>=10 circuits/Dispatch/Facility/FL (days)	ISDN - BRI																
B.2.8.6.2.1.2	P-1	UNE ISDN/>=10 circuits/Dispatch/Equipment/FL (days)	ISDN - BRI																
B.2.8.6.2.1.3	P-1	UNE ISDN/>=10 circuits/Dispatch/Other/FL (days)	ISDN - BRI																
B.2.8.6.2.2.1	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Facility/FL (days)	ISDN - BRI																
B.2.8.6.2.2.2	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Equipment/FL (days)	ISDN - BRI																
B.2.8.6.2.2.3	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Other/FL (days)	ISDN - BRI																
B.2.8.7.1.1.1	P-1	Line Sharing/<10 circuits/Dispatch/Facility/FL (days)	ADSL to Retail	12.82	364			15.649				10.29	216			8.297			
B.2.8.7.1.1.2	P-1	Line Sharing/<10 circuits/Dispatch/Equipment/FL (days)	ADSL to Retail	1.25	4			0.500				3.00	2			1.414			
B.2.8.7.1.1.3	P-1	Line Sharing/<10 circuits/Dispatch/Other/FL (days)	ADSL to Retail	2.24	317	2.00	1	4.853	4.86113	0.0493	YES	2.92	143			3.943			
B.2.8.7.1.2.1	P-1	Line Sharing/<10 circuits/Non-Dispatch/Facility/FL (days)	ADSL to Retail																
B.2.8.7.1.2.2	P-1	Line Sharing/<10 circuits/Non-Dispatch/Equipment/FL (days)	ADSL to Retail	4.25	4			2.630											
B.2.8.7.1.2.3	P-1	Line Sharing/<10 circuits/Non-Dispatch/Other/FL (days)	ADSL to Retail	6.75	4	1.00	1	4.272	4.77624	1.2039	YES	1.75	4			0.957			
B.2.8.7.2.1.1	P-1	Line Sharing/>=10 circuits/Dispatch/Facility/FL (days)	ADSL to Retail																
B.2.8.7.2.1.2	P-1	Line Sharing/>=10 circuits/Dispatch/Equipment/FL (days)	ADSL to Retail																
B.2.8.7.2.1.3	P-1	Line Sharing/>=10 circuits/Dispatch/Other/FL (days)	ADSL to Retail																
B.2.8.7.2.2.1	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Facility/FL (days)	ADSL to Retail																
B.2.8.7.2.2.2	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Equipment/FL (days)	ADSL to Retail																
B.2.8.7.2.2.3	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Other/FL (days)	ADSL to Retail																
B.2.8.8.1.1.1	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Facility/FL (days)	R&B - Disp	9.69	1,839	19.00	1	9.682	9.68460	-0.9616	YES	9.52	2,244	10.00	6	8.362	3.41845	-0.1398	YES
B.2.8.8.1.1.2	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Equipment/FL (days)	R&B - Disp	6.50	2			6.364				2.00	9			0.866			
B.2.8.8.1.1.3	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Other/FL (days)	R&B - Disp	3.22	1,336			5.449				2.06	1,943	1.00	1	3.564	3.58529	0.2978	YES
B.2.8.8.1.2.1	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B - Disp	9.69	1,839			9.682				9.52	2,244			8.362			
B.2.8.8.1.2.2	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B - Disp	6.50	2			6.364				2.00	9			0.866			
B.2.8.8.1.2.3	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Other/FL (days)	R&B - Disp	3.22	1,336			5.449				2.06	1,943			3.564			
B.2.8.8.2.1.1	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Facility/FL (days)	R&B - Disp	3.45	11			2.339				8.20	5			2.588			
B.2.8.8.2.1.2	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Equipment/FL (days)	R&B - Disp																
B.2.8.8.2.1.3	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Other/FL (days)	R&B - Disp	2.56	9			3.087				3.86	7			7.559			
B.2.8.8.2.2.1	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B - Disp	3.45	11			2.339				8.20	5			2.588			
B.2.8.8.2.2.2	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B - Disp																
B.2.8.8.2.2.3	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B - Disp	2.56	9			3.087				3.86	7			7.559			
B.2.8.9.1.1.1	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or	9.84	1,813	10.06	16	9.652	2.42373	-0.1735	YES	9.54	2,221	5.25	12	8.390	2.42856	1.7657	YES
B.2.8.9.1.1.2	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or	6.50	2			6.364				2.00	9			0.866			
B.2.8.9.1.1.3	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Other/FL (days)	R&B (POTS) excl SB Or	3.24	1,317	1.33	3	5.483	3.16925	0.6006	YES	2.06	1,932	2.60	5	3.573	1.59995	-0.3359	YES
B.2.8.9.1.2.1	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or																
B.2.8.9.1.2.2	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or	4.36	45			6.378				3.86	98			7.240			
B.2.8.9.1.2.3	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS) excl SB Or	3.00	8			2.507				8.20	5	11.00	1	2.588	2.83549	-0.9875	YES
B.2.8.9.2.1.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or																
B.2.8.9.2.1.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or	1.83	6			1.602				3.86	7			7.559			
B.2.8.9.2.1.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Other/FL (days)	R&B (POTS) excl SB Or																
B.2.8.9.2.2.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or																
B.2.8.9.2.2.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or																
B.2.8.9.2.2.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS) excl SB Or																
B.2.8.10.1.1.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Facility/FL (days)	R&B - Disp	9.69	1,839			9.682				9.52	2,244			8.362			
B.2.8.10.1.1.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Equipment/FL (days)	R&B - Disp	6.50	2			6.364				2.00	9			0.866			
B.2.8.10.1.1.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Other/FL (days)	R&B - Disp	3.22	1,336			5.449				2.06	1,943			3.564			
B.2.8.10.1.2.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B - Disp	9.69	1,839			9.682				9.52	2,244			8.362			
B.2.8.10.1.2.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B - Disp	6.50	2			6.364				2.00	9			0.866			
B.2.8.10.1.2.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Other/FL (days)	R&B - Disp	3.22	1,336			5.449				2.06	1,943			3.564			
B.2.8.10.2.1.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Facility/FL (days)	R&B - Disp	3.45	11			2.339				8.20	5			2.588			
B.2.8.10.2.1.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Equipment/FL (days)	R&B - Disp																
B.2.8.10.2.1.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Other/FL (days)	R&B - Disp	2.56	9			3.087				3.86	7			7.559			
B.2.8.10.2.2.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B - Disp	3.45	11			2.339				8.20	5			2.588			
B.2.8.10.2.2.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B - Disp																
B.2.8.10.2.2.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B - Disp	2.56	9			3.087				3.86	7			7.559			
B.2.8.11.1.1.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or	9.84	1,813			9.652				9.54	2,221			8.390			
B.2.8.11.1.1.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or	6.50	2			6.364				2.00	9			0.866			
B.2.8.11.1.1.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Other/FL (days)	R&B (POTS) excl SB Or	3.24	1,317			5.483				2.06	1,932			3.573			
B.2.8.11.1.2.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or																
B.2.8.11.1.2.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or	4.36	45			6.378				3.86	98			7.240			
B.2.8.11.1.2.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS) excl SB Or	3.00	8			2.507				8.20	5			2.588			
B.2.8.11.2.1.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or																
B.2.8.11.2.1.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or	1.83	6			1.602				3.86	7			7.559			
B.2.8.11.2.1.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Other/FL (days)	R&B (POTS) excl SB Or																
B.2.8.11.2.2.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or																
B.2.8.11.2.2.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or																
B.2.8.11.2.2.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS) excl SB Or																
B.2.8.12.1.1.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Facility/FL (days)	R&B - Disp	9.69	1,839	5.00	1	9.682	9.68460	0.4840	YES	9.52	2,244			8.362			
B.2.8.12.1.1.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Equipment/FL (days)	R&B - Disp	6.50	2			6.364				2.00	9			0.866			
B.2.8.12.1.1.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Other/FL (days)	R&B - Disp	3.22	1,336	3.00	1	5.449	5.45071	0.0409	YES	2.06	1,943	1.00	1	3.564	3.58529	0.2978	YES
B.2.8.12.1.2.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B - Disp	9.69	1,839			9.682				9.52	2,244			8.362			
B.2.8.12.1.2.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B - Disp	6.50	2			6.364				2.00	9			0.866			
B.2.8.12.1.2.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Other/FL (days)	R&B - Disp	3.22	1,336			5.449				2.06	1,943			3.564			
B.2.8.12.2.1.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Facility/FL (days)	R&B - Disp	3.45	11			2.339				8.20	5			2.588			
B.2.8.12.2.1.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Equipment/FL (days)	R&B - Disp																
B.2.8.12.2.1.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Other/FL (days)	R&B - Disp	2.56	9			3.087				3.86	7	1.00	1	7.559	8.06122	0.3536	YES
B.2.8.12.2.2.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B - Disp	3.45	11			2.339				8.20	5			2.588			
B.2.8.12.2.2.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B - Disp																
B.2.8.12.2.2.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B - Disp	2.56	9			3.087				3.86	7			7.559			
B.2.8.13.1.1.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or	9.84	1,813	27.00	1	9.652	9.65506	-1.7978	NO	9.54	2,221	7.00	1	8.390	8.39204	0.3024	YES
B.2.8.13.1.1.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or	6.50	2			6.364				2.00	9			0.866			
B.2.8.13.1.1.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Other/FL (days)	R&B (POTS) excl SB Or	3.24	1,317	1.00	2	5.483	3.88005	0.5765	YES	2.06	1,932	1.00	1	3.573	3.57390	0.2973	YES
B.2.8.13.1.2.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or			18.50	2							27.50	2				
B.2.8.13.1.2.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or																
B.2.8.13.1.2.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS) excl SB Or	4.36	45	1.00	2	6.378	6.05427	0.5542	YES	3.86	98			7.240			
B.2.8.13.2.1.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or	3.00	8			2.507				8.20	5			2.588			
B.2.8.13.2.1.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or																
B.2.8.13.2.1.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Other/FL (days)	R&B (POTS) excl SB Or	1.83	6			1.602				3.86	7			7.559			
B.2.8.13.2.2.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS) excl SB Or																

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			July								June								May			
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume
3.2.8.5.1.2.2	P-1	xDSL (ADSL, HDSL and UCL)<10 circuits/Non-Dispatch/Equipment/FL (days)	2.00	1			0.000															
3.2.8.5.1.2.3	P-1	xDSL (ADSL, HDSL and UCL)<10 circuits/Non-Dispatch/Other/FL (days)																	41.00	1		
3.2.8.5.2.1.1	P-1	xDSL (ADSL, HDSL and UCL)>=10 circuits/Dispatch/Facility/FL (days)																				
3.2.8.5.2.1.2	P-1	xDSL (ADSL, HDSL and UCL)>=10 circuits/Dispatch/Equipment/FL (days)																				
3.2.8.5.2.1.3	P-1	xDSL (ADSL, HDSL and UCL)>=10 circuits/Dispatch/Other/FL (days)																				
3.2.8.5.2.2.1	P-1	xDSL (ADSL, HDSL and UCL)>=10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.5.2.2.2	P-1	xDSL (ADSL, HDSL and UCL)>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.5.2.2.3	P-1	xDSL (ADSL, HDSL and UCL)>=10 circuits/Non-Dispatch/Other/FL (days)																				
3.2.8.6.1.1.1	P-1	UNE ISDN/<10 circuits/Dispatch/Facility/FL (days)	9.56	9	11.82	11	5.637	2.53372	-0.8690	YES	8.00	11	9.86	7	8.000	3.86795	-0.4801	YES	12.67	3	6.33	6
3.2.8.6.1.1.2	P-1	UNE ISDN/<10 circuits/Dispatch/Equipment/FL (days)	1.00	1			0.000						1.00	1					8.00	1		
3.2.8.6.1.1.3	P-1	UNE ISDN/<10 circuits/Dispatch/Other/FL (days)	4.67	12	1.00	1	4.479	4.66179	0.7865	YES	4.00	7			2.887				3.75	4	3.60	5
3.2.8.6.1.2.1	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.6.1.2.2	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.6.1.2.3	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Other/FL (days)	6.50	2			7.778				1.80	5			0.447				26.60	5		
3.2.8.6.2.1.1	P-1	UNE ISDN/>=10 circuits/Dispatch/Facility/FL (days)																				
3.2.8.6.2.1.2	P-1	UNE ISDN/>=10 circuits/Dispatch/Equipment/FL (days)																				
3.2.8.6.2.1.3	P-1	UNE ISDN/>=10 circuits/Dispatch/Other/FL (days)																				
3.2.8.6.2.2.1	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.6.2.2.2	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.6.2.2.3	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Other/FL (days)																				
3.2.8.7.1.1.1	P-1	Line Sharing/<10 circuits/Dispatch/Facility/FL (days)	9.87	208	19.50	2	8.297	5.89507	-1.8344	YES	13.81	204	4.67	3	13.854	8.05700	1.1103	YES	13.23	241	5.58	8
3.2.8.7.1.1.2	P-1	Line Sharing/<10 circuits/Dispatch/Equipment/FL (days)	20.00	1			0.000				3.57	7			3.101				1.50	2		
3.2.8.7.1.1.3	P-1	Line Sharing/<10 circuits/Dispatch/Other/FL (days)	2.94	336	3.00	1	2.922	2.92621	-0.0559	YES	2.40	251			4.409				2.11	139	23.00	1
3.2.8.7.1.2.1	P-1	Line Sharing/<10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.7.1.2.2	P-1	Line Sharing/<10 circuits/Non-Dispatch/Equipment/FL (days)	2.00	1			0.000															
3.2.8.7.1.2.3	P-1	Line Sharing/<10 circuits/Non-Dispatch/Other/FL (days)																	41.00	1		
3.2.8.7.2.1.1	P-1	Line Sharing/>=10 circuits/Dispatch/Facility/FL (days)																				
3.2.8.7.2.1.2	P-1	Line Sharing/>=10 circuits/Dispatch/Equipment/FL (days)																				
3.2.8.7.2.1.3	P-1	Line Sharing/>=10 circuits/Dispatch/Other/FL (days)																				
3.2.8.7.2.2.1	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.7.2.2.2	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.7.2.2.3	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Other/FL (days)																				
3.2.8.8.1.1.1	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Facility/FL (days)	10.00	2,143	2.60	5	8.196	3.69878	2.0153	YES	8.99	2,028	5.00	2	7.584	5.36535	0.7444	YES	8.27	1,937	10.75	4
3.2.8.8.1.1.2	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.52	25			1.610				2.50	6		
3.2.8.8.1.1.3	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Other/FL (days)	2.05	1,925			3.175				2.30	1,283	1.67	3	4.714	2.72492	0.2333	YES	2.58	973	1.00	1
3.2.8.8.1.2.1	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Facility/FL (days)	10.00	2,143			8.196				8.99	2,028			7.584				8.27	1,937		
3.2.8.8.1.2.2	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	5.13	16			4.924				2.52	25			1.610				2.50	6		
3.2.8.8.1.2.3	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Other/FL (days)	2.05	1,925			3.175				2.30	1,283			4.714				2.58	973		
3.2.8.8.2.1.1	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Facility/FL (days)	11.43	14			8.993				10.50	22			7.507				9.14	14		
3.2.8.8.2.1.2	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Equipment/FL (days)									5.14	7			1.069							
3.2.8.8.2.1.3	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.38	8			1.061				1.33	3		
3.2.8.8.2.2.1	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	11.43	14			8.993				10.50	22			7.507				9.14	14		
3.2.8.8.2.2.2	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)									5.14	7			1.069							
3.2.8.8.2.2.3	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Other/FL (days)	3.63	8			6.632				1.38	8			1.061				1.33	3		
3.2.8.9.1.1.1	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Facility/FL (days)	9.98	2,125	14.80	10	8.119	2.57353	-1.7944	NO	8.97	2,002	8.56	18	7.544	1.78810	0.2293	YES	8.23	1,918	6.80	25
3.2.8.9.1.1.2	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.48	23			1.648				2.50	6		
3.2.8.9.1.1.3	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Other/FL (days)	2.03	1,914	1.56	9	3.141	1.04947	0.4564	YES	2.32	1,260	2.33	3	4.754	2.74810	-0.0064	YES	2.58	964	1.85	13
3.2.8.9.1.2.1	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.9.1.2.2	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.9.1.2.3	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	3.07	115			5.537				2.58	127			5.625				3.83	105		
3.2.8.9.2.1.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	13.73	11	10.00	1	8.696	9.08254	0.4104	YES	11.40	10			7.891				19.33	6	8.00	1
3.2.8.9.2.1.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)																				
3.2.8.9.2.1.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Other/FL (days)	3.63	8	3.00	1	6.632	7.03420	0.0880	YES	1.43	7	1.00	1	1.134	1.21218	0.3536	YES	1.33	3	1.00	1
3.2.8.9.2.2.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.9.2.2.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.9.2.2.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)																				
3.2.8.10.1.1.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Facility/FL (days)	10.00	2,143			8.196				8.99	2,028			7.584				8.27	1,937		
3.2.8.10.1.1.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.52	25			1.610				2.50	6		
3.2.8.10.1.1.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Other/FL (days)	2.05	1,925			3.175				2.30	1,283			4.714				2.58	973		
3.2.8.10.1.2.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Facility/FL (days)	10.00	2,143			8.196				8.99	2,028			7.584				8.27	1,937		
3.2.8.10.1.2.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	5.13	16			4.924				2.52	25			1.610				2.50	6		
3.2.8.10.1.2.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Other/FL (days)	2.05	1,925			3.175				2.30	1,283			4.714				2.58	973		
3.2.8.10.2.1.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Facility/FL (days)	11.43	14			8.993				10.50	22			7.507				9.14	14		
3.2.8.10.2.1.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Equipment/FL (days)									5.14	7			1.069							
3.2.8.10.2.1.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.38	8			1.061				1.33	3		
3.2.8.10.2.2.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	11.43	14			8.993				10.50	22			7.507				9.14	14		
3.2.8.10.2.2.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)									5.14	7			1.069							
3.2.8.10.2.2.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Other/FL (days)	3.63	8			6.632				1.38	8			1.061				1.33	3		
3.2.8.11.1.1.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Facility/FL (days)	9.98	2,125			8.119				8.97	2,002			7.544				8.23	1,918		
3.2.8.11.1.1.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.48	23			1.648				2.50	6		
3.2.8.11.1.1.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Other/FL (days)	2.03	1,914			3.141				2.32	1,260			4.754				2.58	964		
3.2.8.11.1.2.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.11.1.2.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.11.1.2.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	3.07	115			5.537				2.58	127			5.625				3.83	105		
3.2.8.11.2.1.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	13.73	11			8.696				11.40	10			7.891				19.33	6		
3.2.8.11.2.1.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)																				
3.2.8.11.2.1.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.43	7			1.134				1.33	3		
3.2.8.11.2.2.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
3.2.8.11.2.2.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.11.2.2.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)																				
3.2.8.12.1.1.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Facility/FL (days)	10.00	2,143			8.196				8.99	2,028	17.00	2	7.584	5.36535	-1.4921	YES	8.27	1,937	16.00	2
3.2.8.12.1.1.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.52	25			1.610				2.50	6		
3.2.8.12.1.1.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Other/FL (days)	2.05	1,925	3.00	1	3.175	3.17514	-0.2968	YES	2.30	1,283	1.00	1	4.714	4.71603	0.2762	YES	2.58	973		
3.2.8.12.1.2.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Facility/FL (days)	10.00	2,143			8.196				8.99	2,028			7.584				8.27	1,937		
3.2.8.12.1.2.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	5.13	16			4.924				2.52	25			1.610				2.50	6		
3.2.8.12.1.2.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Other/FL (days)	2.05	1,925			3.175				2.30	1,283			4.714				2.58	973		
3.2.8.12.2.1.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Facility/FL (days)	11.43	14			8.993				10.50	22			7.507				9.14	14	10.00	1
3.2.8.12.2.1.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Equipment/FL (days)									5.14	7			1.069							
3.2.8.12.2.1.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.38	8			1.061				1.33	3		
3.2.8.12.2.2.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	11.43	14			8.993				10.50	22			7.507				9.14	14		
3.2.8.12.2.2.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)									5.14	7			1.069							
3.2.8.12.2.2.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Other/FL (days)	3.63	8			6.632				1.38	8			1.061				1.33	3		
3.2.8.13.1.1.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Facility/FL (days)	9.98	2,125	5.00	1	8.119	8.12106	0.6135	YES	8.97	2,002	7.00	1	7.544	7.54584	0.2604	YES	8.23	1,918	11.00	2
3.2.8.13.1.1.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.48	23			1.648				2.50	6		
3.2.8.13.1.1.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Other/FL (days)	2.03	1,914			3.141				2.32	1,260			4.754				2.58	964	1.00	1
3.2.8.13.1.2.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)			20.00	1																
3.2.8.13.1.2.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
3.2.8.13.1.2.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	3.07	115			5.537				2.58	127			5.625				3.83	105	1.00	1
3.2.8.13.2.1.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	13.73	11			8.696				11.40	10			7.891				19.33	6		
3.2.8.13.2.1.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)																				
3.2.8.13.2.1.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.43	7			1.134				1.33	3		
3.2.8.13.2.2.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)																				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Standard Deviation	Standard Error	Zscore	Equity
B.2.8.5.1.2.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.5.1.2.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.5.2.1.1	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/Facility/FL (days)	0.000			
B.2.8.5.2.1.2	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.5.2.1.3	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.5.2.2.1	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.5.2.2.2	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.5.2.2.3	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.6.1.1.1	P-1	UNE ISDN/<10 circuits/Dispatch/Facility/FL (days)	11.015	7.78888	0.6131	YES
B.2.8.6.1.1.2	P-1	UNE ISDN/<10 circuits/Dispatch/Equipment/FL (days)	0.000			
B.2.8.6.1.1.3	P-1	UNE ISDN/<10 circuits/Dispatch/Other/FL (days)	2.630	1.78423	0.0850	YES
B.2.8.6.1.2.1	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.6.1.2.2	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.6.1.2.3	P-1	UNE ISDN/<10 circuits/Non-Dispatch/Other/FL (days)	14.311			
B.2.8.6.2.1.1	P-1	UNE ISDN/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.8.6.2.1.2	P-1	UNE ISDN/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.6.2.1.3	P-1	UNE ISDN/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.6.2.2.1	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.6.2.2.2	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.6.2.2.3	P-1	UNE ISDN/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.7.1.1.1	P-1	Line Sharing/<10 circuits/Dispatch/Facility/FL (days)	14.451	5.19318	1.5130	YES
B.2.8.7.1.1.2	P-1	Line Sharing/<10 circuits/Dispatch/Equipment/FL (days)	0.707			
B.2.8.7.1.1.3	P-1	Line Sharing/<10 circuits/Dispatch/Other/FL (days)	4.348	4.36401	-4.7874	NO
B.2.8.7.1.2.1	P-1	Line Sharing/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.7.1.2.2	P-1	Line Sharing/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.7.1.2.3	P-1	Line Sharing/<10 circuits/Non-Dispatch/Other/FL (days)	0.000			
B.2.8.7.2.1.1	P-1	Line Sharing/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.8.7.2.1.2	P-1	Line Sharing/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.7.2.1.3	P-1	Line Sharing/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.7.2.2.1	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.7.2.2.2	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.7.2.2.3	P-1	Line Sharing/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.8.1.1.1	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Facility/FL (days)	8.270	4.13931	-0.5993	YES
B.2.8.8.1.1.2	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.8.1.1.3	P-1	2W Analog Loop Design/<10 circuits/Dispatch/Other/FL (days)	4.120	4.12211	0.3832	YES
B.2.8.8.1.2.1	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Facility/FL (days)	8.270			
B.2.8.8.1.2.2	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	1.378			
B.2.8.8.1.2.3	P-1	2W Analog Loop Design/<10 circuits/Non-Dispatch/Other/FL (days)	4.120			
B.2.8.8.2.1.1	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Facility/FL (days)	15.496			
B.2.8.8.2.1.2	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.8.2.1.3	P-1	2W Analog Loop Design/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.8.2.2.1	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	15.496			
B.2.8.8.2.2.2	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.8.2.2.3	P-1	2W Analog Loop Design/>=10 circuits/Non-Dispatch/Other/FL (days)	0.577			
B.2.8.9.1.1.1	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Facility/FL (days)	8.206	1.65228	0.8636	YES
B.2.8.9.1.1.2	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.9.1.1.3	P-1	2W Analog Loop Non-Design/<10 circuits/Dispatch/Other/FL (days)	4.131	1.15347	0.6361	YES
B.2.8.9.1.2.1	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.9.1.2.2	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.9.1.2.3	P-1	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	6.957			
B.2.8.9.2.1.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	20.116	21.72812	0.5216	YES
B.2.8.9.2.1.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.9.2.1.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Dispatch/Other/FL (days)	0.577	0.66667	0.5000	YES
B.2.8.9.2.2.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.9.2.2.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.9.2.2.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.10.1.1.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Facility/FL (days)	8.270			
B.2.8.10.1.1.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.10.1.1.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Dispatch/Other/FL (days)	4.120			
B.2.8.10.1.2.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Facility/FL (days)	8.270			
B.2.8.10.1.2.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	1.378			
B.2.8.10.1.2.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/Other/FL (days)	4.120			
B.2.8.10.2.1.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Facility/FL (days)	15.496			
B.2.8.10.2.1.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.10.2.1.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.10.2.2.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	15.496			
B.2.8.10.2.2.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.10.2.2.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/Other/FL (days)	0.577			
B.2.8.11.1.1.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Facility/FL (days)	8.208			
B.2.8.11.1.1.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.11.1.1.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/Other/FL (days)	4.131			
B.2.8.11.1.2.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.11.1.2.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.11.1.2.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	6.957			
B.2.8.11.2.1.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	20.116			
B.2.8.11.2.1.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.11.2.1.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.11.2.2.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.11.2.2.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.11.2.2.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.12.1.1.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Facility/FL (days)	8.270	5.85085	-1.3213	YES
B.2.8.12.1.1.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.12.1.1.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/Other/FL (days)	4.120			
B.2.8.12.1.2.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Facility/FL (days)	8.270			
B.2.8.12.1.2.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	1.378			
B.2.8.12.1.2.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/Other/FL (days)	4.120			
B.2.8.12.2.1.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Facility/FL (days)	15.496	16.04008	-0.0534	YES
B.2.8.12.2.1.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.12.2.1.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.12.2.2.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	15.496			
B.2.8.12.2.2.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.12.2.2.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/Other/FL (days)	0.577			
B.2.8.13.1.1.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Facility/FL (days)	8.206	5.80701	-0.4775	YES
B.2.8.13.1.1.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.13.1.1.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/Other/FL (days)	4.131	4.13328	0.3822	YES
B.2.8.13.1.2.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.13.1.2.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.13.1.2.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	6.957	6.99958	0.4047	YES
B.2.8.13.2.1.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	20.116			
B.2.8.13.2.1.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.13.2.1.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.13.2.2.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September BST Measure	September BST Volume	September CLEC Measure	September CLEC Volume	September Standard Deviation	September Standard Error	September Zscore	September Equity	August BST Measure	August BST Volume	August CLEC Measure	August CLEC Volume	August Standard Deviation	August Standard Error	August Zscore	August Equity
B.2.8.13.2.2.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS) excl SB Or																
B.2.8.13.2.2.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS) excl SB Or																
B.2.8.14.1.1.1	P-1	Other Design/<10 circuits/Dispatch/Facility/FL (days)	Design	15.56	27			18.353				14.29	28			13.322			
B.2.8.14.1.1.2	P-1	Other Design/<10 circuits/Dispatch/Equipment/FL (days)	Design	3.75	8			3.576				8.33	9			3.808			
B.2.8.14.1.1.3	P-1	Other Design/<10 circuits/Dispatch/Other/FL (days)	Design	7.75	51			9.526				11.65	52			12.599			
B.2.8.14.1.2.1	P-1	Other Design/<10 circuits/Non-Dispatch/Facility/FL (days)	Design																
B.2.8.14.1.2.2	P-1	Other Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	Design	1.00	1			0.000											
B.2.8.14.1.2.3	P-1	Other Design/<10 circuits/Non-Dispatch/Other/FL (days)	Design	1.00	4			0.000				1.80	5			1.789			
B.2.8.14.2.1.1	P-1	Other Design/>=10 circuits/Dispatch/Facility/FL (days)	Design																
B.2.8.14.2.1.2	P-1	Other Design/>=10 circuits/Dispatch/Equipment/FL (days)	Design																
B.2.8.14.2.1.3	P-1	Other Design/>=10 circuits/Dispatch/Other/FL (days)	Design	6.00	3			2.000				3.00	2			1.414			
B.2.8.14.2.2.1	P-1	Other Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	Design																
B.2.8.14.2.2.2	P-1	Other Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)	Design	1.00	1			0.000											
B.2.8.14.2.2.3	P-1	Other Design/>=10 circuits/Non-Dispatch/Other/FL (days)	Design	26.00	1			0.000											
B.2.8.15.1.1.1	P-1	Other Non-Design/<10 circuits/Dispatch/Facility/FL (days)	R&B	9.89	1,839	7.00	1	9.682	9.68460	0.2775	YES	9.52	2,244			8.352			
B.2.8.15.1.1.2	P-1	Other Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	R&B	6.50	2			6.364				2.00	9			0.866			
B.2.8.15.1.1.3	P-1	Other Non-Design/<10 circuits/Dispatch/Other/FL (days)	R&B	3.22	1,336			5.449				2.06	1,943			3.564			
B.2.8.15.1.2.1	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B																
B.2.8.15.1.2.2	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B																
B.2.8.15.1.2.3	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	R&B	4.29	49			8.057				3.81	100			7.174			
B.2.8.15.2.1.1	P-1	Other Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	R&B	3.45	11			2.336				8.20	5			2.588			
B.2.8.15.2.1.2	P-1	Other Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)	R&B																
B.2.8.15.2.1.3	P-1	Other Non-Design/>=10 circuits/Dispatch/Other/FL (days)	R&B	2.56	9			3.067				3.86	7			7.559			
B.2.8.15.2.2.1	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B																
B.2.8.15.2.2.2	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B																
B.2.8.15.2.2.3	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B																
B.2.8.16.1.1.1	P-1	INP (Standalone)/<10 circuits/Dispatch/Facility/FL (days)	R&B (POTS)	9.64	1,813			9.652				9.54	2,221			8.390			
B.2.8.16.1.1.2	P-1	INP (Standalone)/<10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS)	6.50	2			6.364				2.00	9			0.866			
B.2.8.16.1.1.3	P-1	INP (Standalone)/<10 circuits/Dispatch/Other/FL (days)	R&B (POTS)	3.24	1,317			5.483				2.06	1,932			3.573			
B.2.8.16.1.2.1	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS)																
B.2.8.16.1.2.2	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.16.1.2.3	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS)	4.36	45			8.378				3.86	98			7.240			
B.2.8.16.2.1.1	P-1	INP (Standalone)/>=10 circuits/Dispatch/Facility/FL (days)	R&B (POTS)	3.00	8			2.507				8.20	5			2.588			
B.2.8.16.2.1.2	P-1	INP (Standalone)/>=10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.16.2.1.3	P-1	INP (Standalone)/>=10 circuits/Dispatch/Other/FL (days)	R&B (POTS)	1.83	5			1.602				3.86	7			7.559			
B.2.8.16.2.2.1	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS)																
B.2.8.16.2.2.2	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.16.2.2.3	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS)																
B.2.8.17.1.1.1	P-1	LNP (Standalone)/<10 circuits/Dispatch/Facility/FL (days)	R&B (POTS)	9.64	1,813			9.652				9.54	2,221			8.390			
B.2.8.17.1.1.2	P-1	LNP (Standalone)/<10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS)	6.50	2			6.364				2.00	9			0.866			
B.2.8.17.1.1.3	P-1	LNP (Standalone)/<10 circuits/Dispatch/Other/FL (days)	R&B (POTS)	3.24	1,317			5.483				2.06	1,932			3.573			
B.2.8.17.1.2.1	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS)																
B.2.8.17.1.2.2	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.17.1.2.3	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS)	4.36	45			8.378				3.86	98	4.40	5	7.240	3.31923	-0.1635	YES
B.2.8.17.2.1.1	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Facility/FL (days)	R&B (POTS)	3.00	8			2.507				8.20	5			2.588			
B.2.8.17.2.1.2	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.17.2.1.3	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Other/FL (days)	R&B (POTS)	1.83	5			1.602				3.86	7			7.559			
B.2.8.17.2.2.1	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Facility/FL (days)	R&B (POTS)																
B.2.8.17.2.2.2	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Equipment/FL (days)	R&B (POTS)																
B.2.8.17.2.2.3	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Other/FL (days)	R&B (POTS)																
B.2.8.18.1.1.1	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Facility/FL (days)	Digital Loop < DS1	13.08	378	7.83	6	15.612	6.50529	0.8039	YES	10.55	237	8.67	18	8.955	2.18036	0.8615	YES
B.2.8.18.1.1.2	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Equipment/FL (days)	Digital Loop < DS1	1.17	6			0.408				2.87	3			1.155			
B.2.8.18.1.1.3	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Other/FL (days)	Digital Loop < DS1	2.25	321	10.33	3	4.832	2.80297	-2.8830	NO	2.98	152	1.17	6	3.969	1.66041	1.0923	YES
B.2.8.18.1.2.1	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Facility/FL (days)	Digital Loop < DS1																
B.2.8.18.1.2.2	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)	Digital Loop < DS1	3.60	5			2.702											
B.2.8.18.1.2.3	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Other/FL (days)	Digital Loop < DS1	6.75	4			4.272				1.43	7			0.787			
B.2.8.18.2.1.1	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Facility/FL (days)	Digital Loop < DS1																
B.2.8.18.2.1.2	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Equipment/FL (days)	Digital Loop < DS1																
B.2.8.18.2.1.3	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Other/FL (days)	Digital Loop < DS1																
B.2.8.18.2.2.1	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)	Digital Loop < DS1																
B.2.8.18.2.2.2	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)	Digital Loop < DS1																
B.2.8.18.2.2.3	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Other/FL (days)	Digital Loop < DS1																
B.2.8.19.1.1.1	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Facility/FL (days)	Digital Loop >= DS1	9.50	8	10.60	10	5.952	2.82337	-0.3896	YES	19.33	3	10.00	8	17.559	11.88779	0.7851	YES
B.2.8.19.1.1.2	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Equipment/FL (days)	Digital Loop >= DS1									11.00	1	1.00	1	0.000	0.00000		YES
B.2.8.19.1.1.3	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Other/FL (days)	Digital Loop >= DS1	6.75	4	2.00	8	6.602	4.25142	1.5840	YES	12.80	5	1.67	3	6.783	7.14423	1.5584	YES
B.2.8.19.1.2.1	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Facility/FL (days)	Digital Loop >= DS1																
B.2.8.19.1.2.2	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)	Digital Loop >= DS1																
B.2.8.19.1.2.3	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Other/FL (days)	Digital Loop >= DS1	6.00	1			0.000				3.50	2			2.121			
B.2.8.19.2.1.1	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Facility/FL (days)	Digital Loop >= DS1																
B.2.8.19.2.1.2	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Equipment/FL (days)	Digital Loop >= DS1																
B.2.8.19.2.1.3	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Other/FL (days)	Digital Loop >= DS1									2.00	1			0.000			
B.2.8.19.2.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)	Digital Loop >= DS1																
B.2.8.19.2.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)	Digital Loop >= DS1																
B.2.8.19.2.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Other/FL (days)	Digital Loop >= DS1																
B.2.8.20.1.1.1	P-1	Line Splitting/<10 circuits/Dispatch/Facility/FL (days)	ADSL to Retail	12.82	364			15.649				10.29	216			8.287			
B.2.8.20.1.1.2	P-1	Line Splitting/<10 circuits/Dispatch/Equipment/FL (days)	ADSL to Retail	1.25	4			0.500				3.00	2			1.414			
B.2.8.20.1.1.3	P-1	Line Splitting/<10 circuits/Dispatch/Other/FL (days)	ADSL to Retail	2.24	317			4.653				2.92	143			3.943			
B.2.8.20.1.2.1	P-1	Line Splitting/<10 circuits/Non-Dispatch/Facility/FL (days)	ADSL to Retail																
B.2.8.20.1.2.2	P-1	Line Splitting/<10 circuits/Non-Dispatch/Equipment/FL (days)	ADSL to Retail	4.25	4			2.630											
B.2.8.20.1.2.3	P-1	Line Splitting/<10 circuits/Non-Dispatch/Other/FL (days)	ADSL to Retail	6.75	4			4.272				1.75	4			0.957			
B.2.8.20.2.1.1	P-1	Line Splitting/>=10 circuits/Dispatch/Facility/FL (days)	ADSL to Retail																
B.2.8.20.2.1.2	P-1	Line Splitting/>=10 circuits/Dispatch/Equipment/FL (days)	ADSL to Retail																
B.2.8.20.2.1.3	P-1	Line Splitting/>=10 circuits/Dispatch/Other/FL (days)	ADSL to Retail																
B.2.8.20.2.2.1	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Facility/FL (days)	ADSL to Retail																
B.2.8.20.2.2.2	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Equipment/FL (days)	ADSL to Retail																
B.2.8.20.2.2.3	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Other/FL (days)	ADSL to Retail																
B.2.8.21.1.1.1	P-1	EELs/<10 circuits/Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice	11.33	3	6.25	4	8.386	6.40529	0.7936	YES	56.00	1	10.00	1	0.000	0.00000		YES
B.2.8.21.1.1.2	P-1	EELs/<10 circuits/Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice									3.00	2	1.00	1	0.000	0.00000		YES
B.2.8.21.1.1.3	P-1	EELs/<10 circuits/Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice	8.25	16			10.076				10.68	42			13.262			
B.2.8.21.1.2.1	P-1	EELs/<10 circuits/Non-Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.21.1.2.2	P-1	EELs/<10 circuits/Non-Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.21.1.2.3	P-1	EELs/<10 circuits/Non-Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.21.2.1.1	P-1	EELs/>=10 circuits/Dispatch/Facility/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.21.2.1.2	P-1	EELs/>=10 circuits/Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.21.2.1.3	P-1	EELs/>=10 circuits/Dispatch/Other/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.21.2.2.1	P-1	EELs/>=10 circuits/Non-Dispatch/Facility/FL (days)	DS1/ DS9 - Interoffice																
B.2.8.21.2.2.2	P-1	EELs/>=10 circuits/Non-Dispatch/Equipment/FL (days)	DS1/ DS3 - Interoffice																
B.2.8.21.2.2.3	P-1	EELs/>=10 circuits/Non-Dispatch/Other/FL (days)																	
		% Jeopardys - Mechanized																	
B.2.9.1.1	P-2	Switch Ports/Dispatch/FL (%)	R&B (POTS)	8.03%	53,838			[redacted]				8.36%	70,941			[redacted]			
B.2.9.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	679,823							0.00%	758,392						
B.2.9.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)	DS1/ DS3 - Interoffice	46.16%	1,954							41.42%	2,453						

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			July								June								May			
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume
B.2.8.13.2.2.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.13.2.2.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.14.1.1.1	P-1	Other Design/<10 circuits/Dispatch/Facility/FL (days)	9.86	28			6.876				10.17	23			10.294				13.00	9		
B.2.8.14.1.1.2	P-1	Other Design/<10 circuits/Dispatch/Equipment/FL (days)	1.75	8			1.488				9.50	4			4.435				2.06	11		
B.2.8.14.1.1.3	P-1	Other Design/<10 circuits/Dispatch/Other/FL (days)	12.13	59			17.668				13.11	65			27.735				13.12	59		
B.2.8.14.1.2.1	P-1	Other Design/<10 circuits/Non-Dispatch/Facility/FL (days)									2.00	1			0.000				7.00	1		
B.2.8.14.1.2.2	P-1	Other Design/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.14.1.2.3	P-1	Other Design/<10 circuits/Non-Dispatch/Other/FL (days)	5.00	3			6.083				6.43	7			8.997				2.67	6		
B.2.8.14.2.1.1	P-1	Other Design/>=10 circuits/Dispatch/Facility/FL (days)																				
B.2.8.14.2.1.2	P-1	Other Design/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.14.2.1.3	P-1	Other Design/>=10 circuits/Dispatch/Other/FL (days)																				
B.2.8.14.2.2.1	P-1	Other Design/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.14.2.2.2	P-1	Other Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.14.2.2.3	P-1	Other Design/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.15.1.1.1	P-1	Other Non-Design/<10 circuits/Dispatch/Facility/FL (days)	10.00	2,143	12.00	1	8.195	8.19616	-0.2445	YES									8.27	1,937		
B.2.8.15.1.1.2	P-1	Other Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924												2.50	6		
B.2.8.15.1.1.3	P-1	Other Non-Design/<10 circuits/Dispatch/Other/FL (days)	2.05	1,925			3.175												2.58	973		
B.2.8.15.1.2.1	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.15.1.2.2	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.15.1.2.3	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	3.05	116			5.517												4.89	111		
B.2.8.15.2.1.1	P-1	Other Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	11.43	14			8.993												9.14	14		
B.2.8.15.2.1.2	P-1	Other Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.15.2.1.3	P-1	Other Non-Design/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632												1.33	3		
B.2.8.15.2.2.1	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.15.2.2.2	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.15.2.2.3	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.16.1.1.1	P-1	INP (Standalone)/<10 circuits/Dispatch/Facility/FL (days)	9.98	2,125			8.119				8.97	2,002			7.544				8.23	1,918		
B.2.8.16.1.1.2	P-1	INP (Standalone)/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.48	23			1.648				2.50	6		
B.2.8.16.1.1.3	P-1	INP (Standalone)/<10 circuits/Dispatch/Other/FL (days)	2.03	1,914			3.141				2.32	1,260			4.754				2.58	964		
B.2.8.16.1.2.1	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.16.1.2.2	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.16.1.2.3	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Other/FL (days)	3.07	115			5.537				2.58	127			5.625				3.83	105		
B.2.8.16.2.1.1	P-1	INP (Standalone)/>=10 circuits/Dispatch/Facility/FL (days)	13.73	11			8.596				11.40	10			7.891				19.33	6		
B.2.8.16.2.1.2	P-1	INP (Standalone)/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.16.2.1.3	P-1	INP (Standalone)/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.43	7			1.134				1.33	3		
B.2.8.16.2.2.1	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.16.2.2.2	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.16.2.2.3	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.17.1.1.1	P-1	LNP (Standalone)/<10 circuits/Dispatch/Facility/FL (days)	9.98	2,125			8.119				8.97	2,002			7.544				8.23	1,918		
B.2.8.17.1.1.2	P-1	LNP (Standalone)/<10 circuits/Dispatch/Equipment/FL (days)	5.13	16			4.924				2.48	23			1.648				2.50	6		
B.2.8.17.1.1.3	P-1	LNP (Standalone)/<10 circuits/Dispatch/Other/FL (days)	2.03	1,914			3.141				2.32	1,260			4.754				2.58	964		
B.2.8.17.1.2.1	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.17.1.2.2	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.17.1.2.3	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Other/FL (days)	3.07	115	6.25	4	5.537	2.81639	-1.1293	YES	2.58	127			5.625				3.83	105	5.67	9
B.2.8.17.2.1.1	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Facility/FL (days)	13.73	11			8.596				11.40	10			7.891				19.33	6		
B.2.8.17.2.1.2	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.17.2.1.3	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Other/FL (days)	3.63	8			6.632				1.43	7			1.134				1.33	3		
B.2.8.17.2.2.1	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.17.2.2.2	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.17.2.2.3	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.18.1.1.1	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Facility/FL (days)	9.97	224	10.87	15	8.240	2.19761	-0.4986	YES	13.23	224	9.40	10	13.475	4.35525	0.6789	YES	13.29	247	7.25	8
B.2.8.18.1.1.2	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Equipment/FL (days)	4.80	5			8.497				6.00	10	1.00	1	4.690	4.91935	1.0164	YES	2.33	6		
B.2.8.18.1.1.3	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Other/FL (days)	2.89	353	1.00	1	2.980	2.98422	0.6341	YES	2.46	263			4.352				2.34	157	4.17	6
B.2.8.18.1.2.1	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.18.1.2.2	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)	2.00	1			0.000															
B.2.8.18.1.2.3	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Other/FL (days)	6.50	2			7.778				2.14	7			1.345				22.33	6		
B.2.8.18.2.1.1	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Facility/FL (days)																	41.00	1		
B.2.8.18.2.1.2	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.18.2.1.3	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Other/FL (days)																				
B.2.8.18.2.2.1	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.18.2.2.2	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.18.2.2.3	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.19.1.1.1	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Facility/FL (days)	7.50	6	6.89	9	6.221	3.27872	0.1664	YES			5.33	3							10.75	4
B.2.8.19.1.1.2	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Equipment/FL (days)	1.67	3			1.155															
B.2.8.19.1.1.3	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Other/FL (days)	9.60	5	2.00	3	10.188	7.44043	1.0214	YES			1.00	4					4.00	1	1.25	8
B.2.8.19.1.2.1	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.19.1.2.2	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)																	4.50	2		
B.2.8.19.1.2.3	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.19.2.1.1	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Facility/FL (days)																				
B.2.8.19.2.1.2	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.19.2.1.3	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Other/FL (days)																				
B.2.8.19.2.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.19.2.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.19.2.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.20.1.1.1	P-1	Line Splitting/<10 circuits/Dispatch/Facility/FL (days)	9.87	208			8.297				13.61	204			13.854				13.23	241		
B.2.8.20.1.1.2	P-1	Line Splitting/<10 circuits/Dispatch/Equipment/FL (days)	20.00	1			0.000				3.57	7			3.101				1.50	2		
B.2.8.20.1.1.3	P-1	Line Splitting/<10 circuits/Dispatch/Other/FL (days)	2.84	336			2.022				2.40	251			4.409				2.11	139		
B.2.8.20.1.2.1	P-1	Line Splitting/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.20.1.2.2	P-1	Line Splitting/<10 circuits/Non-Dispatch/Equipment/FL (days)	2.00	1			0.000															
B.2.8.20.1.2.3	P-1	Line Splitting/<10 circuits/Non-Dispatch/Other/FL (days)																	41.00	1		
B.2.8.20.2.1.1	P-1	Line Splitting/>=10 circuits/Dispatch/Facility/FL (days)																				
B.2.8.20.2.1.2	P-1	Line Splitting/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.20.2.1.3	P-1	Line Splitting/>=10 circuits/Dispatch/Other/FL (days)																				
B.2.8.20.2.2.1	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.20.2.2.2	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.20.2.2.3	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.21.1.1.1	P-1	EELs/<10 circuits/Dispatch/Facility/FL (days)	14.00	4	18.00	1	13.928	15.57241	-0.1284	YES	4.25	4	6.50	2	3.948	3.41870	-0.6561	YES	8.00	1	6.33	3
B.2.8.21.1.1.2	P-1	EELs/<10 circuits/Dispatch/Equipment/FL (days)	12.75	4			19.561				3.00	3	1.00	1	3.464	4.00000	0.5000	YES	13.00	1	4.00	1
B.2.8.21.1.1.3	P-1	EELs/<10 circuits/Dispatch/Other/FL (days)	8.93	27			14.864				11.57	14	2.00	1	9.788	10.13140	0.9447	YES	7.69	16	1.67	3
B.2.8.21.1.2.1	P-1	EELs/<10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.21.1.2.2	P-1	EELs/<10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.21.1.2.3	P-1	EELs/<10 circuits/Non-Dispatch/Other/FL (days)																				
B.2.8.21.2.1.1	P-1	EELs/>=10 circuits/Dispatch/Facility/FL (days)																				
B.2.8.21.2.1.2	P-1	EELs/>=10 circuits/Dispatch/Equipment/FL (days)																				
B.2.8.21.2.1.3	P-1	EELs/>=10 circuits/Dispatch/Other/FL (days)																				
B.2.8.21.2.2.1	P-1	EELs/>=10 circuits/Non-Dispatch/Facility/FL (days)																				
B.2.8.21.2.2.2	P-1	EELs/>=10 circuits/Non-Dispatch/Equipment/FL (days)																				
B.2.8.21.2.2.3	P-1	EELs/>=10 circuits/Non-Dispatch/Other/FL (days)																				
		% Jeopardies - Mechanized																				
B.2.9.1.1	P-2	Switch Ports/Dispatch/FL (%)	7.78%	61,975							6.29%	56,833							5.52%	80,203		
B.2.9.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)	0.00%	719,039							0.00%	661,376							0.00%	753,066		
B.2.9.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)	31.90%	2,301							42.61%	2,173							46.00%	2,263		

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Standard Deviation	Standard Error	Zscore	Equity
B.2.8.13.2.2.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.13.2.2.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.14.1.1.1	P-1	Other Design/<10 circuits/Dispatch/Facility/FL (days)	9.937			
B.2.8.14.1.1.2	P-1	Other Design/<10 circuits/Dispatch/Equipment/FL (days)	2.300			
B.2.8.14.1.1.3	P-1	Other Design/<10 circuits/Dispatch/Other/FL (days)	20.923			
B.2.8.14.1.2.1	P-1	Other Design/<10 circuits/Non-Dispatch/Facility/FL (days)	0.000			
B.2.8.14.1.2.2	P-1	Other Design/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.14.1.2.3	P-1	Other Design/<10 circuits/Non-Dispatch/Other/FL (days)	1.862			
B.2.8.14.2.1.1	P-1	Other Design/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.8.14.2.1.2	P-1	Other Design/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.14.2.1.3	P-1	Other Design/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.14.2.2.1	P-1	Other Design/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.14.2.2.2	P-1	Other Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.14.2.2.3	P-1	Other Design/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.15.1.1.1	P-1	Other Non-Design/<10 circuits/Dispatch/Facility/FL (days)	8.270			
B.2.8.15.1.1.2	P-1	Other Non-Design/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.15.1.1.3	P-1	Other Non-Design/<10 circuits/Dispatch/Other/FL (days)	4.120			
B.2.8.15.1.2.1	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.15.1.2.2	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.15.1.2.3	P-1	Other Non-Design/<10 circuits/Non-Dispatch/Other/FL (days)	8.708			
B.2.8.15.2.1.1	P-1	Other Non-Design/>=10 circuits/Dispatch/Facility/FL (days)	15.495			
B.2.8.15.2.1.2	P-1	Other Non-Design/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.15.2.1.3	P-1	Other Non-Design/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.15.2.2.1	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.15.2.2.2	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.15.2.2.3	P-1	Other Non-Design/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.16.1.1.1	P-1	INP (Standalone)/<10 circuits/Dispatch/Facility/FL (days)	8.208			
B.2.8.16.1.1.2	P-1	INP (Standalone)/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.16.1.1.3	P-1	INP (Standalone)/<10 circuits/Dispatch/Other/FL (days)	4.131			
B.2.8.16.1.2.1	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.16.1.2.2	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.16.1.2.3	P-1	INP (Standalone)/<10 circuits/Non-Dispatch/Other/FL (days)	6.957			
B.2.8.16.2.1.1	P-1	INP (Standalone)/>=10 circuits/Dispatch/Facility/FL (days)	20.116			
B.2.8.16.2.1.2	P-1	INP (Standalone)/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.16.2.1.3	P-1	INP (Standalone)/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.16.2.2.1	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.16.2.2.2	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.16.2.2.3	P-1	INP (Standalone)/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.17.1.1.1	P-1	LNP (Standalone)/<10 circuits/Dispatch/Facility/FL (days)	8.208			
B.2.8.17.1.1.2	P-1	LNP (Standalone)/<10 circuits/Dispatch/Equipment/FL (days)	1.378			
B.2.8.17.1.1.3	P-1	LNP (Standalone)/<10 circuits/Dispatch/Other/FL (days)	4.131			
B.2.8.17.1.2.1	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.17.1.2.2	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.17.1.2.3	P-1	LNP (Standalone)/<10 circuits/Non-Dispatch/Other/FL (days)	6.957	2.41618	-0.7607	YES
B.2.8.17.2.1.1	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Facility/FL (days)	20.116			
B.2.8.17.2.1.2	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.17.2.1.3	P-1	LNP (Standalone)/>=10 circuits/Dispatch/Other/FL (days)	0.577			
B.2.8.17.2.2.1	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.17.2.2.2	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.17.2.2.3	P-1	LNP (Standalone)/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.18.1.1.1	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Facility/FL (days)	14.355	5.15671	1.1708	YES
B.2.8.18.1.1.2	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Equipment/FL (days)	2.805			
B.2.8.18.1.1.3	P-1	Digital Loop < DS1/<10 circuits/Dispatch/Other/FL (days)	4.272	1.77708	-1.0293	YES
B.2.8.18.1.2.1	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.18.1.2.2	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.18.1.2.3	P-1	Digital Loop < DS1/<10 circuits/Non-Dispatch/Other/FL (days)	18.525			
B.2.8.18.2.1.1	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Facility/FL (days)	0.000			
B.2.8.18.2.1.2	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.18.2.1.3	P-1	Digital Loop < DS1/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.18.2.2.1	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.18.2.2.2	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.18.2.2.3	P-1	Digital Loop < DS1/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.19.1.1.1	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Facility/FL (days)				
B.2.8.19.1.1.2	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.19.1.1.3	P-1	Digital Loop >= DS1/<10 circuits/Dispatch/Other/FL (days)	0.000	0.00000		YES
B.2.8.19.1.2.1	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.19.1.2.2	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.19.1.2.3	P-1	Digital Loop >= DS1/<10 circuits/Non-Dispatch/Other/FL (days)	4.950			
B.2.8.19.2.1.1	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.8.19.2.1.2	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.19.2.1.3	P-1	Digital Loop >= DS1/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.19.2.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.19.2.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.19.2.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.20.1.1.1	P-1	Line Splitting/<10 circuits/Dispatch/Facility/FL (days)	14.451			
B.2.8.20.1.1.2	P-1	Line Splitting/<10 circuits/Dispatch/Equipment/FL (days)	0.707			
B.2.8.20.1.1.3	P-1	Line Splitting/<10 circuits/Dispatch/Other/FL (days)	4.348			
B.2.8.20.1.2.1	P-1	Line Splitting/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.20.1.2.2	P-1	Line Splitting/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.20.1.2.3	P-1	Line Splitting/<10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.20.2.1.1	P-1	Line Splitting/>=10 circuits/Dispatch/Facility/FL (days)	0.000			
B.2.8.20.2.1.2	P-1	Line Splitting/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.20.2.1.3	P-1	Line Splitting/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.20.2.2.1	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.20.2.2.2	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.20.2.2.3	P-1	Line Splitting/>=10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.21.1.1.1	P-1	EELs/<10 circuits/Dispatch/Facility/FL (days)	0.000	0.00000		YES
B.2.8.21.1.1.2	P-1	EELs/<10 circuits/Dispatch/Equipment/FL (days)	0.000	0.00000		YES
B.2.8.21.1.1.3	P-1	EELs/<10 circuits/Dispatch/Other/FL (days)	7.931	4.66962	1.2067	YES
B.2.8.21.1.2.1	P-1	EELs/<10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.21.1.2.2	P-1	EELs/<10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.21.1.2.3	P-1	EELs/<10 circuits/Non-Dispatch/Other/FL (days)				
B.2.8.21.2.1.1	P-1	EELs/>=10 circuits/Dispatch/Facility/FL (days)				
B.2.8.21.2.1.2	P-1	EELs/>=10 circuits/Dispatch/Equipment/FL (days)				
B.2.8.21.2.1.3	P-1	EELs/>=10 circuits/Dispatch/Other/FL (days)				
B.2.8.21.2.2.1	P-1	EELs/>=10 circuits/Non-Dispatch/Facility/FL (days)				
B.2.8.21.2.2.2	P-1	EELs/>=10 circuits/Non-Dispatch/Equipment/FL (days)				
B.2.8.21.2.2.3	P-1	EELs/>=10 circuits/Non-Dispatch/Other/FL (days)				
		% Jeopardies - Mechanized				
B.2.9.1.1	P-2	Switch Ports/Dispatch/FL (%)				
B.2.9.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)				
B.2.9.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September BST Measure	September BST Volume	September CLEC Measure	September CLEC Volume	September Standard Deviation	September Standard Error	September Zscore	September Equity	August BST Measure	August BST Volume	August CLEC Measure	August CLEC Volume	August Standard Deviation	August Standard Error	August Zscore	August Equity
1.2.9.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.9.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)	R&B	8.01%	54,945	5.82%	1,118		0.00821	2.6588	YES	8.26%	73,113	7.65%	1,607		0.00694	0.8670	YES
1.2.9.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)	R&B	0.00%	683,341	0.00%	43,303		0.00001	0.4228	YES	0.00%	761,357	0.00%	85,738		0.00001	0.7459	YES
1.2.9.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)	R&B	0.00%	357,808	0.00%	10,241		0.00000		YES	0.00%	401,056	0.00%	22,480		0.00000		YES
1.2.9.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)	R&B	0.00%	325,533	0.00%	33,062		0.00002	0.5259	YES	0.00%	360,298	0.00%	43,258		0.00002	0.6662	YES
1.2.9.4.1	P-2	Combo (other)/Dispatch/FL (%)	R&B&D - Disp	8.55%	57,987							8.87%	76,180						
1.2.9.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)	R&B&D - Disp	8.55%	57,987							8.87%	76,180						
1.2.9.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)	ADSL to Retail	8.50%	14,205	5.08%	177		0.02109	1.6180	YES	11.15%	10,320	4.32%	162		0.02493	2.7410	YES
1.2.9.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)	ADSL to Retail	0.00%	8,247							0.00%	6,322						
1.2.9.6.1	P-2	UNE ISDN/Dispatch/FL (%)	ISDN - BRI	22.81%	320	36.11%	144		0.04211	-3.1582	NO	13.51%	496	43.44%	122		0.03454	-8.8859	NO
1.2.9.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)	ISDN - BRI	1.17%	426							1.50%	467						
1.2.9.7.1	P-2	Line Sharing/Dispatch/FL (%)	ADSL to Retail	8.50%	14,205	0.00%	1		0.27885	0.3047	YES	11.15%	10,320						
1.2.9.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)	ADSL to Retail	0.00%	8,247	0.00%	1		0.00000		YES	0.00%	6,322	0.00%	1		0.00000		YES
1.2.9.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)	R&B - Disp	8.01%	54,945	19.79%	192		0.01962	-6.0069	NO	8.26%	73,113	18.67%	241		0.01778	-5.8661	NO
1.2.9.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)	R&B - Disp	8.01%	54,945							8.26%	73,113						
1.2.9.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)	R&B (POTS) excl SB Or	8.03%	53,838	7.30%	904		0.00911	0.7957	YES	8.36%	70,941	7.84%	867		0.00946	0.5455	YES
1.2.9.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)	R&B (POTS) excl SB Or	0.00%	322,798	0.00%	7		0.00115	0.0061	YES	0.00%	358,317	0.00%	6		0.00167	0.0100	YES
1.2.9.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)	R&B - Disp	8.01%	54,945							8.26%	73,113						
1.2.9.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)	R&B - Disp	8.01%	54,945							8.26%	73,113						
1.2.9.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)	R&B (POTS) excl SB Or	8.03%	53,838							8.36%	70,941						
1.2.9.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)	R&B (POTS) excl SB Or	0.00%	322,798							0.00%	358,317						
1.2.9.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)	R&B - Disp	8.01%	54,945	15.66%	83		0.02991	-2.5683	NO	8.26%	73,113	10.85%	129		0.02425	-1.0708	YES
1.2.9.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)	R&B - Disp	8.01%	54,945							8.26%	73,113						
1.2.9.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)	R&B (POTS) excl SB Or	8.03%	53,838	8.70%	253		0.01712	-0.3912	YES	8.36%	70,941	4.44%	315		0.01563	2.5047	YES
1.2.9.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)	R&B (POTS) excl SB Or	0.00%	322,798	6.71%	298		0.00016	-379.8115	NO	0.00%	358,317	4.67%	267		0.00025	-194.2646	NO
1.2.9.14.1	P-2	Other Design/Dispatch/FL (%)	Design	19.10%	3,042							23.81%	3,067						
1.2.9.14.2	P-2	Other Design/Non-Dispatch/FL (%)	Design	1.68%	656							2.13%	985						
1.2.9.15.1	P-2	Other Non-Design/Dispatch/FL (%)	R&B	8.01%	54,945							8.26%	73,113						
1.2.9.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)	R&B	0.00%	683,341							0.00%	761,357						
1.2.9.16.1	P-2	INP (Standalone)/Dispatch/FL (%)	R&B (POTS)	8.03%	53,838							8.36%	70,941						
1.2.9.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	679,823							0.00%	758,392						
1.2.9.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)	R&B (POTS)	8.03%	53,838							8.36%	70,941						
1.2.9.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	679,823	0.00%	2,653		0.00004	0.1080	YES	0.00%	758,392	0.00%	2,658		0.00005	0.1501	YES
1.2.9.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)	Digital Loop < DS1	9.06%	14,791	19.23%	312		0.01642	-6.1942	NO	12.14%	11,223	21.81%	279		0.01980	-4.7262	NO
1.2.9.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)	Digital Loop < DS1	0.06%	8,997							0.02%	7,375						
1.2.9.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)	Digital Loop >= DS1	25.24%	828	72.60%	260		0.03068	-15.3653	NO	15.17%	1,865	66.54%	266		0.02351	-21.8452	NO
1.2.9.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.48%	1,254							0.71%	985						
1.2.9.20.1	P-2	Line Splitting/Dispatch/FL (%)	ADSL to Retail	8.50%	14,205							11.15%	10,320						
1.2.9.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)	ADSL to Retail	0.00%	8,247							0.00%	6,322						
1.2.9.21.1	P-2	EELs/Dispatch/FL (%)	DS1/ DS3 - Interoffice	46.16%	1,654	66.04%	53		0.06940	-2.8640	NO	41.42%	2,453	54.86%	37		0.08159	-2.8737	NO
1.2.9.21.2	P-2	EELs/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
		% Jeopardies - Non-Mechanized																	
1.2.10.1.1	P-2	Switch Ports/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)	Diagnostic			0.00%	21				Diagnostic			0.00%	4				Diagnostic
1.2.10.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)	Diagnostic			4.18%	335				Diagnostic			4.79%	565				Diagnostic
1.2.10.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)	Diagnostic			0.00%	770				Diagnostic			0.00%	1,869				Diagnostic
1.2.10.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)	Diagnostic			0.00%	486				Diagnostic			0.00%	1,120				Diagnostic
1.2.10.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)	Diagnostic			0.00%	284				Diagnostic			0.00%	549				Diagnostic
1.2.10.4.1	P-2	Combo (other)/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)	Diagnostic			17.95%	39				Diagnostic			11.36%	44				Diagnostic
1.2.10.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.6.1	P-2	UNE ISDN/Dispatch/FL (%)	Diagnostic			20.45%	88				Diagnostic			29.51%	122				Diagnostic
1.2.10.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.7.1	P-2	Line Sharing/Dispatch/FL (%)	Diagnostic			0.00%	44				Diagnostic			4.55%	22				Diagnostic
1.2.10.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)	Diagnostic			0.00%	271				Diagnostic			0.00%	117				Diagnostic
1.2.10.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)	Diagnostic			17.54%	57				Diagnostic			10.53%	57				Diagnostic
1.2.10.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)	Diagnostic			7.69%	52				Diagnostic			4.00%	50				Diagnostic
1.2.10.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)	Diagnostic			0.00%	7				Diagnostic			0.00%	5				Diagnostic
1.2.10.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)	Diagnostic								Diagnostic			0.00%	1				Diagnostic
1.2.10.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)	Diagnostic			0.00%	3				Diagnostic			0.00%	1				Diagnostic
1.2.10.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic			0.00%	1				Diagnostic
1.2.10.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)	Diagnostic			0.00%	7				Diagnostic			15.38%	13				Diagnostic
1.2.10.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)	Diagnostic			0.00%	11				Diagnostic			9.09%	11				Diagnostic
1.2.10.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)	Diagnostic			0.00%	3				Diagnostic			0.00%	6				Diagnostic
1.2.10.14.1	P-2	Other Design/Dispatch/FL (%)	Diagnostic			0.00%	4				Diagnostic			0.00%	1				Diagnostic
1.2.10.14.2	P-2	Other Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.15.1	P-2	Other Non-Design/Dispatch/FL (%)	Diagnostic			0.00%	1				Diagnostic			0.00%	3				Diagnostic
1.2.10.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.16.1	P-2	INP (Standalone)/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)	Diagnostic			0.00%	1				Diagnostic			0.00%	3				Diagnostic
1.2.10.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)	Diagnostic			0.00%	205				Diagnostic			0.00%	419				Diagnostic
1.2.10.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)	Diagnostic			18.85%	122				Diagnostic			23.60%	181				Diagnostic
1.2.10.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)	Diagnostic			45.35%	86				Diagnostic			51.72%	87				Diagnostic
1.2.10.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.20.1	P-2	Line Splitting/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
1.2.10.21.1	P-2	EELs/Dispatch/FL (%)	Diagnostic			52.86%	93				Diagnostic			41.82%	55				Diagnostic
1.2.10.21.2	P-2	EELs/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
		Average Jeopardy Notice Interval - Mechanized																	
1.2.11.1.1	P-2	Switch Ports/Dispatch/FL (hours)	>= 48 hrs																
1.2.11.1.2	P-2	Switch Ports/Non-Dispatch/FL (hours)	>= 48 hrs																
1.2.11.2.1	P-2	Local Interoffice Transport/Dispatch/FL (hours)	>= 48 hrs																
1.2.11.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (hours)	>= 48 hrs																
1.2.11.3.1	P-2	Loop + Port Combinations/Dispatch/FL (hours)	>= 48 hrs			159.74	42				YES			133.34	78				YES
1.2.11.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (hours)	>= 48 hrs																
1.2.11.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (hours)	>= 48 hrs																
1.2.11.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (hours)	>= 48 hrs																
1.2.11.4.1	P-2	Combo (other)/Dispatch/FL (hours)	>= 48 hrs																
1.2.11.4.2	P-2	Combo (other)/Non-Dispatch/FL (hours)	>= 48 hrs																
1.2.11.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (hours)	>= 48 hrs			96.99	8				YES			118.06	5				YES
1.2.11.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (hours)	>= 48 hrs																
1.2.11.6.1	P-2	UNE ISDN/Dispatch/FL (hours)	>= 48 hrs			332.18	52				YES			318.40	53				YES
1.2.11.6.2	P-2	UNE ISDN/Non-Dispatch/FL (hours)	>= 48 hrs																
1.2.11.7.1	P-2	Line Sharing/Dispatch/FL (hours)	>= 48 hrs																

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			July							June									May			
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume
B.2.9.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)																				
B.2.9.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)	7.85%	62,784	6.00%	1,401		0.00727	2.5570	YES	8.35%	57,526	6.86%	1,253		0.00790	1.8788	YES	6.67%	80,958	4.96%	1,209
B.2.9.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)	0.00%	721,566	0.00%	83,574		0.00001	0.4024	YES	0.00%	683,711	0.00%	48,026		0.00001	0.2562	YES	0.00%	758,376	0.00%	38,842
B.2.9.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)	0.00%	390,927	0.00%	22,998		0.00001	0.2356	YES	0.00%	350,056	0.00%	18,917		0.00000		YES	0.00%	380,620	0.00%	19,656
B.2.9.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)	0.00%	330,839	0.00%	40,806		0.00001	0.3307	YES	0.00%	333,653	0.00%	29,111		0.00001	0.2653	YES	0.00%	375,756	0.00%	19,184
B.2.9.4.1	P-2	Combo (other)/Dispatch/FL (%)	8.37%	65,862							8.96%	61,123							7.20%	84,333		
B.2.9.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)	8.37%	65,862							8.96%	61,123							7.20%	84,333		
B.2.9.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)	12.67%	9,557	4.40%	91		0.03504	2.3620	YES	11.34%	9,038	5.33%	150		0.02610	2.3014	YES	12.79%	8,918		
B.2.9.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)	0.00%	5,895							0.00%	5,612							0.00%	5,409		
B.2.9.6.1	P-2	UNE ISDN/Dispatch/FL (%)	23.19%	345	36.43%	140		0.04220	-3.1307	NO	30.98%	255	39.34%	122		0.05090	-1.6431	YES	20.44%	318	38.89%	162
B.2.9.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)	0.86%	350							0.31%	322							0.44%	451		
B.2.9.7.1	P-2	Line Sharing/Dispatch/FL (%)	12.67%	9,557	0.00%	2		0.23524	0.5386	YES	11.34%	9,038							12.79%	8,918	0.00%	1
B.2.9.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)	0.00%	5,895	0.00%	1		0.00000		YES	0.00%	5,612	0.00%	1		0.00000		YES	0.00%	5,409	0.00%	2
B.2.9.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)	7.85%	62,784	19.08%	304		0.01547	-7.2576	NO	8.35%	57,526	13.06%	322		0.01546	-3.6407	NO	6.67%	80,958	16.64%	285
B.2.9.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)	7.85%	62,784							8.35%	57,526							6.67%	80,958		
B.2.9.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)	7.78%	61,975	6.33%	948		0.00877	1.6557	YES	8.29%	56,833	7.21%	791		0.00987	1.0956	YES	6.62%	80,203	7.30%	1,357
B.2.9.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)	0.00%	328,912	0.00%	12		0.00050	0.0060	YES	0.00%	331,972	5.00%	20		0.00039	-128.8241	NO	0.00%	373,442	0.00%	16
B.2.9.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)	7.85%	62,784							8.35%	57,526							6.67%	80,958		
B.2.9.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)	7.85%	62,784							8.35%	57,526							6.67%	80,958		
B.2.9.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)	7.78%	61,975							8.29%	56,833							6.62%	80,203		
B.2.9.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)	0.00%	328,912							0.00%	331,972							0.00%	373,442		
B.2.9.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)	7.85%	62,784	8.52%	178		0.02031	-0.3284	YES	8.35%	57,526	7.00%	243		0.01778	0.7602	YES	6.67%	80,958	12.97%	370
B.2.9.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)	7.85%	62,784							8.35%	57,526							6.67%	80,958		
B.2.9.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)	7.78%	61,975	5.38%	429		0.01296	1.8642	YES	8.29%	56,833	2.86%	454		0.01299	4.1754	YES	6.62%	80,203	4.84%	640
B.2.9.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)	0.00%	328,912	3.75%	267		0.00011	-350.8112	NO	0.00%	331,972	5.48%	292		0.00016	-339.2189	NO	0.00%	373,442	3.47%	432
B.2.9.14.1	P-2	Other Design/Dispatch/FL (%)	18.94%	3,075							19.32%	3,597							19.82%	3,375		
B.2.9.14.2	P-2	Other Design/Non-Dispatch/FL (%)	1.80%	723							0.87%	897							2.81%	853		
B.2.9.15.1	P-2	Other Non-Design/Dispatch/FL (%)	7.85%	62,784	100.00%	1		0.26902	-3.4252	NO									6.67%	80,958		
B.2.9.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)	0.00%	721,566															0.00%	758,376		
B.2.9.16.1	P-2	INP (Standalone)/Dispatch/FL (%)	7.78%	61,975							8.29%	56,833							6.62%	80,203		
B.2.9.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)	0.00%	719,039		2					0.00%	681,376							0.00%	753,066		
B.2.9.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)	7.78%	61,975	0.00%	4		0.13394	0.5809	YES	8.29%	56,833	0.00%	7		0.10421	0.7953	YES	6.62%	80,203	0.00%	1
B.2.9.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)	0.00%	719,039	0.00%	2,707		0.00003	0.0886	YES	0.00%	681,376	0.00%	2,403		0.00002	0.0593	YES	0.00%	753,066	0.00%	3,007
B.2.9.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)	13.39%	10,210	24.55%	224		0.02300	-4.8540	NO	13.12%	9,056	21.13%	265		0.02102	-3.8104	NO	14.06%	9,727	38.89%	162
B.2.9.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)	0.08%	6,642							0.02%	6,391							0.03%	6,480		
B.2.9.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)	30.78%	718	53.48%	316		0.03109	-7.2941	NO	24.77%	436	63.60%	261		0.03376	-11.4938	NO	28.76%	459	72.26%	274
B.2.9.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)	0.30%	995							0.15%	651							0.94%	1,283		
B.2.9.20.1	P-2	Line Splitting/Dispatch/FL (%)	12.67%	9,557							11.34%	9,038							12.79%	8,918		
B.2.9.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)	0.00%	5,895							0.00%	5,612							0.00%	5,409		
B.2.9.21.1	P-2	EELs/Dispatch/FL (%)	31.90%	2,301	77.78%	18		0.11029	-4.1600	NO	42.61%	2,173	80.00%	5		0.22141	-0.7853	YES	46.09%	2,263	100.00%	4
B.2.9.21.2	P-2	EELs/Non-Dispatch/FL (%)																				
		% Jeopardies - Non-Mechanized								Diagnostic								Diagnostic				
B.2.10.1.1	P-2	Switch Ports/Dispatch/FL (%)								Diagnostic								Diagnostic			0.00%	30
B.2.10.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)			0.00%	7				Diagnostic			0.00%	15				Diagnostic				
B.2.10.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)								Diagnostic								Diagnostic			3.66%	382
B.2.10.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)			4.25%	494				Diagnostic			7.21%	430				Diagnostic			0.05%	2,014
B.2.10.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)			0.00%	1,379				Diagnostic			0.00%	1,258				Diagnostic			0.00%	1,453
B.2.10.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)			0.00%	995				Diagnostic			0.00%	834				Diagnostic			0.18%	561
B.2.10.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)			0.00%	473				Diagnostic			0.00%	424				Diagnostic			100.00%	2
B.2.10.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)			50.00%	2				Diagnostic			0.00%	1				Diagnostic				
B.2.10.4.1	P-2	Combo (other)/Dispatch/FL (%)								Diagnostic								Diagnostic			6.56%	305
B.2.10.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)			9.14%	175				Diagnostic			10.32%	126				Diagnostic				
B.2.10.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)								Diagnostic								Diagnostic			23.40%	329
B.2.10.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)			20.50%	204				Diagnostic			20.29%	138				Diagnostic				
B.2.10.6.1	P-2	UNE ISDN/Dispatch/FL (%)								Diagnostic								Diagnostic			1.45%	69
B.2.10.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)			0.00%	32				Diagnostic			0.00%	38				Diagnostic			0.00%	154
B.2.10.7.1	P-2	Line Sharing/Dispatch/FL (%)			0.00%	111				Diagnostic			0.00%	128				Diagnostic			4.85%	103
B.2.10.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)			6.67%	60				Diagnostic			7.02%	57				Diagnostic				
B.2.10.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)								Diagnostic								Diagnostic			3.43%	204
B.2.10.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)			7.06%	85				Diagnostic			3.19%	94				Diagnostic			0.00%	14
B.2.10.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)			0.00%	5				Diagnostic			0.00%	16				Diagnostic			0.00%	1
B.2.10.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)			0.00%	1				Diagnostic								Diagnostic				
B.2.10.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)								Diagnostic								Diagnostic			0.00%	1
B.2.10.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)			0.00%	1				Diagnostic			0.00%	2				Diagnostic			0.00%	1
B.2.10.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)			0.00%	1				Diagnostic			100.00%	1				Diagnostic			8.00%	25
B.2.10.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)			0.00%	14				Diagnostic			11.11%	9				Diagnostic				
B.2.10.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)								Diagnostic								Diagnostic			9.52%	21
B.2.10.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)			7.14%	14				Diagnostic			0.00%	4				Diagnostic			0.00%	15
B.2.10.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)			7.69%	13				Diagnostic			0.00%	8				Diagnostic				
B.2.10.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)			0.00%	2				Diagnostic								Diagnostic				
B.2.10.14.1	P-2	Other Design/Dispatch/FL (%)								Diagnostic								Diagnostic			3.13%	64
B.2.10.14.2	P-2	Other Design/Non-Dispatch/FL (%)			0.00%	7				Diagnostic								Diagnostic				
B.2.10.15.1	P-2	Other Non-Design/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.10.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.10.16.1	P-2	INP (Standalone)/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.10.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)			0.00%	2				Diagnostic			0.00%	5				Diagnostic			0.00%	365
B.2.10.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)			0.00%	373				Diagnostic			0.00%	366				Diagnostic			15.33%	613
B.2.10.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)			14.67%	368				Diagnostic			15.16%	244				Diagnostic				
B.2.10.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)								Diagnostic								Diagnostic			45.97%	211
B.2.10.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)			49.43%	87				Diagnostic			58.99%	93				Diagnostic				
B.2.10.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.10.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.10.20.1	P-2	Line Splitting/Dispatch/FL (%)								Diagnostic								Diagnostic			54.91%	173
B.2.10.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)			39.73%	73				Diagnostic			54.95%	111				Diagnostic				
B.2.10.21.1	P-2	EELs/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.10.21.2	P-2	EELs/Non-Dispatch/FL (%)																				
		Average Jeopardy Notice Interval - Mechanized																				
B.2.11.1.1	P-2	Switch Ports/Dispatch/FL (hours)																				
B.2.11.1.2	P-2	Switch Ports/Non-Dispatch/FL (hours)																				
B.2.11.2.1	P-2	Local Interoffice Transport/Dispatch/FL (hours)																YES			121.73	40
B.2.11.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (hours)			136.34	56				YES			117.58	62								
B.2.11.3.1	P-2	Loop + Port Combinations/Dispatch/FL (hours)																				
B.2.11.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (hours)																				
B.2.11.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (hours)																				
B.2.11.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (hours)																				
B.2.11.4.1	P-2	Combo (other)/Dispatch/FL (hours)																YES				
B.2.11.4.2	P-2	Combo (other)/Non-Dispatch/FL (hours)			78.45	3				YES			95.37	8								
B.2.11.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (hours)																YES			314.60	59
B.2.11.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (hours)			327.15	50				YES			324.35	47								
B.2.11.6.1	P-2	UNE ISDN/Dispatch/FL (hours)																				
B.2.11.6.2	P-2	UNE ISDN/Non-Dispatch/FL (hours)																				
B.2.11.7.1	P-2	Line Sharing/Dispatch/FL (hours)																				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Standard Deviation	Standard Error	Zscore	Equity
B.2.9.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)				
B.2.9.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)		0.00723	2.3603	YES
B.2.9.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)		0.00001	0.3126	YES
B.2.9.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)		0.00000		YES
B.2.9.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)		0.00002	0.3117	YES
B.2.9.4.1	P-2	Combo (other)/Dispatch/FL (%)				
B.2.9.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)				
B.2.9.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)				
B.2.9.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)				
B.2.9.6.1	P-2	UNE ISDN/Dispatch/FL (%)		0.03893	-4.7394	NO
B.2.9.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)				
B.2.9.7.1	P-2	Line Sharing/Dispatch/FL (%)		0.33405	0.3830	YES
B.2.9.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)		0.00000		YES
B.2.9.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)		0.01480	-6.8719	NO
B.2.9.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)				
B.2.9.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)		0.00681	-0.9876	YES
B.2.9.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)		0.00058	0.0093	YES
B.2.9.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)				
B.2.9.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)				
B.2.9.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)				
B.2.9.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)				
B.2.9.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)		0.01300	-4.8495	NO
B.2.9.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)				
B.2.9.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)		0.00863	2.2960	YES
B.2.9.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)		0.00011	-311.6227	NO
B.2.9.14.1	P-2	Other Design/Dispatch/FL (%)				
B.2.9.14.2	P-2	Other Design/Non-Dispatch/FL (%)				
B.2.9.15.1	P-2	Other Non-Design/Dispatch/FL (%)				
B.2.9.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)				
B.2.9.16.1	P-2	INP (Standalone)/Dispatch/FL (%)				
B.2.9.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)				
B.2.9.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)		0.24869	0.2663	YES
B.2.9.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)		0.00003	0.0892	YES
B.2.9.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)		0.02754	-9.0140	NO
B.2.9.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)				
B.2.9.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)		0.03456	-12.5897	NO
B.2.9.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)				
B.2.9.20.1	P-2	Line Splitting/Dispatch/FL (%)				
B.2.9.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)				
B.2.9.21.1	P-2	EELs/Dispatch/FL (%)		0.24945	-2.1611	NO
B.2.9.21.2	P-2	EELs/Non-Dispatch/FL (%)				
		% Jeopardies - Non-Mechanized				
B.2.10.1.1	P-2	Switch Ports/Dispatch/FL (%)				Diagnostic
B.2.10.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)				Diagnostic
B.2.10.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)				Diagnostic
B.2.10.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)				Diagnostic
B.2.10.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)				Diagnostic
B.2.10.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)				Diagnostic
B.2.10.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)				Diagnostic
B.2.10.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)				Diagnostic
B.2.10.4.1	P-2	Combo (other)/Dispatch/FL (%)				Diagnostic
B.2.10.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)				Diagnostic
B.2.10.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)				Diagnostic
B.2.10.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)				Diagnostic
B.2.10.6.1	P-2	UNE ISDN/Dispatch/FL (%)				Diagnostic
B.2.10.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)				Diagnostic
B.2.10.7.1	P-2	Line Sharing/Dispatch/FL (%)				Diagnostic
B.2.10.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)				Diagnostic
B.2.10.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)				Diagnostic
B.2.10.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)				Diagnostic
B.2.10.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)				Diagnostic
B.2.10.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)				Diagnostic
B.2.10.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)				Diagnostic
B.2.10.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)				Diagnostic
B.2.10.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)				Diagnostic
B.2.10.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)				Diagnostic
B.2.10.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)				Diagnostic
B.2.10.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)				Diagnostic
B.2.10.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)				Diagnostic
B.2.10.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)				Diagnostic
B.2.10.14.1	P-2	Other Design/Dispatch/FL (%)				Diagnostic
B.2.10.14.2	P-2	Other Design/Non-Dispatch/FL (%)				Diagnostic
B.2.10.15.1	P-2	Other Non-Design/Dispatch/FL (%)				Diagnostic
B.2.10.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)				Diagnostic
B.2.10.16.1	P-2	INP (Standalone)/Dispatch/FL (%)				Diagnostic
B.2.10.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)				Diagnostic
B.2.10.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)				Diagnostic
B.2.10.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)				Diagnostic
B.2.10.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)				Diagnostic
B.2.10.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)				Diagnostic
B.2.10.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)				Diagnostic
B.2.10.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)				Diagnostic
B.2.10.20.1	P-2	Line Splitting/Dispatch/FL (%)				Diagnostic
B.2.10.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)				Diagnostic
B.2.10.21.1	P-2	EELs/Dispatch/FL (%)				Diagnostic
B.2.10.21.2	P-2	EELs/Non-Dispatch/FL (%)				Diagnostic
		Average Jeopardy Notice Interval - Mechanized				
B.2.11.1.1	P-2	Switch Ports/Dispatch/FL (hours)				
B.2.11.1.2	P-2	Switch Ports/Non-Dispatch/FL (hours)				
B.2.11.2.1	P-2	Local Interoffice Transport/Dispatch/FL (hours)				
B.2.11.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (hours)				YES
B.2.11.3.1	P-2	Loop + Port Combinations/Dispatch/FL (hours)				
B.2.11.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (hours)				
B.2.11.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (hours)				
B.2.11.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (hours)				
B.2.11.4.1	P-2	Combo (other)/Dispatch/FL (hours)				
B.2.11.4.2	P-2	Combo (other)/Non-Dispatch/FL (hours)				
B.2.11.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (hours)				
B.2.11.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (hours)				YES
B.2.11.6.1	P-2	UNE ISDN/Dispatch/FL (hours)				
B.2.11.6.2	P-2	UNE ISDN/Non-Dispatch/FL (hours)				
B.2.11.7.1	P-2	Line Sharing/Dispatch/FL (hours)				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September								August							
				* BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
B.2.11.7.2	P-2	Line Sharing/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.8.1	P-2	2W Analog Loop Design/Dispatch/FL (hours)	>= 48 hrs			184.88	37				YES			173.69	44				YES
B.2.11.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (hours)	>= 48 hrs			127.21	51				YES			111.21	58				YES
B.2.11.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (hours)	>= 48 hrs			176.90	13				YES			141.32	14				YES
B.2.11.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (hours)	>= 48 hrs			177.72	22				YES			117.42	14				YES
B.2.11.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (hours)	>= 48 hrs			137.33	20				YES			122.90	13				YES
B.2.11.14.1	P-2	Other Design/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.14.2	P-2	Other Design/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.15.1	P-2	Other Non-Design/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.15.2	P-2	Other Non-Design/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.16.1	P-2	INP (Standalone)/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.17.1	P-2	LNP (Standalone)/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (hours)	>= 48 hrs			304.96	59				YES			301.12	56				YES
B.2.11.18.1	P-2	Digital Loop < DS1/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (hours)	>= 48 hrs			203.47	188				YES			185.40	177				YES
B.2.11.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (hours)	>= 48 hrs																
B.2.11.20.1	P-2	Line Splitting/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.20.2	P-2	Line Splitting/Non-Dispatch/FL (hours)	>= 48 hrs			356.47	35				YES			339.80	24				YES
B.2.11.21.1	P-2	EELs/Dispatch/FL (hours)	>= 48 hrs																
B.2.11.21.2	P-2	EELs/Non-Dispatch/FL (hours)	>= 48 hrs																
		Average Jeopardy Notice Interval - Non-Mechanized																	
B.2.12.1.1	P-2	Switch Ports/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.1.2	P-2	Switch Ports/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.2.1	P-2	Local Interoffice Transport/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.3.1	P-2	Loop + Port Combinations/Dispatch/FL (hours)	Diagnostic			168.22	12				Diagnostic			126.05	25				Diagnostic
B.2.12.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.4.1	P-2	Combo (other)/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.4.2	P-2	Combo (other)/Non-Dispatch/FL (hours)	Diagnostic			238.78	6				Diagnostic			121.84	5				Diagnostic
B.2.12.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (hours)	Diagnostic			290.25	16				Diagnostic			254.13	33				Diagnostic
B.2.12.6.1	P-2	UNE ISDN/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.6.2	P-2	UNE ISDN/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.7.1	P-2	Line Sharing/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.7.2	P-2	Line Sharing/Non-Dispatch/FL (hours)	Diagnostic			203.11	10				Diagnostic			106.06	6				Diagnostic
B.2.12.8.1	P-2	2W Analog Loop Design/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (hours)	Diagnostic			188.34	4				Diagnostic			300.11	2				Diagnostic
B.2.12.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic			136.84	2				Diagnostic
B.2.12.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic			133.07	1				Diagnostic
B.2.12.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.14.1	P-2	Other Design/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.14.2	P-2	Other Design/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.15.1	P-2	Other Non-Design/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.15.2	P-2	Other Non-Design/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.16.1	P-2	INP (Standalone)/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.17.1	P-2	LNP (Standalone)/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (hours)	Diagnostic			291.21	20				Diagnostic			243.50	35				Diagnostic
B.2.12.18.1	P-2	Digital Loop < DS1/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (hours)	Diagnostic			325.73	41				Diagnostic			246.22	46				Diagnostic
B.2.12.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.20.1	P-2	Line Splitting/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.20.2	P-2	Line Splitting/Non-Dispatch/FL (hours)	Diagnostic			339.44	47				Diagnostic			382.68	23				Diagnostic
B.2.12.21.1	P-2	EELs/Dispatch/FL (hours)	Diagnostic								Diagnostic								Diagnostic
B.2.12.21.2	P-2	EELs/Non-Dispatch/FL (hours)	Diagnostic																
		% Jeopardy Notice >= 48 hours - Mechanized																	
B.2.13.1.1	P-2	Switch Ports/Dispatch/FL (%)	>= 95%																
B.2.13.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)	>= 95%																
B.2.13.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)	>= 95%																
B.2.13.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)	>= 95%			100.00%	42				YES			98.66%	76				YES
B.2.13.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)	>= 95%																
B.2.13.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)	>= 95%																
B.2.13.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)	>= 95%																
B.2.13.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)	>= 95%																
B.2.13.4.1	P-2	Combo (other)/Dispatch/FL (%)	>= 95%																
B.2.13.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)	>= 95%			87.50%	8				NO			100.00%	5				YES
B.2.13.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)	>= 95%																
B.2.13.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)	>= 95%			100.00%	52				YES			100.00%	63				YES
B.2.13.6.1	P-2	UNE ISDN/Dispatch/FL (%)	>= 95%																
B.2.13.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)	>= 95%																
B.2.13.7.1	P-2	Line Sharing/Dispatch/FL (%)	>= 95%																
B.2.13.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)	>= 95%			100.00%	37				YES			100.00%	44				YES
B.2.13.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)	>= 95%																
B.2.13.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)	>= 95%			92.16%	51				NO			98.28%	58				YES
B.2.13.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)	>= 95%																
B.2.13.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)	>= 95%																
B.2.13.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)	>= 95%																
B.2.13.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)	>= 95%																
B.2.13.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)	>= 95%																
B.2.13.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)	>= 95%			100.00%	13				YES			100.00%	14				YES
B.2.13.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)	>= 95%																
B.2.13.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)	>= 95%			100.00%	22				YES			100.00%	14				YES
B.2.13.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)	>= 95%																

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			July							June								May			
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume
B.2.11.7.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (hours)																				
B.2.11.8.1	P-2	2W Analog Loop Design/Dispatch/FL (hours)			173.25	55				YES			147.19	44				YES			200.55	47
B.2.11.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (hours)																				
B.2.11.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (hours)			153.12	55				YES			101.04	41				YES			113.81	79
B.2.11.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (hours)											50.05	1				YES				
B.2.11.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (hours)																				
B.2.11.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (hours)																				
B.2.11.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (hours)																				
B.2.11.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (hours)			153.69	15				YES			178.08	16				YES			163.91	47
B.2.11.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (hours)																				
B.2.11.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (hours)			138.41	22				YES			126.26	12				YES			150.30	39
B.2.11.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (hours)			176.74	10				YES			102.96	16				YES			147.78	15
B.2.11.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (hours)																				
B.2.11.14.1	P-2	Other Design/Dispatch/FL (hours)																				
B.2.11.14.2	P-2	Other Design/Non-Dispatch/FL (hours)																				
B.2.11.15.1	P-2	Other Non-Design/Dispatch/FL (hours)			436.80	1				YES												
B.2.11.15.2	P-2	Other Non-Design/Non-Dispatch/FL (hours)																				
B.2.11.16.1	P-2	INP (Standalone)/Dispatch/FL (hours)																				
B.2.11.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (hours)																				
B.2.11.17.1	P-2	LNP (Standalone)/Dispatch/FL (hours)																				
B.2.11.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (hours)			312.96	53				YES			206.43	53				YES			314.80	56
B.2.11.18.1	P-2	Digital Loop < DS1/Dispatch/FL (hours)																				
B.2.11.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (hours)			198.27	170				YES			188.20	154				YES			182.61	197
B.2.11.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (hours)																				
B.2.11.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (hours)																				
B.2.11.20.1	P-2	Line Splitting/Dispatch/FL (hours)																				
B.2.11.20.2	P-2	Line Splitting/Non-Dispatch/FL (hours)			352.44	14				YES			293.61	3				YES			280.03	4
B.2.11.21.1	P-2	EELs/Dispatch/FL (hours)																				
B.2.11.21.2	P-2	EELs/Non-Dispatch/FL (hours)																				
		Average Jeopardy Notice Interval - Non-Mechanized								Diagnostic								Diagnostic				
B.2.12.1.1	P-2	Switch Ports/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.1.2	P-2	Switch Ports/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.2.1	P-2	Local Interoffice Transport/Dispatch/FL (hours)								Diagnostic								Diagnostic			196.35	11
B.2.12.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (hours)			137.32	13				Diagnostic			149.99	23				Diagnostic				
B.2.12.3.1	P-2	Loop + Port Combinations/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (hours)								Diagnostic								Diagnostic			222.75	2
B.2.12.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (hours)			277.95	1				Diagnostic								Diagnostic				
B.2.12.4.1	P-2	Combo (other)/Dispatch/FL (hours)								Diagnostic								Diagnostic			126.33	17
B.2.12.4.2	P-2	Combo (other)/Non-Dispatch/FL (hours)			195.53	13				Diagnostic			174.12	12				Diagnostic				
B.2.12.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (hours)								Diagnostic								Diagnostic			272.17	69
B.2.12.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (hours)			297.07	41				Diagnostic			272.64	24				Diagnostic				
B.2.12.6.1	P-2	UNE ISDN/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.6.2	P-2	UNE ISDN/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.7.1	P-2	Line Sharing/Dispatch/FL (hours)								Diagnostic			90.25	3				Diagnostic			101.24	5
B.2.12.7.2	P-2	Line Sharing/Non-Dispatch/FL (hours)			226.85	4				Diagnostic								Diagnostic				
B.2.12.8.1	P-2	2W Analog Loop Design/Dispatch/FL (hours)								Diagnostic			121.13	2				Diagnostic			142.18	6
B.2.12.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (hours)			245.21	5				Diagnostic								Diagnostic				
B.2.12.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (hours)								Diagnostic			60.68	1				Diagnostic			127.73	2
B.2.12.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (hours)								Diagnostic			206.80	1				Diagnostic				
B.2.12.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic			156.56	2
B.2.12.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (hours)			244.30	1				Diagnostic								Diagnostic				
B.2.12.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (hours)			61.22	1				Diagnostic								Diagnostic				
B.2.12.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic			154.49	2
B.2.12.14.1	P-2	Other Design/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.14.2	P-2	Other Design/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.15.1	P-2	Other Non-Design/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.15.2	P-2	Other Non-Design/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.16.1	P-2	INP (Standalone)/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.17.1	P-2	LNP (Standalone)/Dispatch/FL (hours)								Diagnostic			246.56	32				Diagnostic			246.40	84
B.2.12.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (hours)			277.03	51				Diagnostic								Diagnostic				
B.2.12.18.1	P-2	Digital Loop < DS1/Dispatch/FL (hours)								Diagnostic			257.18	51				Diagnostic			221.03	94
B.2.12.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (hours)			219.12	42				Diagnostic								Diagnostic				
B.2.12.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.20.1	P-2	Line Splitting/Dispatch/FL (hours)								Diagnostic								Diagnostic			319.51	95
B.2.12.20.2	P-2	Line Splitting/Non-Dispatch/FL (hours)			370.06	29				Diagnostic			339.52	60				Diagnostic				
B.2.12.21.1	P-2	EELs/Dispatch/FL (hours)								Diagnostic								Diagnostic				
B.2.12.21.2	P-2	EELs/Non-Dispatch/FL (hours)																				
		% Jeopardy Notice >= 48 hours - Mechanized																				
B.2.13.1.1	P-2	Switch Ports/Dispatch/FL (%)																				
B.2.13.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)																				
B.2.13.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)																				
B.2.13.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)			98.21%	56				YES			88.71%	62				NO			70.00%	40
B.2.13.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)																				
B.2.13.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)																				
B.2.13.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)																				
B.2.13.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)																				
B.2.13.4.1	P-2	Combo (other)/Dispatch/FL (%)																				
B.2.13.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)			100.00%	3				YES			83.33%	6				NO				
B.2.13.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)																				
B.2.13.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)			100.00%	50				YES			97.87%	47				YES			96.61%	59
B.2.13.6.1	P-2	UNE ISDN/Dispatch/FL (%)																				
B.2.13.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)																				
B.2.13.7.1	P-2	Line Sharing/Dispatch/FL (%)																				
B.2.13.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)			98.36%	55				YES			100.00%	44				YES			93.62%	47
B.2.13.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)																				
B.2.13.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)			98.18%	55				YES			97.56%	41				YES			98.20%	79
B.2.13.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)											100.00%	1				YES				
B.2.13.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)																				
B.2.13.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)																				
B.2.13.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)																				
B.2.13.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)																				
B.2.13.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)			100.00%	15				YES			100.00%	16				YES			100.00%	47
B.2.13.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)																				
B.2.13.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)			90.91%	22				NO			100.00%	12				YES			94.87%	39
B.2.13.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)																				

BellSouth Monthly Performance Summary
Florida Permanent, September 2002 - May 2002

			Standard Deviation	Standard Error	Zscore	Equity
B.2.11.7.2	P-2	Line Sharing/Non-Dispatch/FL (hours)				
B.2.11.8.1	P-2	2W Analog Loop Design/Dispatch/FL (hours)				YES
B.2.11.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (hours)				
B.2.11.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (hours)				YES
B.2.11.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (hours)				
B.2.11.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (hours)				
B.2.11.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (hours)				
B.2.11.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (hours)				
B.2.11.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (hours)				
B.2.11.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (hours)				YES
B.2.11.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (hours)				
B.2.11.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (hours)				YES
B.2.11.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (hours)				YES
B.2.11.14.1	P-2	Other Design/Dispatch/FL (hours)				
B.2.11.14.2	P-2	Other Design/Non-Dispatch/FL (hours)				
B.2.11.15.1	P-2	Other Non-Design/Dispatch/FL (hours)				
B.2.11.15.2	P-2	Other Non-Design/Non-Dispatch/FL (hours)				
B.2.11.16.1	P-2	INP (Standalone)/Dispatch/FL (hours)				
B.2.11.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (hours)				
B.2.11.17.1	P-2	LNP (Standalone)/Dispatch/FL (hours)				
B.2.11.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (hours)				
B.2.11.18.1	P-2	Digital Loop < DS1/Dispatch/FL (hours)				YES
B.2.11.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (hours)				
B.2.11.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (hours)				YES
B.2.11.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (hours)				
B.2.11.20.1	P-2	Line Splitting/Dispatch/FL (hours)				
B.2.11.20.2	P-2	Line Splitting/Non-Dispatch/FL (hours)				
B.2.11.21.1	P-2	EELs/Dispatch/FL (hours)				YES
B.2.11.21.2	P-2	EELs/Non-Dispatch/FL (hours)				
		Average Jeopardy Notice Interval - Non-Mechanized				
B.2.12.1.1	P-2	Switch Ports/Dispatch/FL (hours)				Diagnostic
B.2.12.1.2	P-2	Switch Ports/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.2.1	P-2	Local Interoffice Transport/Dispatch/FL (hours)				Diagnostic
B.2.12.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.3.1	P-2	Loop + Port Combinations/Dispatch/FL (hours)				Diagnostic
B.2.12.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (hours)				Diagnostic
B.2.12.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (hours)				Diagnostic
B.2.12.4.1	P-2	Combo (other)/Dispatch/FL (hours)				Diagnostic
B.2.12.4.2	P-2	Combo (other)/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (hours)				Diagnostic
B.2.12.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.6.1	P-2	UNE ISDN/Dispatch/FL (hours)				Diagnostic
B.2.12.6.2	P-2	UNE ISDN/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.7.1	P-2	Line Sharing/Dispatch/FL (hours)				Diagnostic
B.2.12.7.2	P-2	Line Sharing/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.8.1	P-2	2W Analog Loop Design/Dispatch/FL (hours)				Diagnostic
B.2.12.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (hours)				Diagnostic
B.2.12.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (hours)				Diagnostic
B.2.12.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (hours)				Diagnostic
B.2.12.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (hours)				Diagnostic
B.2.12.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (hours)				Diagnostic
B.2.12.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.14.1	P-2	Other Design/Dispatch/FL (hours)				Diagnostic
B.2.12.14.2	P-2	Other Design/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.15.1	P-2	Other Non-Design/Dispatch/FL (hours)				Diagnostic
B.2.12.15.2	P-2	Other Non-Design/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.16.1	P-2	INP (Standalone)/Dispatch/FL (hours)				Diagnostic
B.2.12.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.17.1	P-2	LNP (Standalone)/Dispatch/FL (hours)				Diagnostic
B.2.12.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.18.1	P-2	Digital Loop < DS1/Dispatch/FL (hours)				Diagnostic
B.2.12.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (hours)				Diagnostic
B.2.12.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.20.1	P-2	Line Splitting/Dispatch/FL (hours)				Diagnostic
B.2.12.20.2	P-2	Line Splitting/Non-Dispatch/FL (hours)				Diagnostic
B.2.12.21.1	P-2	EELs/Dispatch/FL (hours)				Diagnostic
B.2.12.21.2	P-2	EELs/Non-Dispatch/FL (hours)				Diagnostic
		% Jeopardy Notice >= 48 hours - Mechanized				
B.2.13.1.1	P-2	Switch Ports/Dispatch/FL (%)				
B.2.13.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)				
B.2.13.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)				
B.2.13.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)				
B.2.13.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)				NO
B.2.13.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)				
B.2.13.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)				
B.2.13.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)				
B.2.13.4.1	P-2	Combo (other)/Dispatch/FL (%)				
B.2.13.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)				
B.2.13.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)				
B.2.13.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)				
B.2.13.6.1	P-2	UNE ISDN/Dispatch/FL (%)				YES
B.2.13.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)				
B.2.13.7.1	P-2	Line Sharing/Dispatch/FL (%)				
B.2.13.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)				
B.2.13.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)				NO
B.2.13.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)				
B.2.13.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)				YES
B.2.13.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)				
B.2.13.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)				
B.2.13.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)				
B.2.13.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)				
B.2.13.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)				
B.2.13.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)				YES
B.2.13.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)				
B.2.13.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)				NO

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September BST Measure	September BST Volume	September CLEC Measure	September CLEC Volume	September Standard Deviation	September Standard Error	September Zscore	September Equity	August BST Measure	August BST Volume	August CLEC Measure	August CLEC Volume	August Standard Deviation	August Standard Error	August Zscore	August Equity
B.2.13.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)	>= 95%			100.00%	20				YES			100.00%	13				YES
B.2.13.14.1	P-2	Other Design/Dispatch/FL (%)	>= 95%																
B.2.13.14.2	P-2	Other Design/Non-Dispatch/FL (%)	>= 95%																
B.2.13.15.1	P-2	Other Non-Design/Dispatch/FL (%)	>= 95%																
B.2.13.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)	>= 95%																
B.2.13.16.1	P-2	INP (Standalone)/Dispatch/FL (%)	>= 95%																
B.2.13.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)	>= 95%																
B.2.13.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)	>= 95%																
B.2.13.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)	>= 95%			98.31%	59				YES			100.00%	58				YES
B.2.13.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)	>= 95%																
B.2.13.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)	>= 95%			100.00%	188				YES			99.44%	177				YES
B.2.13.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)	>= 95%																
B.2.13.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)	>= 95%																
B.2.13.20.1	P-2	Line Splitting/Dispatch/FL (%)	>= 95%																
B.2.13.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)	>= 95%																
B.2.13.21.1	P-2	EELs/Dispatch/FL (%)	>= 95%			100.00%	35				YES			100.00%	24				YES
B.2.13.21.2	P-2	EELs/Non-Dispatch/FL (%)	>= 95%																
		% Jeopardy Notice >= 48 hours - Non-Mechanized																	
B.2.14.1.1	P-2	Switch Ports/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)	Diagnostic								Diagnostic			92.00%	25				Diagnostic
B.2.14.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)	Diagnostic			91.67%	12				Diagnostic								Diagnostic
B.2.14.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.4.1	P-2	Combo (other)/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)	Diagnostic								Diagnostic			80.00%	5				Diagnostic
B.2.14.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)	Diagnostic			100.00%	6				Diagnostic								Diagnostic
B.2.14.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)	Diagnostic								Diagnostic			96.97%	33				Diagnostic
B.2.14.6.1	P-2	UNE ISDN/Dispatch/FL (%)	Diagnostic			87.50%	16				Diagnostic								Diagnostic
B.2.14.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.7.1	P-2	Line Sharing/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)	Diagnostic			100.00%	10				Diagnostic			100.00%	6				Diagnostic
B.2.14.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)	Diagnostic			100.00%	4				Diagnostic			100.00%	2				Diagnostic
B.2.14.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic			100.00%	2				Diagnostic
B.2.14.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic			100.00%	1				Diagnostic
B.2.14.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.14.1	P-2	Other Design/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.14.2	P-2	Other Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.15.1	P-2	Other Non-Design/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.16.1	P-2	INP (Standalone)/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)	Diagnostic			90.00%	20				Diagnostic			94.29%	35				Diagnostic
B.2.14.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)	Diagnostic			97.56%	41				Diagnostic			100.00%	46				Diagnostic
B.2.14.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.20.1	P-2	Line Splitting/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)	Diagnostic			100.00%	47				Diagnostic			100.00%	23				Diagnostic
B.2.14.21.1	P-2	EELs/Dispatch/FL (%)	Diagnostic								Diagnostic								Diagnostic
B.2.14.21.2	P-2	EELs/Non-Dispatch/FL (%)	Diagnostic																
		Coordinated Customers Conversions																	
B.2.15.1	P-7	Loops with INP/FL (%)	>= 95% w in 15 min			99.95%	1,911				YES			100.00%	2,240				YES
B.2.15.2	P-7	Loops with LNP/FL (%)	>= 95% w in 15 min																
		% Hot Cuts > 15 minutes Early																	
B.2.16.1	P-7A	Time-Specific SL1/FL (%)	<= 5%			0.22%	464				YES			0.00%	412				YES
B.2.16.2	P-7A	Time-Specific SL2/FL (%)	<= 5%			0.00%	8				YES			6.25%	16				NO
B.2.16.3	P-7A	Non-Time Specific SL1/FL (%)	<= 5%			0.00%	38				YES			0.00%	31				YES
B.2.16.4	P-7A	Non-Time Specific SL2/FL (%)	<= 5%			0.00%	72				YES			0.00%	110				YES
		Hot Cut Timeliness																	
B.2.17.1	P-7A	Time-Specific SL1/FL (%)	>= 95% w in 15 min			99.78%	464				YES			100.00%	412				YES
B.2.17.2	P-7A	Time-Specific SL2/FL (%)	>= 95% w in 15 min			100.00%	8				YES			93.75%	16				NO
B.2.17.3	P-7A	Non-Time Specific SL1/FL (%)	>= 95% w in 15 min			100.00%	38				YES			100.00%	31				YES
B.2.17.4	P-7A	Non-Time Specific SL2/FL (%)	>= 95% w in 15 min			100.00%	72				YES			100.00%	110				YES
		% Hot Cuts > 15 minutes Late																	
B.2.18.1	P-7A	Time-Specific SL1/FL (%)	<= 5%			0.00%	464				YES			0.00%	412				YES
B.2.18.2	P-7A	Time-Specific SL2/FL (%)	<= 5%			0.00%	8				YES			0.00%	16				YES
B.2.18.3	P-7A	Non-Time Specific SL1/FL (%)	<= 5%			0.00%	38				YES			0.00%	31				YES
B.2.18.4	P-7A	Non-Time Specific SL2/FL (%)	<= 5%			0.00%	72				YES			0.00%	110				YES
		% Hot Cuts > 120 minutes Early IDLC																	
B.2.19.1	P-7A	SL1 IDLC/FL (%)	<= 5%			0.00%	188				YES			0.00%	149				YES
B.2.19.2	P-7A	SL2 IDLC/FL (%)	<= 5%			0.00%	42				YES			0.00%	52				YES
		Hot Cut Timeliness IDLC																	
B.2.20.1	P-7A	SL1 IDLC/FL (%)	>= 95% w in 240 min			100.00%	188				YES			100.00%	149				YES
B.2.20.2	P-7A	SL2 IDLC/FL (%)	>= 95% w in 240 min			100.00%	42				YES			100.00%	52				YES
		% Hot Cuts > 120 minutes Late IDLC																	
B.2.21.1	P-7A	SL1 IDLC/FL (%)	<= 5%			0.00%	188				YES			0.00%	149				YES
B.2.21.2	P-7A	SL2 IDLC/FL (%)	<= 5%			0.00%	42				YES			0.00%	52				YES
		Average Recovery Time - CCC																	
B.2.22.1	P-7B	Loops with INP/FL (minutes)	Diagnostic								Diagnostic								Diagnostic
B.2.22.2	P-7B	Loops with LNP/FL (minutes)	Diagnostic			322.00	24				Diagnostic			284.27	11				Diagnostic
		% Provisioning Troubles within 7 Days - Hot Cuts																	
B.2.23.1.1	P-7C	UNE Loop Design/Dispatch/FL (%)	<= 5% w in 7 days			4.62%	563				YES			4.09%	660				YES
B.2.23.1.2	P-7C	UNE Loop Design/Non-Dispatch/FL (%)	<= 5% w in 7 days																
B.2.23.2.1	P-7C	UNE Loop Non-Design/Dispatch/FL (%)	<= 5% w in 7 days			0.86%	1,046				YES			1.10%	1,361				YES
B.2.23.2.2	P-7C	UNE Loop Non-Design/Non-Dispatch/FL (%)	<= 5% w in 7 days			0.46%	650				YES			0.40%	753				YES
		% Missed Installation Appointments																	
B.2.24.1.1.1	P-3	Switch Ports/<10 circuits/Dispatch/FL (%)	R&B (POTS)	5.34%	53,375							3.33%	69,594						
B.2.24.1.1.2	P-3	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.13%	680,637							0.02%	759,312						
B.2.24.1.2.1	P-3	Switch Ports/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	4.63%	389							3.06%	379						

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			July								June								May			
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume
B.2.13.13.2	P-2	Other Design/Non-Dispatch/FL (%)			90.00%	10				NO			100.00%	16				YES			100.00%	15
B.2.13.14.1	P-2	Other Design/Dispatch/FL (%)																				
B.2.13.14.2	P-2	Other Design/Non-Dispatch/FL (%)																				
B.2.13.15.1	P-2	Other Non-Design/Dispatch/FL (%)			100.00%	1				YES												
B.2.13.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)																				
B.2.13.16.1	P-2	INP (Standalone)/Dispatch/FL (%)																				
B.2.13.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)																				
B.2.13.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)																				
B.2.13.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)			100.00%	53				YES			98.23%	53				YES			98.61%	59
B.2.13.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)																				
B.2.13.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)			99.41%	170				YES			99.39%	164				YES			100.00%	197
B.2.13.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)																				
B.2.13.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)																				
B.2.13.20.1	P-2	Line Splitting/Dispatch/FL (%)																				
B.2.13.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)			100.00%	14				YES			100.00%	3				YES			100.00%	4
B.2.13.21.1	P-2	EELs/Dispatch/FL (%)																				
B.2.13.21.2	P-2	EELs/Non-Dispatch/FL (%)																				
		% Jeopardy Notice >= 48 hours - Non-Mechanized								Diagnostic								Diagnostic				
B.2.14.1.1	P-2	Switch Ports/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)								Diagnostic								Diagnostic			100.00%	11
B.2.14.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)			92.31%	13				Diagnostic			86.96%	23				Diagnostic				
B.2.14.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)								Diagnostic								Diagnostic			100.00%	2
B.2.14.3.4	P-2	Loop + Port Combinations/Dispatch In/FL (%)			100.00%	1				Diagnostic								Diagnostic				
B.2.14.4.1	P-2	Combo (other)/Dispatch/FL (%)								Diagnostic			83.33%	12				Diagnostic			82.35%	17
B.2.14.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)			92.31%	13				Diagnostic								Diagnostic				
B.2.14.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)								Diagnostic			95.83%	24				Diagnostic			98.55%	69
B.2.14.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)			100.00%	41				Diagnostic								Diagnostic				
B.2.14.6.1	P-2	UNE ISDN/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)								Diagnostic								Diagnostic			100.00%	5
B.2.14.7.1	P-2	Line Sharing/Dispatch/FL (%)								Diagnostic			100.00%	3				Diagnostic				
B.2.14.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)			100.00%	4				Diagnostic								Diagnostic			83.33%	6
B.2.14.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)								Diagnostic			50.00%	2				Diagnostic				
B.2.14.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)			80.00%	5				Diagnostic								Diagnostic				
B.2.14.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)								Diagnostic			100.00%	1				Diagnostic			100.00%	2
B.2.14.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)								Diagnostic			100.00%	1				Diagnostic				
B.2.14.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)								Diagnostic								Diagnostic			100.00%	2
B.2.14.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)			100.00%	1				Diagnostic								Diagnostic				
B.2.14.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)			100.00%	1				Diagnostic								Diagnostic				
B.2.14.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)								Diagnostic								Diagnostic			100.00%	2
B.2.14.14.1	P-2	Other Design/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.14.2	P-2	Other Design/Non-Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.15.1	P-2	Other Non-Design/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.16.1	P-2	INP (Standalone)/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)								Diagnostic								Diagnostic			98.43%	64
B.2.14.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)								Diagnostic			93.75%	32				Diagnostic				
B.2.14.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)			98.04%	51				Diagnostic								Diagnostic			100.00%	94
B.2.14.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)								Diagnostic			100.00%	51				Diagnostic				
B.2.14.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)			100.00%	42				Diagnostic								Diagnostic				
B.2.14.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)								Diagnostic								Diagnostic				
B.2.14.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)								Diagnostic								Diagnostic			100.00%	95
B.2.14.20.1	P-2	Line Splitting/Dispatch/FL (%)								Diagnostic			100.00%	60				Diagnostic				
B.2.14.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)			100.00%	29				Diagnostic								Diagnostic				
B.2.14.21.1	P-2	EELs/Dispatch/FL (%)																				
B.2.14.21.2	P-2	EELs/Non-Dispatch/FL (%)																				
		Coordinated Customers Conversions																				
B.2.15.1	P-7	Loops with INP/FL (%)																			99.84%	6,395
B.2.15.2	P-7	Loops with LNP/FL (%)			100.00%	2,841				YES			100.00%	3,254				YES				
		% Hot Cuts > 15 minutes Early								YES								YES			0.20%	986
B.2.16.1	P-7A	Time-Specific SL1/FL (%)			0.20%	491				YES			0.49%	615				YES			2.86%	35
B.2.16.2	P-7A	Time-Specific SL2/FL (%)			0.00%	21				YES			0.00%	21				YES			0.00%	381
B.2.16.3	P-7A	Non-Time Specific SL1/FL (%)			0.00%	32				YES			0.00%	38				YES			0.00%	336
B.2.16.4	P-7A	Non-Time Specific SL2/FL (%)			0.00%	135				YES			0.00%	206				YES				
		Hot Cut Timeliness																			98.58%	986
B.2.17.1	P-7A	Time-Specific SL1/FL (%)			99.80%	491				YES			97.07%	615				YES			97.14%	35
B.2.17.2	P-7A	Time-Specific SL2/FL (%)			100.00%	21				YES			95.24%	21				YES			100.00%	381
B.2.17.3	P-7A	Non-Time Specific SL1/FL (%)			100.00%	32				YES			100.00%	38				YES			100.00%	336
B.2.17.4	P-7A	Non-Time Specific SL2/FL (%)			100.00%	135				YES			100.00%	206				YES				
		% Hot Cuts > 15 minutes Late								YES								YES			1.22%	986
B.2.18.1	P-7A	Time-Specific SL1/FL (%)			0.00%	491				YES			2.44%	615				YES			0.00%	35
B.2.18.2	P-7A	Time-Specific SL2/FL (%)			0.00%	21				YES			4.76%	21				YES			0.00%	381
B.2.18.3	P-7A	Non-Time Specific SL1/FL (%)			0.00%	32				YES			0.00%	38				YES			0.00%	336
B.2.18.4	P-7A	Non-Time Specific SL2/FL (%)			0.00%	135				YES			0.00%	206				YES				
		% Hot Cuts > 120 minutes Early IDLC			0.00%	181				YES												
B.2.19.1	P-7A	SL1 IDLC/FL (%)			0.00%	57				YES												
B.2.19.2	P-7A	SL2 IDLC/FL (%)																				
		Hot Cut Timeliness IDLC			100.00%	181				YES												
B.2.20.1	P-7A	SL1 IDLC/FL (%)			100.00%	57				YES												
B.2.20.2	P-7A	SL2 IDLC/FL (%)																				
		% Hot Cuts > 120 minutes Late IDLC			0.00%	181				YES												
B.2.21.1	P-7A	SL1 IDLC/FL (%)			0.00%	57				YES												
B.2.21.2	P-7A	SL2 IDLC/FL (%)																				
		Average Recovery Time - CCC								Diagnostic								Diagnostic				
B.2.22.1	P-7B	Loops with INP/FL (minutes)			661.27	26				Diagnostic			553.91	18				Diagnostic			454.23	39
B.2.22.2	P-7B	Loops with LNP/FL (minutes)																				
		% Provisioning Troubles within 7 Days - Hot Cuts			2.10%	1,000				YES			2.70%	1,518				YES			2.54%	1,253
B.2.23.1.1	P-7C	UNE Loop Design/Dispatch/FL (%)																			1.22%	4,178
B.2.23.1.2	P-7C	UNE Loop Design/Non-Dispatch/FL (%)			1.18%	1,445				YES			0.78%	3,795				YES			0.52%	1,160
B.2.23.2.1	P-7C	UNE Loop Non-Design/Dispatch/FL (%)			0.25%	810				YES			0.27%	1,127				YES				
B.2.23.2.2	P-7C	UNE Loop Non-Design/Non-Dispatch/FL (%)																				
		% Missed Installation Appointments	8.37%	61,289							5.38%	56,131							3.41%	78,501		
B.2.24.1.1.1	P-3	Switch Ports/<10 circuits/Dispatch/FL (%)	0.02%	720,032							0.03%	662,774							0.09%	754,118		
B.2.24.1.1.2	P-3	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	6.10%	377							4.63%	387							3.92%	383		
B.2.24.1.2.1	P-3	Switch Ports/>=10 circuits/Dispatch/FL (%)																				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Standard Deviation	Standard Error	Zscore	Equity
B.2.13.13.2	P-2	2W Analog Loop with INP Non-Design/Non-Dispatch/FL (%)				YES
B.2.13.14.1	P-2	Other Design/Dispatch/FL (%)				
B.2.13.14.2	P-2	Other Design/Non-Dispatch/FL (%)				
B.2.13.15.1	P-2	Other Non-Design/Dispatch/FL (%)				
B.2.13.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)				
B.2.13.16.1	P-2	INP (Standalone)/Dispatch/FL (%)				
B.2.13.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)				
B.2.13.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)				
B.2.13.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)				
B.2.13.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)				YES
B.2.13.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)				
B.2.13.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)				YES
B.2.13.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)				
B.2.13.20.1	P-2	Line Splitting/Dispatch/FL (%)				
B.2.13.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)				
B.2.13.21.1	P-2	EELs/Dispatch/FL (%)				YES
B.2.13.21.2	P-2	EELs/Non-Dispatch/FL (%)				
		% Jeopardy Notice >= 48 hours - Non-Mechanized				
B.2.14.1.1	P-2	Switch Ports/Dispatch/FL (%)				Diagnostic
B.2.14.1.2	P-2	Switch Ports/Non-Dispatch/FL (%)				Diagnostic
B.2.14.2.1	P-2	Local Interoffice Transport/Dispatch/FL (%)				Diagnostic
B.2.14.2.2	P-2	Local Interoffice Transport/Non-Dispatch/FL (%)				Diagnostic
B.2.14.3.1	P-2	Loop + Port Combinations/Dispatch/FL (%)				Diagnostic
B.2.14.3.2	P-2	Loop + Port Combinations/Non-Dispatch/FL (%)				Diagnostic
B.2.14.3.3	P-2	Loop + Port Combinations/Switch Based Orders/FL (%)				Diagnostic
B.2.14.3.4	P-2	Loop + Port Combinations/Dispatch Int/FL (%)				Diagnostic
B.2.14.4.1	P-2	Combo (other)/Dispatch/FL (%)				Diagnostic
B.2.14.4.2	P-2	Combo (other)/Non-Dispatch/FL (%)				Diagnostic
B.2.14.5.1	P-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL (%)				Diagnostic
B.2.14.5.2	P-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL (%)				Diagnostic
B.2.14.6.1	P-2	UNE ISDN/Dispatch/FL (%)				Diagnostic
B.2.14.6.2	P-2	UNE ISDN/Non-Dispatch/FL (%)				Diagnostic
B.2.14.7.1	P-2	Line Sharing/Dispatch/FL (%)				Diagnostic
B.2.14.7.2	P-2	Line Sharing/Non-Dispatch/FL (%)				Diagnostic
B.2.14.8.1	P-2	2W Analog Loop Design/Dispatch/FL (%)				Diagnostic
B.2.14.8.2	P-2	2W Analog Loop Design/Non-Dispatch/FL (%)				Diagnostic
B.2.14.9.1	P-2	2W Analog Loop Non-Design/Dispatch/FL (%)				Diagnostic
B.2.14.9.2	P-2	2W Analog Loop Non-Design/Non-Dispatch/FL (%)				Diagnostic
B.2.14.10.1	P-2	2W Analog Loop w/INP Design/Dispatch/FL (%)				Diagnostic
B.2.14.10.2	P-2	2W Analog Loop w/INP Design/Non-Dispatch/FL (%)				Diagnostic
B.2.14.11.1	P-2	2W Analog Loop w/INP Non-Design/Dispatch/FL (%)				Diagnostic
B.2.14.11.2	P-2	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL (%)				Diagnostic
B.2.14.12.1	P-2	2W Analog Loop w/LNP Design/Dispatch/FL (%)				Diagnostic
B.2.14.12.2	P-2	2W Analog Loop w/LNP Design/Non-Dispatch/FL (%)				Diagnostic
B.2.14.13.1	P-2	2W Analog Loop w/LNP Non-Design/Dispatch/FL (%)				Diagnostic
B.2.14.13.2	P-2	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL (%)				Diagnostic
B.2.14.14.1	P-2	Other Design/Dispatch/FL (%)				Diagnostic
B.2.14.14.2	P-2	Other Design/Non-Dispatch/FL (%)				Diagnostic
B.2.14.15.1	P-2	Other Non-Design/Dispatch/FL (%)				Diagnostic
B.2.14.15.2	P-2	Other Non-Design/Non-Dispatch/FL (%)				Diagnostic
B.2.14.16.1	P-2	INP (Standalone)/Dispatch/FL (%)				Diagnostic
B.2.14.16.2	P-2	INP (Standalone)/Non-Dispatch/FL (%)				Diagnostic
B.2.14.17.1	P-2	LNP (Standalone)/Dispatch/FL (%)				Diagnostic
B.2.14.17.2	P-2	LNP (Standalone)/Non-Dispatch/FL (%)				Diagnostic
B.2.14.18.1	P-2	Digital Loop < DS1/Dispatch/FL (%)				Diagnostic
B.2.14.18.2	P-2	Digital Loop < DS1/Non-Dispatch/FL (%)				Diagnostic
B.2.14.19.1	P-2	Digital Loop >= DS1/Dispatch/FL (%)				Diagnostic
B.2.14.19.2	P-2	Digital Loop >= DS1/Non-Dispatch/FL (%)				Diagnostic
B.2.14.20.1	P-2	Line Splitting/Dispatch/FL (%)				Diagnostic
B.2.14.20.2	P-2	Line Splitting/Non-Dispatch/FL (%)				Diagnostic
B.2.14.21.1	P-2	EELs/Dispatch/FL (%)				Diagnostic
B.2.14.21.2	P-2	EELs/Non-Dispatch/FL (%)				Diagnostic
		Coordinated Customers Conversions				
B.2.15.1	P-7	Loops with INP/FL (%)				YES
B.2.15.2	P-7	Loops with LNP/FL (%)				
		% Hot Cuts > 15 minutes Early				
B.2.16.1	P-7A	Time-Specific SL1/FL (%)				YES
B.2.16.2	P-7A	Time-Specific SL2/FL (%)				YES
B.2.16.3	P-7A	Non-Time Specific SL1/FL (%)				YES
B.2.16.4	P-7A	Non-Time Specific SL2/FL (%)				YES
		Hot Cut Timeliness				
B.2.17.1	P-7A	Time-Specific SL1/FL (%)				YES
B.2.17.2	P-7A	Time-Specific SL2/FL (%)				YES
B.2.17.3	P-7A	Non-Time Specific SL1/FL (%)				YES
B.2.17.4	P-7A	Non-Time Specific SL2/FL (%)				YES
		% Hot Cuts > 15 minutes Late				
B.2.18.1	P-7A	Time-Specific SL1/FL (%)				YES
B.2.18.2	P-7A	Time-Specific SL2/FL (%)				YES
B.2.18.3	P-7A	Non-Time Specific SL1/FL (%)				YES
B.2.18.4	P-7A	Non-Time Specific SL2/FL (%)				YES
		% Hot Cuts > 120 minutes Early IDLC				
B.2.19.1	P-7A	SL1 IDLC/FL (%)				
B.2.19.2	P-7A	SL2 IDLC/FL (%)				
		Hot Cut Timeliness IDLC				
B.2.20.1	P-7A	SL1 IDLC/FL (%)				
B.2.20.2	P-7A	SL2 IDLC/FL (%)				
		% Hot Cuts > 120 minutes Late IDLC				
B.2.21.1	P-7A	SL1 IDLC/FL (%)				
B.2.21.2	P-7A	SL2 IDLC/FL (%)				
		Average Recovery Time - CCC				
B.2.22.1	P-7B	Loops with INP/FL (minutes)				Diagnostic
B.2.22.2	P-7B	Loops with LNP/FL (minutes)				Diagnostic
		% Provisioning Troubles within 7 Days - Hot Cuts				
B.2.23.1.1	P-7C	UNE Loop Design/Dispatch/FL (%)				YES
B.2.23.1.2	P-7C	UNE Loop Design/Non-Dispatch/FL (%)				
B.2.23.2.1	P-7C	UNE Loop Non-Design/Dispatch/FL (%)				YES
B.2.23.2.2	P-7C	UNE Loop Non-Design/Non-Dispatch/FL (%)				YES
		% Missed Installation Appointments				
B.2.24.1.1.1	P-3	Switch Ports/<10 circuits/Dispatch/FL (%)				
B.2.24.1.1.2	P-3	Switch Ports/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.1.2.1	P-3	Switch Ports/>=10 circuits/Dispatch/FL (%)				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September BST Measure	September BST Volume	September CLEC Measure	September CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	August BST Measure	August BST Volume	August CLEC Measure	August CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity
1.2.24.1.2.2	P-3	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	12							0.00%	23						
1.2.24.2.1.1	P-3	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice	0.72%	1,938	0.00%	22		0.01516	0.3979	YES	1.51%	2,385	0.00%	5		0.05459	0.2766	YES
1.2.24.2.1.2	P-3	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.24.2.2.1	P-3	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.24.2.2.2	P-3	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.24.3.1.1	P-3	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	R&B	5.31%	54,424	6.14%	1,433		0.00600	-1.3812	YES	5.40%	71,710	5.08%	2,076		0.00503	0.6818	YES
1.2.24.3.1.2	P-3	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	R&B	0.14%	684,181	0.09%	44,103		0.00018	2.7098	YES	0.02%	762,023	0.19%	67,451		0.00006	-28.4557	NO
1.2.24.3.1.3	P-3	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	R&B	0.00%	358,130	0.00%	10,740		0.00000		YES	0.00%	401,246	0.00%	23,629		0.00000		YES
1.2.24.3.1.4	P-3	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)	R&B	0.28%	329,051	0.11%	33,383		0.00031	5.5490	YES	0.04%	380,777	0.20%	43,822		0.00011	-22.8122	NO
1.2.24.3.2.1	P-3	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	R&B	5.37%	428	7.69%	13		0.06349	-0.3532	YES	3.35%	448	7.14%	14		0.04882	-0.7772	YES
1.2.24.3.2.2	P-3	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	R&B	0.56%	172	25.00%	4		0.03845	-6.3502	NO	0.00%	292	0.00%	5		0.00000		YES
1.2.24.3.2.3	P-3	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	R&B	0.00%	63							0.00%	120						
1.2.24.3.2.4	P-3	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	R&B	0.92%	109	25.00%	4		0.04854	-4.9616	NO	0.00%	172	0.00%	5		0.00000		YES
1.2.24.4.1.1	P-3	Combo (other)/<10 circuits/Dispatch/FL (%)	R&B&D - Disp	5.20%	57,181							5.30%	74,548						
1.2.24.4.1.4	P-3	Combo (other)/<10 circuits/Dispatch In/FL (%)	R&B&D - Disp	5.20%	57,181							5.30%	74,548						
1.2.24.4.2.1	P-3	Combo (other)/>=10 circuits/Dispatch/FL (%)	R&B&D - Disp	3.49%	773							2.11%	757						
1.2.24.4.2.4	P-3	Combo (other)/>=10 circuits/Dispatch In/FL (%)	R&B&D - Disp	3.49%	773							2.11%	757						
1.2.24.5.1.1	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Dispatch/FL (%)	ADSL to Retail			50.00%	2												
1.2.24.5.1.2	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail																
1.2.24.5.2.1	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Dispatch/FL (%)	ADSL to Retail																
1.2.24.5.2.2	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Non-Dispatch/FL (%	ADSL to Retail																
1.2.24.6.1.1	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Dispatch/FL (%)	ADSL to Retail	4.17%	14,233	0.48%	209		0.01392	2.6468	YES	3.10%	10,345	2.38%	194		0.01257	0.4183	YES
1.2.24.6.1.2	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Non-Dispatch/FL (%	ADSL to Retail	0.07%	8,265							0.05%	6,331						
1.2.24.6.2.1	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	0.00%	17							0.00%	19						
1.2.24.6.2.2	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Non-Dispatch/FL (	ADSL to Retail	0.00%	1														
1.2.24.7.1.1	P-3	UNE ISDN/<10 circuits/Dispatch/FL (%)	ISDN - BRI	3.11%	322	4.08%	245		0.01471	-0.0637	YES	3.47%	460	6.50%	246		0.01430	-2.1222	NO
1.2.24.7.1.2	P-3	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)	ISDN - BRI	0.71%	423							0.85%	460						
1.2.24.7.2.1	P-3	UNE ISDN/>=10 circuits/Dispatch/FL (%)	ISDN - BRI																
1.2.24.7.2.2	P-3	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)	ISDN - BRI																
1.2.24.8.1.1	P-3	Line Sharing/<10 circuits/Dispatch/FL (%)	ADSL to Retail	4.17%	14,233	2.22%	45		0.02983	0.6516	YES	3.10%	10,345	0.00%	25		0.03472	0.9637	YES
1.2.24.8.1.2	P-3	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	0.07%	8,265	0.36%	279		0.00164	-1.7434	NO	0.05%	6,331	0.00%	138		0.00187	0.2530	YES
1.2.24.8.2.1	P-3	Line Sharing/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	0.00%	17							0.00%	19						
1.2.24.8.2.2	P-3	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	0.00%	1														
1.2.24.9.1.1	P-3	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	5.31%	54,424	0.83%	240		0.01451	3.0699	YES	5.40%	71,710	2.31%	303		0.01301	2.3751	YES
1.2.24.9.1.2	P-3	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	5.31%	54,424							5.40%	71,710						
1.2.24.9.2.1	P-3	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	5.37%	428	0.00%	8		0.08047	0.6678	YES	3.35%	448	0.00%	4		0.09035	0.3706	YES
1.2.24.9.2.2	P-3	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	5.37%	428							3.35%	448						
1.2.24.10.1.1	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	5.34%	53,375	1.82%	933		0.00743	4.7395	YES	5.53%	69,594	1.46%	893		0.00770	5.2896	YES
1.2.24.10.1.4	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.28%	323,434	0.00%	9		0.01773	0.1991	YES	0.04%	358,945	0.00%	9		0.00695	0.0626	YES
1.2.24.10.2.1	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	4.63%	389	0.00%	21		0.04706	0.9632	YES	3.96%	379	5.00%	20		0.04473	-0.2330	YES
1.2.24.10.2.4	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	4							0.00%	8	0.00%	1		0.00000		YES
1.2.24.11.1.1	P-3	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	5.31%	54,424							5.40%	71,710	0.00%	2		0.15983	0.3379	YES
1.2.24.11.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	5.31%	54,424							5.40%	71,710						
1.2.24.11.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	5.37%	428							3.35%	448						
1.2.24.11.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	5.37%	428							3.35%	448						
1.2.24.12.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	5.34%	53,375	0.00%	2		0.15600	0.3359	YES	5.53%	69,594	0.00%	1		0.22650	0.2419	YES
1.2.24.12.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.28%	323,434							0.04%	358,945	0.00%	1		0.02084	0.0209	YES
1.2.24.12.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	4.63%	389							3.96%	379						
1.2.24.12.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	4							0.00%	8						
1.2.24.13.1.1	P-3	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	5.31%	54,424	1.22%	82		0.02479	1.6512	YES	5.40%	71,710	0.81%	124		0.02032	2.2615	YES
1.2.24.13.1.2	P-3	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	5.31%	54,424							5.40%	71,710						
1.2.24.13.2.1	P-3	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	5.37%	428	0.00%	1		0.22576	0.2380	YES	3.35%	448	11.11%	9		0.06056	-1.2818	YES
1.2.24.13.2.2	P-3	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	5.37%	428							3.35%	448						
1.2.24.14.1.1	P-3	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	5.34%	53,375	1.15%	260		0.01396	2.9956	YES	5.53%	69,594	0.70%	285		0.01356	3.5573	YES
1.2.24.14.1.4	P-3	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.28%	323,434	0.94%	318		0.00296	-2.2098	NO	0.04%	358,945	0.42%	237		0.00135	-2.7946	NO
1.2.24.14.2.1	P-3	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	4.63%	389	0.00%	10		0.06726	0.6878	YES	3.96%	379	0.00%	18		0.04703	0.8415	YES
1.2.24.14.2.4	P-3	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	4	0.00%	8		0.00000		YES	0.00%	8	0.00%	8		0.00000		YES
1.2.24.15.1.1	P-3	Other Design/<10 circuits/Dispatch/FL (%)	Design	3.00%	2,737	0.00%	4		0.08530	0.3512	YES	2.75%	2,638						
1.2.24.15.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/FL (%)	Design	0.96%	811							0.63%	954						
1.2.24.15.2.1	P-3	Other Design/>=10 circuits/Dispatch/FL (%)	Design	1.16%	345							0.32%	309						
1.2.24.15.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/FL (%)	Design	4.35%	46							0.00%	47						
1.2.24.16.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/FL (%)	R&B	5.31%	54,424	100.00%	1		0.22427	-4.2220	NO	5.40%	71,710	0.00%	2		0.15983	0.3379	YES
1.2.24.16.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	R&B	0.14%	684,181							0.02%	762,023						
1.2.24.16.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/FL (%)	R&B	5.37%	428							3.35%	448						
1.2.24.16.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	R&B	0.58%	172							0.00%	292						
1.2.24.17.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	5.34%	53,375							5.53%	69,594						
1.2.24.17.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.13%	680,837							0.02%	759,312						
1.2.24.17.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	4.63%	389							3.96%	379						
1.2.24.17.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	12							0.00%	23						
1.2.24.18.1.1	P-3	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	5.34%	53,375	0.00%	1		0.22486	0.2375	YES	5.53%	69,594	0.00%	3		0.13192	0.4189	YES
1.2.24.18.1.2	P-3	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.13%	680,837	0.00%	2,848		0.00069	1.9588	YES	0.02%	759,312	0.03%	3,253		0.00025	-0.4049	YES
1.2.24.18.2.1	P-3	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	4.63%	389							3.96%	379						
1.2.24.18.2.2	P-3	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	12	0.00%	5		0.00000		YES	0.00%	23	0.00%	13		0.00000		YES
1.2.24.19.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	Digital Loop < DS1	4.14%	14,824	2.67%	449		0.00954	1.5335	YES	3.10%	11,222	4.64%	431		0.00651	-1.8091	NO
1.2.24.19.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	0.10%	9,000							0.11%	7,404						
1.2.24.19.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop < DS1	0.00%	17							0.00%	19						
1.2.24.19.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	0.00%	1							0.00%	1						
1.2.24.20.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	1.33%	754	4.37%	343		0.00745	-4.0805	NO	0.69%	1,596	4.01%	324		0.00504	-8.3980	NO
1.2.24.20.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.08%	1,179							0.11%	897						
1.2.24.20.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	0.83%	120							0.63%	160						
1.2.24.20.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	1.23%	81							0.00%	89						
1.2.24.21.1.1	P-3	Line Splitting/<10 circuits/Dispatch/FL (%)	ADSL to Retail	4.17%	14,233							3.10%	10,345						
1.2.24.21.1.2	P-3	Line Splitting/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	0.07%	8,265							0.05%	6,331						
1.2.24.21.2.1	P-3	Line Splitting/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	0.00%	17							0.00%	19						
1.2.24.21.2.2	P-3	Line Splitting/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	0.00%	1														
1.2.24.22.1.1	P-3	EELs/<10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice	0.72%	1,938	2.29%	131		0.00785	-2.0906	NO	1.51%	2,385	2.20%	91		0.01302	-0.5286	YES
1.2.24.22.1.2	P-3	EELs/<10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.24.22.2.1	P-3	EELs/>=10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.24.22.2.2	P-3	EELs/>=10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
		% Missed Installation Appointments Including Subs																	
1.2.25.1.1.1	P-3A	Switch Ports/<10 circuits/Dispatch/FL (%)	R&B (POTS)	7.87%	64,365							7.64%	82,908						
1.2.25.1.1.2	P-3A	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.14%	684,049							0.02%	762,800						
1.2.25.1.2.1	P-3A	Switch Ports/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	9.18%	566							8.96%	558						
1.2.25.1.2.2	P-3A	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	14							0.00%	23						
1.2.25.2.1.1	P-3A	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice	1.16%	2,457	0.00%	22		0.02313	0.5103	YES	2.50%	2,895	0.00%	8		0.05622	0.4604	YES
1.2.25.2.1.2	P-3A	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.25.2.2.1	P-3A	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.25.2.2.2	P-3A	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
1.2.25.3.1.1	P-3A	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	R&B	7.63%	65,586	5.94%	1,716		0.00549	2.5944	YES	7.49%	85,266	5.73%	2,480		0.00536	3.2971	YES
1.2.25.3.1.2	P-3A	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	R&B	0.14%	686,071	0.00%	44,383		0.00018	2.5906	YES	0.02%	765,595	0.19%	67,842		0.00006	-27.8583	NO
1.2.25.3.1.2	P-3A	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	R&B	0.00%	358,157	0.00%	10,742		0.00000		YES	0.00%	401,273	0.00%	23,628		0.00001	0.3335	YES
1.2.25.3.1.3	P-3A	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	R&B	0.28%	329,914	0.12%	33,621		0.00030	5.4313	YES	0.05%	364,322	0.29%	44,214		0.00011	-22.2922	NO
1.2.25.3.1.4	P-3A	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)																	

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			July								June								May			
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume
B.2.24.1.2.2	P-3	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	0.00%	9							0.00%	21							0.00%	12		
B.2.24.2.1.1	P-3	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	1.15%	2,080	0.00%	6		0.04366	0.2643	YES	0.95%	2,095	0.00%	14		0.02807	0.3660	YES	0.76%	2,107	0.00%	31
B.2.24.2.1.2	P-3	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)																				
B.2.24.2.2.1	P-3	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)											0.00%	1					0.00%	1		
B.2.24.2.2.2	P-3	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)																				
B.2.24.3.1.1	P-3	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	6.35%	62,022	5.39%	1,817		0.00580	1.6444	YES	5.40%	56,778	4.08%	1,567		0.00579	2.2706	YES	3.41%	79,170	3.67%	1,500
B.2.24.3.1.2	P-3	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	0.02%	722,384	0.09%	65,002		0.00006	-10.6193	NO	0.03%	694,871	0.13%	49,428		0.00008	-13.2127	NO	0.10%	757,172	0.20%	41,033
B.2.24.3.1.3	P-3	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	0.00%	391,101	0.00%	23,910		0.00000		YES	0.00%	350,336	0.00%	19,770		0.00000		YES	0.00%	380,795	0.00%	21,422
B.2.24.3.1.4	P-3	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)	0.05%	331,283	0.14%	41,092		0.00012	-7.7290	NO	0.06%	334,535	0.22%	29,658		0.00015	-11.0857	NO	0.10%	376,377	0.43%	19,611
B.2.24.3.2.1	P-3	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	6.11%	442	14.29%	14		0.06501	-1.2578	YES	8.64%	440	0.00%	14		0.07628	1.1325	YES	3.63%	441	9.09%	11
B.2.24.3.2.2	P-3	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	0.00%	267	0.00%	4		0.00000		YES	0.00%	172	0.00%	3		0.00000		YES	0.00%	270	0.00%	9
B.2.24.3.2.3	P-3	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	0.00%	56	0.00%	1		0.00000		YES	0.00%	35							0.00%	90	0.00%	5
B.2.24.3.2.4	P-3	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	0.00%	211	0.00%	3		0.00000		YES	0.00%	137	0.00%	3		0.00000		YES	0.00%	180	0.00%	4
B.2.24.4.1.1	P-3	Combo (other)/<10 circuits/Dispatch/FL (%)	6.19%	65,194	0.00%	2		0.17039	0.3632	YES	5.26%	59,546	0.00%	1		0.22332	0.2357	YES	3.38%	82,099	0.00%	2
B.2.24.4.1.4	P-3	Combo (other)/<10 circuits/Dispatch In/FL (%)	6.19%	65,194							5.26%	59,546							3.38%	82,099		
B.2.24.4.2.1	P-3	Combo (other)/>=10 circuits/Dispatch/FL (%)	6.04%	447							7.17%	530							3.46%	462		
B.2.24.4.2.4	P-3	Combo (other)/>=10 circuits/Dispatch In/FL (%)	6.04%	447							7.17%	530							3.46%	462		
B.2.24.5.1.1	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Dispatch/FL (%)			0.00%	1							100.00%	1							0.00%	2
B.2.24.5.1.2	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Non-Dispatch/FL (%																				
B.2.24.5.2.1	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Dispatch/FL (%)																				
B.2.24.5.2.2	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Non-Dispatch/FL (																				
B.2.24.6.1.1	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Dispatch/FL (%)			2.67%	262							1.85%	271							1.79%	280
B.2.24.6.1.2	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Non-Dispatch/FL (%																				
B.2.24.6.2.1	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Dispatch/FL (%)											0.00%	1								
B.2.24.6.2.2	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Non-Dispatch/FL (%																				
B.2.24.7.1.1	P-3	UNE ISDN/<10 circuits/Dispatch/FL (%)	5.48%	347	2.32%	345		0.01730	1.6250	YES	7.00%	257	2.11%	284		0.02197	2.2261	YES	2.66%	263	2.59%	464
B.2.24.7.1.2	P-3	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)	1.15%	348							3.16%	316							2.21%	453		
B.2.24.7.2.1	P-3	UNE ISDN/>=10 circuits/Dispatch/FL (%)			0.00%	1																
B.2.24.7.2.2	P-3	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)																				
B.2.24.8.1.1	P-3	Line Sharing/<10 circuits/Dispatch/FL (%)	5.51%	9,549	8.57%	35		0.03863	-0.7926	YES	4.67%	9,817	5.41%	37		0.03475	-0.2120	YES	3.32%	9,120	12.86%	70
B.2.24.8.1.2	P-3	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	0.02%	5,904	0.00%	112		0.00124	0.1385	YES	0.00%	5,793	0.00%	129		0.00000		YES	0.00%	5,431	0.00%	158
B.2.24.8.2.1	P-3	Line Sharing/>=10 circuits/Dispatch/FL (%)	0.00%	7							0.00%	14							6.25%	16		
B.2.24.8.2.2	P-3	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)																	0.00%	1		
B.2.24.9.1.1	P-3	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	6.35%	62,022	2.12%	377		0.01260	3.3550	YES	5.40%	56,778	1.38%	362		0.01192	3.3713	YES	3.41%	79,170	1.30%	384
B.2.24.9.1.2	P-3	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)	6.35%	62,022							5.40%	56,778							3.41%	79,170		
B.2.24.9.2.1	P-3	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	6.11%	442	0.00%	3		0.13674	0.4403	YES	8.64%	440	0.00%	5		0.12633	0.6836	YES	3.63%	441	0.00%	4
B.2.24.9.2.2	P-3	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)	6.11%	442							8.64%	440							3.63%	441		
B.2.24.10.1.1	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	6.37%	61,289	1.90%	1,002		0.00778	5.7503	YES	5.38%	56,131	2.30%	870		0.00771	3.9940	YES	3.41%	78,501	2.47%	1,498
B.2.24.10.1.4	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	0.05%	329,680	0.00%	15		0.00576	0.0864	YES	0.06%	333,057	0.00%	31		0.00428	0.1327	YES	0.19%	374,231	0.00%	25
B.2.24.10.2.1	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	6.10%	377	3.45%	29		0.04612	0.5751	YES	4.63%	367	5.00%	20		0.04826	-0.0762	YES	3.92%	383	2.04%	49
B.2.24.10.2.4	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00%	3	0.00%	1		0.00000		YES	0.00%	18							0.00%	10		
B.2.24.11.1.1	P-3	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)	6.35%	62,022	0.00%	1		0.24382	0.2603	YES	5.40%	56,778							3.41%	79,170	0.00%	1
B.2.24.11.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	6.35%	62,022							5.40%	56,778							3.41%	79,170		
B.2.24.11.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	6.11%	442							8.64%	440							3.63%	441		
B.2.24.11.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	6.11%	442							8.64%	440							3.63%	441		
B.2.24.12.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	6.37%	61,289							5.38%	56,131	0.00%	2		0.15950	0.3371	YES	3.41%	78,501	0.00%	1
B.2.24.12.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	0.05%	329,680	0.00%	1		0.02230	0.0223	YES	0.06%	333,057	0.00%	1		0.02381	0.0238	YES	0.19%	374,231	0.00%	1
B.2.24.12.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	6.10%	377							4.63%	367							3.92%	383		
B.2.24.12.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00%	3							0.00%	18							0.00%	10		
B.2.24.13.1.1	P-3	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	6.35%	62,022	0.54%	184		0.01800	3.2244	YES	5.40%	56,778	1.22%	245		0.01447	2.8847	YES	3.41%	79,170	0.27%	366
B.2.24.13.1.2	P-3	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	6.35%	62,022							5.40%	56,778							3.41%	79,170		
B.2.24.13.2.1	P-3	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	6.11%	442	0.00%	10		0.07658	0.7976	YES	8.64%	440	0.00%	11		0.08576	1.0072	YES	3.63%	441	7.69%	13
B.2.24.13.2.2	P-3	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	6.11%	442							8.64%	440							3.63%	441		
B.2.24.14.1.1	P-3	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	6.37%	61,289	0.24%	425		0.01189	5.1599	YES	5.38%	56,131	0.23%	437		0.01083	4.7526	YES	3.41%	78,501	0.36%	626
B.2.24.14.1.4	P-3	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	0.05%	329,680	0.00%	264		0.00137	0.3623	YES	0.06%	333,057	0.00%	301		0.00137	0.4132	YES	0.19%	374,231	0.23%	440
B.2.24.14.2.1	P-3	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	6.10%	377	0.00%	17		0.05034	1.0280	YES	4.63%	367	0.00%	24		0.04426	1.0460	YES	3.92%	383	0.00%	31
B.2.24.14.2.4	P-3	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00%	3	0.00%	13		0.00000		YES	0.00%	18	0.00%	4		0.00000		YES	0.00%	10	0.00%	6
B.2.24.15.1.1	P-3	Other Design/<10 circuits/Dispatch/FL (%)	3.09%	3,172	0.00%	3		0.09665	0.3091	YES	2.62%	2,868							2.55%	2,869		
B.2.24.15.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/FL (%)	0.43%	705							1.36%	588							0.95%	843		
B.2.24.15.2.1	P-3	Other Design/>=10 circuits/Dispatch/FL (%)	0.00%	5							0.00%	90							0.00%	21		
B.2.24.15.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/FL (%)	0.00%	3							0.00%	4							0.00%	4		
B.2.24.16.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/FL (%)	6.35%	62,022	9.09%	11		0.07352	-0.3731	YES									3.41%	79,170	0.00%	65
B.2.24.16.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	0.02%	722,384															0.10%	757,172		
B.2.24.16.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/FL (%)	6.11%	442															3.63%	441		
B.2.24.16.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	0.00%	267															0.00%	270		
B.2.24.17.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/FL (%)	6.37%	61,289							5.38%	56,131							3.41%	78,501		
B.2.24.17.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	0.02%	720,032							0.03%	682,774							0.09%	754,118		
B.2.24.17.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	6.10%	377							4.63%	367							3.92%	383		
B.2.24.17.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	0.00%	9							0.00%	21							0.00%	12		
B.2.24.18.1.1	P-3	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	6.37%	61,289	0.00%	5		0.10921	0.5831	YES	5.38%	56,131	0.00%	12		0.06512	0.8257	YES	3.41%	78,501	0.00%	1
B.2.24.18.1.2	P-3	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	0.02%	720,032	0.13%	3,054		0.00027	-3.9540	NO	0.03%	682,774	0.00%	2,753		0.00032	0.8713	YES	0.09%	754,118	0.27%	3,350
B.2.24.18.2.1	P-3	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	6.10%	377							4.63%	367							3.92%	383		
B.2.24.18.2.2	P-3	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	0.00%	9	0.00%	20		0.00000		YES	0.00%	21	0.00%	13		0.00000		YES	0.00%	12	0.00%	14
B.2.24.19.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	5.45%	10,220	2.53%	592		0.00960	3.0390	YES	4.72%	10,246	1.86%	529		0.00946	2.9955	YES	3.36%	9,833	2.20%	726
B.2.24.19.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	0.08%	6,623							0.18%	6,575							0.17%	6,554		
B.2.24.19.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	0.00%	7	0.00%	1		0.00000		YES	0.00%	14	0.00%	1		0.00000		YES	6.25%	16		
B.2.24.19.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)									0.00%	1							0.00%	2		
B.2.24.20.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	1.30%	692	3.15%	413		0.00704	-2.6219	NO	0.00%	368	1.81%	331		0.00000		NO	0.00%	334	2.16%	462
B.2.24.20.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	0.00%	915							0.00%	573							0.17%	1,183		
B.2.24.20.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	0.00%	5	0.00%	1		0.00000		YES	0.00%	9	0.00%	1		0.00000		YES	0.00%	2		
B.2.24.20.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	0.00%	94							0.00%	67							0.00%	58		
B.2.24.21.1.1	P-3	Line Splitting/<10 circuits/Dispatch/FL (%)	5.51%	9,549							4.67%	9,817							3.32%	9,120		
B.2.24.21.1.2	P-3	Line Splitting/<10 circuits/Non-Dispatch/FL (%)	0.02%	5,904							0.00%	5,793							0.00%	5,431		
B.2.24.21.2.1	P-3	Line Splitting/>=10 circuits/Dispatch/FL (%)	0.00%	7							0.00%	14							6.25%	16		
B.2.24.21.2.2	P-3	Line Splitting/>=10 circuits/Non-Dispatch/FL (%)																	0.00%	1		
B.2.24.22.1.1	P-3	EELs/<10 circuits/Dispatch/FL (%)	1.15%	2,080	1.09%	92		0.01138	0.0588	YES	0.95%	2,095	3.74%	107		0.00984	-2.8898	NO	0.76%	2,107	4.32%	162
B.2.24.22.1.2	P-3	EELs/<10 circuits/Non-Dispatch/FL (%)																				
B.2.24.22.2.1	P-3	EELs/>=10 circuits/Dispatch/FL (%)																	0.00%	1		
B.2.24.22.2.2	P-3	EELs/>=10 circuits/Non-Dispatch/FL (%)																				
		% Missed Installation Appointments Including Subs	8.67%	78,016							7.45%	67,458							4.86%	89,719		
B.2.25.1.1.1	P-3A	Switch Ports/<10 circuits/Dispatch/FL (%)	0.02%	723,464							0.03%	686,227							0.10%	758,641		
B.2.25.1.1.2	P-3A	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	9.25%	562							10.12%	514							9.60%	947		
B.2.25.1.2.1	P-3A	Switch Ports/>=10 circuits/Dispatch/FL (%)	0.00%	9							0.00%	29							0.00%	16		
B.2.25.1.2.2	P-3A	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)	1.62%	2,566	0.00%	6		0.05164	0.3142	YES	1.73%	2,540	0.00%	15		0.03379	0.5127	YES	1.30%	2,542	0.00%	34
B.2.25.2.1.1	P-3A	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)																				
B.2.25.2.1.2	P-3A	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)											0.00%	2					0.00%	1		
B.2.25.2.2.1	P-3A	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)																				
B.2.25.2.2.2	P-3A	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)																				
B.2.25.3.1.1	P-3A	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	8.64%	75,963	5.82%	2,182		0.00610	4.6256	YES	7.48%	68,331	4.39%	1,845		0.00621	4.9636	YES	4.90%	90,572	4.76%	1,807
B.2.25.3.1.2	P-3A	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	0.02%	726,040	0.09%	65,263		0.00006	-10.6744	NO	0.03%	688,401	0.14%	49,909		0.00008	-12.8206	NO	0.10%	761,798	0.21%	41,784
B.2.25.3.1.3	P-3A	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	0.00%	391,124	0.00%	23,913		0.00000		NO	0.00%	350,351	0.01%	19,773		0.00000		NO	0.00%	380,824	0.00%	21,424
B.2.25.3.1.4	P-3A	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)	0.05%	334,916	0.15%	41,350		0.00012	-7.5623	NO	0.06%	338,050	0.22%	30,136		0.00015	-10.4726	NO	0.20%	380,972	0.43%	20,340

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Standard Deviation	Standard Error	Zscore	Equity
B.2.24.1.2.2	P-3	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)				
B.2.24.2.1.1	P-3	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)		0.01571	0.4835	YES
B.2.24.2.1.2	P-3	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.2.2.1	P-3	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)				
B.2.24.2.2.2	P-3	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)				
B.2.24.3.1.1	P-3	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)		0.00473	-0.5335	YES
B.2.24.3.1.2	P-3	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)		0.00016	-5.9903	NO
B.2.24.3.1.3	P-3	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)		0.00000		YES
B.2.24.3.1.4	P-3	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)		0.00032	-7.3793	NO
B.2.24.3.2.1	P-3	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)		0.05706	-0.9571	YES
B.2.24.3.2.2	P-3	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)		0.00000		YES
B.2.24.3.2.3	P-3	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)		0.00000		YES
B.2.24.3.2.4	P-3	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)		0.00000		YES
B.2.24.4.1.1	P-3	Combo (other)/<10 circuits/Dispatch/FL (%)		0.12785	0.2647	YES
B.2.24.4.1.4	P-3	Combo (other)/<10 circuits/Dispatch In/FL (%)				
B.2.24.4.2.1	P-3	Combo (other)/>=10 circuits/Dispatch/FL (%)				
B.2.24.4.2.4	P-3	Combo (other)/>=10 circuits/Dispatch In/FL (%)				
B.2.24.5.1.1	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Dispatch/FL (%)				
B.2.24.5.1.2	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Non-Dispatch/FL (%				
B.2.24.5.2.1	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Dispatch/FL (%)				
B.2.24.5.2.2	P-3	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Non-Dispatch/FL (				
B.2.24.6.1.1	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Dispatch/FL (%)				
B.2.24.6.1.2	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Non-Dispatch/FL (%				
B.2.24.6.2.1	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Dispatch/FL (%)				
B.2.24.6.2.2	P-3	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Non-Dispatch/FL (%		0.01242	0.0607	YES
B.2.24.7.1.1	P-3	UNE ISDN/<10 circuits/Dispatch/FL (%)				
B.2.24.7.1.2	P-3	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.7.2.1	P-3	UNE ISDN/>=10 circuits/Dispatch/FL (%)				
B.2.24.7.2.2	P-3	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)		0.02150	-4.4342	NO
B.2.24.8.1.1	P-3	Line Sharing/<10 circuits/Dispatch/FL (%)		0.00000		YES
B.2.24.8.1.2	P-3	Line Sharing/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.8.2.1	P-3	Line Sharing/>=10 circuits/Dispatch/FL (%)				
B.2.24.8.2.2	P-3	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)				
B.2.24.9.1.1	P-3	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)		0.00929	2.2737	YES
B.2.24.9.1.2	P-3	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.9.2.1	P-3	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)		0.09392	0.3863	YES
B.2.24.9.2.2	P-3	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.24.10.1.1	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)		0.00474	1.9932	YES
B.2.24.10.1.4	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)		0.00672	0.2163	YES
B.2.24.10.2.1	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)		0.02943	0.6373	YES
B.2.24.10.2.4	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)				
B.2.24.11.1.1	P-3	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)		0.18159	0.1880	YES
B.2.24.11.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.11.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)				
B.2.24.11.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.24.12.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)		0.18159	0.1880	YES
B.2.24.12.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)		0.04358	0.9437	YES
B.2.24.12.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)				
B.2.24.12.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)				
B.2.24.13.1.1	P-3	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)		0.00051	3.3014	YES
B.2.24.13.1.2	P-3	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.13.2.1	P-3	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)		0.05262	-0.7724	YES
B.2.24.13.2.2	P-3	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.24.14.1.1	P-3	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)		0.00634	4.8104	YES
B.2.24.14.1.4	P-3	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)		0.00208	-0.1781	YES
B.2.24.14.2.1	P-3	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)		0.03622	1.0612	YES
B.2.24.14.2.4	P-3	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)		0.00000		YES
B.2.24.15.1.1	P-3	Other Design/<10 circuits/Dispatch/FL (%)				
B.2.24.15.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.15.2.1	P-3	Other Design/>=10 circuits/Dispatch/FL (%)				
B.2.24.15.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/FL (%)		0.02253	1.5152	YES
B.2.24.16.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/FL (%)				
B.2.24.16.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.16.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/FL (%)				
B.2.24.16.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.24.17.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/FL (%)				
B.2.24.17.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.17.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/FL (%)				
B.2.24.17.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)		0.18159	0.1880	YES
B.2.24.18.1.1	P-3	LNP (Standalone)/<10 circuits/Dispatch/FL (%)		0.00053	-3.2764	NO
B.2.24.18.1.2	P-3	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.18.2.1	P-3	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)		0.00000		YES
B.2.24.18.2.2	P-3	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)		0.00093	1.6635	YES
B.2.24.19.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)				
B.2.24.19.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.19.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)				
B.2.24.19.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)		0.00554	-2.8256	NO
B.2.24.20.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)				
B.2.24.20.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.20.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)				
B.2.24.20.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)				
B.2.24.21.1.1	P-3	Line Splitting/<10 circuits/Dispatch/FL (%)				
B.2.24.21.1.2	P-3	Line Splitting/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.21.2.1	P-3	Line Splitting/>=10 circuits/Dispatch/FL (%)				
B.2.24.21.2.2	P-3	Line Splitting/>=10 circuits/Non-Dispatch/FL (%)		0.00706	-5.0321	NO
B.2.24.22.1.1	P-3	EELs/<10 circuits/Dispatch/FL (%)				
B.2.24.22.1.2	P-3	EELs/<10 circuits/Non-Dispatch/FL (%)				
B.2.24.22.2.1	P-3	EELs/>=10 circuits/Dispatch/FL (%)				
B.2.24.22.2.2	P-3	EELs/>=10 circuits/Non-Dispatch/FL (%)				
		% Missed Installation Appointments Including Subs				
B.2.25.1.1.1	P-3A	Switch Ports/<10 circuits/Dispatch/FL (%)				
B.2.25.1.1.2	P-3A	Switch Ports/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.1.2.1	P-3A	Switch Ports/>=10 circuits/Dispatch/FL (%)				
B.2.25.1.2.2	P-3A	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)		0.01954	0.6643	YES
B.2.25.2.1.1	P-3A	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)				
B.2.25.2.1.2	P-3A	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.2.2.1	P-3A	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)				
B.2.25.2.2.2	P-3A	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)		0.00513	0.2701	YES
B.2.25.3.1.1	P-3A	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)		0.00016	-7.2012	NO
B.2.25.3.1.2	P-3A	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)		0.00001	0.2308	YES
B.2.25.3.1.3	P-3A	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)		0.00032	-7.4840	NO
B.2.25.3.1.4	P-3A	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September BST Measure	September BST Volume	September CLEC Measure	September CLEC Volume	September Standard Deviation	September Standard Error	September Zacors	September Equity	August BST Measure	August BST Volume	August CLEC Measure	August CLEC Volume	August Standard Deviation	August Standard Error	August Zacors	August Equity
B.2.25.3.2.1	P-3A	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	R&B	0.26%	659	4.76%	21		0.06424	0.6996	YES	7.55%	667	18.87%	18		0.06347	-1.4211	YES
B.2.25.3.2.2	P-3A	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	R&B	0.51%	195	16.67%	6		0.02961	-3.4564	NO	0.00%	309	0.00%	5		0.00000		YES
B.2.25.3.2.3	P-3A	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	R&B	0.06%	83							0.00%	120						
B.2.25.3.2.4	P-3A	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	R&B	0.78%	132	16.67%	6		0.03619	-4.3955	NO	0.00%	189	0.00%	5		0.00000		YES
B.2.25.4.1.1	P-3A	Combo (other)/<10 circuits/Dispatch/FL (%)	R&B&D - Disp	7.37%	70,173							7.31%	90,165						
B.2.25.4.1.4	P-3A	Combo (other)/<10 circuits/Dispatch In/FL (%)	R&B&D - Disp	7.37%	70,173							7.31%	90,165						
B.2.25.4.2.1	P-3A	Combo (other)/>=10 circuits/Dispatch/FL (%)	R&B&D - Disp	5.34%	1,311							4.97%	1,328						
B.2.25.4.2.4	P-3A	Combo (other)/>=10 circuits/Dispatch In/FL (%)	R&B&D - Disp	5.34%	1,311							4.97%	1,328						
B.2.25.5.1.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Dispatch/FL (%)	ADSL to Retail			33.33%	3												
B.2.25.5.1.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Non-Dispatch/FL (%	ADSL to Retail																
B.2.25.5.2.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Dispatch/FL (%)	ADSL to Retail																
B.2.25.5.2.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Non-Dispatch/FL (	ADSL to Retail																
B.2.25.6.1.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Dispatch/FL (%)	ADSL to Retail	4.89%	15,435	0.42%	236		0.01387	3.0787	YES	4.36%	11,206	2.31%	216		0.01403	1.4596	YES
B.2.25.6.1.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Non-Dispatch/FL (%	ADSL to Retail	0.07%	8,303							0.05%	6,350						
B.2.25.6.2.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	0.00%	19							0.00%	19						
B.2.25.6.2.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Non-Dispatch/FL (%	ADSL to Retail	0.00%	2														
B.2.25.7.1.1	P-3A	UNE ISDN/<10 circuits/Dispatch/FL (%)	ISDN - BRI	4.85%	392	3.61%	277		0.01686	0.7337	YES	6.30%	603	6.80%	294		0.01726	-0.2696	YES
B.2.25.7.1.2	P-3A	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)	ISDN - BRI	0.70%	429							0.82%	488						
B.2.25.7.2.1	P-3A	UNE ISDN/>=10 circuits/Dispatch/FL (%)	ISDN - BRI																
B.2.25.7.2.2	P-3A	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)	ISDN - BRI																
B.2.25.8.1.1	P-3A	Line Sharing/<10 circuits/Dispatch/FL (%)	ADSL to Retail	4.89%	15,435	2.04%	46		0.03025	0.8759	YES	4.36%	11,206	9.38%	32		0.03616	-1.3860	YES
B.2.25.8.1.2	P-3A	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	0.07%	8,303	0.35%	286		0.00162	-1.7164	NO	0.05%	6,350	0.00%	140		0.00186	0.2545	YES
B.2.25.8.2.1	P-3A	Line Sharing/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	0.00%	19							0.00%	19						
B.2.25.8.2.2	P-3A	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	0.00%	2														
B.2.25.9.1.1	P-3A	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	7.63%	65,586	0.72%	276		0.01601	4.3115	YES	7.49%	85,266	1.94%	361		0.01389	4.0002	YES
B.2.25.9.1.2	P-3A	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	7.63%	65,586							7.49%	85,266						
B.2.25.9.2.1	P-3A	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	9.26%	659	0.00%	15		0.07568	1.2231	YES	7.65%	667	0.00%	4		0.13327	0.5738	YES
B.2.25.9.2.2	P-3A	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	9.26%	659							7.65%	667						
B.2.25.10.1.1	P-3A	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	7.67%	64,365	2.23%	1,076		0.00818	6.8499	YES	7.64%	82,908	1.53%	1,040		0.00829	7.2443	YES
B.2.25.10.1.4	P-3A	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.29%	327,219	0.00%	9		0.01777	0.1804	YES	0.05%	362,406	0.00%	11		0.00659	0.0725	YES
B.2.25.10.2.1	P-3A	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	9.18%	599	4.00%	25		0.05895	0.8791	YES	8.96%	558	4.00%	25		0.05839	0.8496	YES
B.2.25.10.2.4	P-3A	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	6							0.00%	8	0.00%	1		0.00000		YES
B.2.25.11.1.1	P-3A	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	7.63%	65,586							7.49%	85,266	0.00%	2		0.18618	0.4025	YES
B.2.25.11.1.2	P-3A	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	7.63%	65,586							7.49%	85,266						
B.2.25.11.2.1	P-3A	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	9.26%	659							7.65%	667						
B.2.25.11.2.2	P-3A	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	9.26%	659							7.65%	667						
B.2.25.12.1.1	P-3A	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	7.67%	64,365	0.00%	2		0.18618	0.4076	YES	7.64%	82,908	0.00%	1		0.26562	0.2876	YES
B.2.25.12.1.4	P-3A	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.29%	327,219							0.05%	362,406	0.00%	1		0.02184	0.0219	YES
B.2.25.12.2.1	P-3A	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	9.18%	599							8.96%	558						
B.2.25.12.2.4	P-3A	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	6							0.00%	8						
B.2.25.13.1.1	P-3A	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	7.63%	65,586	0.98%	102		0.02630	2.5272	YES	7.49%	85,266	1.45%	138		0.02243	2.6048	YES
B.2.25.13.1.2	P-3A	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	7.63%	65,586							7.49%	85,266						
B.2.25.13.2.1	P-3A	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	9.26%	659	0.00%	3		0.15771	0.5519	YES	7.65%	667	8.33%	12		0.07740	-0.0888	YES
B.2.25.13.2.2	P-3A	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	9.26%	659							7.65%	667						
B.2.25.14.1.1	P-3A	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	7.67%	64,365	0.94%	318		0.01496	4.4966	YES	7.64%	82,908	1.27%	315		0.01499	4.2475	YES
B.2.25.14.1.4	P-3A	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.29%	327,219	1.08%	372		0.00277	-2.6564	NO	0.05%	362,406	0.81%	246		0.00139	-5.4681	NO
B.2.25.14.2.1	P-3A	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	9.18%	599	0.00%	13		0.08096	1.1342	YES	8.96%	558	0.00%	23		0.06077	1.4745	YES
B.2.25.14.2.4	P-3A	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	0.00%	6	0.00%	12		0.00000		YES	0.00%	8	0.00%	9		0.00000		YES
B.2.25.15.1.1	P-3A	Other Design/<10 circuits/Dispatch/FL (%)	Design	3.62%	4,587	0.00%	5		0.08357	0.4331	YES	4.18%	4,899						
B.2.25.15.1.2	P-3A	Other Design/<10 circuits/Non-Dispatch/FL (%)	Design	1.51%	730							0.71%	1,131						
B.2.25.15.2.1	P-3A	Other Design/>=10 circuits/Dispatch/FL (%)	Design	1.38%	652							2.27%	661						
B.2.25.15.2.2	P-3A	Other Design/>=10 circuits/Non-Dispatch/FL (%)	Design	1.87%	120							1.90%	158						
B.2.25.16.1.1	P-3A	Other Non-Design/<10 circuits/Dispatch/FL (%)	R&B	7.63%	65,586	50.00%	2		0.18770	-2.2574	NO	7.49%	85,266	0.00%	2		0.18618	0.4025	YES
B.2.25.16.1.2	P-3A	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	R&B	0.14%	688,071							0.02%	765,595						
B.2.25.16.2.1	P-3A	Other Non-Design/>=10 circuits/Dispatch/FL (%)	R&B	9.26%	659							7.65%	667						
B.2.25.16.2.2	P-3A	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	R&B	0.57%	195							0.00%	309						
B.2.25.17.1.1	P-3A	INP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	7.67%	64,365							7.64%	82,908						
B.2.25.17.1.2	P-3A	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.14%	684,649							0.02%	762,800						
B.2.25.17.2.1	P-3A	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	9.18%	599							8.96%	558						
B.2.25.17.2.2	P-3A	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	14							0.00%	23						
B.2.25.18.1.1	P-3A	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	7.67%	64,365	0.00%	1		0.26612	0.2882	YES	7.64%	82,908	0.00%	3		0.15336	0.4981	YES
B.2.25.18.1.2	P-3A	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.14%	684,649	0.00%	2,854		0.00089	1.9694	YES	0.02%	762,800	0.03%	3,264		0.00027	-0.2697	YES
B.2.25.18.2.1	P-3A	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	9.18%	599							8.96%	558						
B.2.25.18.2.2	P-3A	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	0.00%	14	0.00%	8		0.00000		YES	0.00%	23	0.00%	13		0.00000		YES
B.2.25.19.1.1	P-3A	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	Digital Loop < DS1	4.89%	15,277	2.36%	309		0.00952	2.4539	YES	4.60%	12,403	4.82%	406		0.00967	-0.2337	YES
B.2.25.19.1.2	P-3A	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	0.10%	9,055							0.11%	7,510						
B.2.25.19.2.1	P-3A	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop < DS1	0.00%	19							0.00%	19						
B.2.25.19.2.2	P-3A	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	0.00%	2							0.00%	1						
B.2.25.20.1.1	P-3A	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	2.58%	1,317	4.04%	421		0.00888	-1.8403	YES	2.14%	2,100	4.10%	390		0.00798	-2.4544	NO
B.2.25.20.1.2	P-3A	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.31%	1,310							0.31%	971						
B.2.25.20.2.1	P-3A	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	1.33%	301							3.74%	401						
B.2.25.20.2.2	P-3A	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.74%	135							1.05%	190						
B.2.25.21.1.1	P-3A	Line Splitting/<10 circuits/Dispatch/FL (%)	ADSL to Retail	4.89%	15,435							4.36%	11,206						
B.2.25.21.1.2	P-3A	Line Splitting/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	0.07%	8,303							0.05%	6,350						
B.2.25.21.2.1	P-3A	Line Splitting/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	0.00%	19							0.00%	19						
B.2.25.21.2.2	P-3A	Line Splitting/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	0.00%	2														
B.2.25.22.1.1	P-3A	EEL s/<10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice	1.18%	2,457	1.80%	167		0.00864	-0.7134	YES	2.59%	2,936	1.63%	109		0.01549	0.4866	YES
B.2.25.22.1.2	P-3A	EEL s/<10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
B.2.25.22.2.1	P-3A	EEL s/>=10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice																
B.2.25.22.2.2	P-3A	EEL s/>=10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
		% Provisioning Troubles within 30 Days																	
B.2.26.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/FL (%)	R&B (POTS)	9.37%	69,594							10.62%	61,289						
B.2.26.1.1.2	P-9	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.38%	759,312							4.44%	720,032						
B.2.26.1.2.1	P-9	Switch Ports/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	20.58%	379							18.04%	377						
B.2.26.1.2.2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.35%	23							11.11%	9						
B.2.26.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice	6.67%	2,385	0.00%	5		0.11167	0.5970	YES	8.37%	2,080	0.00%	6		0.11319	0.7390	YES
B.2.26.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
B.2.26.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice																
B.2.26.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
B.2.26.3.1.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	R&B	9.22%	71,710	9.96%	2,078		0.00644	0.4030	YES	10.60%	62,022	9.36%	1,817		0.00733	1.6829	YES
B.2.26.3.1.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	R&B	4.38%	762,023	3.09%	67,451		0.00042	16.1250	YES	4.44%	722,384	2.57%	85,002		0.00064	22.1476	YES
B.2.26.3.2.1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	R&B	4.12%	401,246	3.12%	23,829		0.00133	7.4808	YES	4.34%	391,101	2.07%	23,910		0.00136	16.7524	YES
B.2.26.3.2.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	R&B	4.88%	380,777	3.02%	43,822		0.00107	15.9059	YES	4.55%	331,283	2.80%	41,092		0.00109	15.5015	YES
B.2.26.3.3.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)	R&B	16.53%	448	28.57%	14		0.10544	-0.9526	YES	16.29%	442	7.14%	14		0.10024	6.9125	YES
B.2.26.3.3.2	P-9	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)	R&B	8.51%	202	0.00%	5		0.11124	0.5849	YES	5.99%	267	0.00%	4		0.11956	6.5012	YES
B.2.26.3.4.1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	R&B	8.87%	120							5.56%	56	0.00%	1		0.22717	0.2358	YES
B.2.26.3.4.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	R&B	6.40%	172	0.00%	5		0.11100	0.5782	YES	6.19%	211	0.00%	3		0.13081	0.4407	YES
B.2.26.3.4.3	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	R&B	9.09%	74,548							10.44%	65,194	0.00%	2		0.21623	0.4828	YES
B.2.26.3.4.4	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	R&B&D - Disp	9.09%	74,548							10.44%	65,194						
B.2.26.4.1.1	P-9	Combo (other)/<10 circuits/Dispatch/FL (%)	R&B&D - Disp	11.23%	757							16.11%	447						
B.2.26.4.1.4	P-9	Combo (other)/<10 circuits/Dispatch In/FL (%)	R&B&D - Disp	11.23%	757							16.11%	447						
B.2.26.4.2.1	P-9	Combo (other)/>=10 circuits/Dispatch/FL (%)	R&B&D - Disp	11.23%	757							16.11%	447						
B.2.26.4.2.4	P-9	Combo (other)/>=10 circuits/Dispatch In/FL (%)	R&B&D - Disp	11.23%	757							16.11%	447						
B.2.26.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (%)	ADSL to Retail	3.99%	10,345	5.15%	194		0.01419	-0.8193	YES	4.52%	9,549	7.22%	263		0.01299	-2.0786	NO

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			July								June								May			
			BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	Zscore	Equity	BST Measure	BST Volume	CLEC Measure	CLEC Volume
B.2.25.3.2.1	P-3A	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	10.22%	675	19.05%	21		0.06713	-1.3147	YES	14.95%	669	0.00%	15		0.09309	1.6057	YES	9.72%	648	6.67%	15
B.2.25.3.2.2	P-3A	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	0.00%	291	0.00%	4		0.00000		YES	0.00%	257	0.00%	3		0.00000		YES	0.00%	287	0.00%	9
B.2.25.3.2.3	P-3A	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	0.00%	56	0.00%	1		0.00000		YES	0.00%	35							0.00%	90	0.00%	5
B.2.25.3.2.4	P-3A	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	0.00%	235	0.00%	3		0.00000		YES	0.00%	222	0.00%	3		0.00000		YES	0.00%	197	0.00%	4
B.2.25.4.1.1	P-3A	Combo (other)/<10 circuits/Dispatch/FL (%)	8.36%	81,566	0.00%	2		0.19567	0.4270	YES	7.18%	73,393	0.00%	1		0.25810	0.2780	YES	4.84%	95,543	0.00%	6
B.2.25.4.1.4	P-3A	Combo (other)/<10 circuits/Dispatch In/FL (%)									7.18%	73,393							4.84%	95,543		
B.2.25.4.2.1	P-3A	Combo (other)/>=10 circuits/Dispatch/FL (%)	10.00%	690							11.49%	870							9.13%	690		
B.2.25.4.2.4	P-3A	Combo (other)/>=10 circuits/Dispatch In/FL (%)	10.00%	690							11.49%	870							9.13%	690		
B.2.25.5.1.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Dispatch/FL (%)			0.00%	1							50.00%	2							0.00%	2
B.2.25.5.1.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Non-Dispatch/FL (%)																				
B.2.25.5.2.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Dispatch/FL (%)																				
B.2.25.5.2.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Non-Dispatch/FL (%																				
B.2.25.6.1.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Dispatch/FL (%)			2.97%	303							1.97%	304							1.82%	330
B.2.25.6.1.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Non-Dispatch/FL (%)																				
B.2.25.6.2.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Dispatch/FL (%)											0.00%	1								
B.2.25.6.2.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Non-Dispatch/FL (%																				
B.2.25.7.1.1	P-3A	UNE ISDN/<10 circuits/Dispatch/FL (%)	12.52%	551	2.79%	394		0.02184	4.4562	YES	8.73%	332	2.44%	328		0.02196	2.8642	YES	5.42%	332	3.01%	532
B.2.25.7.1.2	P-3A	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)	1.06%	376							3.02%	331							2.70%	482		
B.2.25.7.2.1	P-3A	UNE ISDN/>=10 circuits/Dispatch/FL (%)			0.00%	1																
B.2.25.7.2.2	P-3A	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)																				
B.2.25.8.1.1	P-3A	Line Sharing/<10 circuits/Dispatch/FL (%)	7.85%	10,750	11.11%	45		0.04018	-0.8113	YES	7.27%	10,669	6.52%	46		0.03837	0.1959	YES	5.15%	9,966	11.70%	94
B.2.25.8.1.2	P-3A	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	0.02%	5,917	0.00%	114		0.00123	0.1375	YES	0.00%	5,811	0.00%	130		0.00000		YES	0.02%	5,453	0.00%	156
B.2.25.8.2.1	P-3A	Line Sharing/>=10 circuits/Dispatch/FL (%)	0.00%	7							0.00%	14							5.88%	17		
B.2.25.8.2.2	P-3A	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)																	0.00%	1		
B.2.25.9.1.1	P-3A	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	8.64%	75,962	1.94%	465		0.01307	5.1314	YES	7.48%	68,331	1.25%	401		0.01316	4.7326	YES	4.90%	90,572	1.35%	446
B.2.25.9.1.2	P-3A	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)	8.64%	75,962							7.48%	68,331							4.90%	90,572		
B.2.25.9.2.1	P-3A	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	10.22%	675	0.00%	5		0.13598	0.7517	YES	14.95%	669	0.00%	9		0.11965	1.2403	YES	9.72%	648	0.00%	5
B.2.25.9.2.2	P-3A	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)	10.22%	675							14.95%	669							9.72%	648		
B.2.25.10.1.1	P-3A	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	8.67%	75,016	2.24%	1,162		0.00832	7.7328	YES	7.45%	67,458	2.34%	1,028		0.00826	6.1856	YES	4.86%	89,719	2.62%	1,720
B.2.25.10.1.4	P-3A	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	0.05%	333,089	0.00%	15		0.00595	0.0893	YES	0.06%	336,495	0.00%	32		0.00437	0.1400	YES	0.19%	378,725	0.00%	25
B.2.25.10.2.1	P-3A	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	9.25%	562	2.50%	40		0.04742	1.4240	YES	10.12%	514	4.55%	22		0.06565	0.8486	YES	9.86%	547	4.55%	66
B.2.25.10.2.4	P-3A	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00%	3	0.00%	1		0.00000		YES	0.00%	26							0.00%	13		
B.2.25.11.1.1	P-3A	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)	8.64%	75,962	0.00%	1		0.28099	0.3076	YES	7.48%	68,331							4.90%	90,572	0.00%	1
B.2.25.11.1.2	P-3A	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	8.64%	75,962							7.48%	68,331							4.90%	90,572		
B.2.25.11.2.1	P-3A	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	10.22%	675							14.95%	669							9.72%	648		
B.2.25.11.2.2	P-3A	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	10.22%	675							14.95%	669							9.72%	648		
B.2.25.12.1.1	P-3A	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	8.67%	75,016							7.45%	67,458	0.00%	2		0.18565	0.4012	YES	4.86%	89,719	0.00%	1
B.2.25.12.1.4	P-3A	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	0.05%	333,089	0.00%	1		0.02305	0.0231	YES	0.06%	336,495	0.00%	1		0.02474	0.0248	YES	0.19%	378,725	0.00%	1
B.2.25.12.2.1	P-3A	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	9.25%	562							10.12%	514							9.86%	547		
B.2.25.12.2.4	P-3A	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00%	3							0.00%	26							0.00%	13		
B.2.25.13.1.1	P-3A	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	8.64%	75,962	0.45%	223		0.01884	4.3463	YES	7.48%	68,331	1.02%	295		0.01535	4.2122	YES	4.90%	90,572	0.89%	433
B.2.25.13.1.2	P-3A	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	8.64%	75,962							7.48%	68,331							4.90%	90,572		
B.2.25.13.2.1	P-3A	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	10.22%	675	0.00%	12		0.08823	1.1587	YES	14.95%	669	0.00%	13		0.09985	1.4971	YES	9.72%	648	11.76%	17
B.2.25.13.2.2	P-3A	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	10.22%	675							14.95%	669							9.72%	648		
B.2.25.14.1.1	P-3A	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	8.67%	75,016	0.22%	452		0.01328	6.3642	YES	7.45%	67,458	0.21%	475		0.01209	5.9867	YES	4.86%	89,719	0.33%	606
B.2.25.14.1.4	P-3A	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	0.05%	333,089	0.00%	275		0.00139	0.3922	YES	0.06%	336,495	0.00%	321		0.00138	0.4432	YES	0.19%	378,725	0.22%	484
B.2.25.14.2.1	P-3A	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	9.25%	562	0.00%	19		0.06756	1.3689	YES	10.12%	514	0.00%	26		0.05852	1.7268	YES	9.86%	547	0.00%	33
B.2.25.14.2.4	P-3A	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	0.00%	3	0.00%	13		0.00000		YES	0.00%	26	0.00%	4		0.00000		YES	0.00%	13	0.00%	6
B.2.25.15.1.1	P-3A	Other Design/<10 circuits/Dispatch/FL (%)	4.46%	5,604	0.00%	3		0.11922	0.3742	YES	3.02%	5,062							3.76%	4,971		
B.2.25.15.1.2	P-3A	Other Design/<10 circuits/Non-Dispatch/FL (%)	0.79%	885							1.72%	756							2.48%	1,048		
B.2.25.15.2.1	P-3A	Other Design/>=10 circuits/Dispatch/FL (%)	0.00%	15							0.00%	201							0.00%	42		
B.2.25.15.2.2	P-3A	Other Design/>=10 circuits/Non-Dispatch/FL (%)	0.00%	3							0.00%	9							0.00%	5		
B.2.25.16.1.1	P-3A	Other Non-Design/<10 circuits/Dispatch/FL (%)	8.64%	75,962	6.67%	15		0.07256	0.2723	YES									4.90%	90,572	0.00%	76
B.2.25.16.1.2	P-3A	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	0.02%	726,040															0.10%	761,796		
B.2.25.16.2.1	P-3A	Other Non-Design/>=10 circuits/Dispatch/FL (%)	10.22%	675															9.72%	648		
B.2.25.16.2.2	P-3A	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	0.00%	291															0.00%	287		
B.2.25.17.1.1	P-3A	INP (Standalone)/<10 circuits/Dispatch/FL (%)	8.67%	75,016							7.45%	67,458							4.86%	89,719		
B.2.25.17.1.2	P-3A	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	0.02%	723,464							0.03%	686,227							0.10%	758,641		
B.2.25.17.2.1	P-3A	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	9.25%	562							10.12%	514							9.86%	547		
B.2.25.17.2.2	P-3A	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	0.00%	9							0.00%	26							0.00%	15		
B.2.25.18.1.1	P-3A	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	8.67%	75,016	0.00%	5		0.12585	0.8680	YES	7.45%	67,458	0.00%	12		0.07580	0.9826	YES	4.86%	89,719	0.00%	1
B.2.25.18.1.2	P-3A	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	0.02%	723,464	0.13%	3,064		0.00028	-3.7467	NO	0.03%	686,227	0.00%	2,793		0.00033	0.9090	YES	0.10%	758,641	0.27%	3,373
B.2.25.18.2.1	P-3A	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	9.25%	562							10.12%	514							9.86%	547		
B.2.25.18.2.2	P-3A	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	0.00%	9	0.00%	29		0.00000		YES	0.00%	29	0.00%	15		0.00000		YES	0.00%	15	0.00%	14
B.2.25.19.1.1	P-3A	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	7.90%	11,833	2.95%	679		0.01070	4.7177	YES	7.27%	11,812	2.16%	802		0.01085	4.7078	YES	5.31%	11,013	2.50%	840
B.2.25.19.1.2	P-3A	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	0.05%	8,733							0.21%	6,709							0.27%	8,729		
B.2.25.19.2.1	P-3A	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	0.00%	7	0.00%	1		0.00000		YES	0.00%	14	0.00%	1		0.00000		YES	5.88%	17		
B.2.25.19.2.2	P-3A	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)									0.00%	1							0.00%	2		
B.2.25.20.1.1	P-3A	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	3.04%	1,349	2.96%	540		0.00874	0.0873	YES	1.00%	799	2.07%	387		0.00617	-1.7287	NO	5.53%	742	2.24%	535
B.2.25.20.1.2	P-3A	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	0.10%	1,023							0.00%	844							1.03%	1,260		
B.2.25.20.2.1	P-3A	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	0.00%	15	0.00%	1		0.00000		YES	0.00%	15	0.00%	1		0.00000		YES	0.00%	3		
B.2.25.20.2.2	P-3A	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	0.00%	112							0.00%	138							0.00%	66		
B.2.25.21.1.1	P-3A	Line Splitting/<10 circuits/Dispatch/FL (%)	7.85%	10,750							7.27%	10,669							5.15%	9,966		
B.2.25.21.1.2	P-3A	Line Splitting/<10 circuits/Non-Dispatch/FL (%)	0.02%	5,917							0.00%	5,811							0.02%	5,453		
B.2.25.21.2.1	P-3A	Line Splitting/>=10 circuits/Dispatch/FL (%)	0.00%	7							0.00%	14							5.88%	17		
B.2.25.21.2.2	P-3A	Line Splitting/>=10 circuits/Non-Dispatch/FL (%)																	0.00%	1		
B.2.25.22.1.1	P-3A	EELs/<10 circuits/Dispatch/FL (%)	1.62%	2,586	0.83%	121		0.01175	0.6777	YES	1.73%	2,540	3.03%	132		0.01165	-1.1144	YES	1.30%	2,542	3.75%	185
B.2.25.22.1.2	P-3A	EELs/<10 circuits/Non-Dispatch/FL (%)																	0.00%	1		
B.2.25.22.2.1	P-3A	EELs/>=10 circuits/Dispatch/FL (%)																				
B.2.25.22.2.2	P-3A	EELs/>=10 circuits/Non-Dispatch/FL (%)																				
		% Provisioning Troubles within 30 Days																				
B.2.26.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/FL (%)	11.23%	56,131							11.63%	76,501							10.40%	85,789		
B.2.26.1.1.2	P-9	Switch Ports/<10 circuits/Non-Dispatch/FL (%)	4.26%	682,774							3.54%	754,116							3.41%	729,649		
B.2.26.1.2.1	P-9	Switch Ports/>=10 circuits/Dispatch/FL (%)	20.71%	367							21.41%	383							21.88%	361		
B.2.26.1.2.2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)	4.76%	21							8.33%	12							5.00%	20		
B.2.26.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)	8.25%	2,096	7.14%	14		0.06491	-0.1376	YES	7.36%	2,107	0.00%	31		0.04723	1.5575	YES	7.41%	2,497	5.00%	20
B.2.26.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)																				
B.2.26.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)			0.00%	1					0.00%	1										
B.2.26.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)																				
B.2.26.3.1.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	11.21%	56,779	9.06%	1,587		0.00806	2.6572	YES	11.60%	79,170	8.87%	1,500		0.00835	3.2794	YES	10.41%	85,612	8.56%	1,379
B.2.26.3.1.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	4.26%	664,671	2.70%	40,428		0.00094	16.7200	YES	3.54%	757,172	2.55%	41,033		0.00094	10.5963	YES	3.41%	732,311	3.75%	24,127
B.2.26.3.1.3	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	4.30%	350,336	2.03%	10,770		0.00148	15.2932	YES	3.83%	380,795	2.29%	21,422		0.00135	11.4273	YES	3.81%	384,314	3.92%	12,081
B.2.26.3.1.4	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)	4.26%	334,535	3.15%	29,858		0.00122	9.0435	YES	3.24%	378,377	2.82%	19,611		0.00130	3.2165	YES	2.98%	347,997	3.58%	12,066
B.2.26.3.2.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)	20.68%	440	0.00%	14		0.10998	1.6809	YES	21.00%	441	9.00%	11		0.12452	0.9835	YES	21.88%	434	11.11%	9
B.2.26.3.2.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)	7.56%	172	0.00%	3		0.15393	0.4910	YES	11.85%	270	0.00%	9		0.10652	1.0622	YES	5.65%	230	0.00%	2
B.2.26.3.2.3	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)	3.71%	35							7.78%	90	0.00%	5		0.12306	0.6321	YES	7.25%	69		
B.2.26.3.2.4	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)	8.03%	137	0.00%	3		0.15860	0.5063	YES	13.89%	180	0.00%	4		0.17483	0.7944	YES	4.97%	161	0.00%	2
B.2.26.3.2.5	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)	10.98%	59,646	0.00%	1		0.31235	0.3508	YES	11.39%	82,069	0.00%	2		0.22481	0.5069	YES	10.27%	89,676		
B.2.26.4.1.1	P-9	Combo (other)/<10 circuits/Dispatch/FL (%)	10.98%	59,646							11.39%	82,069							10.27%	89,676		
B.2.26.4.1.4	P-9	Combo (other)/<10 circuits/Dispatch In/FL (%)	17.17%	530							20.13%	462							20.43%	460		
B.2.26.4.2.1	P-9	Combo (other)/>=10 circuits/Dispatch/FL (%)	17.17%	530							20.13%	462							20.43%	460		
B.2.26.4.2.4	P-9	Combo (other)/>=10 circuits/Dispatch In/FL (%)	4.95%	9,817	5.15%	272		0.01334	-0.1481	YES	4.56%	9,120	5.32%	282		0.01262	-0.6007	YES	4.32%	9,001	6.27%	303
B.2.26.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (%)																				

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Standard Deviation	Standard Error	Zscore	Equity
B.2.25.3.2.1	P-3A	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)		0.07737	0.3949	YES
B.2.25.3.2.2	P-3A	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)		0.00000		YES
B.2.25.3.2.3	P-3A	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)		0.00000		YES
B.2.25.3.2.4	P-3A	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)		0.00000		YES
B.2.25.4.1.1	P-3A	Combo (other)/<10 circuits/Dispatch/FL (%)		0.09597	0.5042	YES
B.2.25.4.1.4	P-3A	Combo (other)/<10 circuits/Dispatch In/FL (%)				
B.2.25.4.2.1	P-3A	Combo (other)/>=10 circuits/Dispatch/FL (%)				
B.2.25.4.2.4	P-3A	Combo (other)/>=10 circuits/Dispatch In/FL (%)				
B.2.25.5.1.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Dispatch/FL (%)				
B.2.25.5.1.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<10 circuits/Non-Dispatch/FL (%				
B.2.25.5.2.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Dispatch/FL (%)				
B.2.25.5.2.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/>=10 circuits/Non-Dispatch/FL (				
B.2.25.6.1.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Dispatch/FL (%)				
B.2.25.6.1.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<10 circuits/Non-Dispatch/FL (%				
B.2.25.6.2.1	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Dispatch/FL (%)				
B.2.25.6.2.2	P-3A	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/>=10 circuits/Non-Dispatch/FL (%				
B.2.25.7.1.1	P-3A	UNE ISDN/<10 circuits/Dispatch/FL (%)		0.01584	1.5243	YES
B.2.25.7.1.2	P-3A	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.7.2.1	P-3A	UNE ISDN/>=10 circuits/Dispatch/FL (%)				
B.2.25.7.2.2	P-3A	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.8.1.1	P-3A	Line Sharing/<10 circuits/Dispatch/FL (%)		0.02290	-2.8625	NO
B.2.25.8.1.2	P-3A	Line Sharing/<10 circuits/Non-Dispatch/FL (%)		0.00110	0.1666	YES
B.2.25.8.2.1	P-3A	Line Sharing/>=10 circuits/Dispatch/FL (%)				
B.2.25.8.2.2	P-3A	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.9.1.1	P-3A	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)		0.01024	3.4677	YES
B.2.25.9.1.2	P-3A	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.9.2.1	P-3A	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)		0.13300	0.7310	YES
B.2.25.9.2.2	P-3A	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.10.1.1	P-3A	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)		0.00523	4.2810	YES
B.2.25.10.1.4	P-3A	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)		0.00662	0.2245	YES
B.2.25.10.2.1	P-3A	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)		0.03655	1.3944	YES
B.2.25.10.2.4	P-3A	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)				
B.2.25.11.1.1	P-3A	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)		0.21582	0.2269	YES
B.2.25.11.1.2	P-3A	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.11.2.1	P-3A	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)				
B.2.25.11.2.2	P-3A	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.12.1.1	P-3A	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)		0.21495	0.2259	YES
B.2.25.12.1.4	P-3A	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)		0.04395	0.0440	YES
B.2.25.12.2.1	P-3A	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)				
B.2.25.12.2.4	P-3A	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)				
B.2.25.13.1.1	P-3A	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)		0.01040	4.0446	YES
B.2.25.13.1.2	P-3A	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.13.2.1	P-3A	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)		0.07279	-0.2806	YES
B.2.25.13.2.2	P-3A	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.14.1.1	P-3A	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)		0.00722	6.2652	YES
B.2.25.14.1.4	P-3A	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)		0.00204	-0.1076	YES
B.2.25.14.2.1	P-3A	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)		0.05302	1.8273	YES
B.2.25.14.2.4	P-3A	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)		0.00000		YES
B.2.25.15.1.1	P-3A	Other Design/<10 circuits/Dispatch/FL (%)				
B.2.25.15.1.2	P-3A	Other Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.15.2.1	P-3A	Other Design/>=10 circuits/Dispatch/FL (%)				
B.2.25.15.2.2	P-3A	Other Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.16.1.1	P-3A	Other Non-Design/<10 circuits/Dispatch/FL (%)		0.02477	1.9776	YES
B.2.25.16.1.2	P-3A	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.16.2.1	P-3A	Other Non-Design/>=10 circuits/Dispatch/FL (%)				
B.2.25.16.2.2	P-3A	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.17.1.1	P-3A	INP (Standalone)/<10 circuits/Dispatch/FL (%)				
B.2.25.17.1.2	P-3A	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.17.2.1	P-3A	INP (Standalone)/>=10 circuits/Dispatch/FL (%)				
B.2.25.17.2.2	P-3A	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.18.1.1	P-3A	LNP (Standalone)/<10 circuits/Dispatch/FL (%)		0.21495	0.2259	YES
B.2.25.18.1.2	P-3A	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)		0.00054	-3.1700	NO
B.2.25.18.2.1	P-3A	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)				
B.2.25.18.2.2	P-3A	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)		0.00000		YES
B.2.25.19.1.1	P-3A	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)		0.00803	3.5027	YES
B.2.25.19.1.2	P-3A	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.19.2.1	P-3A	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)				
B.2.25.19.2.2	P-3A	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.20.1.1	P-3A	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)		0.01296	2.5331	YES
B.2.25.20.1.2	P-3A	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.20.2.1	P-3A	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)				
B.2.25.20.2.2	P-3A	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.21.1.1	P-3A	Line Splitting/<10 circuits/Dispatch/FL (%)				
B.2.25.21.1.2	P-3A	Line Splitting/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.21.2.1	P-3A	Line Splitting/>=10 circuits/Dispatch/FL (%)				
B.2.25.21.2.2	P-3A	Line Splitting/>=10 circuits/Non-Dispatch/FL (%)				
B.2.25.22.1.1	P-3A	EELs/<10 circuits/Dispatch/FL (%)		0.00862	-2.8636	NO
B.2.25.22.1.2	P-3A	EELs/<10 circuits/Non-Dispatch/FL (%)				
B.2.25.22.2.1	P-3A	EELs/>=10 circuits/Dispatch/FL (%)				
B.2.25.22.2.2	P-3A	EELs/>=10 circuits/Non-Dispatch/FL (%)				
		% Provisioning Troubles within 30 Days				
B.2.26.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/FL (%)				
B.2.26.1.1.2	P-9	Switch Ports/<10 circuits/Non-Dispatch/FL (%)				
B.2.26.1.2.1	P-9	Switch Ports/>=10 circuits/Dispatch/FL (%)				
B.2.26.1.2.2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/FL (%)				
B.2.26.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/FL (%)		0.05880	0.4097	YES
B.2.26.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (%)				
B.2.26.2.2.1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/FL (%)				
B.2.26.2.2.2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (%)				
B.2.26.3.1.1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/FL (%)		0.00829	2.2365	YES
B.2.26.3.1.2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (%)		0.00119	-2.8456	NO
B.2.26.3.1.3	P-9	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (%)		0.00177	-0.6421	YES
B.2.26.3.1.4	P-9	Loop + Port Combinations/<10 circuits/Dispatch In/FL (%)		0.00157	-3.8572	NO
B.2.26.3.2.1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL (%)		0.13872	0.7604	YES
B.2.26.3.2.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (%)		0.16400	0.3446	YES
B.2.26.3.2.3	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (%)				
B.2.26.3.2.4	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (%)		0.15461	0.3214	YES
B.2.26.4.1.1	P-9	Combo (other)/<10 circuits/Dispatch/FL (%)				
B.2.26.4.1.4	P-9	Combo (other)/<10 circuits/Dispatch In/FL (%)				
B.2.26.4.2.1	P-9	Combo (other)/>=10 circuits/Dispatch/FL (%)				
B.2.26.4.2.4	P-9	Combo (other)/>=10 circuits/Dispatch In/FL (%)				
B.2.26.5.1.1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (%)		0.01158	-1.6409	YES

BellSouth Monthly Performance Summary

Florida Permanent, September 2002 - May 2002

			Benchmark/ Analog	September BST Measure	September BST Volume	September CLEC Measure	September CLEC Volume	September Standard Deviation	September Standard Error	September Zscore	September Equity	August BST Measure	August BST Volume	August CLEC Measure	August CLEC Volume	August Standard Deviation	August Standard Error	August Zscore	August Equity
B.2.26.5.1.2	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	1.80%	6,331							2.05%	5,904						
B.2.26.5.2.1	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	5.26%	19							0.00%	7						
B.2.26.5.2.2	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail																
B.2.26.6.1.1	P-9	UNE ISDN/<10 circuits/Dispatch/FL (%)	ISDN - BRI	3.27%	490	8.13%	246		0.01389	-3.5030	NO	10.37%	347	8.70%	345		0.02318	0.7242	YES
B.2.26.6.1.2	P-9	UNE ISDN/<10 circuits/Non-Dispatch/FL (%)	ISDN - BRI	1.49%	469							1.72%	348						
B.2.26.6.2.1	P-9	UNE ISDN/>=10 circuits/Dispatch/FL (%)	ISDN - BRI											0.00%	1				
B.2.26.6.2.2	P-9	UNE ISDN/>=10 circuits/Non-Dispatch/FL (%)	ISDN - BRI																
B.2.26.7.1.1	P-9	Line Sharing/<10 circuits/Dispatch/FL (%)	ADSL to Retail	3.99%	10,345	28.00%	25		0.03920	-8.1240	NO	4.52%	9,549	37.14%	35		0.03519	-9.2683	NO
B.2.26.7.1.2	P-9	Line Sharing/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	1.80%	6,331	10.87%	138		0.01144	-7.9258	NO	2.05%	5,904	16.07%	112		0.01351	-10.3758	NO
B.2.26.7.2.1	P-9	Line Sharing/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	5.26%	19							0.00%	7						
B.2.26.7.2.2	P-9	Line Sharing/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail																
B.2.26.8.1.1	P-9	2W Analog Loop Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	9.22%	71,710	9.57%	303		0.01665	-0.2113	YES	10.60%	62,022	10.34%	377		0.01590	0.1581	YES
B.2.26.8.1.2	P-9	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	9.22%	71,710							10.60%	62,022						
B.2.26.8.2.1	P-9	2W Analog Loop Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	18.53%	448	50.00%	4		0.19512	-1.6130	YES	16.29%	442	0.00%	3		0.21392	0.7615	YES
B.2.26.8.2.2	P-9	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	18.53%	448							16.29%	442						
B.2.26.9.1.1	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	9.37%	69,594	8.96%	893		0.00982	0.4222	YES	10.62%	61,289	12.18%	1,002		0.00981	-1.5888	YES
B.2.26.9.1.4	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	4.69%	358,945	22.22%	9		0.07045	-2.4892	NO	4.56%	329,680	6.67%	15		0.05365	-0.3915	YES
B.2.26.9.2.1	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	20.58%	379	15.00%	20		0.09278	0.6616	YES	18.04%	377	17.24%	29		0.07409	0.1074	YES
B.2.26.9.2.4	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	12.50%	8	0.00%	1		0.35078	0.3563	YES	0.00%	3	0.00%	1		0.00000		YES
B.2.26.10.1.1	P-9	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	9.22%	71,710	0.00%	2		0.20457	0.4507	YES	10.60%	62,022	0.00%	1		0.30779	0.3443	YES
B.2.26.10.1.2	P-9	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	9.22%	71,710							10.60%	62,022						
B.2.26.10.2.1	P-9	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	18.53%	448							16.29%	442						
B.2.26.10.2.2	P-9	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	18.53%	448							16.29%	442						
B.2.26.11.1.1	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	9.37%	69,594	100.00%	1		0.29145	-3.1095	NO	10.62%	61,289				0.20657	0.2185	YES
B.2.26.11.1.4	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	4.69%	358,945	0.00%	1		0.21134	0.2217	YES	4.56%	329,680	0.00%	1				
B.2.26.11.2.1	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	20.58%	379							18.04%	377						
B.2.26.11.2.4	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	12.50%	8							0.00%	3						
B.2.26.12.1.1	P-9	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL (%)	R&B - Disp	9.22%	71,710	14.52%	124		0.02600	-2.0372	NO	10.60%	62,022	10.87%	184		0.02272	-0.1203	YES
B.2.26.12.1.2	P-9	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL (%)	R&B - Disp	9.22%	71,710							10.60%	62,022						
B.2.26.12.2.1	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL (%)	R&B - Disp	18.53%	448	44.44%	9		0.13080	-1.9815	NO	16.29%	442	30.00%	10		0.11809	-1.1610	YES
B.2.26.12.2.2	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL (%)	R&B - Disp	18.53%	448							16.29%	442						
B.2.26.13.1.1	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	9.37%	69,594	5.26%	285		0.01730	2.3757	YES	10.62%	61,289	4.94%	425		0.01499	3.7852	YES
B.2.26.13.1.4	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	4.69%	358,945	3.38%	237		0.01373	0.9544	YES	4.56%	329,680	3.79%	264		0.01264	0.5097	YES
B.2.26.13.2.1	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL (%)	R&B (POTS) excl SB Or	20.58%	379	5.56%	18		0.09753	1.5406	YES	18.04%	377	5.88%	17		0.09533	1.2750	YES
B.2.26.13.2.4	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL (%)	R&B (POTS) excl SB Or	12.50%	8	12.50%	8		0.16536	0.0000	YES	0.00%	3	23.08%	13		0.00000		NO
B.2.26.14.1.1	P-9	Other Design/<10 circuits/Dispatch/FL (%)	Design	5.95%	2,838							7.41%	3,172	0.00%	3		0.15129	0.4697	YES
B.2.26.14.1.2	P-9	Other Design/<10 circuits/Non-Dispatch/FL (%)	Design	3.46%	954							3.26%	705						
B.2.26.14.2.1	P-9	Other Design/>=10 circuits/Dispatch/FL (%)	Design	0.65%	309							0.00%	5						
B.2.26.14.2.2	P-9	Other Design/>=10 circuits/Non-Dispatch/FL (%)	Design	0.00%	47							0.00%	3						
B.2.26.15.1.1	P-9	Other Non-Design/<10 circuits/Dispatch/FL (%)	R&B	9.22%	71,710	0.00%	2		0.20457	0.4507	YES	10.60%	62,022	9.09%	11		0.09281	0.1822	YES
B.2.26.15.1.2	P-9	Other Non-Design/<10 circuits/Non-Dispatch/FL (%)	R&B	4.38%	782,023							4.44%	722,384						
B.2.26.15.2.1	P-9	Other Non-Design/>=10 circuits/Dispatch/FL (%)	R&B	18.53%	448							16.29%	442						
B.2.26.15.2.2	P-9	Other Non-Design/>=10 circuits/Non-Dispatch/FL (%)	R&B	6.51%	292							5.99%	267						
B.2.26.16.1.1	P-9	INP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	9.37%	69,594							10.62%	61,289						
B.2.26.16.1.2	P-9	INP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.38%	759,312							4.44%	720,032						
B.2.26.16.2.1	P-9	INP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	20.58%	379							18.04%	377						
B.2.26.16.2.2	P-9	INP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.35%	23							11.11%	9						
B.2.26.17.1.1	P-9	LNP (Standalone)/<10 circuits/Dispatch/FL (%)	R&B (POTS)	9.37%	69,594	0.00%	3		0.16627	0.5570	YES	10.62%	61,289	0.00%	5		0.13777	0.7706	YES
B.2.26.17.1.2	P-9	LNP (Standalone)/<10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.38%	759,312	0.00%	3,258		0.00359	12.1950	YES	4.44%	720,032	0.00%	3,057		0.00373	11.8897	YES
B.2.26.17.2.1	P-9	LNP (Standalone)/>=10 circuits/Dispatch/FL (%)	R&B (POTS)	20.58%	379							18.04%	377						
B.2.26.17.2.2	P-9	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL (%)	R&B (POTS)	4.35%	23	0.00%	13		0.07076	0.6144	YES	11.11%	9	0.00%	21		0.12521	0.8874	YES
B.2.26.18.1.1	P-9	Digital Loop < DS1/<10 circuits/Dispatch/FL (%)	Digital Loop < DS1	4.03%	11,222	6.96%	431		0.00965	-3.0390	NO	4.81%	10,220	8.28%	592		0.00905	-3.8268	NO
B.2.26.18.1.2	P-9	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	1.88%	7,404							2.08%	6,623						
B.2.26.18.2.1	P-9	Digital Loop < DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop < DS1	5.26%	19							0.00%	7	0.00%	1		0.00000		YES
B.2.26.18.2.2	P-9	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop < DS1	0.00%	1														
B.2.26.19.1.1	P-9	Digital Loop >= DS1/<10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	2.07%	1,599	12.04%	324		0.00866	-11.5087	NO	6.36%	692	9.93%	413		0.01817	-2.3522	NO
B.2.26.19.1.2	P-9	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	1.34%	867							0.77%	915						
B.2.26.19.2.1	P-9	Digital Loop >= DS1/>=10 circuits/Dispatch/FL (%)	Digital Loop >= DS1	0.63%	160							0.00%	5	0.00%	1		0.00000		YES
B.2.26.19.2.2	P-9	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL (%)	Digital Loop >= DS1	0.00%	80							0.00%	94						
B.2.26.20.1.1	P-9	Line Splitting/<10 circuits/Dispatch/FL (%)	ADSL to Retail	3.99%	10,345							4.52%	9,549						
B.2.26.20.1.2	P-9	Line Splitting/<10 circuits/Non-Dispatch/FL (%)	ADSL to Retail	1.80%	6,331							2.05%	5,904						
B.2.26.20.2.1	P-9	Line Splitting/>=10 circuits/Dispatch/FL (%)	ADSL to Retail	5.26%	19							0.00%	7						
B.2.26.20.2.2	P-9	Line Splitting/>=10 circuits/Non-Dispatch/FL (%)	ADSL to Retail																
B.2.26.21.1.1	P-9	EELs/<10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice	6.67%	2,385	9.89%	91		0.02664	-1.2099	YES	8.37%	2,080	19.57%	92		0.02950	-3.7969	NO
B.2.26.21.1.2	P-9	EELs/<10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
B.2.26.21.2.1	P-9	EELs/>=10 circuits/Dispatch/FL (%)	DS1/ DS3 - Interoffice																
B.2.26.21.2.2	P-9	EELs/>=10 circuits/Non-Dispatch/FL (%)	DS1/ DS3 - Interoffice																
		Average Completion Notice Interval - Mechanized																	
B.2.27.1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL (hours)	R&B (POTS)	4.91	52,877			23.027				5.64	89,477			22.779			
B.2.27.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL (hours)	R&B (POTS)	0.96	678,640			5.577				1.06	758,462			6.679			
B.2.27.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/FL (hours)	R&B (POTS)	3.85	386			19.979				4.24	377			18.242			
B.2.27.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL (hours)	R&B (POTS)	0.35	4			0.328				15.58	6			36.017			
B.2.27.2.1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL (hours)	DS1/ DS3 - Interoffice	77.37	1,865			204.982				84.95	2,383			230.943			
B.2.27.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL (hours)	DS1/ DS3 - Interoffice																
B.2.27.2.2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL (hours)	DS1/ DS3 - Interoffice																
B.2.27.2.2.2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL (hours)	DS1/ DS3 - Interoffice																
B.2.27.3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL (hours)	R&B	4.99	53,915	0.04	1,100	22.981	0.69995	6.9885	YES	5.77	71,591	0.31	1,494	22.603	0.59084	9.2421	YES
B.2.27.3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL (hours)	R&B	0.96	691,974	0.63	43,327	5.659	0.02804	12.0470	YES	1.07	761,164	0.66	65,759	6.775	0.02754	13.9645	YES
B.2.27.3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL (hours)	R&B	1.04	356,504	0.65	10,247	6.013	0.06025	6.4004	YES	1.16	400,702	0.66	22,487	7.246	0.04966	10.1410	YES
B.2.27.3.1.4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL (hours)	R&B	0.88	325,470	0.62	33,080	5.241	0.03025	8.7518	YES	0.96	360,462	0.69	43,272	6.207	0.03156	8.3976	YES
B.2.27.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL (hours)	R&B	4.07	423	0.02	5	20.361	9.15935	0.4420	YES	9.59	446	0.23	11	41.829	12.76648	0.7336	YES
B.2.27.3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL (hours)	R&B	2.94	163	0.50	2	12.801	9.10720	0.2682	YES	1.90	272	0.26	1	14.058	14.06359	0.1150	YES
B.2.27.3.2.3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL (hours)	R&B	5.06	56			17.379				3.85	106			22.462			
B.2.27.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL (hours)	R&B	1.84	107	0.50	2	9.494	6.77548	0.1971	YES	0.79	106	0.26	1	0.543	0.54451	0.9280	YES
B.2.27.4.1.1	P-5	Combo (other)/<10 circuits/Dispatch/FL (hours)	R&B&D - Disp	14.40	56,589			116.509				14.99	74,410			109.256			
B.2.27.4.1.4	P-5	Combo (other)/<10 circuits/Dispatch In/FL (hours)	R&B&D - Disp	14.40	56,589			116.509				14.99	74,410			109.256			
B.2.27.4.2.1	P-5	Combo (other)/>=10 circuits/Dispatch/FL (hours)	R&B&D - Disp	53.95	762			194.966				69.19	749			229.438			
B.2.27.4.2.4	P-5	Combo (other)/>=10 circuits/Dispatch In/FL (hours)	R&B&D - Disp	53.95	762			194.966				69.19	749			229.438			
B.2.27.5.1.1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL (hours)	ADSL to Retail	4.65	14,202	15.18	174	51.751	3.94716	-2.8517	NO	3.98	10,344	14.79	154	43.101	3.40803	-3.0969	NO
B.2.27.5.1.2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL (hours)	ADSL to Retail	1.12	8,261			9.431				0.81	6,329			6.030			
B.2.27.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL (hours)	ADSL to Retail	1.15	17			4.283				4.19	19			10.146			
B.2.27.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL (hours)	ADSL to Retail	1.00	1			0.000											
B.2.27.6.1.1	P-5	UNE ISDN/<10 circuits/Dispatch/FL (hours)	ISDN - BRI	47.21	307	22.90	153	60.992	6.92645	3.5100	YES	23.11	487	28.46	122	99.034	10.02662	-0.5331	YES
B.2.27.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL (hours)	ISDN - BRI	4.35	416			20.651				7.67	463			34.994			
B.2.27.6.2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL (hours)	ISDN - BRI																
B.2.27.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL (hours)	ISDN - BRI																
B.2.27.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/FL (hours)	ADSL to Retail	4.65	14,202	0.02	1	20.863	20.86365	0.2222	YES	3.98	10,344			23.725			
B.2.27.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL (hours)	ADSL to Retail	1.12	8,261	0.45	2	9.431	6.69902	0.1007	YES	0.81	6,329	0.54	2	6.030	4.26435	0.0830	YES
B.2.27.7.2.1	P-5	Line Sharing/>=10 circuits/Dispatch/FL (hours)	ADSL to Retail	1.15	17			4.283				4.19	19			10.146			
B.2.27.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL (hours)	ADSL to Retail	1.00	1			0.000											
B.2.27.8.1.1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL (hours)	R&B - Disp	4.93	53,915	14.31	184	47.885	3.53615	-2.6538	NO	5.77	71,591	12.93	246	43.812	2.79812	-2.8577	NO
B.2.27.8.1.2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL (hours)	R&B - Disp	4.93	53,915			22.981				5.77	71,591			22.603			