



WASHINGTON, DC OFFICE

fifth floor

flour mill building

1000 potomac street nw

washington, dc 20007-3501

TEL 202 965 7880 FAX 202 965 1729

OTHER OFFICES

new york, new york

portland, oregon

seattle, washington

GSBLAW.COM

G A R V E Y S C H U B E R T B A R E R

*Please reply to JOHN M. PELKEY
jpelkey@gsblaw.com TEL EXT 2528*

April 15, 2005

ORIGINAL

Our File No. 20828-00101-63

VIA HAND DELIVERY

Marlene H. Dortch, Secretary
Federal Communications Commission
445 12th Street, S.W.
Washington, D.C. 20554

DOCKET FILE COPY ORIGINAL

RECEIVED

APR 15 2005

Federal Communications Commission
Office of Secretary

Re: MB Docket No. 04-409
RM-1108

Dear Ms. Dortch:

In a counterproposal filed in the above-referenced proceeding on December 27, 2004, CXR Holdings, Inc., ("CXR") licensee of Station WDYL(FM), Chester, Virginia, proposed to change the channel and class of WDYL from Channel 266A to Channel 265B1 and to change the station's community of license from Chester, Virginia, to Lakeside, Virginia. In that counterproposal, CXR specified reference coordinates of 37°, 36', 08" NL; 77°, 22', 09" WL.

MainQuad Communications, Inc. ("MainQuad"), is the licensee of WARV-FM, Petersburg, Virginia. MainQuad, which became the licensee of the station in February 2003, recently discovered that the coordinates listed on the WARV-FM license are in error and apparently have been in error ever since the filing of the application seeking authority to construct WARV-FM at its present location approximately 12 years, and several licensees, ago. After MainQuad informed its landlord of its discovery, the landlord, which is also a Commission licensee, begin the process of correcting the coordinates on file with respect to the tower on which WARV-FM is located. In particular, the FAA has been notified as the first step in obtaining a corrected tower registration. MainQuad itself is preparing a facilities modification application on FCC Form 301 so as to permit the coordinates to be corrected.

In the process of performing the engineering studies to determine whether WARV-FM is properly spaced if the correct coordinates are used, however, MainQuad discovered that, if the correct coordinates are used for the tower on which WARV-FM is located, WARV-FM is short-spaced to the reference coordinates specified by CXR in its counterproposal. So as to permit MainQuad to file the requisite facilities modification application correcting the WARV-FM coordinates, MainQuad

No. of Copies rec'd
List ABOVE


01

April 15, 2005

Page 2

respectfully requests that 37°, 36', 48" NL; 77°, 21', 46" WL be specified as the reference coordinates for the proposed Lakeside allocation. As is depicted on the attached map and allocation study, those reference coordinates would permit the requisite 70 dBu coverage of Lakeside while, at the same time, meeting all relevant spacing requirements. Adoption of these reference coordinates thus would allow the counterproposal to go forward while, at that same time, permitting MainQuad to file the requisite facilities modification application that would allow WARV-FM to continue to provide the same service that it has been providing to the residents of Petersburg and the surrounding area for the last 12 years.

Sincerely,




John M. Pelkey

Enclosures

cc: Victoria McCauley, Esq.
Kevin F. Reed, Esq.
Mark N. Lipp, Esq.
Dana Puopolo

DC_DOCS:637167.1

EXHIBIT A



70 dbu for WDYL from Proposed Coordinates.

EXHIBIT B

Call	CH#	Type	Location		D-KM	Azi	FCC	Margin
RADD	265B1	ADD	Lakeside	VA	1.35	204.5	175.0	-173.65
ALLO.U	265A	USE	Warsaw	VA	65.18	55.4	143.0	-77.82
WNNTFM	265A	LIC	Warsaw	VA	65.18	55.4	143.0	-77.82
WDYL	266A	LIC N	Chester	VA	20.28	197.6	96.0	-75.72
ALLO.U	266A	USE	Chester	VA	26.23	192.7	96.0	-69.77
WARVFM	262A	LIC	Petersburg	VA	47.99	184.0	48.0	-0.01
WZEZ	263A	LIC N	Goochland	VA	48.01	273.4	48.0	0.01
ALLO.U	263A	USE	Goochland	VA	48.21	280.2	48.0	0.21
ALLO.U	262A	USE	Petersburg	VA	49.12	183.2	48.0	1.12
WDCE	211A	LIC	Richmond	VA	16.34	256.9	12.0	4.34
WFMI	265C2	LIC N	Southern Shores	NC	205.25	139.4	200.0	5.25
ALLO.U	268B	USE	Fredericksburg	VA	79.87	358.0	71.0	8.87
WBQB	268B	LIC-D	Fredericksburg	VA	79.87	358.0	71.0	8.87
WWDCFM	266B	LIC	Washington	DC	156.18	9.7	145.0	11.18
ALLO.U	266B	USE	Washington	DC	156.18	9.7	145.0	11.18
WRVAFM	264C	LIC	Rocky Mount	NC	209.79	199.7	193.0	16.79
ALLO.U	264C	USE	Rocky Mount	NC	209.79	199.7	193.0	16.79
ALLO.U	264B	USE	Harrisonburg	VA	164.60	305.0	145.0	19.60
WQPO	264B	LIC	Harrisonburg	VA	164.60	305.0	145.0	19.60
ALLO.U	265C2	USE	Southern Shores	NC	222.02	138.4	200.0	22.02
WAAI	265A	LIC	Hurlock	MD	171.17	48.5	143.0	28.17
ALLO.U	265A	USE	Hurlock	MD	171.17	48.5	143.0	28.17
WXJK	267A	LIC	Farmville	VA	96.39	250.7	48.0	48.39
ALLO.U	267A	USE	Farmville	VA	96.39	250.7	48.0	48.39
WXJK	267C3	RSV	Farmville	VA	107.77	254.6	50.0	57.77
WWDEFM	267B	LIC	Hampton	VA	131.62	131.2	71.0	60.62
ALLO.U	267B	USE	Hampton	VA	131.62	131.2	71.0	60.62
ALLO.U	263B	USE	Norfolk	VA	134.52	130.1	71.0	63.52
WXMM	263B	LIC	Norfolk	VA	134.52	130.1	71.0	63.52