TALLATION TROUBLE REPORT RATE - 2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Circuits Installed	7	15	20	7	4	11	106	14	9	5	4
		% New Circuit Failures	0.00	13.33	0.00	0.00	0.00	0.00	0.94	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.35	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuits Installed	9	4	1	19	5	7	8	3	3	3	3
		% New Circuit Failures	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.00	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Non-272 Affiliates	Circuits Installed	--	1	--	2	--	--	--	--	1	--	--
		% New Circuit Failures	--	0.00	--	0.00	--	--	--	--	0.00	--	--
		Standard Deviation	--	--	--	0.00	--	--	--	--	--	--	--
DS1	Non-Affiliate	Circuits Installed	175	134	120	142	81	202	416	143	156	117	107
		% New Circuit Failures	1.14	1.49	0.00	2.11	0.00	0.50	1.20	2.10	0.00	1.71	2.80
		Standard Deviation	0.11	0.12	0.00	0.14	0.00	0.07	0.11	0.14	0.00	0.13	0.17
	Verizon 272 Affiliates	Circuits Installed	26	23	11	42	60	61	36	62	35	43	49
		% New Circuit Failures	0.00	0.00	0.00	0.00	5.00	3.28	0.00	0.00	0.00	0.00	8.16
		Standard Deviation	0.00	0.00	0.00	0.00	0.22	0.18	0.00	0.00	0.00	0.00	0.28
	Non-272 Affiliates	Circuits Installed	6	19	14	8	21	43	14	15	28	40	33
		% New Circuit Failures	0.00	21.05	0.00	0.00	4.76	0.00	0.00	0.00	3.57	2.50	6.06
		Standard Deviation	0.00	0.42	0.00	0.00	0.22	0.00	0.00	0.00	0.19	0.16	0.24
DS3	Non-Affiliate	Circuits Installed	3	1	--	5	3	3	1	10	2	4	6
		% New Circuit Failures	0.00	0.00	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	--	--	0.00	0.00	0.00	--	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuits Installed	1	1	--	3	--	2	1	2	2	1	--
		% New Circuit Failures	0.00	0.00	--	0.00	--	0.00	0.00	0.00	0.00	0.00	--
		Standard Deviation	--	--	--	0.00	--	0.00	--	0.00	0.00	--	--
	Non-272 Affiliates	Circuits Installed	2	2	--	--	--	--	--	--	--	--	2
		% New Circuit Failures	0.00	0.00	--	--	--	--	--	--	--	--	50.00
		Standard Deviation	0.00	0.00	--	--	--	--	--	--	--	--	0.71

RATE/TROUBLE REPORT RATE -2005

rvType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
0	Non-Affiliate	Circuits Installed	40	6	16	9	14	8	11	13	14	20	17
		% New Circuit Failures	2.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuits Installed	1	0	0	0	0	3	1	3	5	2	17
		% New Circuit Failures	0.00	--	--	--	--	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	--	--	--	--	--	0.00	--	0.00	0.00	0.00	0.00
	Non 272 Affiliates	Circuits Installed	0	1	0	1	0	1	0	0	0	1	0
		% New Circuit Failures	--	0.00	--	0.00	--	0.00	--	--	--	0.00	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--
1	Non-Affiliate	Circuits Installed	138	149	148	113	173	95	131	72	120	128	101
		% New Circuit Failures	4.35	1.34	1.35	3.54	1.16	1.05	0.76	0.00	1.67	2.34	1.98
		Standard Deviation	0.20	0.12	0.12	0.19	0.11	0.10	0.09	0.00	0.13	0.15	0.14
	Verizon 272 Affiliates	Circuits Installed	3	2	0	1	1	43	56	102	57	40	39
		% New Circuit Failures	0.00	0.00	--	0.00	0.00	0.00	0.00	0.00	0.00	2.50	0.00
		Standard Deviation	0.00	0.00	--	--	--	0.00	0.00	0.00	0.00	0.16	0.00
	Non 272 Affiliates	Circuits Installed	0	0	5	8	10	11	12	16	8	35	7
		% New Circuit Failures	--	--	0.00	0.00	50.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	--	--	0.00	0.00	0.53	0.00	0.00	0.00	0.00	0.00	0.00
3 and above	Non-Affiliate	Circuits Installed	5	1	1	12	1	2	8	2	1	1	4
		% New Circuit Failures	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	--	--	0.00	--	0.00	0.00	0.00	--	--	0.00
	Verizon 272 Affiliates	Circuits Installed	0	1	0	0	1	1	0	0	1	0	0
		% New Circuit Failures	--	0.00	--	--	0.00	0.00	--	--	0.00	--	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--
	Non 272 Affiliates	Circuits Installed	0	0	0	0	0	0	0	1	1	3	3
		% New Circuit Failures	--	--	--	--	--	--	--	0.00	0.00	0.00	0.00
		Standard Deviation	--	--	--	--	--	--	--	--	--	0.00	0.00

RATE/TROUBLE REPORT RATE -2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Circuits Installed	7	15	20	7	4	11	106	14	9	5	4
		% New Circuit Failures	0.00	13.33	0.00	0.00	0.00	0.00	0.94	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.35	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuits Installed	9	4	1	19	5	7	8	3	3	3	3
		% New Circuit Failures	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.00	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Non-272 Affiliates	Circuits Installed	--	1	--	2	--	--	--	--	1	--	--
		% New Circuit Failures	--	0.00	--	0.00	--	--	--	--	0.00	--	--
		Standard Deviation	--	--	--	0.00	--	--	--	--	--	--	--
DS1	Non-Affiliate	Circuits Installed	175	134	120	142	81	202	416	143	156	117	107
		% New Circuit Failures	1.14	1.49	0.00	2.11	0.00	0.50	1.20	2.10	0.00	1.71	2.80
		Standard Deviation	0.11	0.12	0.00	0.14	0.00	0.07	0.11	0.14	0.00	0.13	0.17
	Verizon 272 Affiliates	Circuits Installed	26	23	11	42	60	61	36	62	35	43	49
		% New Circuit Failures	0.00	0.00	0.00	0.00	5.00	3.28	0.00	0.00	0.00	0.00	8.16
		Standard Deviation	0.00	0.00	0.00	0.00	0.22	0.18	0.00	0.00	0.00	0.00	0.28
	Non-272 Affiliates	Circuits Installed	6	19	14	8	21	43	14	15	28	40	33
		% New Circuit Failures	0.00	21.05	0.00	0.00	4.76	0.00	0.00	0.00	3.57	2.50	6.06
		Standard Deviation	0.00	0.42	0.00	0.00	0.22	0.00	0.00	0.00	0.19	0.16	0.24
DS3	Non-Affiliate	Circuits Installed	3	1	--	5	3	3	1	10	2	4	6
		% New Circuit Failures	0.00	0.00	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	--	--	0.00	0.00	0.00	--	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuits Installed	1	1	--	3	--	2	1	2	2	1	--
		% New Circuit Failures	0.00	0.00	--	0.00	--	0.00	0.00	0.00	0.00	0.00	--
		Standard Deviation	--	--	--	0.00	--	0.00	--	0.00	0.00	--	--
	Non-272 Affiliates	Circuits Installed	2	2	--	--	--	--	--	--	--	--	2
		% New Circuit Failures	0.00	0.00	--	--	--	--	--	--	--	--	50.00
		Standard Deviation	0.00	0.00	--	--	--	--	--	--	--	--	0.71

E REPAIR INTERVAL/MEAN TIME to RESTORE – 2005

vType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
0	Non-Affiliate	Trouble Reports	9	7	16	8	13	9	8	12	10	9	6
		AverageRepair Interval	4.70	4.51	5.11	4.20	2.39	4.16	6.13	6.16	4.28	5.70	9.02
		Standard Deviation	2.02	2.53	3.63	4.33	2.49	2.02	2.63	4.73	2.83	4.09	6.96
	Verizon 272 Affiliates	Trouble Reports	0	0	0	0	0	15	9	10	4	8	6
		AverageRepair Interval	--	--	--	--	--	3.61	3.09	8.87	5.76	7.76	4.13
		Standard Deviation	--	--	--	--	--	3.73	2.26	6.60	5.08	6.66	2.67
	Non 272 Affiliates	Trouble Reports	0	0	2	0	0	0	1	1	0	0	0
		AverageRepair Interval	--	--	2.79	--	--	--	4.47	10.25	--	--	--
		Standard Deviation	--	--	1.17	--	--	--	--	--	--	--	--
1	Non-Affiliate	Trouble Reports	50	71	57	62	75	56	57	43	51	66	22
		AverageRepair Interval	5.48	4.70	4.90	4.35	4.38	5.22	6.82	5.01	4.53	5.93	5.58
		Standard Deviation	2.54	3.64	4.04	2.85	3.43	3.95	7.81	3.79	3.06	4.24	2.24
	Verizon 272 Affiliates	Trouble Reports	1	0	0	0	0	12	11	13	9	25	8
		AverageRepair Interval	5.08	--	--	--	--	2.49	7.17	4.34	4.32	4.54	6.11
		Standard Deviation	--	--	--	--	--	2.65	8.02	2.69	4.21	2.20	3.02
	Non 272 Affiliates	Trouble Reports	2	1	3	7	1	3	0	1	1	2	5
		AverageRepair Interval	3.52	1.25	3.83	6.26	2.77	1.76	--	1.85	9.02	8.09	7.32
		Standard Deviation	0.00	--	3.20	1.16	--	0.85	--	--	--	0.11	5.04
3 and above	Non-Affiliate	Trouble Reports	0	2	1	1	2	0	0	1	0	3	0
		AverageRepair Interval	--	4.16	1.50	8.70	3.67	--	--	2.72	--	5.97	--
		Standard Deviation	--	4.42	--	--	1.12	--	--	--	--	3.06	--
	Verizon 272 Affiliates	Trouble Reports	0	0	0	0	0	0	0	1	0	1	0
		AverageRepair Interval	--	--	--	--	--	--	--	69.88	--	5.52	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--
	Non 272 Affiliates	Trouble Reports	1	0	1	0	0	0	0	0	0	3	0
		AverageRepair Interval	6.62	--	1.28	--	--	--	--	--	--	6.13	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	2.99	--

E REPAIR INTERVAL/MEAN TIME to RESTORE - 2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Trouble Reports	12	6	12	18	9	13	40	5	9	10	5
		AverageRepair Interval	2.74	4.47	8.80	5.09	4.92	5.24	3.22	3.36	7.69	8.57	4.92
		Standard Deviation	1.00	3.40	3.09	3.10	5.16	3.36	2.57	2.54	5.95	4.94	3.76
	Verizon 272 Affiliates	Trouble Reports	13	2	8	2	5	5	8	8	12	6	5
		AverageRepair Interval	2.90	11.78	7.16	8.13	2.81	6.81	10.18	6.62	6.78	9.71	7.73
		Standard Deviation	2.26	4.67	1.20	0.00	0.66	3.28	12.12	7.62	3.47	5.17	3.99
	Non-272 Affiliates	Trouble Reports	--	1	--	--	--	--	--	--	--	--	--
		AverageRepair Interval	--	2.35	--	--	--	--	--	--	--	--	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--
DS1	Non-Affiliate	Trouble Reports	49	38	65	76	50	60	77	51	44	57	98
		AverageRepair Interval	4.66	5.30	6.27	4.14	4.46	4.93	3.89	4.16	5.08	4.32	4.42
		Standard Deviation	3.83	2.36	4.23	2.93	2.66	3.19	3.70	2.95	3.19	3.24	3.15
	Verizon 272 Affiliates	Trouble Reports	13	5	8	10	15	12	17	11	16	29	15
		AverageRepair Interval	2.94	3.93	6.77	3.52	3.68	4.41	3.01	3.40	3.80	2.00	4.70
		Standard Deviation	2.21	2.97	3.05	1.88	2.78	2.66	2.64	2.01	3.42	2.86	5.04
	Non-272 Affiliates	Trouble Reports	5	9	7	4	3	10	13	4	3	8	18
		AverageRepair Interval	9.26	7.71	8.22	6.56	8.51	4.36	5.23	6.21	5.67	4.72	4.22
		Standard Deviation	5.59	3.73	1.92	1.80	5.48	1.88	3.46	1.66	2.09	3.48	3.39
DS3	Non-Affiliate	Trouble Reports	--	1	--	2	--	--	--	1	1	2	1
		AverageRepair Interval	--	1.83	--	1.65	--	--	--	1.50	1.98	2.13	1.47
		Standard Deviation	--	--	--	0.00	--	--	--	--	--	0.28	--
	Verizon 272 Affiliates	Trouble Reports	--	--	--	--	--	1	--	--	--	--	--
		AverageRepair Interval	--	--	--	--	--	0.88	--	--	--	--	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--
	Non-272 Affiliates	Trouble Reports	1	--	--	--	--	--	1	--	--	1	1
		AverageRepair Interval	0.52	--	--	--	--	--	2.98	--	--	0.27	1.08
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--

VERIZON MAINE 272 AUDIT REPORT - 2005 PIC INTERVALS

		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
272 AFFILIATES	RECORDS	21	131	48	62	118	362	430	529	420	321	442	187
	INTERVALS	1:09	0:54	0:54	3:09	1:26	0:56	1:22	0:51	0:56	1:02	1:05	1:19
	STD. DEV.	1:18	0:27	0:46	1:30	1:11	1:01	2:07	0:46	0:59	1:21	1:29	1:48
NON AFFILIATES	RECORDS	1365	1214	6101	1373	1164	917	886	764	521	1084	512	572
	INTERVALS	1:31	1:24	1:30	1:03	1:10	1:06	1:19	1:14	1:17	1:03	1:14	1:24
	STD. DEV.	1:44	1:36	0:47	1:13	1:43	1:17	1:32	1:18	1:33	0:57	1:42	1:21

NOTES:

1. This report represents data showing the Average PIC Interval for carrier initiated files sent to Verizon by the entire carrier community, including Verizon I.D. The "PIC Interval" is defined as "the time a PIC change is completed in the switch" minus "the time the request was received by XEA". Each incoming file is time stamped when XEA picks it up for processing. Intervals are measured in Hrs:Mins. The report also indicates the number of records processed each month for the affilate and non-affiliates.

VERIZON MAINE 272 AUDIT REPORT - 2006 PIC INTERVALS

		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
272 AFFILIATES	RECORDS	150	161	187	178	172	126	103	155	102	114	66	75
	INTERVALS	0:53	0:59	0:54	0:49	0:48	1:04	0:47	1:15	1:51	0:48	0:52	1:06
	STD. DEV.	1:22	0:56	1:15	0:24	0:11	0:54	0:05	1:14	9:55	0:05	0:14	1:22
NON-AFFILIATES	RECORDS	487	727	946	824	1230	1312	457	495	619	610	629	567
	INTERVALS	1:28	1:28	1:15	1:08	1:12	1:34	1:29	1:15	1:59	1:10	1:12	1:04
	STD. DEV.	2:06	1:41	1:31	1:07	1:07	1:06	1:32	1:34	6:05	1:23	1:15	1:03

NOTES:

1. This report represents data showing the Average PIC Interval for carrier initiated files sent to Verizon by the entire carrier community, including Verizon LD. The "PIC Interval" is defined as "the time a PIC change is completed in the switch" minus "the time the request was received by XEA". Each incoming file is time stamped when XEA picks it up for processing. Intervals are measured in Hrs:Mins. The report also indicates the number of records processed each month for the affiliate and non-affiliates.

DER CONFIRMATION (FOC) TIMELINESS - 2005

rvType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
0	Non-Affiliate	Circuit Orders	33	54	52	64	69	51	53	52	49	17	23
		% Confirmed on Time	100.00	100.00	96.15	100.00	98.55	98.04	98.11	96.15	91.84	76.47	86.96
		Standard Deviation	0.00	0.00	0.19	0.00	0.12	0.14	0.14	0.19	0.28	0.44	0.34
	Verizon 272 Affiliates	Circuit Orders	0	0	1	0	2	16	23	41	21	30	16
		% Confirmed on Time	--	--	100.00	--	100.00	100.00	100.00	100.00	100.00	90.00	93.75
		Standard Deviation	--	--	--	--	0.00	0.00	0.00	0.00	0.00	0.31	0.25
	Non 272 Affiliates	Circuit Orders	0	0	0	2	2	3	0	1	3	0	1
		% Confirmed on Time	--	--	--	100.00	100.00	100.00	--	100.00	100.00	--	100.00
		Standard Deviation	--	--	--	0.00	0.00	0.00	--	--	0.00	--	--
1	Non-Affiliate	Circuit Orders	695	829	849	809	835	699	692	808	765	718	688
		% Confirmed on Time	98.42	98.91	98.23	96.66	96.89	96.85	95.95	93.69	97.65	88.30	90.12
		Standard Deviation	0.12	0.10	0.13	0.18	0.17	0.17	0.20	0.24	0.15	0.32	0.30
	Verizon 272 Affiliates	Circuit Orders	26	29	24	28	18	226	165	244	214	136	147
		% Confirmed on Time	96.15	100.00	95.83	96.43	88.89	97.35	96.97	95.90	98.13	87.50	95.24
		Standard Deviation	0.20	0.00	0.20	0.19	0.32	0.16	0.17	0.20	0.14	0.33	0.21
	Non 272 Affiliates	Circuit Orders	34	69	41	17	12	13	5	6	4	6	11
		% Confirmed on Time	97.06	100.00	95.12	94.12	100.00	100.00	80.00	100.00	100.00	83.33	81.82
		Standard Deviation	0.17	0.00	0.22	0.24	0.00	0.00	0.45	0.00	0.00	0.41	0.40
3 and above	Non-Affiliate	Circuit Orders	30	26	30	27	27	35	44	51	30	32	37
		% Confirmed on Time	83.33	88.46	80.00	77.78	81.48	68.57	61.36	72.55	80.00	62.50	70.27
		Standard Deviation	0.38	0.33	0.41	0.42	0.40	0.47	0.49	0.45	0.41	0.49	0.46
	Verizon 272 Affiliates	Circuit Orders	6	3	9	5	6	8	8	14	12	17	17
		% Confirmed on Time	83.33	100.00	100.00	100.00	83.33	87.50	50.00	85.71	83.33	64.71	58.82
		Standard Deviation	0.41	0.00	0.00	0.00	0.41	0.35	0.53	0.36	0.39	0.49	0.51
	Non 272 Affiliates	Circuit Orders	2	2	2	0	1	4	3	1	0	1	1
		% Confirmed on Time	100.00	100.00	100.00	--	100.00	50.00	100.00	100.00	--	100.00	100.00
		Standard Deviation	0.00	0.00	0.00	--	--	0.58	0.00	--	--	--	--

ER CONFIRMATION (FOC) TIMELINESS - 2006

ervType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Circuit Orders	44	36	36	21	34	22	19	29	20	15	17
		% Confirmed on Time	97.73	91.67	91.67	100.00	100.00	95.45	100.00	100.00	100.00	100.00	100.00
		Standard Deviation	0.15	0.28	0.28	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuit Orders	12	20	20	8	21	12	14	15	16	12	7
		% Confirmed on Time	100.00	95.00	100.00	87.50	100.00	91.67	100.00	100.00	100.00	100.00	100.00
		Standard Deviation	0.00	0.22	0.00	0.35	0.00	0.29	0.00	0.00	0.00	0.00	0.00
	Non-272 Affiliates	Circuit Orders	--	--	--	--	--	--	--	--	--	--	--
		% Confirmed on Time	--	--	--	--	--	--	--	--	--	--	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--
DS1	Non-Affiliate	Circuit Orders	654	538	708	583	590	560	545	617	609	645	552
		% Confirmed on Time	97.09	96.84	96.89	94.68	97.29	99.29	99.08	99.68	98.52	98.45	97.83
		Standard Deviation	0.17	0.18	0.17	0.22	0.16	0.08	0.10	0.06	0.12	0.12	0.15
	Verizon 272 Affiliates	Circuit Orders	132	183	199	161	215	205	219	244	209	284	186
		% Confirmed on Time	97.73	96.17	96.48	96.27	98.60	98.54	96.80	99.59	99.04	98.94	97.85
		Standard Deviation	0.15	0.19	0.18	0.19	0.12	0.12	0.18	0.06	0.10	0.10	0.15
	Non-272 Affiliates	Circuit Orders	4	2	3	3	--	2	5	1	4	--	1
		% Confirmed on Time	100.00	100.00	100.00	33.33	--	100.00	100.00	100.00	100.00	--	100.00
		Standard Deviation	0.00	0.00	0.00	0.58	--	0.00	0.00	--	0.00	--	--
DS3	Non-Affiliate	Circuit Orders	29	19	42	25	18	25	18	34	22	26	25
		% Confirmed on Time	86.21	84.21	83.33	80.00	83.33	84.00	100.00	97.06	90.91	92.31	96.00
		Standard Deviation	0.35	0.37	0.38	0.41	0.38	0.37	0.00	0.17	0.29	0.27	0.20
	Verizon 272 Affiliates	Circuit Orders	20	19	26	20	12	16	17	22	21	16	16
		% Confirmed on Time	85.00	63.16	100.00	85.00	83.33	87.50	94.12	86.36	100.00	93.75	87.50
		Standard Deviation	0.37	0.50	0.00	0.37	0.39	0.34	0.24	0.35	0.00	0.25	0.34
	Non-272 Affiliates	Circuit Orders	6	1	7	3	1	--	--	1	2	--	--
		% Confirmed on Time	66.67	100.00	100.00	100.00	100.00	--	--	100.00	100.00	--	--
		Standard Deviation	0.52	--	0.00	0.00	--	--	--	--	0.00	--	--

INSTALLATION APPOINTMENTS MET – 2005

vType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
	Non-Affiliate	Circuits Installed	31	37	51	28	68	38	52	259	213	42	22
		% Installation Appointments Met	90.32	91.89	94.12	96.43	92.65	100.00	92.31	97.68	98.59	92.86	81.82
		Standard Deviation	0.30	0.28	0.24	0.00	0.26	0.00	0.27	0.15	0.12	0.26	0.39
	Verizon 272 Affiliates	Circuits Installed	0	0	0	1	0	16	15	36	18	25	15
		% Installation Appointments Met	--	--	--	100.00	--	93.75	86.67	86.11	83.33	96.00	100.00
		Standard Deviation	--	--	--	--	--	0.25	0.35	0.35	0.38	0.20	0.00
	Non 272 Affiliates	Circuits Installed	2	0	0	2	1	1	1	1	3	1	2
		% Installation Appointments Met	100.00	--	--	0.00	100.00	100.00	100.00	100.00	66.67	100.00	100.00
		Standard Deviation	0.00	--	--	0.00	--	--	--	--	0.58	--	0.00
	Non-Affiliate	Circuits Installed	1038	1177	1325	1292	1133	1095	781	1100	1197	1056	879
		% Installation Appointments Met	94.12	95.75	93.66	93.03	90.56	86.21	85.66	87.18	91.06	90.63	90.33
		Standard Deviation	0.24	0.20	0.24	0.18	0.29	0.34	0.35	0.33	0.29	0.29	0.30
	Verizon 272 Affiliates	Circuits Installed	18	16	18	19	10	205	210	279	177	173	160
		% Installation Appointments Met	88.89	93.75	88.89	94.74	80.00	92.20	86.19	87.10	89.27	89.02	96.88
		Standard Deviation	0.32	0.25	0.32	0.19	0.42	0.27	0.35	0.34	0.31	0.31	0.17
	Non 272 Affiliates	Circuits Installed	156	96	119	175	55	88	122	172	63	94	76
		% Installation Appointments Met	84.62	91.67	92.44	89.71	69.09	88.64	84.43	78.49	96.83	70.21	98.68
		Standard Deviation	0.36	0.28	0.27	0.24	0.47	0.32	0.36	0.41	0.18	0.46	0.11
and above	Non-Affiliate	Circuits Installed	46	31	30	45	30	22	21	30	41	29	45
		% Installation Appointments Met	91.30	83.87	83.33	82.22	93.33	100.00	71.43	83.33	87.80	79.31	86.67
		Standard Deviation	0.28	0.37	0.38	0.42	0.25	0.00	0.46	0.38	0.33	0.41	0.34
	Verizon 272 Affiliates	Circuits Installed	2	5	3	6	5	7	5	10	8	8	11
		% Installation Appointments Met	0.00	100.00	100.00	83.33	80.00	42.86	60.00	80.00	62.50	62.50	81.82
		Standard Deviation	0.00	0.00	0.00	0.00	0.45	0.53	0.55	0.42	0.52	0.52	0.40
	Non 272 Affiliates	Circuits Installed	6	3	4	10	3	2	2	4	8	4	7
		% Installation Appointments Met	66.67	0.00	50.00	100.00	100.00	50.00	50.00	75.00	75.00	100.00	85.71
		Standard Deviation	0.52	0.00	0.58	--	0.00	0.71	0.71	0.50	0.46	0.00	0.38

T INSTALLATION APPOINTMENTS MET - 2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Circuits Installed	49	145	141	98	122	133	46	93	91	130	104
		% Installation Appointments Met	93.88	99.31	97.87	98.98	96.72	98.50	95.65	97.85	97.80	100.00	98.08
		Standard Deviation	0.24	0.08	0.14	0.10	0.18	0.12	0.21	0.15	0.15	0.00	0.14
	Verizon 272 Affiliates	Circuits Installed	6	13	11	10	15	16	2	9	15	7	8
		% Installation Appointments Met	83.33	84.62	81.82	100.00	80.00	81.25	100.00	66.67	73.33	100.00	87.50
		Standard Deviation	0.41	0.38	0.40	0.00	0.41	0.40	0.00	0.50	0.46	0.00	0.35
	Non-272 Affiliates	Circuits Installed	1	1	1	--	1	--	--	--	--	1	--
		% Installation Appointments Met	100.00	100.00	100.00	--	100.00	--	--	--	--	100.00	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--
DS1	Non-Affiliate	Circuits Installed	1168	1087	1311	1142	1131	1067	773	1078	942	985	854
		% Installation Appointments Met	93.07	95.31	97.71	97.37	94.43	92.69	91.07	92.30	93.42	95.43	95.20
		Standard Deviation	0.25	0.21	0.15	0.16	0.23	0.26	0.29	0.27	0.25	0.21	0.21
	Verizon 272 Affiliates	Circuits Installed	167	162	216	162	224	179	214	294	210	262	247
		% Installation Appointments Met	94.61	96.91	96.30	95.06	96.43	94.97	88.79	95.92	94.76	97.33	95.95
		Standard Deviation	0.23	0.17	0.19	0.22	0.19	0.22	0.32	0.20	0.22	0.16	0.20
	Non-272 Affiliates	Circuits Installed	60	27	70	73	196	93	77	150	43	35	24
		% Installation Appointments Met	83.33	96.30	98.57	95.89	96.94	92.47	97.40	98.67	97.67	97.14	91.67
		Standard Deviation	0.38	0.19	0.12	0.20	0.17	0.27	0.16	0.12	0.15	0.17	0.28
DS3 and above	Non-Affiliate	Circuits Installed	29	36	31	42	31	30	30	46	38	22	26
		% Installation Appointments Met	89.66	94.44	96.77	100.00	100.00	100.00	96.67	100.00	100.00	100.00	100.00
		Standard Deviation	0.31	0.23	0.18	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuits Installed	12	18	28	18	19	14	21	28	26	22	17
		% Installation Appointments Met	83.33	94.44	96.43	100.00	100.00	92.86	100.00	100.00	96.15	90.91	100.00
		Standard Deviation	0.39	0.24	0.19	0.00	0.00	0.27	0.00	0.00	0.20	0.29	0.00
	Non-272 Affiliates	Circuits Installed	5	8	7	2	8	2	1	--	6	1	1
		% Installation Appointments Met	60.00	75.00	100.00	100.00	87.50	100.00	100.00	--	100.00	100.00	100.00
		Standard Deviation	0.55	0.46	0.00	0.00	0.35	0.00	--	--	0.00	--	--

ALLATION TROUBLE REPORT RATE - 2005

rvType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
0	Non-Affiliate	Circuits Installed	42	31	37	51	28	48	38	52	259	213	42
		% New Circuit Failures	7.14	0.00	5.41	7.84	7.14	2.08	5.26	0.00	0.77	1.41	7.14
		Standard Deviation	0.26	0.00	0.23	0.27	0.26	0.14	0.23	0.00	0.09	0.12	0.26
	Verizon 272 Affiliates	Circuits Installed	0	0	0	0	1	20	16	15	36	18	25
		% New Circuit Failures	--	--	--	--	0.00	20.00	0.00	6.67	8.33	5.56	4.00
		Standard Deviation	--	--	--	--	--	0.41	0.00	0.26	0.28	0.24	0.20
	Non 272 Affiliates	Circuits Installed	0	2	0	0	2	1	1	1	1	3	1
		% New Circuit Failures	--	0.00	--	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	--	0.00	--	--	0.00	--	--	--	--	0.00	--
1	Non-Affiliate	Circuits Installed	1146	1041	1177	1325	1292	971	1095	781	1100	1197	1056
		% New Circuit Failures	3.05	3.36	3.31	4.23	3.10	3.91	3.84	5.76	5.82	4.09	3.41
		Standard Deviation	0.17	0.18	0.18	0.20	0.17	0.19	0.19	0.23	0.23	0.20	0.18
	Verizon 272 Affiliates	Circuits Installed	26	18	16	18	19	172	205	210	279	177	173
		% New Circuit Failures	7.69	0.00	0.00	0.00	5.26	3.49	2.93	3.33	2.15	6.78	4.62
		Standard Deviation	0.27	0.00	0.00	0.00	0.23	0.18	0.17	0.18	0.15	0.25	0.21
	Non 272 Affiliates	Circuits Installed	136	156	96	119	175	55	88	122	172	63	94
		% New Circuit Failures	0.00	1.92	2.08	3.36	1.14	0.00	6.82	2.46	0.00	6.35	1.06
		Standard Deviation	0.00	0.14	0.14	0.18	0.11	0.00	0.25	0.16	0.00	0.25	0.10
3 and above	Non-Affiliate	Circuits Installed	49	46	31	30	45	21	22	21	30	41	29
		% New Circuit Failures	4.08	6.52	6.45	3.33	0.00	4.76	4.55	4.76	0.00	2.44	3.45
		Standard Deviation	0.20	0.25	0.25	0.18	0.00	0.22	0.21	0.22	0.00	0.16	0.19
	Verizon 272 Affiliates	Circuits Installed	12	2	5	3	6	14	7	5	10	8	8
		% New Circuit Failures	8.33	0.00	40.00	0.00	0.00	7.14	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.29	0.00	0.55	0.00	0.00	0.27	0.00	0.00	0.00	0.00	0.00
	Non 272 Affiliates	Circuits Installed	0	6	3	4	10	3	2	2	4	8	4
		% New Circuit Failures	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25.00	0.00
		Standard Deviation	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00

ALLATION TROUBLE REPORT RATE - 2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Circuits Installed	55	49	145	141	98	122	133	46	93	91	130
		% New Circuit Failures	0.00	0.00	3.45	5.67	4.08	3.28	3.76	4.35	3.23	2.20	6.15
		Standard Deviation	0.00	0.00	0.18	0.23	0.20	0.18	0.19	0.21	0.18	0.15	0.24
	Verizon 272 Affiliates	Circuits Installed	9	6	13	11	10	15	16	2	9	15	7
		% New Circuit Failures	11.11	0.00	7.69	36.36	10.00	6.67	0.00	0.00	0.00	6.67	14.29
		Standard Deviation	0.33	0.00	0.28	0.50	0.32	0.26	0.00	0.00	0.00	0.26	0.38
	Non-272 Affiliates	Circuits Installed	2	1	1	1	--	1	--	--	--	--	1
		% New Circuit Failures	0.00	0.00	0.00	0.00	--	0.00	--	--	--	--	0.00
		Standard Deviation	0.00	--	--	--	--	--	--	--	--	--	--
DS1	Non-Affiliate	Circuits Installed	1104	1168	1087	1311	1142	1131	1067	773	1078	942	985
		% New Circuit Failures	2.99	3.68	3.96	5.19	2.98	3.71	3.94	3.62	7.14	5.94	5.48
		Standard Deviation	0.17	0.19	0.20	0.22	0.17	0.19	0.19	0.19	0.26	0.24	0.23
	Verizon 272 Affiliates	Circuits Installed	191	167	162	216	162	224	179	214	294	210	262
		% New Circuit Failures	3.66	3.59	2.47	3.70	1.85	3.13	1.12	2.80	4.42	4.29	3.44
		Standard Deviation	0.19	0.19	0.16	0.19	0.14	0.17	0.11	0.17	0.21	0.20	0.18
	Non-272 Affiliates	Circuits Installed	72	60	27	70	73	196	93	77	150	43	35
		% New Circuit Failures	6.94	0.00	3.70	1.43	1.37	2.04	1.08	0.00	1.33	2.33	0.00
		Standard Deviation	0.26	0.00	0.19	0.12	0.12	0.14	0.10	0.00	0.12	0.15	0.00
DS3	Non-Affiliate	Circuits Installed	21	29	36	31	42	31	30	30	46	38	22
		% New Circuit Failures	4.76	3.45	5.56	0.00	2.38	6.45	0.00	6.67	0.00	2.63	0.00
		Standard Deviation	0.22	0.19	0.23	0.00	0.15	0.25	0.00	0.25	0.00	0.16	0.00
	Verizon 272 Affiliates	Circuits Installed	12	12	18	28	18	19	14	21	28	26	22
		% New Circuit Failures	0.00	0.00	0.00	7.14	5.56	0.00	14.29	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.00	0.00	0.26	0.24	0.00	0.36	0.00	0.00	0.00	0.00
	Non-272 Affiliates	Circuits Installed	5	5	8	7	2	8	2	1	--	6	1
		% New Circuit Failures	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	--	0.00	0.00
		Standard Deviation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	--	--	0.00	--

RATE/TROUBLE REPORT RATE -2005

rvType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
0	Non-Affiliate	Circuits in Service	6799	6729	6646	6566	6525	4382	4350	4300	4245	4214	4157
		Failure Report Rate	1.25	1.03	1.52	1.87	1.33	3.24	2.16	1.91	1.84	1.80	1.92
		Standard Deviation	0.11	0.10	0.12	0.14	0.11	0.18	0.15	0.14	0.13	0.13	0.14
	Verizon 272 Affiliates	Circuits in Service	9	7	7	10	8	2062	2051	2024	1986	1958	1889
		Failure Report Rate	0.00	0.00	0.00	0.00	0.00	2.33	2.83	1.53	1.41	2.40	0.90
		Standard Deviation	0.00	0.00	0.00	0.00	0.00	0.15	0.17	0.12	0.12	0.15	0.09
	Non 272 Affiliates	Circuits in Service	35	37	37	39	41	41	40	41	42	43	43
		Failure Report Rate	0.00	2.70	0.00	0.00	0.00	0.00	5.00	0.00	0.00	0.00	2.33
		Standard Deviation	0.00	0.16	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.15
1	Non-Affiliate	Circuits in Service	39046	39322	39745	39985	40115	31687	31972	32423	32903	33410	33701
		Failure Report Rate	1.49	1.22	1.51	1.49	1.40	2.09	2.87	1.83	1.50	2.35	1.40
		Standard Deviation	0.12	0.11	0.12	0.12	0.12	0.14	0.17	0.13	0.12	0.15	0.12
	Verizon 272 Affiliates	Circuits in Service	134	153	161	211	191	9079	9180	9331	9388	9377	9396
		Failure Report Rate	3.73	0.65	1.86	2.37	2.09	1.42	2.45	1.48	1.13	1.96	1.03
		Standard Deviation	0.19	0.08	0.14	0.15	0.14	0.12	0.15	0.12	0.11	0.14	0.10
	Non 272 Affiliates	Circuits in Service	3299	3378	3464	3585	3622	3684	3807	3932	3957	4002	4101
		Failure Report Rate	1.03	0.53	1.07	1.12	1.30	1.74	2.05	1.70	1.64	2.15	1.54
		Standard Deviation	0.10	0.07	0.10	0.11	0.11	0.13	0.14	0.13	0.13	0.15	0.12
3 and above	Non-Affiliate	Circuits in Service	1327	1344	1329	1334	1301	928	930	944	962	972	988
		Failure Report Rate	0.75	1.12	0.60	0.52	0.69	0.75	0.86	0.85	0.31	0.82	1.52
		Standard Deviation	0.09	0.11	0.08	0.07	0.08	0.09	0.09	0.09	0.06	0.09	0.12
	Verizon 272 Affiliates	Circuits in Service	37	46	49	52	56	424	408	409	406	400	412
		Failure Report Rate	2.70	4.35	4.08	0.00	1.79	2.36	0.98	1.22	0.25	1.25	1.70
		Standard Deviation	0.16	0.21	0.20	0.00	0.13	0.15	0.10	0.11	0.05	0.11	0.13
	Non 272 Affiliates	Circuits in Service	239	242	246	255	256	257	257	258	260	263	275
		Failure Report Rate	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.78	0.00	0.38	0.00
		Standard Deviation	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.09	0.00	0.06	0.00

RATE/TROUBLE REPORT RATE -2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Circuits in Service	3990	3890	3809	3751	3700	3654	3633	3588	3546	3495	3452
		Failure Report Rate	1.60	1.39	1.58	3.68	1.62	3.15	1.95	2.81	2.57	1.92	1.62
		Standard Deviation	0.13	0.12	0.12	0.19	0.13	0.17	0.14	0.17	0.16	0.14	0.13
	Verizon 272 Affiliates	Circuits in Service	1813	1785	1771	1752	1747	1747	1725	1698	1694	1677	1641
		Failure Report Rate	1.71	1.40	1.52	4.45	1.60	2.06	1.51	2.36	2.42	1.79	1.46
		Standard Deviation	0.13	0.12	0.12	0.21	0.13	0.14	0.12	0.15	0.15	0.13	0.12
	Non-272 Affiliates	Circuits in Service	45	44	43	42	38	36	34	32	32	30	30
		Failure Report Rate	0.00	4.55	2.33	0.00	5.26	5.56	5.88	3.13	0.00	13.33	3.33
		Standard Deviation	--	0.21	0.15	--	0.23	0.23	0.24	0.18	--	0.35	0.18
DS1	Non-Affiliate	Circuits in Service	34265	34497	34862	35208	35672	36028	36178	36546	36749	36761	36951
		Failure Report Rate	1.46	1.79	1.39	3.57	1.48	2.66	2.01	1.83	2.27	2.07	1.63
		Standard Deviation	0.12	0.13	0.12	0.19	0.12	0.16	0.14	0.13	0.15	0.14	0.13
	Verizon 272 Affiliates	Circuits in Service	9604	9843	9922	9924	9979	9975	10086	10265	10283	10405	10476
		Failure Report Rate	1.21	1.22	1.41	2.94	0.86	2.31	1.73	1.61	1.72	1.76	1.34
		Standard Deviation	0.11	0.11	0.12	0.17	0.09	0.15	0.13	0.13	0.13	0.13	0.11
	Non-272 Affiliates	Circuits in Service	4150	4122	4160	4233	4254	4215	4209	4233	4207	4215	4225
		Failure Report Rate	1.52	1.82	1.61	2.22	1.29	2.89	2.23	3.02	1.71	1.78	1.23
		Standard Deviation	0.12	0.13	0.13	0.15	0.11	0.17	0.15	0.17	0.13	0.13	0.11
DS3	Non-Affiliate	Circuits in Service	1002	1021	1028	1047	1061	1092	1102	1109	1120	1134	1143
		Failure Report Rate	1.00	1.57	0.88	2.48	0.47	1.28	1.18	1.62	1.25	0.44	0.87
		Standard Deviation	0.10	0.12	0.09	0.16	0.07	0.11	0.11	0.13	0.11	0.07	0.09
	Verizon 272 Affiliates	Circuits in Service	475	539	569	578	589	599	613	629	649	667	680
		Failure Report Rate	1.05	0.74	0.53	3.11	0.51	1.17	0.98	0.48	1.23	1.05	0.44
		Standard Deviation	0.10	0.09	0.07	0.17	0.07	0.11	0.10	0.07	0.11	0.10	0.07
	Non-272 Affiliates	Circuits in Service	270	274	272	274	274	277	276	275	278	281	282
		Failure Report Rate	0.00	1.09	0.37	0.73	0.36	1.08	0.00	0.00	0.72	0.71	0.71
		Standard Deviation	--	0.10	0.06	0.09	0.06	0.10	--	--	0.08	0.08	0.08

E REPAIR INTERVAL/MEAN TIME to RESTORE - 2005

vType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
0	Non-Affiliate	Trouble Reports	85	69	101	123	87	142	94	82	78	76	80
		AverageRepair Interval	5.81	5.26	4.76	6.83	4.92	6.40	7.98	6.17	4.98	5.62	3.75
		Standard Deviation	5.91	5.49	4.36	8.97	5.08	7.13	7.32	9.62	5.24	5.00	3.21
	Verizon 272 Affiliates	Trouble Reports	0	0	0	0	0	48	58	31	28	47	17
		AverageRepair Interval	--	--	--	--	--	5.66	8.00	8.83	5.55	5.54	5.93
		Standard Deviation	--	--	--	--	--	3.61	6.11	11.18	3.98	4.05	4.05
	Non 272 Affiliates	Trouble Reports	0	1	0	0	0	0	2	0	0	0	1
		AverageRepair Interval	--	15.75	--	--	--	--	5.72	--	--	--	1.15
		Standard Deviation	--	--	--	--	--	--	5.28	--	--	--	--
1	Non-Affiliate	Trouble Reports	580	478	602	597	560	661	916	593	492	784	473
		AverageRepair Interval	5.53	5.25	5.47	5.64	5.51	6.03	7.01	6.08	5.91	7.11	5.57
		Standard Deviation	5.10	4.96	4.89	5.43	5.26	6.33	7.26	5.48	5.97	7.03	5.42
	Verizon 272 Affiliates	Trouble Reports	5	1	3	5	4	129	225	138	106	184	97
		AverageRepair Interval	8.76	2.62	7.93	2.99	7.08	6.19	6.13	5.91	5.32	6.53	5.85
		Standard Deviation	2.36	--	3.58	1.94	9.80	8.68	5.01	5.80	4.90	5.49	5.03
	Non 272 Affiliates	Trouble Reports	34	18	37	40	47	64	78	67	65	86	63
		AverageRepair Interval	5.04	4.29	7.79	5.84	5.54	5.07	5.33	7.22	5.12	6.53	4.46
		Standard Deviation	3.27	4.52	7.18	3.96	4.60	4.65	5.66	7.61	6.15	5.27	5.07
3 and above	Non-Affiliate	Trouble Reports	10	15	8	7	9	7	8	8	3	8	15
		AverageRepair Interval	2.69	3.26	5.65	3.88	2.97	5.86	5.56	3.88	4.84	5.80	2.91
		Standard Deviation	1.80	2.95	4.37	3.48	2.32	6.91	8.27	2.70	2.77	8.12	3.72
	Verizon 272 Affiliates	Trouble Reports	1	2	2	0	1	10	4	5	1	5	7
		AverageRepair Interval	1.43	12.24	0.04	--	9.05	5.19	5.24	3.37	0.23	3.20	3.78
		Standard Deviation	--	16.16	0.04	--	--	6.23	3.44	2.69	--	3.19	4.72
	Non 272 Affiliates	Trouble Reports	0	0	0	0	0	0	1	2	0	1	0
		AverageRepair Interval	--	--	--	--	--	--	2.65	4.52	--	8.58	--
		Standard Deviation	--	--	--	--	--	--	--	2.47	--	--	--

E REPAIR INTERVAL/MEAN TIME to RESTORE - 2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Trouble Reports	64	54	60	138	60	115	71	101	91	67	56
		AverageRepair Interval	6.23	5.96	3.78	5.22	5.85	6.34	7.16	5.21	8.58	4.56	4.96
		Standard Deviation	7.63	4.56	3.69	4.20	5.10	6.49	7.87	5.58	9.56	3.80	4.06
	Verizon 272 Affiliates	Trouble Reports	31	25	27	78	28	36	26	40	41	30	24
		AverageRepair Interval	10.01	7.15	5.10	5.38	4.09	6.14	4.75	4.49	6.01	6.00	10.25
		Standard Deviation	12.70	7.77	4.68	4.59	3.48	3.73	3.46	3.72	4.77	5.57	13.96
	Non-272 Affiliates	Trouble Reports	--	2	1	--	2	2	2	1	--	4	1
		AverageRepair Interval	--	15.28	6.40	--	1.87	5.43	10.54	6.80	--	10.02	1.83
		Standard Deviation	--	11.64	--	--	1.96	1.67	13.99	--	--	6.31	--
DS1	Non-Affiliate	Trouble Reports	499	619	484	1256	529	958	727	668	836	760	602
		AverageRepair Interval	5.77	5.42	4.93	5.69	5.73	7.57	7.73	5.71	7.87	5.86	6.20
		Standard Deviation	6.10	5.19	4.80	5.75	5.24	7.22	8.46	6.18	8.20	6.10	5.67
	Verizon 272 Affiliates	Trouble Reports	116	120	140	292	86	230	174	165	177	183	140
		AverageRepair Interval	5.59	5.95	5.15	4.91	5.76	6.22	5.90	5.73	7.52	5.30	5.47
		Standard Deviation	5.13	5.33	5.14	4.16	4.99	5.26	5.98	6.10	7.02	4.10	5.06
	Non-272 Affiliates	Trouble Reports	63	75	67	94	55	122	94	128	72	75	52
		AverageRepair Interval	7.05	5.45	5.66	6.36	7.12	6.54	7.67	5.56	7.70	5.66	7.58
		Standard Deviation	8.50	5.46	4.92	4.00	5.07	5.44	6.52	5.99	8.88	5.32	7.78
DS3	Non-Affiliate	Trouble Reports	10	16	9	26	5	14	13	18	14	5	10
		AverageRepair Interval	3.02	1.94	2.11	1.87	4.05	5.80	4.40	3.73	3.61	4.07	2.31
		Standard Deviation	2.64	1.94	2.17	1.61	5.87	5.67	3.98	3.42	3.34	4.63	4.03
	Verizon 272 Affiliates	Trouble Reports	5	4	3	18	3	7	6	3	8	7	3
		AverageRepair Interval	3.58	5.54	1.47	2.86	10.94	7.36	4.01	2.62	1.80	4.90	0.69
		Standard Deviation	2.12	4.43	1.09	3.31	17.27	9.97	2.45	1.88	1.03	6.70	0.59
	Non-272 Affiliates	Trouble Reports	--	3	1	2	1	3	--	--	2	2	2
		AverageRepair Interval	--	1.47	3.97	2.63	1.55	4.35	--	--	3.72	1.86	1.69
		Standard Deviation	--	0.77	--	0.00	--	4.41	--	--	3.16	0.13	1.03

VERIZON MARYLAND 272 AUDIT REPORT - 2005 PIC INTERVALS

		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
272 AFFILIATES	RECORDS	499	1279	22	70	3593	7221	3932	6449	1957	2377	6122	1837
	INTERVALS	1:57	17:06	4:56	2:01	7:51	4:33	1:53	1:37	0:47	1:06	3:37	2:00
	STD. DEV.	1:51	2:03	7:15	5:42	6:31	5:06	2:14	1:15	0:56	1:25	2:51	3:19
NON-AFFILIATES	RECORDS	6472	11614	15310	12704	8718	8993	9843	8532	7145	5588	5412	12919
	INTERVALS	4:20	11:25	3:27	1:04	1:10	1:35	1:46	1:28	1:36	1:40	1:16	6:46
	STD. DEV.	6:34	7:56	5:11	1:30	1:42	1:57	1:36	2:05	6:28	2:30	1:49	4:52

NOTES:

1. This report represents data showing the Average PIC Interval for carrier initiated files sent to Verizon by the entire carrier community, including Verizon LD. The "PIC Interval" is defined as "the time a PIC change is completed in the switch" minus "the time the request was received by XEA". Each incoming file is time stamped when XEA picks it up for processing. Intervals are measured in Hrs:Mins. The report also indicates the number of records processed each month for the affilate and non-affiliates.

VERIZON MARYLAND 272 AUDIT REPORT - 2006 PIC INTERVALS

		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
272 AFFILIATES	RECORDS	943	874	3041	4249	6804	2154	535	1023	910	558	5403	1668
	INTERVALS	1:07	1:12	1:38	4:57	4:59	1:16	1:34	0:58	2:12	5:31	6:46	1:33
	STD. DEV.	1:24	3:16	2:21	2:52	2:27	2:30	2:01	0:36	1:50	11:06	3:04	1:46
NON AFFILIATES	RECORDS	3999	4621	16237	15962	5762	7192	5400	3838	5492	3736	3668	3279
	INTERVALS	1:00	1:16	8:07	6:29	1:46	3:29	3:31	1:29	1:55	5:32	1:22	1:26
	STD. DEV.	1:29	1:41	7:08	6:02	2:42	3:08	4:55	1:57	1:35	10:19	1:29	1:52

NOTES:

1. This report represents data showing the Average PIC Interval for carrier initiated files sent to Verizon by the entire carrier community, including Verizon LD. The "PIC Interval" is defined as "the time a PIC change is completed in the switch" minus "the time the request was received by XEA". Each incoming file is time stamped when XEA picks it up for processing. Intervals are measured in Hrs:Mins. The report also indicates the number of records processed each month for the affilate and non-affiliates.

FIRM ORDER CONFIRMATION (FOC) TIMELINESS - 2005

State	ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MA	DS0	Non-Affiliate	Circuit Orders	101	116	132	83	77	107	141	221	111	67	74	164
			% Confirmed on Time	97.03	96.55	98.48	96.39	100.00	93.46	100.00	95.93	99.10	95.52	95.95	94.51
			Standard Deviation	0.17	0.18	0.12	0.19	0.00	0.25	0.00	0.20	0.09	0.21	0.20	0.23
		Verizon 272 Affiliates	Circuit Orders	1	3	2	4	0	20	28	67	23	59	19	30
			% Confirmed on Time	100.00	100.00	100.00	100.00	--	100.00	96.43	98.51	100.00	94.92	100.00	96.67
			Standard Deviation	--	0.00	0.00	0.00	--	0.00	0.19	0.12	0.00	0.22	0.00	0.18
		Non 272 Affiliates	Circuit Orders	0	0	0	0	0	0	0	0	0	0	0	0
			% Confirmed on Time	--	--	--	--	--	--	--	--	--	--	--	--
			Standard Deviation	--	--	--	--	--	--	--	--	--	--	--	--
	DS1	Non-Affiliate	Circuit Orders	1055	923	1078	997	938	932	846	947	866	833	992	830
			% Confirmed on Time	98.77	97.94	98.70	98.50	98.29	98.18	98.11	98.52	98.73	99.28	99.50	98.43
			Standard Deviation	0.11	0.14	0.11	0.12	0.13	0.13	0.14	0.12	0.11	0.08	0.07	0.12
		Verizon 272 Affiliates	Circuit Orders	27	25	24	38	39	229	194	217	283	168	198	147
			% Confirmed on Time	100.00	92.00	100.00	97.37	97.44	97.38	98.45	96.31	99.29	98.21	98.99	97.96
			Standard Deviation	0.00	0.28	0.00	0.16	0.16	0.16	0.12	0.19	0.08	0.13	0.10	0.14
		Non 272 Affiliates	Circuit Orders	31	41	70	75	40	39	46	63	83	53	22	44
			% Confirmed on Time	83.87	87.80	95.71	97.33	95.00	87.18	97.83	87.30	100.00	100.00	100.00	93.18
			Standard Deviation	0.37	0.33	0.20	0.16	0.22	0.34	0.15	0.34	0.00	0.00	0.00	0.25
	DS3 and above	Non-Affiliate	Circuit Orders	35	39	39	54	62	58	32	31	46	34	31	29
			% Confirmed on Time	94.29	97.44	97.44	98.15	93.55	94.83	84.38	87.10	93.48	82.35	80.65	93.10
			Standard Deviation	0.24	0.16	0.16	0.14	0.25	0.22	0.37	0.34	0.25	0.39	0.40	0.26
		Verizon 272 Affiliates	Circuit Orders	8	10	5	7	2	23	20	16	10	12	10	6
			% Confirmed on Time	87.50	100.00	80.00	100.00	100.00	100.00	90.00	87.50	100.00	100.00	100.00	100.00
			Standard Deviation	0.35	0.00	0.45	0.00	0.00	0.00	0.31	0.34	0.00	0.00	0.00	0.00
		Non 272 Affiliates	Circuit Orders	0	0	0	3	0	0	0	0	1	0	4	0
			% Confirmed on Time	--	--	--	100.00	--	--	--	--	100.00	--	100.00	--
			Standard Deviation	--	--	--	0.00	--	--	--	--	--	--	0.00	--

DER CONFIRMATION (FOC) TIMELINESS - 2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Circuit Orders	65	48	59	52	49	94	67	86	48	29	20
		% Confirmed on Time	98.46	100.00	98.31	98.08	100.00	98.94	98.51	98.84	97.92	100.00	100.00
		Standard Deviation	0.12	0.00	0.13	0.14	0.00	0.10	0.12	0.11	0.14	0.00	0.00
	Verizon 272 Affiliates	Circuit Orders	40	36	38	17	32	5	26	15	23	12	10
		% Confirmed on Time	100.00	88.89	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		Standard Deviation	0.00	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Non-272 Affiliates	Circuit Orders	--	--	--	--	--	--	--	--	--	--	--
		% Confirmed on Time	--	--	--	--	--	--	--	--	--	--	--
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	--
DS1	Non-Affiliate	Circuit Orders	739	846	896	705	910	896	773	955	748	759	798
		% Confirmed on Time	99.59	99.29	99.33	99.57	99.23	99.67	98.97	98.43	99.60	99.47	99.37
		Standard Deviation	0.06	0.08	0.08	0.07	0.09	0.06	0.10	0.12	0.06	0.07	0.08
	Verizon 272 Affiliates	Circuit Orders	137	153	192	146	182	177	191	158	170	238	201
		% Confirmed on Time	99.27	98.04	98.96	99.32	98.90	98.87	99.48	98.73	100.00	99.58	100.00
		Standard Deviation	0.09	0.14	0.10	0.08	0.10	0.11	0.07	0.11	0.00	0.06	0.00
	Non-272 Affiliates	Circuit Orders	47	44	36	7	3	21	4	16	21	7	18
		% Confirmed on Time	97.87	95.45	80.56	100.00	100.00	95.24	75.00	93.75	95.24	57.14	100.00
		Standard Deviation	0.15	0.21	0.40	0.00	0.00	0.22	0.50	0.25	0.22	0.53	0.00
DS3	Non-Affiliate	Circuit Orders	32	35	28	23	25	25	29	30	70	50	44
		% Confirmed on Time	93.75	88.57	92.86	95.65	92.00	92.00	86.21	100.00	97.14	94.00	97.73
		Standard Deviation	0.25	0.32	0.26	0.21	0.28	0.28	0.35	0.00	0.17	0.24	0.15
	Verizon 272 Affiliates	Circuit Orders	12	37	20	17	17	11	15	12	11	20	14
		% Confirmed on Time	100.00	100.00	95.00	100.00	100.00	100.00	100.00	91.67	90.91	90.00	100.00
		Standard Deviation	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.29	0.30	0.31	0.00
	Non-272 Affiliates	Circuit Orders	--	1	1	1	1	2	1	--	--	--	--
		% Confirmed on Time	--	100.00	100.00	100.00	100.00	100.00	100.00	--	--	--	--
		Standard Deviation	--	--	--	--	--	0.00	--	--	--	--	--

INSTALLATION APPOINTMENTS MET - 2005

Type	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
	Non-Affiliate	Circuits Installed	168	223	268	141	82	42	135	218	103	58	62
		% Installation Appointments Met	98.81	96.86	97.39	96.45	98.78	100.00	99.26	97.71	96.12	100.00	90.32
		Standard Deviation	0.11	0.17	0.16	0.19	0.11	0.00	0.09	0.15	0.19	0.00	0.30
	Verizon 272 Affiliates	Circuits Installed	0	0	0	0	2	22	13	40	24	57	22
		% Installation Appointments Met	--	--	--	--	100.00	100.00	100.00	90.00	95.83	98.25	95.45
		Standard Deviation	--	--	--	--	0.00	0.00	0.00	0.30	0.20	0.13	0.21
	Non 272 Affiliates	Circuits Installed	1	0	1	0	1	1	1	0	0	2	1
		% Installation Appointments Met	0.00	--	100.00	--	100.00	100.00	100.00	--	--	100.00	100.00
		Standard Deviation	--	--	--	--	--	--	--	--	--	0.00	--
	Non-Affiliate	Circuits Installed	1301	1167	1630	1382	1496	1647	1363	1543	1392	1467	1441
		% Installation Appointments Met	96.39	94.86	94.66	95.37	94.59	94.84	93.32	95.98	93.97	96.05	95.70
		Standard Deviation	0.19	0.22	0.22	0.12	0.23	0.22	0.25	0.20	0.24	0.19	0.20
	Verizon 272 Affiliates	Circuits Installed	20	30	9	23	28	236	277	240	244	238	210
		% Installation Appointments Met	100.00	100.00	88.89	100.00	100.00	97.03	88.09	93.33	95.08	91.18	97.14
		Standard Deviation	0.00	0.00	0.33	0.16	0.00	0.17	0.32	0.25	0.22	0.28	0.17
	Non 272 Affiliates	Circuits Installed	40	102	80	88	206	47	51	71	86	35	26
		% Installation Appointments Met	95.00	96.08	95.00	96.59	97.09	95.74	94.12	100.00	98.84	97.14	88.46
		Standard Deviation	0.22	0.20	0.22	0.16	0.17	0.20	0.24	0.00	0.11	0.17	0.33
and above	Non-Affiliate	Circuits Installed	33	26	34	49	45	36	25	40	50	22	40
		% Installation Appointments Met	81.82	84.62	94.12	95.92	93.33	97.22	88.00	90.00	96.00	100.00	92.50
		Standard Deviation	0.39	0.37	0.24	0.14	0.25	0.17	0.33	0.30	0.20	0.00	0.27
	Verizon 272 Affiliates	Circuits Installed	5	6	5	4	8	13	12	13	17	7	9
		% Installation Appointments Met	100.00	66.67	80.00	100.00	100.00	84.62	100.00	100.00	100.00	100.00	88.89
		Standard Deviation	0.00	0.52	0.45	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.33
	Non 272 Affiliates	Circuits Installed	1	0	0	0	1	1	0	0	1	4	3
		% Installation Appointments Met	100.00	--	--	--	100.00	100.00	--	--	100.00	100.00	100.00
		Standard Deviation	--	--	--	--	--	--	--	--	--	0.00	0.00

INSTALLATION APPOINTMENTS MET - 2006

ervType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
S0	Non-Affiliate	Circuits Installed	110	73	59	37	86	45	84	94	83	35	20
		% Installation Appointments Met	98.18	100.00	96.61	100.00	97.67	88.89	95.24	93.62	96.39	94.29	95.00
		Standard Deviation	0.13	0.00	0.18	0.00	0.15	0.32	0.21	0.25	0.19	0.24	0.22
	Verizon 272 Affiliates	Circuits Installed	16	42	43	21	43	23	11	14	15	19	22
		% Installation Appointments Met	100.00	97.62	88.37	90.48	97.67	100.00	90.91	71.43	100.00	84.21	90.91
		Standard Deviation	0.00	0.15	0.32	0.30	0.15	0.00	0.30	0.47	0.00	0.37	0.29
	Non-272 Affiliates	Circuits Installed	--	--	--	--	--	2	--	--	--	1	1
		% Installation Appointments Met	--	--	--	--	--	100.00	--	--	--	100.00	0.00
		Standard Deviation	--	--	--	--	--	0.00	--	--	--	--	--
S1	Non-Affiliate	Circuits Installed	1142	1121	1483	1115	1484	1434	1235	1491	1267	1236	1001
		% Installation Appointments Met	96.06	96.70	96.63	96.32	96.70	93.79	92.96	93.36	93.76	94.82	95.30
		Standard Deviation	0.19	0.18	0.18	0.19	0.18	0.24	0.26	0.25	0.24	0.22	0.21
	Verizon 272 Affiliates	Circuits Installed	162	171	190	176	182	194	227	245	195	293	285
		% Installation Appointments Met	98.77	97.66	95.26	97.16	96.70	95.36	96.92	97.14	96.41	96.93	94.04
		Standard Deviation	0.11	0.15	0.21	0.17	0.18	0.21	0.17	0.17	0.19	0.17	0.24
	Non-272 Affiliates	Circuits Installed	80	117	145	156	150	113	37	130	148	108	59
		% Installation Appointments Met	98.75	99.15	97.93	96.15	97.33	98.23	75.68	98.46	97.97	93.52	93.22
		Standard Deviation	0.11	0.09	0.14	0.19	0.16	0.13	0.43	0.12	0.14	0.25	0.25
S3 and above	Non-Affiliate	Circuits Installed	24	37	38	23	27	16	33	31	28	58	53
		% Installation Appointments Met	91.67	94.59	100.00	100.00	100.00	100.00	100.00	93.55	100.00	98.28	100.00
		Standard Deviation	0.28	0.23	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.13	0.00
	Verizon 272 Affiliates	Circuits Installed	3	24	29	20	16	42	14	33	12	9	13
		% Installation Appointments Met	100.00	95.83	100.00	100.00	100.00	100.00	92.86	100.00	100.00	100.00	100.00
		Standard Deviation	0.00	0.20	0.00	0.00	0.00	0.00	0.27	0.00	0.00	0.00	0.00
	Non-272 Affiliates	Circuits Installed	5	7	2	3	5	9	3	3	1	3	1
		% Installation Appointments Met	60.00	85.71	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		Standard Deviation	0.55	0.38	0.00	0.00	0.00	0.00	0.00	0.00	--	0.00	--

TALLATION TROUBLE REPORT RATE - 2005

rvType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
60	Non-Affiliate	Circuits Installed	129	168	223	268	141	55	42	135	218	103	58
		% New Circuit Failures	2.33	3.57	2.24	1.87	2.84	1.82	0.00	2.96	1.38	2.91	3.45
		Standard Deviation	0.15	0.19	0.15	0.14	0.17	0.13	0.00	0.17	0.12	0.17	0.18
	Verizon 272 Affiliates	Circuits Installed	1	0	0	0	0	29	22	13	40	24	57
		% New Circuit Failures	0.00	--	--	--	--	0.00	0.00	0.00	2.50	0.00	0.00
		Standard Deviation	--	--	--	--	--	0.00	0.00	0.00	0.16	0.00	0.00
	Non 272 Affiliates	Circuits Installed	0	1	0	1	0	1	1	1	0	0	2
		% New Circuit Failures	--	0.00	--	0.00	--	0.00	0.00	0.00	--	--	0.00
		Standard Deviation	--	--	--	--	--	--	--	--	--	--	0.00
61	Non-Affiliate	Circuits Installed	1151	1304	1167	1630	1382	1335	1647	1363	1543	1392	1467
		% New Circuit Failures	2.00	2.07	1.80	1.29	1.45	2.32	1.52	1.69	1.56	1.72	1.98
		Standard Deviation	0.14	0.14	0.13	0.11	0.12	0.15	0.12	0.13	0.12	0.13	0.14
	Verizon 272 Affiliates	Circuits Installed	31	20	30	9	23	189	236	277	240	244	238
		% New Circuit Failures	0.00	0.00	0.00	0.00	4.35	2.65	1.69	0.72	1.67	2.46	0.84
		Standard Deviation	0.00	0.00	0.00	0.00	0.21	0.16	0.13	0.08	0.13	0.16	0.09
	Non 272 Affiliates	Circuits Installed	10	40	102	80	88	206	47	51	71	86	35
		% New Circuit Failures	0.00	2.50	0.00	0.00	2.27	0.00	0.00	0.00	0.00	3.49	8.57
		Standard Deviation	0.00	0.16	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.18	0.28
3 and above	Non-Affiliate	Circuits Installed	26	33	26	34	49	40	36	25	40	50	22
		% New Circuit Failures	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuits Installed	1	5	6	5	4	13	13	12	13	17	7
		% New Circuit Failures	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.69	0.00	0.00
		Standard Deviation	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00
	Non 272 Affiliates	Circuits Installed	3	1	0	0	0	1	1	0	0	1	4
		% New Circuit Failures	0.00	0.00	--	--	--	0.00	0.00	--	--	0.00	0.00
		Standard Deviation	0.00	--	--	--	--	--	--	--	--	--	0.00

TALLATION TROUBLE REPORT RATE - 2006

ServType	Affiliation	Data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
DS0	Non-Affiliate	Circuits Installed	105	110	73	59	37	86	45	84	94	83	35
		% New Circuit Failures	0.00	5.45	2.74	5.08	0.00	2.33	2.22	7.14	2.13	1.20	2.86
		Standard Deviation	0.00	0.23	0.16	0.22	0.00	0.15	0.15	0.26	0.15	0.11	0.17
	Verizon 272 Affiliates	Circuits Installed	12	16	42	43	21	43	23	11	14	15	19
		% New Circuit Failures	8.33	6.25	7.14	0.00	4.76	2.33	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.29	0.25	0.26	0.00	0.22	0.15	0.00	0.00	0.00	0.00	0.00
	Non-272 Affiliates	Circuits Installed	--	--	--	--	--	--	2	--	--	--	1
		% New Circuit Failures	--	--	--	--	--	--	0.00	--	--	--	0.00
		Standard Deviation	--	--	--	--	--	--	0.00	--	--	--	--
DS1	Non-Affiliate	Circuits Installed	1270	1142	1121	1483	1115	1484	1434	1235	1491	1267	1236
		% New Circuit Failures	2.36	2.45	1.52	1.28	2.69	1.68	1.88	1.62	2.28	1.97	2.83
		Standard Deviation	0.15	0.15	0.12	0.11	0.16	0.13	0.14	0.13	0.15	0.14	0.17
	Verizon 272 Affiliates	Circuits Installed	123	162	171	190	176	182	194	227	245	195	293
		% New Circuit Failures	3.25	0.62	0.58	1.58	0.57	1.10	1.03	1.76	0.41	2.56	4.10
		Standard Deviation	0.18	0.08	0.08	0.12	0.08	0.10	0.10	0.13	0.06	0.16	0.20
	Non-272 Affiliates	Circuits Installed	31	80	117	145	156	150	113	37	130	148	108
		% New Circuit Failures	0.00	0.00	0.00	1.38	1.92	0.67	0.00	2.70	0.00	1.35	2.78
		Standard Deviation	0.00	0.00	0.00	0.12	0.14	0.08	0.00	0.16	0.00	0.12	0.17
DS3	Non-Affiliate	Circuits Installed	31	24	37	38	23	27	16	33	31	28	58
		% New Circuit Failures	0.00	0.00	0.00	0.00	0.00	0.00	6.25	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00
	Verizon 272 Affiliates	Circuits Installed	10	3	24	29	20	16	42	14	33	12	9
		% New Circuit Failures	0.00	0.00	0.00	3.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Non-272 Affiliates	Circuits Installed	3	5	7	2	3	5	9	3	3	1	3
		% New Circuit Failures	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Standard Deviation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	--	0.00