


Search Home > Wireless Microphones >

Go

Nady U-81-OCTAVO 8 Channel UHF System

Lighting

- ▷ MONTHLY SPECIALS
- ▷ Black Lights
- ▷ Bubble & Snow Machines
- ▷ Chauvet Lighting
- ▷ Christmas Lights
- ▷ Clamps
- ▷ Color Changers
- ▷ Controllers
- ▷ Fog Machines & Juice
- ▷ Gift Ideas
- ▷ Intelligent Lighting
- ▷ Lasers
- ▷ Lava Lamps
- ▷ LED Lighting
- ▷ Lighting Accessories
- ▷ Lighting Effects
- ▷ Lighting Packages
- ▷ Lighting Stands
- ▷ Mirror Balls
- ▷ Party Lights
- ▷ Replacement Lamps
- ▷ Spotlights / Par Cans
- ▷ Strobe Lights



[Larger Photo](#)

List Price:
\$1,874.98
Our Price:
\$1,499.98
Sale Price:
\$749.99

Qty:
1

[add to cart](#)

U-81-4LT/4HT/O - Nady Wireless

Audio

- ▷ Amplifiers
- ▷ Audio Accessories
- ▷ Audio Specials
- ▷ Cables
- ▷ Cases & Amp Racks
- ▷ CD Players
- ▷ Computer Interfaces
- ▷ DJ Software
- ▷ DJ Systems
- ▷ Headphones
- ▷ Karaoke Equipment
- ▷ Karaoke Music
- ▷ Microphones
- ▷ Mixers
- ▷ Multi-Channel Mixers
- ▷ Portable PA Systems
- ▷ Power Distribution
- ▷ Signal Processors
- ▷ Speaker Stands
- ▷ Speakers
- ▷ Turntables
- ▷ Wireless Microphones

Description

This wireless handheld mic system from Nady is designed for all professional applications, the U-81-HT offer unsurpassed RF and audio, enhanced full-featured operation and rackmount convenience. The U-81 Octavo system delivers high-end performance at amazingly cost effective prices.

With this system you get 4 Handheld Microphones and 4 Body Packs with 4 Headsets & 4 Lavalier mics.

You can operate all of the 8 mics simultaneously.

Features

- Overall System Performance:
- RF Carrier Frequencies: Selected factory installed frequencies between 740MHz-806MHz
- Frequency stability: ±0.005% (Crystal Controlled)
- Audio Deviation: FM ±20kHz normal, ±50kHz maximum
- Frequency Response: 20Hz-20kHz, -3dB
- Dynamic Range: 120dB
- Harmonic Distortion: 0.5% THD, normal
- Operating Range: 250 feet normal, 500+feet max line of sight
- U-81 OCTAVO Wireless Receiver:
- Reception: Mono antenna reception
- Antennae: 10" (25.4 cm) Dual adjustable angle
- Mute Threshold: 95dBm (none-adjustable)
- Image Rejection: -70dB, minimum
- Balanced output : Audio outputs: +/-24mV variable level (600 Ohms)
- Unbalanced MIX output: Audio output: 360mV variable level (Open load)
- Connectors: Balanced: XLR, Unbalanced: 1 4" TS,
- Antennas:

Accessories for this product...

20' Cable with 1/4" plugs
Sale Price: \$9.99

Add

Join our mailing list!

Join Now



- TNC connector. DC in: 2.1mm barrel type.
- Indicators: Power On, RF and AF LEDs
- Controls: Power ON/OFF buttons, Volume Controls

- Power Requirement: 15VDC/1000mA
- Dimensions (W x D x H): 14.25" x 12" x 1.75 ", (36.20 cm x 30.50 cm x 4.45 cm) Weight : 7.20 lbs (3.37 Kg)

- the UH-81 Handheld Transmitter:
 - Input Connectors: Integral Nady DM-50D neodymium dynamic cartridge
 - Controls: Power ON/STDBY/OFF
 - RF Power: 20mW normal (50mW Maximum allowed by FCC)
 - Harmonics and Spurs: -50 dB
 - Antennas: Internal
 - LED Indicators: Single LED flashes once for "ON", lights steady for "LOW BAT"
 - Battery: 2xAA Alkaline or NiMH batteries
 - Battery Life: 8-10 Hours (Alkaline)
 - Dimensions: 10.5"x 1.875" (26.7 cm x 4.8 cm)
 - Weight: 7.5 oz (213 g) without battery

- UB-81 Bodypack Transmitter:
 - Input Connectors: 3.5mm locking mini-jack,
 - Controls: ON/STDBY/OFF, Input Level Control, selectable inputs
 - RF Power: 20mW normal (50mW Maximum allowed by FCC)
 - Harmonics and Spurs: -50 dB
 - Antennas: Internal antennas
 - LED Indicators: Single LED flashes once for "ON", lights steady for "LOW BAT"
 - Battery: Single 9V Alkaline or NiMH battery
 - Battery Life: 8-10 Hours (Alkaline)
 - Dimensions: 4.25" x 2.5"x 1.0" (10.8 cm x 6.4 cm x 2.5 cm)
 - Weight: 3.1 oz (88 g) without battery
- Nady U-81 Octavo 4HT/4LT Handheld and Body Pack System Features:
 - U-81 OCTAVO Wireless Receiver
 - Operates on select UHF frequencies from 740MHz to 806MHz
 - Eight independent single-channel UHF wireless receivers in a single housing
 - Front panel LED display indicates the RF and AF on for each channel
 - Ch 1-8 individual balanced XLR MIC level outputs and Unbalanced LINE level SUM 1/4" jack output for 8-in-1 MIX audio output with separate volume control for each channel
 - Nady's exclusive patented companding circuitry with 120dB dynamic range and highest quality audio for an unsurpassed UHF performance
 - Dual removable high gain antennas with TNC connector front or back mounting
 - Standard 19" 1U, all-metal rack mount housing
 - Externally powered with AC/DC adapter included
 - UH-81 Handheld Transmitter
 - Features the Nady DM -10D unidirectional neodymium dynamic cartridge for optimum true sound, maximum feedback rejection and minimal handling noise
 - OFF/STANDBY/ON switch allows convenient audio muting while transmitter "ON"
 - Status LED indicator flashes once for unit "ON"; lights

- steady for low battery alert
- 2 x AA alkaline or NiMH battery operation
- Rugged ABS and rubber coated housing with integral antenna

- UB-81 Bodypack Transmitter:
 - Choice of headworn or lavalier microphone operation with convenient input volume control for proper level adjust, or instrument operation without input level control
 - OFF/STDBY/ON switch allows convenient audio muting while transmitter "ON"
 - Status LED indicator flashes once for unit "ON". Lights steady for low battery alert
 - Single 9V alkaline or NiMH battery
 - Lightweight, rugged ABS housing with integral antenna

- LM-14/O Lavalier Microphone
 - Unobtrusive design
 - Omnidirection pickup pattern for mobility
 - For use with bodypack transmitters
 - 3.5 mm locking adapter

Browse for more products in the same category as this item:

Wireless Microphones
Microphones

Pro Audio Video Inc
6533 Promler Ave NW
Canton, Ohio 44720



[About Us](#)

[Privacy Policy](#)

[Send Us Feedback](#)


[Bookmark Us](#)

[Company Info](#) | [Return Policy](#) | [Product Index](#) | [Category Index](#) | [Help](#) | [Terms of Use](#)
Copyright © 2004 www.CheapDJGear.us. All Rights Reserved.
Shopping Cart Software by Volusion



[home](#) | [about us](#) | [terms / policy](#) | [contact us](#) | [FAQ](#) | [view cart](#)

Free UPS Ground Shipping on Orders
Over \$99.00 Within 48 States of U.S



Search Our Site:




KARAOKE MUSIC

- » Karaoke CDG
- » Karaoke DVD

KARAOKE HARDWARE

- » Accessories
- » All In One Systems
- » Club Systems
- » Karaoke Mixers
- » Karaoke Players
- » Microphones
- » Mixing Amplifiers
- » Package Specials
- » Speakers
- » Digital Photo Frame



[enlarge image +](#)

Vocopro UHF-5800 Professional 4-Channel UHF Wireless Microphone System

Regular \$499.99
Sale \$359.99
MICVCP5800



Description

Experience ultimate freedom with the UHF-5800, VocoPro's first 4-channel UHF wireless mic system.

With 4 handheld mics, each on their own independent UHF channel, the UHF-5800 gives you maximized vocal options without the fear of frequency interference. Going wireless means that you are free from cables for more active performances that the crowd will never forget. Plus, a 12-hour Mic battery life means the party can go all night. KJs will love that each mic channel has its own field-replaceable module that easily slides out, without the need for tools and without affecting the functionality of the other channels. Karaoke vocalists, home entertainment enthusiasts, and club-goers will all benefit from the reliability and versatility of the UHF-5800.

Features and Specifications

- 4 Mic Outputs
- 4 Handheld mics included
- Individual Volume controls for precise vocal balancing
- 4 independent Field-replaceable Modules (no need for tools)
- Interference-resistant UHF Band operation from 730 MHz - 790 MHz
- Rugged 1RU metal receiver chassis
- Battery life: 12 hours
- Dimensions 18.9" (W) x 3.9" (D) x 1.8" (H)
- DC-13.5V - 120V AC/DC ADAPTER



Atechglobal Live Help



Shopping with us is 100% secured.

Yahoo! store provides us with the highest SSL encryption available.



[Home](#) | [About Us](#) | [Terms and Policy](#) | [Contact Us](#) | [FAQ](#) | [Links](#) | [View Cart](#)

Copyright © 2008 ATECHGLOBAL.COM. All rights reserved.