

RESOLUTIONS

IWG-4/032 (140709)

**Review of Resolutions and Recommendations in response to Resolution 95 (Rev.WRC-07)**

RESOLUTION		WAC	IRAC/ RCS	Comments	WRC-11 Agenda Item
RES 1	(Rev.WRC-97) Notification of frequency assignments				
RES 2	(Rev.WRC-03) Equitable use, by all countries, with equal rights, of the geostationary-satellite and other satellite orbits and of frequency bands for space radiocommunication services				
RES 4	(Rev.WRC-03) Period of validity of frequency assignments to space stations using the geostationary-satellite and other satellite orbits			<i>BR Note: Res 4 should be considered by a future competent conference.</i>	
RES 5	(Rev.WRC-03) Technical cooperation with the developing countries in the study of propagation in tropical and similar areas				
RES 7	(Rev.WRC-03) Development of national radio frequency management				
RES 10	(Rev.WRC-2000) Use of two-way wireless telecommunications by the International Red Cross and Red Crescent Movement				
RES 13	(Rev.WRC-97) Formation of call signs and allocation of new international series				<b>8.1</b>
RES 15	(Rev.WRC-03) International cooperation and technical assistance in the field of space radiocommunications				
RES 18	(Rev.WRC-07) Relating to the procedure for identifying and announcing the position of ships and aircraft of States not parties to an armed conflict				

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 20	(Rev.WRC-03) Technical cooperation with developing countries in the field of aeronautical telecommunications				
RES 25	(Rev.WRC-03) Operation of global satellite systems for personal communications				<b>1.25 ?</b>
RES 26	(Rev.WRC-07) Footnotes to the Table of Frequency Allocations in Article 5 of the Radio Regulations				<b>1.1</b>
RES 27	(Rev.WRC-07) Use of incorporation by reference in the Radio Regulations			Recently updated.	<b>2</b>
	ANNEX 1 Principles of incorporation by reference				<b>2</b>
	ANNEX 2 Application of incorporation by reference				<b>2</b>
	ANNEX 3 Procedures applicable by WRC for approving the incorporation by reference of ITU-R Recommendations or parts there of				<b>2</b>
RES 28	(Rev.WRC-07) Revision of references to the text of ITU-R Recommendations incorporated by reference in the Radio Regulations				<b>2</b>
RES 33	(Rev.WRC-03) Bringing into use of space stations in the broadcasting-satellite service, prior to the entry into force of agreements and associated plans for the broadcasting-satellite service				<b>7 ?</b>
RES 34	(Rev.WRC-03) Establishment of the broadcasting-satellite service in Region 3 in the 12.5-12.75 GHz frequency band and sharing with space and terrestrial services in Regions 1, 2 and 3			Maintained by WRC-07 following intervention of BR and supported by CITEL and Arab Group: Some parts are still relevant	<b>7 ?</b>

**RESOLUTIONS**

IWG-4/032 (140709)

RESOLUTION		WAC	IRAC/ RCS	Comments	WRC-11 Agenda Item
RES 42	(Rev.WRC-03) Use of interim systems in Region 2 in the broadcasting-satellite and fixed-satellite (feeder-link) services in Region 2 for the bands covered by Appendices 30 and 30A				
	ANNEX				
RES 49	(Rev.WRC-07) Administrative due diligence applicable to some satellite radiocommunication services				7
	ANNEX 1				
	ANNEX 2				
RES 51 <sup>1</sup>	(Rev.WRC-2000) Transitional arrangements relating to the advance publication and coordination of satellite networks			Abrogated as of 1.1.2010 !	
RES 55	(WRC-2000) Temporary procedures for improving satellite network coordination and notification procedures				7
RES 58	(WRC-2000) Transitional measures for coordination between certain specific geostationary fixed-satellite service receive earth stations and non-geostationary fixed-satellite service transmit space stations in the frequency bands 10.7-12.75 GHz, 17.8-18.6 GHz, and 19.7-20.2 GHz where e <sub>pf</sub> ↓ limits apply				
	ANNEX 1				
RES 63	(Rev.WRC-07) Protection of radiocommunication services against interference caused by radiation from industrial, scientific and medical (ISM) equipment				<b>8.1.1. Issue A</b>

<sup>1</sup> RES 51 is kept for information and will be deleted from the table at the end of 2009.

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 72	(Rev.WRC-07) World and Regional preparations for world radiocommunication conferences				<b>8.1</b>
RES 73	(Rev.WRC-2000) Measures to solve the incompatibility between the broadcasting-satellite service in Region 1 and the fixed-satellite service in Region 3 in the frequency band 12.2-12.5 GHz				
RES 74	(Rev.WRC-03) Process to keep the technical bases of Appendix 7 current			<i>On-going consideration in SGs 1 and 3.</i>	<b>8.1</b>
RES 75	(WRC-2000) Development of the technical basis for determining the coordination area for coordination of a receiving earth station in the space research service (deep space) with transmitting stations of high-density systems in the fixed service in the 31.8-32.3 GHz and 37-38 GHz bands				
RES 76	(WRC-2000) Protection of geostationary fixed-satellite service and geostationary broadcasting-satellite service networks from the maximum aggregate equivalent power flux-density produced by multiple non-geostationary fixed-satellite service systems in frequency bands where equivalent power flux-density limits have been adopted				
	ANNEX 1				
RES 79	(WRC-2000) Development of the technical basis for coordination of radio astronomy stations with transmitting high-density fixed systems in the fixed service, in the band 42.5-43.5 GHz			<i>This Resolution is referred to in No. 5.547.</i>	
RES 80	(Rev.WRC-07) Due diligence in applying the principles embodied in the Constitution			<i>Detailed progress report by BR to WRC-11:</i>	<b>8.1.3</b>
	ANNEX 1				

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
	ANNEX 2				
RES 81	(WRC-2000) Evaluation of the administrative due diligence procedure for satellite networks				
RES 85	(WRC-03) Application of Article 22 of the Radio Regulations to the protection of geostationary fixed-satellite service and broadcasting-satellite service networks from non-geostationary fixed-satellite service systems				
RES 86	(WRC-07) Implementation of Resolution 86 (Rev. Marrakesh, 2002) of the Plenipotentiary Conference				<b>7</b>
RES 95	(Rev.WRC-07) General review of the Resolutions and Recommendations of world administrative radio conferences and world radiocommunication conferences			<i>BR: Report to RAG and CPM11-02.</i>	<b>4</b>
RES 111	(Orb-88) Planning of the fixed-satellite service in the bands 18.1-18.3 GHz, 18.3-20.2 GHz and 27-30 GHz				
RES 114	(Rev.WRC-03) Studies on compatibility between new systems of the aeronautical radionavigation service and the fixed-satellite service (Earth-to-space) (limited to feeder links of the non-geostationary mobile-satellite systems in the mobile-satellite service) in the frequency band 5 091-5 150 MHz			<i>This Resolution is referred to in Nos. 5.444 and 5.444A.</i>	
RES 122	(Rev.WRC-07) Use of the bands 47.2-47.5 GHz and 47.9-48.2 GHz by high altitude platform stations in the fixed service and by other services				
RES 124	(Rev.WRC-2000) Protection of the fixed service in the frequency band 8 025-8 400 MHz sharing with geostationary-satellite systems of the Earth exploration-satellite service (space-to-Earth)				

**RESOLUTIONS**

**IWG-4/032 (140709)**

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 125	(WRC-97) Frequency sharing in the bands 1 610.6-1 613.8 MHz and 1 660-1 660.5 MHz between the mobile-satellite service and the radio astronomy service				
RES 136	(Rev.WRC-03) Frequency sharing in the range 37.5-50.2 GHz between geostationary fixed-satellite service networks and non-geostationary fixed-satellite service systems				
RES 140	(WRC-03) Measures and studies associated with the equivalent power flux-density (epfd) limits in the band 19.7-20.2 GHz				
RES 142	(WRC-03) Transitional arrangements relating to use of the frequency band 11.7-12.2 GHz by geostationary-satellite networks in the fixed-satellite service in Region 2				
RES 143	(Rev.WRC-07) Guidelines for the implementation of high-density applications in the fixed-satellite service in frequency bands identified for these applications			<i>This Resolution is referred to in No. 5.516B.</i>	
RES 144	(Rev.WRC-07) Special requirements of geographically small or narrow countries operating earth stations in the fixed-satellite service in the band 13.75-14 GHz				
RES 145	(Rev.WRC-07) Use of the bands 27.9-28.2 GHz and 31-31.3 GHz by high altitude platform stations in the fixed service			<i>This Resolution is referred to in Nos. 5.537A and 5.543A.</i>	
RES 147	(WRC-07) Power flux-density limits for certain systems in the fixed-satellite service using highly-inclined orbits having an apogee altitude greater than 18 000 km and an orbital inclination between 35° and 145° in the band 17.7-19.7 GHz				
RES 148	(WRC-07) Satellite systems formerly listed in Part B of the Plan of Appendix 30B (WARC Orb-88)				

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 205	(Rev.Mob-87) Protection of the band 406-406.1 MHz allocated to the mobile-satellite service				
RES 207	(Rev.WRC-07) Measures to address unauthorized use of and interference to frequencies in the bands allocated to the maritime mobile service and to the aeronautical mobile ® service				
	ANNEX Interference mitigation techniques				
RES 212	(Rev.WRC-07) Implementation of International Mobile Telecommunications in the bands 1 885 – 2 025 MHz and 2 110 – 2 200 MHz			<i>This Resolution is referred to in Nos. 5.351A and 5.388.</i>	
RES 215	(Rev.WRC-97) Coordination process among mobile-satellite systems and efficient use of the allocations to the mobile-satellite service in the 1-3 GHz range				
RES 217	(WRC-97) Implementation of wind profiler radars			<i>This Resolution is referred to in Nos. 5.162A and 5.291A</i>	
RES 221	(Rev.WRC-07) Use of high altitude platform stations providing IMT in the bands 1 885-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz in Regions 1 and 3 and 1 885-1 980 MHz and 2 110-2 160 MHz in Region 2			<i>This Resolution is referred to in No. 5.388A.</i>	
	ANNEX Characteristics of a HAPS operating as an IMT base station in the frequency bands given in RES 221 (Rev.WRC-07)				
RES 222	(Rev.WRC-07) Use of the bands 1 525-1 559 MHz and 1 626.5-1 660.5 MHz by the mobile-satellite service and studies to ensure long-term spectrum availability for the aeronautical mobile-satellite (R) service			<i>This Resolution is referred to in Nos. 5.353A and 5.357A</i>	<b>1.7</b>
RES 223	(Rev.WRC-07) Additional frequency bands identified for IMT			<i>This Resolution is referred to in Nos. 5.384A and 5.388.</i>	

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 224	(Rev.WRC-07) Frequency bands for the terrestrial component of International Mobile Telecommunications below 1 GHz			<i>This Resolution is referred to in No. 5.317A.</i>	
RES 225	(Rev.WRC-07) Use of additional frequency bands for the satellite component of IMT				
RES 229	(WRC-03) Use of the bands 5 150-5 250 MHz, 5 250-5 350 MHz and 5 470-5 725 MHz by the mobile service for the implementation of wireless access systems including radio local area networks			<i>This Resolution is referred to in Nos. 5.446A, 5.447 and 5.453.</i>	
RES 231	(WRC-07) Additional allocations to the mobile-satellite service with particular focus on the bands between 4 GHz and 16 GHz				<b>1.25</b>
RES 331	(Rev.WRC-07) Transition to the Global Maritime Distress and Safety System (GMDSS)				
RES 339	(Rev.WRC-03) Coordination of NAVTEX services				
RES 342	(Rev.WRC-2000) New technologies to provide improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service				<b>1.10</b>
RES 343	(WRC-97) Maritime certification for personnel of ship stations and ship earth stations for which a radio installation is not compulsory				
	ANNEX Examination syllabus for radio operator's certificates appropriate to vessels using the frequencies and techniques of the Global Maritime Distress and Safety System on a non-compulsory basis				
RES 344	(Rev.WRC-03) Management of the maritime mobile service identity numbering resource			<i>Note: Revision of Recommendation ITU-R M.585 and review in 2015 BR: Report to each WRC.</i>	<b>8.1</b>

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 345	(WRC-97) Operation of Global Maritime Distress and Safety System equipment on and assignment of maritime mobile service identities to non-compulsory fitted vessels				
RES 349	(WRC-97) Operational procedures for cancelling false distress alerts in the Global Maritime Distress and Safety System				
	ANNEX Cancelling of false distress alerts				
RES 351	(Rev. WRC-07) Review of the frequency and channel arrangements in the HF bands allocated to the maritime mobile service contained in Appendix 17 with a view to improving efficiency through the use of new digital technology by the maritime mobile service				<b>1.9</b>
RES 352	(WRC-03) Use of the carrier frequencies 12 290 kHz and 16 420 kHz for safety-related calling to and from rescue coordination centres				
RES 354	(WRC-07) Distress and safety radiotelephony procedures for 2 182 MHz				
	ANNEX				
RES 355	(WRC-07) Content, format and periodicity of the maritime related service publications				<b>8.1</b>
RES 356	(WRC-07) ITU maritime service information registration				
RES 357	(WRC-07) Consideration of regulatory provisions and spectrum allocations for use by enhanced maritime safety systems for ships and ports			Linked with RES.342 and RES.351. Consideration of outcome of the work of PT C necessary.	<b>1.10</b>

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 405	Relating to the use of frequencies of the aeronautical mobile (R) service				
RES 413	(Rev. WRC-07) Use of the band 108-117.975 MHz by aeronautical mobile (R) service			<i>This Resolution is referred to in No. 5.197A.</i>	<b>1.4</b>
RES 416	(WRC-07) Use of the bands 4 400 – 4 940 MHz and 5 925 – 6 700 MHz by an aeronautical mobil telemetry application in the mobile service				
RES 417	(WRC-07) Use of the band 960-1 164 MHz by the aeronautical mobile (R) service			<i>Linked with RES.413 and 420</i>	<b>1.4</b>
RES 418	(WRC-07) Use of the band 5 091 – 5 250 MHz by the aeronautical mobile service for telemetry applications				
	ANNEX				
RES 419	(WRC-07) Considerations for the use of the band 5 091 – 5 150 MHz by the aeronautical mobile service for certain aeronautical applications				
RES 420	(WRC-07) Consideration of the frequency bands between 5 000 and 5 030 MHz for aeronautical mobile (R) service surface applications at airports			<i>Linked with RES.413 and 417</i>	<b>1.4</b>
RES 421	(WRC-07) Consideration of appropriate regulatory provisions for the operation of unmanned aircraft systems				<b>1.3</b>
RES 506	(Rev.WRC-97) Use by space stations in the broadcasting-satellite service operating in the 12 GHz frequency bands allocated to the broadcasting-satellite service of the geostationary-satellite orbit and no other				
RES 507	(Rev.WRC-03) Establishment of agreements and associated plans for the broadcasting-satellite service			<i>A reference to Resolution 33 might need to be revised if Resolution 33 is suppressed. This Resolution is referred to in No. 5.311.</i>	

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 517	(Rev.WRC-07) Introduction of digitally modulated emissions in the high-frequency bands between 3 200 kHz and 26 100 kHz allocated to the broadcasting service				<b>8.1.</b>
RES 525	(Rev.WRC-07) Introduction of high-definition television systems of the broadcasting-satellite service in the band 21.4 -22.0 GHz in Regions 1 and 3			<i>A reference to Resolution 33 might need to be revised if Resolution 33 is suppressed. A former version of this Resolution is referred to in No. 5.530.</i>	<b>1.13</b>
	ANNEX Interim procedures for the introduction of BSS (HDTV) systems in the band 21.4-22.0 GHz in Regions 1 and 3				<b>1.13</b>
RES 526	(WARC-92) Future adoption of procedures to ensure flexibility in the use of the frequency band allocated to the broadcasting-satellite service (BSS) for wide RF-band high-definition television (HDTV) and to the associated feeder links				<b>1.13</b>
RES 528	(Rev.WRC-03) Introduction of the broadcasting-satellite service (sound) systems and complementary terrestrial broadcasting in the bands allocated to these services within the range 1-3 GHz			<i>A reference to Resolution 33 might need to be revised if Resolution 33 is suppressed. This Resolution is referred to in Nos. 5.417A and 5.418. A former version of this Resolution is referred to in Nos. 5.345 and 5.393.</i>	
RES 533	(Rev.WRC-2000) Implementation of the decisions of WRC-2000 relating to processing of proposed networks submitted under Articles 4, 6 and 7 of Appendices 30 and 30A to the Radio Regulations				
RES 535	(Rev.WRC-03) Information needed for the application of Article 12 of the Radio Regulations				
	ANNEX				

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 539	(Rev.WRC-03) Use of the band 2 605-2 655 MHz in certain Region 3 countries by non-geostationary satellite systems in the broadcasting-satellite service (sound)			<i>This Resolution is referred to in Nos. 5.417A and 5.418.</i>	
RES 543	(WRC-03) Provisional RF protection ratio values for analogue and digitally modulated emissions in the HF broadcasting service				
	ANNEX				
RES 546	(WRC-03) Implementation of the decisions of WRC-03 relating to processing of networks under Appendices 30 and 30A of the Radio Regulations				
RES 547	(Rev. WRC-07) Updating of the “Remarks” columns in the Tables of Article 9A of Appendix 30A and Article 11 of Appendix 30 of the Radio Regulations				<b>8.1</b>
RES 548	(WRC-03) Application of the grouping concept in Appendices 30 and 30A in Regions 1 and 3				
RES 549	(WRC-07) Use of the frequency band 620 – 790 MHz for existing assignments to stations of the broadcasting satellite service				
RES 550	(WRC-07) Information relating to the high-frequency broadcasting service				
RES 551	(WRC-07) use of the band 21.4 – 22 GHz for broadcasting-satellite service and associated feeder link bands in Regions 1 and 3				<b>1.13</b>
RES 608	(WRC-03) Use of the frequency band 1 215-1 300 MHz by systems of the radionavigation-satellite service (space-to-Earth)			<i>This Resolution is referred to in No. 5.329.</i>	

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 609	(Rev.WRC-07) Protection of aeronautical radionavigation service systems from the equivalent power flux-density produced by radionavigation-satellite service networks and systems in the 1 164-1 215 MHz frequency band			<i>This Resolution is referred to in No. 5.328A.</i>	
	ANNEX Criteria for application of RES 609 (Rev.WRC-07)				
RES 610	(WRC-03) Coordination and bilateral resolution of technical compatibility issues for radionavigation-satellite service networks and systems in the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz			<i>This Resolution is referred to in No. 5.328B.</i>	
	ANNEX Criteria for application of RES 610 (WRC-03)				
RES 611	(WRC-07) Use of portion of the VHF-Band by the radiolocation service				<b>1.14</b>
RES 612	(WRC-07) Use of the radiolocation service between 3 and 50 MHz to support high-frequency oceanographic radar operations				<b>1.15</b>
RES 613	(WRC-07) Global primary allocation to the radiodetermination-satellite service in the frequency band 2483.5 – 2500 MHz				<b>1.18</b>
RES 614	(WRC-07) Use of the band 15.4-15.7 GHz by the radiolocation service				<b>1.21</b>
RES 641	(Rev.HFBC-87) Use of the frequency band 7 000-7 100 kHz				
RES 642	Relating to the bringing into use of earth stations in the amateur-satellite service				

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 644	(Rev.WRC-07) Radiocommunication resources for early warning, disaster mitigation and relief operations				
RES 646	(WRC-03) Public protection and disaster relief				
RES 647	(WRC-07) Spectrum management guidelines for emergency and disaster relief radiocommunication				
RES 671	(WRC-07) Recognition of systems in the meteorological aids service in the frequency range below 20 kHz				<b>1.16</b>
RES 672	(WRC-07) Extension of the allocation to the meteorological satellite service in the band 7 750 – 7 850 MHz				<b>1.24</b>
RES 673	(WRC-07) Radiocommunications use of Earth observation applications				<b>8.1.1. Issue C</b>
RES 703	(Rev.WRC-07) Calculation methods and interference criteria recommended by ITU-R for sharing frequency bands between space radiocommunication and terrestrial radiocommunication services or between space radiocommunication services			<i><b>BR</b> Is obliged to prepare a list of newly applicable REC.</i>	<b>8.1</b>
RES 705	(Mob-87) Mutual protection of radio services operating in the band 70-130 kHz				
RES 716	(Rev.WRC-2000) Use of the frequency bands 1 980-2 010 MHz and 2 170-2 200 MHz in all three Regions and 2 010-2 025 MHz and 2 160-2 170 MHz in Region 2 by the fixed and mobile-satellite services and associated transition arrangements			<i>A former version of this Resolution is referred to in Nos. <b>5.389A</b>, <b>5.389C</b> and <b>5.390</b>.</i>	

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 729	(Rev.WRC-07) Use of frequency adaptive systems in the MF and HF bands				
RES 731	(WRC-2000) Consideration by a future competent world radiocommunication conference of issues dealing with sharing and adjacent-band compatibility between passive and active services above 71 GHz				<b>1.8</b>
RES 732	(WRC-2000) Consideration by a future competent world radiocommunication conference of issues dealing with sharing between active services above 71 GHz				<b>1.8</b>
RES 734	(Rev.WRC-07) Studies for spectrum identification for gateway links for high altitude platform stations in the range from 5 850 to 7 500 MHz				
RES 739	(Rev.WRC-07) Compatibility between the radio astronomy service and the active space services in certain adjacent and nearby frequency bands			<i>This Resolution is referred to in No. 5.347A.</i>	
	ANNEX 1 Unwanted emission threshold levels				
RES 741	(WRC-03) Protection of the radio astronomy service in the band 4 990-5 000 MHz from unwanted emissions of the radionavigation-satellite service (space-to-Earth) operating in the frequency band 5 010-5 030 MHz			<i>This Resolution is referred to in No. 5.443B.</i>	
RES 743	(WRC-03) Protection of single-dish radio astronomy stations in Region 2 in the 42.5-43.5 GHz band			<i>This Resolution is referred to in Nos. 5.551H and 5.551I.</i>	
RES 744	(Rev.WRC-07) Sharing between the mobile-satellite service (Earth-to-space) and the fixed and mobile services in the band 1 668.4-1 675 MHz				
RES 748	(WRC-07) Compatibility between the aeronautical mobile (R) service and the fixed-satellite service (Earth-to-space) in the band 5 091 – 5 150 MHz				

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 749	(WRC-07) Studies on the use of the band 790-862 MHz by mobile applications and by other services				<b>1.17</b>
RES 750	(WRC-07) Compatibility between the Earth exploration-satellite service (passive) and relevant active services				
RES 751	(WRC-07) Use of the frequency band 10.6-10.68 GHz				
	ANNEX Sharing criteria in the band 10.6-10.68 GHz				
RES 752	(WRC-07) Use of the frequency band 36-37 GHz				
	ANNEX Sharing criteria in the band 36-37 GHz				
RES 753	(WRC-07) Use of the band 22.55 – 23.15 GHz by the space research service				<b>1.11</b>
RES 754	(WRC-07) Consideration of modification of the aeronautical component of the mobile service allocation in the 37-38 GHz band for protection of other primary services in the band				<b>1.12</b>
RES 804	(WRC-07) Principles for establishing agendas for world radiocommunication conferences				<b>8.2</b>
	ANNEX 1 Principles for establishing agendas for WRCs				
	ANNEX 2 Template for the submission of proposals for agenda items				
RES 805	(WRC-07) Agenda for the 2011 World Radiocommunication Conference				
RES 806	(WRC-07) Preliminary agenda for the 2015 World Radiocommunication Conference			A new Resolution will be developed during WRC-11, containing the agenda for WRC-15	<b>8.2</b>

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 900	(WRC-03) Review of the Rule of Procedure for No. 9.35 of the Radio Regulations			This resolution has been implemented and the Rule of Procedure for No. 9.35 of the Radio Regulations has been suppressed (2005).	
	ANNEX Procedure to be used by the Radiocommunication Bureau for networks examined under the Rule of Procedure on No. 9.35				
RES 901	(Rev.WRC-07) Determination of the orbital arc separation for which coordination would be required between two satellite networks operating in a space service not subject to a Plan				
RES 902	(WRC-03) Provisions relating to earth stations located on board vessels which operate in fixed-satellite service networks in the uplink bands 5 925-6 425 MHz and 14-14.5 GHz			<i>This Resolution is referred to in Nos. 5.457A, 5.457B, 5.506A and 5.506B.</i>	
	ANNEX 1 Regulatory and operational provisions for ESVs transmitting in the 5 925-6 425 MHz and 14-14.5 GHz bands				
	ANNEX 2 Technical limitations applicable to ESVs transmitting in the bands 5 925-6 425 MHz and 14-14.5 GHz				
RES 903	(WRC-07) Transitional measures for certain broadcasting satellite / FSS systems in the band 2 500 – 2 620 MHz				
RES 904	(WRC-07) Transitional measure for coordination between Mobile-Satellite Service (Earth-to-space) and the space research (passive) service in the band 1 668 – 1 668.4 Mhz for a specific case				

**RESOLUTIONS**

IWG-4/032 (140709)

<b>RESOLUTION</b>		<b>WAC</b>	<b>IRAC/ RCS</b>	<b>Comments</b>	<b>WRC-11 Agenda Item</b>
RES 905	(WRC-07) Date of entry into force of certain provisions of the RR relating to the non-payment of cost recovery fees				
RES 906	(WRC-07) Submission of notices for terrestrial services to the Radiocommunication Bureau				
RES 950	(Rev.WRC-07) Consideration of the use of the frequencies between 275 and 3 000 GHz				<b>1.6</b>
RES 951	(Rev.WRC-07) Enhancing the international spectrum regulatory framework				<b>1.2</b>
	ANNEX 1 Options for enhancing the international spectrum regulatory framework				
	ANNEX 2 Guidelines for implementing this resolution				
RES 953	(WRC-07) Protection of radiocommunication services from emissions by short-range radio devices				<b>1.22</b>
RES 954	(WRC-07) Harmonisation of spectrum for use by terrestrial electronic news gathering systems				<b>1.5</b>
RES 955	(WRC-07) Consideration of procedures for free-space optical links				<b>1.6</b>
RES 956	(WRC-07) Regulatory measures and their relevance to enable the introduction of software-defined radio and cognitive radio systems				<b>1.19</b>

## RECOMMENDATIONS

RECOMMENDATION		WAC	IRAC/ RCS	Comments	WRC-11 Agenda Item
REC 7	(Rev.WRC-97) Adoption of standard forms for ship station and ship earth station licences and aircraft station and aircraft earth station licences				
	ANNEX 1 Principles for the formulation of standard ship and aircraft station licences				
	ANNEX 2				
	ANNEX 3				
REC 8	Relating to automatic identification of stations				
REC 9	Relating to the measures to be taken to prevent the operation of broadcasting stations on board ships or aircraft outside national territories				
REC 34	(WRC-95) Principles for the allocation of frequency bands				
REC 36	(WRC-97) Role of international monitoring in reducing apparent congestion in the use of orbit and spectrum resources				
REC 37	(WRC-03) Operational procedures for earth stations on board vessels (ESVs) use				
	ANNEX 1 Operational procedures for ESV use				
REC 63	Relating to the provision of formulae and examples for				

## RECOMMENDATIONS

RECOMMENDATION		WAC	IRAC/ RCS	Comments	WRC-11 Agenda Item
	the calculation of necessary bandwidths				
REC 71	Relating to the standardization of the technical and operational characteristics of radio equipment				8.1
REC 75	(WRC-03) Study of the boundary between the out-of-band and spurious domains of primary radars using magnetrons				8.1
REC 100	(Rev.WRC-03) Preferred frequency bands for systems using tropospheric scatter				
REC 104	(WRC-95) Development of power flux-density and equivalent isotropically radiated power limits to be met by feeder links of non-geostationary satellite networks in the mobile-satellite service for the protection of geostationary-satellite networks in the fixed-satellite service in bands where No. 22.2 of the Radio Regulations applies				
REC 206	(WRC-07) Consideration on the possible use of integrated mobile-satellite service and ground component systems in some frequency bands identified for the satellite component of International Mobile Telecommunications				
REC 207	(WRC-07) Future IMT systems				
REC 316	(Rev.Mob-87) Use of ship earth stations within harbours and other waters under national jurisdiction				

## RECOMMENDATIONS

RECOMMENDATION		WAC	IRAC/ RCS	Comments	WRC-11 Agenda Item
REC 401	Relating to the efficient use of aeronautical mobile @ worldwide frequencies				
REC 503	(Rev.WRC-2000) High-frequency broadcasting				
REC 506	Relating to the harmonics of the fundamental frequency of broadcasting-satellite stations				
REC 520	(WARC-92) Elimination of HF broadcasting on frequencies outside the HF bands allocated to the broadcasting service				
REC 522	(WRC-97) Coordination of high-frequency broadcasting schedules in the bands allocated to the broadcasting service between 5 900 kHz and 26 100 kHz				
REC 608	(WRC-03) Guidelines for consultation meetings established in Resolution 609 (WRC-03)				
	ANNEX 1 List of RNSS system characteristics and format of the result of the aggregate epfd calculation to be provided to the Radiocommunication Bureau for publication for information				
REC 622	(WRC-97) Use of the frequency bands 2 025-2 110 MHz and 2 200-2 290 MHz by the space research, space operation, Earth exploration-satellite, fixed and mobile services				
REC 707	Relating to the use of the frequency band 32-33 GHz shared between the inter-satellite service and the			<i>US position: Further analysis needed</i>	

## RECOMMENDATIONS

RECOMMENDATION		WAC	IRAC/ RCS	Comments	WRC-11 Agenda Item
	radionavigation service			<i>BR: NOC. Still relevant, ongoing studies with a view to present results to a future WRC. Recommendation ITU-R S.1151 in force. This Recommendation is referred to in No. 5.548.</i>	
REC 724	(WRC-07) Use by civil aviation of frequency allocations on a primary basis to the fixed-satellite service				