

**Before the
Federal Communications Commission
Washington, D.C. 20554**

In the Matter of)
)
Amendment of the Commission s Rules) **RM-10330**
To Shield Electronics Equipment Against)
Acts of War or Terrorism Involving)
Hostile Use of Electromagnetic Pulse (EMP))
)
)

To the Commission:

Comments from Nickolaus E. Leggett re FERC Action

I am a certified electronics technician (ISCET and iNARTE) and an Extra Class amateur radio operator (call sign N3NL). I hold an FCC General Radiotelephone Operator License with a Ship Radar Endorsement. I am an inventor holding three U.S. Patents. My latest patent is a wireless bus for digital devices and computers (U.S. Patent # 6,771,935) I have a Master of Arts degree in Political Science from the Johns Hopkins University.

I am one of the petitioners for constructive Commission action on protecting our Nation's communications infrastructure from electromagnetic pulse (EMP). Our first petition was in the 1980s.

Federal Energy Regulatory Commission Action

The Federal Energy Regulatory Commission (FERC) has taken the following action in favor of standards for the protection of the electric power grid from solar storms (geomagnetic disturbances). Such solar storms are a phenomenon that is related to the impact that can occur from EMP attacks and events.

Listed below is the notification that was sent to me today by the FERC:

“ FERC Orders Development of Reliability Standards for Geomagnetic

Disturbances

The Federal Energy Regulatory Commission (FERC) today issued a final rule requiring development of reliability standards that address the impact of geomagnetic disturbances (GMD)

impacts on the Bulk-Power System. Those standards must require owners and operators to conduct initial and continuing assessments of the potential effects of specified “benchmark GMD events” on equipment and the Bulk-Power System as a whole. If the assessments identify potential effects from such events, the reliability standards should require a responsible entity to develop and implement plans to protect against instability, uncontrolled separation or cascading failures of the system.

The final rule takes effect 60 days after publication in the *Federal Register*.

R-13-20

(30)

May 16, 2013 News Media Contact Craig Cano | 202-502-8680 Docket Nos. RM12-22-000

20130516-3081 FERC PDF (Unofficial) 05/16”