

Received & Inspected

SEP 05 2013

FCC Mail Room

FCC 13-39

**Before the  
Federal Communications Commission  
Washington, D.C. 20554**

In the Matter of	)	
	)	
Reassessment of Federal Communications	)	ET Docket No. 13-84
Commission Radiofrequency Exposure Limits and	)	
Policies	)	
	)	
Proposed Changes in the Commission's Rules	)	ET Docket No. 03-137
Regarding Human Exposure to Radiofrequency	)	
Electromagnetic Fields	)	
	)	

To: Office of the Secretary  
Federal Communications Commission  
Washington, DC 20554

Comment Filed by: Laddie W Lawings  
403 E. Park Avenue  
Port Angeles, WA 98362-6935  
ThePoemRags@msn.com  
360-452-8122

August 29, 2013

0

SEP 05 2013

FCC Mail Room

**AFFIDAVIT OF Laddie W Lawings**

State of Washington  
Clallam County

I, Laddie W Lawings, attest that my statements are true to the best of my knowledge.

**Comment** round for FCC ET Docket No. 013-84 and ET Docket No. 03-137

1. My name is Laddie W Lawings. My address is 403 E. Park Avenue, Port Angeles, WA 98362-6935
2. I am retired from a Naval Nuclear Inspector / Auditor Training Leader career.
3. Smart Meters RF transmissions have been reported to interfere with RF emitters that control medical devices, such as pacemakers, apnea monitors, electrically powered wheelchairs, RF insulin pumps...etc.... This condition is called radiofrequency interference (RFI) and can have consequences that range from inconvenience to serious injuries and death. Living in Port Angeles, WA, please consider my following conditions:

I have an Implantable Defibrillator/Pacemaker (CD2231-40Q), which the University of Washington State Medical Heart Center had implanted in my chest due to a medical team's advisement of concerns that I may return to a heart fibrillation state upon my return to Port Angeles, WA. Although I have had two heart (a two by-pass and a one stint post-ops) conditions, I was determined to return to work at OMC. A few years later, I noticed changes in my heart rhythms shortly after the installation of the City Wide and Olympic Medical Center (OMC) Wide Wi-Fi Systems. These systems I believe caused and began the start of my heart rhythmic, respiratory, diabetic, and nervous tension symptoms. These symptoms continued to increase and became problematic that sent me to hospitals and medical clinics alike. A heart medical device to alert medical staff of my heart condition as I struggle to stay alive now monitors me.

I developed server sleep respiratory apnea for which I must now use an assisted respiratory medical device every night. This device assists my continuing breathing during sleep. This too had become problematic during the same time epoch, as did my heart fibrillation epochs.

During these heart and apnea problematic epochs, I had developed yet another problem, high blood glucose levels. The insulin pump (OmniPod – UST200) and in-office lab testing reflected two highly different variances, not even close. After my research on locations and level indications of the EMF/RF radiations by the use of EMF/RF meters, I was able to reduce some of my EMF/RF radiation exposures by using the methods used when I was a Nuclear Inspector; Time, Distance, and Shielding. However, there are now locations and levels of EMF/RF radiations, which the general population and myself are unable to use these methods to control our exposures. They are; City Wide Wi-Fi Systems, Smart Meters/Grids, and Cell Phone Grids. Hospital Wide Wi-Fi, Security, and Electrical Systems. And there are many businesses with the same type systems. Now the Smart System, adding to the problem that the average person cannot control their exposure to. Lets face it, we have now produced a New Dangerous Pollution that is killing us more than the Nuclear Waste and the Auto.

4. Health, environmental, privacy, and billing concerns have all been voiced over the installation of these smart meters. The City of Port Angeles says they are following the FCC guidelines. Anyone with at least some common sense should know that the FCC guidelines are "Out-Of-Date". The people living under and in this "New Dangerous Pollution" know what they are subject to; Sickness, Abusive Price Increases, Natural Life around them dying, and Invasion of Privacy by the Government and Thief alike.

5. The FCC guidelines are based on thermal effects to human tissue (heating). The thermal heating effect of radio frequency (RF) radiation on humans has been studied and is well understood. Non-thermal effects were not taken into consideration for the basis of these regulations. Scientific studies have shown that non-thermal effects due to cumulative or prolonged exposure to lower levels of RF emissions can cause adverse health effects. The Bio-Initiative Report provides a good summary on the studies of non-thermal adverse health effects detected.

6. The Federal Communications Commission (FCC) has failed to set safety standards that take into consideration safety for the disabled population and those with medical conditions adversely affected by non-ionizing radiation at far lower levels than that of the general population.

7. The Federal Communications Commission (FCC) has failed to take into consideration the increase amounts of EMF/RF devices being produced, installed, and used by business, governments, public works, and the like which the average person do not have control over to reduce their exposure to EMF/RF radiation; therefore, they are doom to adverse health affects, their lost personal privacies, and securities.

Respectfully,

Laddie W Lawings, MA/CNA  
403 E. Park Avenue  
Port Angeles, WA 98362-6935

Name: Laddie W. Lawings August 29, 2013  
(Print) (Signature)

Sworn to before me,

This 29<sup>th</sup> day of August, 2013

[Signature]  
Notary Public

