

Exhibit C: Reference List for Important Fertility and Reproduction Papers

- Agarwal A, Tamer M, Said TM. Role of sperm chromatin abnormalities and DNA damage in male infertility Human Reproduction Update 2003;9:331-345.
- Agarwal A, Deepinder F, Sharma RK, Ranga G, Li J. Effect of cell phone usage on semen analysis in men attending infertility clinic: an observational study. Fertil Steril. 2008;89(1):124-8.
- Agarwal A, Desai NR, Makker K, Varghese A, Mouradi R, Sabanegh E, et al. Effect of radiofrequency electromagnetic waves (RF-EMF) from cellular phones on human ejaculated semen: an in vitro study. Fertility Sterility 2009;92(4):1318-1325.
- Aitken RJ, Bennetts LE, Sawyer D, Wiklendt AM, King BV. Impact of radio frequency electromagnetic radiation on DNA integrity in the male germline. Int J Androl. 2005 Jun;28(3):171-9.
- Aitken RJ, Roman SD. Antioxidant systems and oxidant stress in the testes. Review. Oxidative Med. Cell Longevity. 2008;1:15-24
- Akdag MZ, Dasdag S, Aksen F, Isik B, Yilmaz F. Effect of ELF magnetic fields on lipid peroxidation, sperm count, p53, and trace elements. Med Sci Monit. 2006;12 (11):BR366-71.
- Al-Akhras MA, Darmani H, Elbetieha A. Influence of 50 Hz magnetic field on sex hormones and other fertility parameters of adult male rats. Bioelectromagnetics 2006; 27(2):127-131.
- Amara S, Abdelmelek H, Garrel C, Guiraud P, Douki Travant JL, et al. Effects of subchronic exposure to static magnetic field on testicular function in rats. Arch Med Res. 2006;37(8):947-52.
- Avendano C, Mata A, Sanchez Sarmiento CA, Doncel GF. Use of laptop computers connected to internet through Wi-Fi decreases human sperm motility and increases sperm DNA fragmentation. Fertility Sterility 2012;97(1):39-45.
- Bawin S, Adey W, Sabbot I. Ionic factors in release of 45 Ca^{2+} from chicken cerebral tissues by electromagnetic fields, In Proc. Natl. Acad. Sci. 1978;75(12):6314-6318.
- Behari J, Kesari KK. Effects of microwave radiations on reproductive system of male rats. Embryo Talk 2006;1 (Suppl.1):81-5.
- Bellieni CV, Pinto I, Bogi A, Zoppetti N, Andreuccetti D, Buonocore G. Exposure to electromagnetic fields from laptop use of "laptop" computers, Arch Environ Occup Health, 2012;67:1:31-36
- Bernabo N, Tettamant E, Pistilli MG, Nardinocchi D, Beradinelli P, Mattioli M, Barboni B. Effects of 50 Hz extremely low frequency magnetic field on the morphology and function of boar spermatozoa capacitated in vitro. Theriogenology. 2007;67(4):801-815.
- Bernabo N, Tettamant E, Pistilli MG, Nardinocchi D, Beradinelli P, Mattioli M, et al. Extremely low frequency electromagnetic field exposure affects fertilization outcome in swine animal model. Theriogenology. 2010;73(9):1293-1305.
- Blackman CF, Benane SG, Elder JA, House DE, Lampe JA, Faulk JM. Induction of calcium-ion influx from tissue by radiofrequency radiation : Effect of sample number and modulation frequency on the power-density window. Bioelectromagnetics 1980;1:35-43.
- Blackman CF, Kinney LS, House DE, Joines WT. Multiple power density windows and their origin. Bioelectromagnetics 1989;10(2):115-128.
- Blank M, Goodman R. DNA is a fractal antenna in electromagnetic fields. Int J Radiation Biol 2011;87:409-415.
- Cao XW, Zhao TD, Wang CH, Zhou Q, Li LQ, Yao HG, Zhang SQ, Tang, JT, Wei W. Alternating magnetic field damages the reproductive function of murine testes. Zhonghua Nan Ke Xue. 2009;15(6):530-533.
- Capri M, Scarcella E, Fumelli C, Bianchi E, Salvioli S, Mesirca P. et al. In vitro exposure of human lymphocytes to 900 MHz CW and GSM modulated radiofrequency: studies of proliferation, apoptosis and mitochondrial membrane potential. Radiat Res. 2004a;162, 211-218.

Capri M, Scarcella E, Bianchi E, Fumelli C, Mesirca P, Agostini C, et al. 1800 MHz radiofrequency (mobile phones, different Global System for Mobile communication modulations) does not affect apoptosis and heat shock protein 70 level in peripheral blood mononuclear cells from young and old donors. *Int J Radiat Biol.* 2004b;80:389-397.

Caraglia M, Marra M, Mancinelli F, D'Ambrosio G, Massa R, Giordano A. et al. Electromagnetic fields at mobile phone frequency induce apoptosis and inactivation of the multi-chaperone complex in human epidermoid cancer cells. *J Cell Physiol.* 2005; 204:539-548.

Roychoudhury S, Massanyi P, Slamecka J, Chlebec I, Trandzik J, et al. In vitro gossypol induced spermatozoa motility alterations in rabbits. *J Environ Sci Health B.* 2009 Sep;44(7):730-41.

Chung MK, Lee SJ, Kim YB, Park SC, Shin DH, Kim SH, Kim JC. Evaluation of spermatogenesis and fertility in F1 male rats after in utero and neonatal exposure to extremely low frequency electromagnetic fields. *Asian J Androl.* 2005, 7(2):189-94.

Cotgreave IA. Biological stress responses to radio frequency electromagnetic radiation: are mobile phones really so (heat) shocking?, *Arch Biochem Biophys.* 2005;435:227–240.

Dasdag S, Akdag MZ, Aksen F, Yilmaz F, Bashan M, Dasdag M, Salih Celik M. Whole body exposure of rats to microwaves emitted from a cell phone does not affect the testes, *Bioelectromagnetics* 2003;24(3):182-188.

Dasdag S, Akdag MZ, Ulukaya E, Uzunlar AK, Yegin D. Mobile phone exposure does not induce apoptosis on spermatogenesis in rats. *Arch Med Res.* 2008 Jan;39(1):40-4.

Delgado JMR, Leal J, Monteagudo JL, Gracia MG. Embryological changes induced by weak, extremely low frequency electromagnetic fields. *J Anat (Lond)* 1982;134:533–552.

DeIullis GN, Newey RJ, King BV, Aitken RJ. Mobile phone radiation induces reactive oxygen species production and DNA damage in human spermatozoa in vitro. *PLoS One* 2009;4(7):e6446.

Deno DW, Zaffanella LE. Field effects of overhead transmission lines and stations, In *Transmission Line Reference Book. 345 kV and above, 2nd edition*, J J Ed. Project UHV, Technical Resource Operations. Large Transformer Division. General Electric Company, Pitsfield Mass. 1982;329/625.

Derias EM, Stefanis P, Drakeley, A, Gazvani R, Lewis_Jones DI. Growing concern over the safety of using mobile phones and male fertility. *Arch. Androl.* 2006;521:9-14.

Drozdov KA, Khlistun OA, Drozdov AL. The influence of ultrasound and constant magnetic field on gametes, zygotes, and embryos of the sea urchin. *Biofizika.* 2008; 53(3):513-518.

Eberhardt JL, Persson BR, Brun AE, Salford LG, Malmgren LO. Blood-brain barrier permeability and nerve cell damage in rat brain 14 and 28 days after exposure to microwaves from GSM mobile phones. *Electromagn Biol Med.* 2008;27(3):215-29.

Edwards MJ, Mulley R, Ring S, Warmer RA. Mitotic cell death and delay of mitotic activity in guinea pig embryos following brief material hyperthermia. *J Embryol Exp Morphol* 1974;32:593-602.

Erogul O, Oztas E, Yildirim I, Kir T, Aydur E, Komesli G, Irkilata HC, IrmakMK, Peker AF. Effects of electromagnetic radiation from a cellular phone on human sperm motility:an vitro study. *Arch Med Res* 2006;37(7):840-3.

Falzone N, Huyser C, Franken DR, Leszezynski D. Mobile phone radiation does not induce proapoptosis effects in human spermatozoa. *Radiation Res* 2010;174(2):169-76.

Falzone N, Huyser C, Becker P, Leszezynski DR, Franken DR. The effect of pulsed 900 MHz GSM mobile phone radiation on the acrosome reaction, head morphometry and zona binding of human spermatozoa. *Int J Androl* 2011;34(1):20-6.

Farrell JM Litovitz TL, Penafiel M, Montrose CJ, Doinov P, Barber M, et al. The effect of pulsed and sinusoidal magnetic fields on the morphology. *Bioelectromagnetics.* 1997;18:431-438.

Fraser FC, Skelton J (1978) Possible tetragenicity of maternal fever. *Lancet* 2:634.

Fejes I, Zavacki Z, Szollosi J, Koloszar Daru J, Kovacs L, Pal A. Is there a relationship between cell phone use and semen quality ? *Arch Androl.* 2005;51, 385-393.

Forgács Z, Kubinyi G, Sinay G, Bakos J, Hudák A, Surján A, Révész C, Thuróczy G. Effects of 1800 MHz GSM-like exposure on the gonadal function and hematological parameters of male mice. *Magy Onkol.* 2005;49(2):149-51. [Article in Hungarian]

Forgács Z, Somosy Z, Kubinyi G, Bakos J, Hudák A, Surján A, Thuróczy G. Effect of whole-body 1800 MHz GSM-like microwave exposure on testicular steroidogenesis and histology in mice. *Reprod Toxicol.* 2006; Jul;22(1):111-7.

French PW, PennyR, Laurence JA, McKenzie DR. Mobile phones, heat shock proteins and cancer. *Differentiation* 2001;67, 93-97.

García AM, Sisternas A, Hoyos SP. Occupational exposure to extremely low frequency electric and magnetic fields and Alzheimer disease: a meta-analysis. *Int J Epidemiol.* 2008;37(2):329-40

Gharagozloo P, Aitken RJ. The role of sperm oxidative stress in male infertility and the significance of oral antioxidant therapy. *Hum Reprod* 2011 Jul;26(7):1628-40. Epub 2011 May 5.

Gotoh T, Terada K, Mori M. hsp70-DnaJ chaperone pairs prevent nitric oxide-mediated apoptosis in RAW 264. 7 macrophages. *Cell Death Differ.* 2001; 8, 357-366.

Gul A, Celebi H, Ugras S. The effects of microwaves emitted by cellular phones on ovarian follicles in rats. *Archives of Gynecology and Obstetrics* 2009;280(5): 729-33.

Gutschi T, Al-Ali BM, Shamloul R, Pummer K, Trummer H. Impact of cell phone use on men's semen parameters. *Andrologia.* 2011;43, 5, 312–316.

Heredia-Rojas JA, Caballero-Hernandez DE, Rodriguez-de la Fuente AO, Ramos-Alfano G, Rodriguez-Flores LE. Lack of alterations on meiotic chromosomes and morphological characteristics of male germ cells in mice exposed to a 60 Hz and 2. 0 mT magnetic field. *Bioelectromagnetics.* 2004;25(1):63-8.

Hardell L, Sage C. Biological effects from electromagnetic field exposure and public exposure standards. *Biomed Pharmacother.* 2008;62(2):104-9.

Higashikubo R, Ragouzis M, Moros EG, Straube WL, Roti Roti JL. Radiofrequency electromagnetic fields do not alter the cell cycle progression of C3H 10T and U87MG cells. *Radiat Res.* 2001; 786–795.

Hong R, Liu Y, Yu YM, Hu K, Weng EQ. Effects of extremely low frequency electro magnetic fields on male reproduction in mice. *Zhonghua Lao dong Wei Sheng, Zhi Ye Bing Za Zhi.* 2003;21(5):342-345.

Hong R, Zhang V, Liu Y, Weng EQ. Effects of extremely low frequency electromagnetic fields on DNA of testicular cells and sperm chromatin structure in mice. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2005;23(6):414-417.

Hook GJ, Zhang P, Lagroye I, Li L, Higashikubo R, Moros EG, et al. Measurement of DNA damage and apoptosis in Molt-4 cells after in vitro exposure to radiofrequency radiation. *Radiat Res.* 2004; 161:193-200.

Hughes CM, Lewis SE, Mckelvey-Martin VJ, Thompson W. A comparison of baseline and induced DNA damage in human spermatozoa from fertile and infertile men, using a modified comet assay. *Mol Hum Reprod.* 1996; 13, 1240-1247.

Huss A, Spoerri A, Egger M, Rösli M and for the Swiss National Cohort Study. Residence near power lines and mortality from neurodegenerative diseases: longitudinal study of the Swiss Population. *Am J Epidemiol.* 2008;15, 169, 167-175.

ICNIRP. Guidelines for limiting exposure to time varying electric, magnetic, and electromagnetic fields (upto 300 GHz) 1998. *Health Phys.* 1998;74:494-522.

Imai N, Kawabe M, Hikage T, Nojima T, Takahashi S, Shirai T. Effects on rat testis of 1. 95-GHz W-CDMA for IMT-2000 cellular phones. *Syst Biol Reprod Med.* 2011; Aug;57(4):204-9.

Inoue Y, Sato Y, Nishimura M, Seguchi M, Zaitsumi Y, Yamada K. et al. Heat-induced drug resistance is associated with increased expression of Bcl-2 in HL60. *Anticancer Res.* 1999;19:3989-3992.

Iwasaki A, Gagon C. Formation of reactive oxygen species in spermatozoa of infertile patients. *Fertil Steril.* 1992; 57:409-416.

Jajte J, Grzegorzczak J, Zmyslony M, Rajkowska E. Effect of 7 mT static magnetic field and iron ions on rat lymphocytes: apoptosis, necrosis and free radical processes. *Bioelectrochemistry*. 2002;57:107-111.

Yan JG, Agresti M, Bruce T, Yan YH, Granlund A, Matloub HS. Effects of cellular phone emissions on sperm motility in rats. *Fertility Sterility*, 2007;88(4):957-964.

Jolly C, Morimoto RI. Role of the heat shock response and molecular chaperones in oncogenesis and cell death. *J Natl Cancer Inst*. 2000;92:1564 -1572.

Juutilainen J, Matilainen P, Saarikoski S, Läärä E, Suonio S. et al. Early pregnancy loss and exposure to 50 Hz magnetic fields. *Bioelectromagnetics* 1993;14:220-236.

Kesari KK, Behari J. Comparative study of 900MHz and 2.45 GHz radiation effect on reproductive system of male rats. In: *Recent Advances and Challenges in Reproductive Health Research*. (RS Sharma, A Rajanna, M Rajalakshmi. Proceedings of the conference on "Recent Advances and Challenges in Reproductive Health Research (Feb 19-21, 2007 New Delhi) ICMR Publication, 2008.

Kesari KK, Behari J. Fifty gigahertz microwave exposure effect of radiation on rat brain. *Appl Biochem Biotechnol* 2009;158:126-139.

Kesari KK, Behari J. Microwave exposure affecting reproductive system in male rats. *Appl Biochem Biotechnol*. 2010;31(6):495-498.

Kesari KK, Behari J. Evidence for mobile phone radiation exposure effects on reproductive pattern of male rats: Role of ROS. *Electromagnetics Biology Medicine*. 2012;31(3):213-222.

Kesari KK, Kumar S, Nirala J, Siddiqui MH, Behari J. Biophysical evaluation of radiofrequency electromagnetic field effects on male reproductive pattern. *Cell Biochem Biophys* 2012;Aug 29;DOI 10. 1007/s12013-012-9414-6

Kesari KK, Kumar S, Behari J. Effects of radiofrequency electromagnetic wave exposure from cellular phones on the reproductive pattern in male Wistar rats. *Appl Biochem Biotechnol* 2011;164(4):546-59.

Kim YW, Kim HS, Lee JS, Kim YJ, Lee SK, Seo JN, Jung KC, Kim N, Gimm YM. Effects of 60 Hz 14 μ T magnetic field on the apoptosis of testicular cell in mice. *Bioelectromagnetics* 2009;30(1):66-72.

Kilgallon SJ, Simmons LW. Image content influences men's semen quality. *Biol Lett*. 2005; 1, 385-393.

Kodama H, Yamaguchi R, Fukada J, Kasai H, Tanaka T. Increased oxidative deoxyribonucleic acid damage in the spermatozoa of infertile male patients. *Fertil Steril*. 1997;68, 519-524.

Kumar S, Kesari KK, Behari J. Evaluation of genotoxic effect in male wistar rats following microwave exposure. *Ind J. Exp Biology* 2010;48, 586-592.

Kumar S, Kesari KK, Behari J. The therapeutic effect of a pulsed electromagnetic field on the reproductive pattern of male wistar rats exposed to a 2.45 GHz microwave field. *Clinics* 2011;66(7)1237-1245.

Kumar S, Kesari KK, Behari J. The influence of microwave exposure on male fertility. *fertility and sterility*. 2011a;95 (4); 1500-1502.

Kwee S, Raskmark P, Velizarov S. Changes in cellular proteins due to environmental nonionizing radiation. 1. Heat shock proteins. *Electro- and Magnetobiol*. 2001;20, 141-152.

Lacy KK, DeSesso JM, Lary JM. Early histological changes observed in the neural folds of day 9 rat embryos subsequent to radio frequency radiation or water bath induced hyperthermia. *Teratology* 1981;23:48A.

Lantow M, Viergutz T, Weiss DG, Simkó M. Comparative study of cell cycle kinetics and induction of apoptosis or necrosis after exposure to radiofrequency radiation in human Mono Mac 6 cells. *Radiat Res*. 2006c;166, 539-543.

Lee GM, Neutra RR, Hristova L, Yost M, Hatt RA. A nested case-control study of residential and personal magnetic field measures and miscarriages. *Epidemiology* 2001;13:21-31.

Leszczynski D, Joenväärä S, Reivinen J, Kuokka R. Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: molecular mechanism for cancer and blood-brain barrier-related effects. *Differentiation* 2002;2–3:120.

Li De-Kun, Checkoway H, Muller A. Electric blanket use during pregnancy in relation to the risk of congenital urinary tract anomalies among women with a history of subfertility. *Epidemiology*. 1995;6(5):485-489.

Lorio R, Scrimaglio R, Rantucci E, Delle Monache S, Di Gateano A, Finetti N, et al. A preliminary study of oscillating electromagnetic field effects on human spermatozoon motility. *Bioelectromagnetics* 2007;28(1): 72-75.

Lorio R, Delle Monache S, Bennato F, Di Bartolomeo C, Scrimaglio R, Cinque B, et al. Involvement of mitochondrial activity in mediating ELF-EMF stimulatory effect on human sperm motility. *Bioelectromagnetics* 2011;32 (1):15-27

Milan PB, Nejad DM, Ghanbari AA, Rad JS, Nasrabadi HT, Roudkenar MH, et al. Effects of Polygonum aviculare herbal extract on sperm parameters after EMF exposure in mouse. *Pak J Biol Sci*. 2011;1;14(13):720-4.

Marinelli F, La Sala D, Ciccio G, Cattini L, Trimarchi C, Putti S, et al. Exposure to 900 MHz electromagnetic field induces an unbalance between pro-apoptotic and pro-survival signals in T-lymphoblastoid leukaemia CCRF-CEM cells. *J Cell Physiol*. 2004;198, 324-332.

Marx JL. Electric currents may guide development. *Science* 1981;211:1147-1149.

Miller P, Smith DW, Shepard TH. Material Hyperthermia as a possible cause of anencephaly. *Lancet* 1978;i:519-520.

Miyakoshi J, Takemasa K, Takashima Y, Ding GR, Hirose H, Koyama S. Effects of exposure to a 1950 MHz radio frequency field on expression of Hsp70 and Hsp27 in human glioma cells. *Bioelectromagnetics* 2005;26:251-257.

Nakamura H, Nagase H, Ogino K, Hatta K, Matsuzaki I. Uteroplacental circulatory disturbance mediated by prostaglandin f2alpha in rats exposed to microwaves. *Reprod Toxicol*. 2000;14(3):235-40.

Nikolova T, Czyz J, Rolletschek A, Blyszczuk P, Fuchs J, Jovtchev G, et al. Electromagnetic fields affect transcript levels of apoptosis-related genes in embryonic stem cell-derived neural progenitor cells. *FASEB J*. 2005;19:1686-1688.

O'Carroll MJ, Henshaw DL. Aggregating disparate epidemiological evidence: comparing two seminal EMF reviews. *Risk Anal*. 2008;28(1):225-34.

Otitoloju AA, Obe IA, Adewale OA, Otubanjo OA, Osunkalu VO. Preliminary study on the reduction of sperm head abnormalities in mice, *Mus musculus*, exposed to radiofrequency radiations from global system for mobile communication base stations. *Bull Environ Contamin Toxicol* 2010;84(1):51-4.

Pacini S, Ruggiero M, Sardi I, Aterini S, Gulisano F, Gulisano M. Exposure to global system for mobile communication (GSM) cellular phone radiofrequency alters gene expression, proliferation, and morphology of human skin fibroblasts. *Oncol Res*. 2002; 1, 19–24.

Panagopoulos DJ, Karabarbounis A, Margaritis LH. Effect of GSM 900 MHz mobile phone radiation on the reproductive capacity of *Drosophila melanogaster*. *Electromagnetic Biology and Medicine*. 2004;23(1):29-43.

Panagopoulos DJ, Margaritis LH. Mobile Telephony radiation Effects on Living Organisms. In Harper A C and Bures R V (Eds) "Mobile Telephones Networks, Applications and Performance". Nova Science Publishers. 2008;107-149.

Panagopoulos DJ, Margaritis LH. Mobile telephony radiations. *International Journal of Medical and Biological Frontiers*. 2009;15(1-2), 33-76.

Panagopoulos DJ, Margaritis LH. The effects of exposure duration on the biological activity of mobile telephony radiation. *International Journal of Radiation Biology*. 2010;86(5):358-366.

Panagopoulos D J (2011) Analyzing the Health Impacts of Modern Telecommunications Microwaves. *Advances in Medicine and Biology*. 17:1-54.

Phillips JL, Singh NP, Lai H. Electromagnetic fields and DNA damage. *Pathophysiology*. 2009;16(23):79-88.

Polk C. Introduction. In: *CRC Handbook of Biological Effects of Electromagnetic Fields* (Polk C and Postow E) CRC Press, Inc Boca Raton, Florida. 1986;1-24.

Portier CJ, Wolfe MS, eds. *EMF Science Review Symposium Breakout Group Reports for Theoretical Mechanisms and In Vitro Research Findings*. Research Triangle Park: National Institute of Environmental Health Sciences, 1997.

Rajaei F, Borhani N, Sabbagh-Ziarani F, Mashayekhi F. Effects of extremely low-frequency electromagnetic field on fertility and heights of epithelial cells in pre-implantation stage endometrium and fallopian tube in mice. *Zhong Xi Yi Jie He Xue Bao*. 2010;8(1):56-60.

Remondini D, Nylund R, Reivinen J, Poullietier de Gannes F, Veyret B, et al. Gene expression changes in human cells after exposure to mobile phone microwaves. 2006; *Proteomics*, 6(17), 4745-4754.

Ribeiro EP, Rhoden EL, Horn MM, Rhoden C, Lima LP, Toniolo L. Effects of subchronic exposure to radiofrequency frequency from a conventional cellular telephone on testicular function in adult rats. *J Urol* 2007;177(1):395-9.

Roychoudhury S, Jedicka S, Parkanyl V, Rafay J, Ondruska L, Massanyl P, et al. Influence of a 50 Hz extremely low frequency electromagnetic field on spermatozoa motility and fertilization rats in rabbits. *J Environ Sci Health A Tox Hazard subst Environ Eng*. 2009;44(10):1041-1047.

Sage C, Johansson O, Sage SA. Personal digital assistant (PDA) cell phone units produce elevated extremely-low frequency electromagnetic field emissions. *Bioelectromagnetics*. 2007;28(5):386-392.

Salama N, Kishimoto T, Kanayama HO. Effects of exposure to a mobile phone on testicular function and structure in adult rabbit. *International Journal of Andrology* 2010;33(1):88-94.

Singh NP, Stephens RE. X-ray induced DNA double strand breaks in human sperm. *Mutagenesis* 1998;13:75-79.

Smith R, Vantman D, Ponce J, Escobar J, Lissi E. Total antioxidant capacity of human seminal plasma. *Hum Reprod* 1996;11:1655-60.

Sommer AM, Grote K, Reinhardt T, Streckert J, Hansen V, Lerchl A. Effects of radiofrequency electromagnetic fields (UMTS) on reproduction and development of mice: a multi-generation study. *Radiation Research* 2009;171(1):89-95.

Sun YL, Zhou WJ, Wu JQ, Gao ES. Does exposure to computers affect the routine parameters of semen quality? *Asian J Androl* 2005;; 7:263-266.

VanDemark NL, Free MJ. Temperature effects. IN Johnson AD, Gomes WR, VanDemark NL(eds): "The Testis," Vol III. New York: Academic, 1970;233-312.

Vijayalaxmi, Bisht KS, Pickard WF, Meltz ML, Roti JL, Moros EG. Chromosome damage and micronucleus formation in human blood lymphocytes exposed in vitro to radiofrequency radiation at a cellular telephone frequency 1847-74 MHz CDMA. *radiation Research*. 2001;156:430-432.

Wang XW, Ding GR, Shi CH, Zeng, LH, Liu JY, Li J, et al. Mechanism involved in the blood-testis barrier increased permeability induced by EMP. *Toxicology* 2010;276:58-63.

Wdowiak A, Wdowiak L, Wiktor H. Evaluation of the effect of using mobile phones on male fertility. *Annals Agriculture Environmental Medicine: AAEM* 2007;14(1):169-72.

Wertheimer N, Leeper E. Possible effects of electric blankets and heated waterbeds on fetal development. *Bioelectromagnetics* 1986;7:13-22.

Yan JG, Agresti M, Bruce T, Yan YH, Granlund A, Metaloub HS. Effects of cellular phone emissions on sperm motility in rats. *Fertility Sterility* 2007;88(4): 957-64.

Zeni O, Chiavoni AS, Sannino A, Antolini A, Forigo D, Bersani F, et al. Lack of genotoxic effects (micronucleus induction) in human lymphocytes exposed in vitro to 900 electromagnetic fields. *Radiat Res*. 2003;160:152-158.

Exhibit B-1
RF Color Charts for Fertility and Reproduction Studies with Exposures

**PUBLISHED STUDIES RELEVANT TO SCENIHR REVIEW OF EMF –
 FERTILITY AND REPRODUCTION**
 C. SAGE, BIOINITIATIVE WORKING GROUP, APRIL 2014

Agarwal A, Deepinder F, Sharma RK, Ranga G, Li J. 2008. Effect of cell phone usage on semen analysis in men attending infertility clinic: an observational study. *Fertil Steril.* 89(1):124-8.

1.0 W/Kg	Motility, sperm count, sperm morphology, and viability reduced in active cell phone users (human manner).
----------	---

Agarwal A, Desai NR, Makker K, Varghese A, Mouradi R, Sabanegh E, Sharma R. 2009. Effects of radiofrequency electromagnetic waves (RF-EMW) from cellular phones on human ejaculated semen: an in vitro pilot study. *Fertil Steril.* 92(4) 1318-1325.

1.0 W/Kg	Motility, sperm count, sperm morphology, and viability reduced in active cell phone users (human manner).
----------	---

Aitken RJ, Bennetts LE, Sawyer D, Wiklendt AM, King BV. 2005 Impact of radio frequency electromagnetic radiation on DNA integrity in the male germline 28:171-179.

0.09 W/Kg	900 MHz study of mice for 7 days, 12-hr per day (whole-body) resulted in significant effect on mitosis
-----------	--

Aldad TS Gan G Gao XB Taylor HS. 2012. Fetal radiofrequency radiation exposure from 800-1900 MHz rated cellular telephones affects neurodevelopment and behavior in mice. *Sci. Rep.* 2, 312. DOI: 10.1038/srep00312

0.0003 - 0.06 W/Kg	Neurobehavioral disorders in offspring of pregnant mice exposed in utero to cell phones - dose-response synaptic transmission onto layer V pyramidal neurons of the prefrontal cortex. Hyperactivity and impaired offspring. Altered brain development.
--------------------	---

Atasoy HI, Gunal MY, Atasoy P, Elgun S, Bugdayci G 2012 Immunohistopathologic demonstration of deleterious effects on growing rat testes of radiofrequency waves emitted from conventional Wi-Fi devices. *J Pediatr Urol.* [Epub ahead of print]

0.091 W/Kg	Wireless internet 2400 MHz, 24-hrs per day/20 weeks increased DNA damage and reduced DNA repair. Authors say "findings raise questions about safety of radiofrequency exposure from Wi-Fi internet access for organisms of reproductive age, with a potential effect on fertility and integrity of germ cells" (male germ cells=sperm)
------------	--

Avendano C, Mata A, Sanchez Sarmiento CA, Doncei GF. 2012. Use of laptop computers connected to internet through Wi-Fi decreases human sperm motility and increases sperm DNA fragmentation. *Fertility and Sterility.* American Society for Reproductive Medicine, Published by Elsevier Inc. doi:10.1016/j.fertnstert.2011.10.012.

0.5 - 1.0 uW/cm2	Wi-Fi level laptop exposure for 4-hr resulted in decrease in sperm viability, DNA fragmentation with sperm exposed to Wi-Fi dishes under a laptop connected via WI-FI to the internet.
------------------	--

Behari J, Kesari KK 2006. Effects of microwave radiations on reproductive system of male rats. Embryo Talk 1 (Suppl.1):81-5.

0.00034 uW/cm²

Chronic exposure to mobile phone pulsed RF significantly reduced sperm count,

Dasdag, S et al, 1999. Whole-body microwave exposure emitted by cellular phones and testicular function of rats. Urological Research 27(3):219-223.

0.141 W/Kg

Structural changes in testes - smaller diameter of seminiferous

De Iuliis GN, Newey RJ, King BV, Aitken RJ. 2009. Mobile phone radiation induces reactive oxygen species production and DNA damage in human spermatozoa in vitro. PLoS One 4(7):e6446.

0.4 - 1.0 W/Kg

One 6-hr exposure to 1800 MHz cell phone radiation in human sperm cells caused a significant dose-dependent decrease in sperm motility and viability; reactive oxygen species levels were significantly increased after exposure to 1.0 W/kg. These findings have clear implications for the potential detrimental effects of RF/MW to human sperm. The authors conclude "(T)hese findings have clear implications for the potential detrimental effects of extensive mobile phone use by males of reproductive age, potentially affecting both their fertility and their offspring."

De Iuliis GN, Newey RJ, King BV, Aitken RJ. 2009. Mobile phone radiation induces reactive oxygen species production and DNA damage in human spermatozoa in vitro. PLoS One 4(7):e6446.

1.0 W/Kg

Human semen degraded by exposure to cell phone frequency RF increased free-radical damage.

Forgács Z, Somosy Z, Kubinyi G, Bakos J, Hudák A, Surján A, Thuróczy G. Effect of whole-body 1800 MHz GSM-like microwave exposure on testicular steroidogenesis and histology in mice. Reprod Toxicol. 2006; Jul;22(1):111-7.

45 uW/cm²

Pulsed RFR affected serum testosterone levels in mice

A.F. Fragopoulou, et al., Cranial and postcranial skeletal variations induced in mouse embryos by mobile phone radiation, Pathophysiology (2009), doi:10.1016/j.pathophys.2009.10.002

0.6 - 0.9 W/Kg

Mouse embryos develop fragile cranial bones from in utero 900 MHz The authors say "(O)ur results show that a modest exposure (e.g., 6 min daily for 21 days)" is sufficient to interfere with the normal mouse development.

Gul A, Celebi H, Ugras S. The effects of microwaves emitted by cellular phones on ovarian follicles in rats. Archives of Gynecology

< 1.0 W/Kg

Rats exposed to mobile phone radiation on STANDBY ONLY for 11-hr 45-min plus 15-min TRANSMISSION for 21 days showed decreased number of ovarian follicles in pups born to these pregnant rats. The authors conclude that the number of follicles in pups exposed to mobile phone microwaves suggest that intrauterine exposure h

Kumar S Behari J Sisodia R. 2012. Impact of Microwave at X-Band in the aetiology of

male infertility. *Electromagnetic Biology and Medicine*, 31(3): 223–232. online DOI: 10.3109/15368378.2012.700293.

0.014 W/Kg

Sperm damage from oxidative stress and lowered melatonin levels resulted from 2-hr per day/45 d

Magras, IN & Zenos, TD, 1997. RF Radiation-induced changes in the prenatal development of mice. *Bioelectromagnetics* 18:455-461.

0.168 - 1.053 uW/cm2

Irreversible infertility in mice after 5 generations of exposure to RFR from an 'antenna park'

Navakatikian, MA & Tomashevskaya, LA, 1994 Phasic behavioral and endocrine effects of microwaves of nonthermal intensity. In: *Biological Effects of Electric and Magnetic Fields, Volume 1*, Carpenter, DO, (Ed.) Academic Press, Inc., San Diego, CA., pp. 333-342.

100 uW/cm2

A 24.3% drop in testosterone after 6 hours of CW RFR exposure

Otitolaju AA, Obe IA, Adewale OA, Otubanjo OA, Osunkalu VO. 2010. Preliminary study on the induction of sperm head abnormalities in mice, *Mus musculus*, exposed to radiofrequency radiations from global system for mobile communication base stations. *Bulletin of Environmental Contamination and Toxicology* 84(1):51-4.

0.07 - 0.1 uW/cm2

Sperm head abnormalities in mice exposed for 6-months to base station level RF/MW. Sperm head to 46% exposed mice (only 2% in controls) abnormalities was also found to be dose dependent. The banana-shaped sperm head. The occurrence of sperm head observed increase occurrence of sperm reproductive health of humans living in close proximity to GSM base stations were discussed."

Panagopoulos DJ. 2012. Effect of microwave exposure on the ovarian development of *Drosophila melanogaster*. *Cell Biochem Biophys*. 63(2):121-132.

0.795 W/Kg

GSM 900 MHz, 217 Hz significantly decreases ovarian development and size of ovaries, due to DNA death of nurse cells and follicles in ovaries (that nourish egg cells)

Salama N, Kishimoto T, Kanayama HO. Effects of exposure to a mobile phone on testicular function and structure in adult rabbit. *International Journal of Andrology* 2010;33(1):88-94.

0.43 W/Kg

Significant decrease in sperm mobility; drop in sperm concentration; and decrease in seminiferous 12 weeks, with mobile phone radiation level on STANDBY ONLY (in rabbits)

Somogyi, Z et al, 1993. Effects of modulated and continuous microwave irradiation on pyroantimonate precipitable calcium content junctional complex of mouse small intestine. *Scanning Microsc* 7(4): 1255-1261

60 uW/cm2

RFR caused structural changes in cells of mouse embryos

Chart References

Agarwal A, Desai NR, Makker K, Varghese A, Mouradi R, Sabanegh E, Sharma R (2009). Effects of radiofrequency electromagnetic waves (RF-EMW) from cellular phones on human ejaculated semen: an in vitro pilot study. *Fertil Steril*, 92(4), 1318-25.

Al-Damegh MA (2012). Rat testicular impairment induced by electromagnetic radiation from a conventional cellular telephone and the protective effects of the antioxidants vitamins C and E. *Clinics (Sao Paulo)*, 67(7), 785-92.

Kesari KK, Behari J (2102). Evidence for mobile phone radiation exposure effects on reproductive pattern of male rats: role of ROS. *Electromagn Biol Med*, 31(3), 213-22.

Kesari KK, Kumar S, Behari J (2010). Mobile phone usage and male infertility in Wistar rats. *Indian J Exp Biol*, 48 (10), 987-92.

Kesari KK, Kumar S, Behari J (2011). Effects of radiofrequency electromagnetic wave exposure from cellular phones on the reproductive pattern in male Wistar rats. *Appl Biochem Biotechnol*, 164(4), 546-59. Health effects of EMF – 2013-11-29 218

Otitoloju AA, Obe IA, Adewale OA, Otubanjo OA, Osunkalu VO (2010). Preliminary study on the induction of sperm head abnormalities in mice, *Mus musculus*, exposed to radiofrequency radiations from global system for mobile communication base stations. *Bull Environ Contam Toxicol*. 84(1), 51-4.

Ribeiro EP, Rhoden EL, Horn MM, Rhoden C, Lima LP, Toniolo L (2007). Effects of subchronic exposure to radio frequency from a conventional cellular telephone on testicular function in adult rats. *J Urol*, 177(1), 395-9.

Salama N, Kishimoto T and Kanayama HO (2010a). Effects of exposure to a mobile phone on testicular function and structure in adult rabbit. *Int J Androl*, 33(1), 88-94.

Salama N, Kishimoto T, Kanayama HO and Kagawa S (2009). The mobile phone decreases fructose but not citrate in rabbit semen: a longitudinal study. *Syst Biol Reprod Med*, 55(5-6), 181-7.

Salama N, Kishimoto T, Kanayama HO and Kagawa S (2010b). Effects of exposure to a mobile phone on sexual behavior in adult male rabbit: an observational study. *Int J Impot Res*, 22(2), 127-33.